



बिड संख्या/Bid Number: GEM/2026/B/7165396

दिनांक /Dated: 03-03-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-03-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	24-03-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Power Grid Corporation Of India Limited
संगठन का नाम/Organisation Name	Powergrid Teleservices Limited
कार्यालय का नाम/Office Name	New Delhi
कुल मात्रा/Total Quantity	19079

बिड विवरण/Bid Details

<p>वस्तु श्रेणी /Item Category</p>	<p>single mode LC to LC patch cords 1 mtr Yellow in colour , single mode LC to LC patch cords 2 mtr Yellow in colour , single mode LC to LC patch cords 3 mtr Yellow in colour , single mode LC to LC patch cords 5 mtr Yellow in colour. , single mode LC to LC patch cords 10 mtr Yellow in colour , single mode LC to LC patch cords 15 mtr Yellow in colour. , single mode LC to LC patch cords 20 mtr Yellow in colour. , single mode LC to LC patch cords 30 mtr Yellow in colour. , single mode LC to FC patch cords 2 mtr Yellow in colour , single mode LC to FC patch cords 3 mtr Yellow in colour , single mode LC to FC patch cords 5 mtr Yellow in colour. , single mode LC to FC patch cords 10 mtr Yellow in colour. , single mode LC to FC patch cords 15 mtr Yellow in colour , single mode LC to FC patch cords 20 mtr Yellow in colour , single mode LC to FC patch cords 30 mtr Yellow in colour , single mode SC to FC patch cords 2 mtr Yellow in colour , single mode SC to FC patch cords 5 mtr Yellow in colour , single mode SC to FC patch cords 10 mtr Yellow in colour , single mode SC to FC patch cords 20 mtr Yellow in colour , single mode SC to SC patch cords 2 mtr Yellow in colour , single mode LC-SC patch cords 03mtr Yellow in colour , single mode LC-SC patch cords 05mtr Yellow in colour , single mode LC-SC patch cords 10 mtr Yellow in colour. , single mode LC-SC patch cords 15 mtr Yellow in colour. , single mode LC-SC patch cords 20 mtr Yellow in colour. , single mode LC-SC patch cords 30 mtr Yellow in colour. , single mode FC-FC patch cords 5 mtr Yellow in colour , single mode FC-FC patch cords 10 mtr Yellow in colour. , single mode FC-FC patch cords 15 mtr Yellow in colour , single mode FC-FC patch cords 20 mtr Yellow in colour , single mode LC to LC connectors coupler FF 0db , single mode FC to FC connectors 0 db FF , single mode SC to SC connectors 0 db FF , single mode FC to FC Attenuators 5 dB FF , single mode FC to FC Attenuators 10 dB FF , single mode 02 dB Fixed Attenuators LC-MF , single mode 03 dB Fixed Attenuators LC-MF , single mode 05 dB Fixed Attenuators LC-MF , single mode 07 dB Fixed Attenuators LC-MF , single mode 10 dB Fixed Attenuators LC-MF , single mode 12 dB Fixed Attenuators LC-MF , single mode 15 dB Fixed Attenuators LC-MF</p>
<p>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</p>	<p>Procurement of Patch Cords and Attenuators</p>
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Fountain Pens (V2)</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • Attenuators • Fiber Optic Patch Cord (V2)
<p>बीओक्यू शीर्षक /BOQ Title</p>	<p>Price Schedule</p>
<p>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</p>	<p>No</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</p>	<p>No</p>

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	single mode LC to LC patch cords 1 mtr Yellow in colour
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1573474.54
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईएमडी राशि/EMD Amount	27000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	17

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

POWERGRID Teleservices Limited
New Delhi
(.)

विभाजन/Splitting

विभाजन/Splitting Applied	Yes
बोलीदाताओं की अधिकतम संख्या, जिनके बीच ऑर्डर विभाजित किया जा सकता है। / Maximum No. Of Bidders Amongst Which Order May Be Split	2
विभाजन मानदंड इस बात पर आधारित है कि कौन सी क्वांटिटी को वितरित किया जाएगा / Split Criteria based on which quantity will be distributed	Subject procurement is reserved for MII Class-I local supplier with MLC 55% or more. Purchase preference to MSE shall be given to the eligible MSE bidders as per ATC.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price Schedule - [1772173695.xlsx](#)

Single Mode LC To LC Patch Cords 1 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behloipur Khadar, Opp. ISBT, Sarai Kale Khan	510	42

Single Mode LC To LC Patch Cords 2 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	500	42

Single Mode LC To LC Patch Cords 3 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	540	42

Single Mode LC To LC Patch Cords 5 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	1095	42

Single Mode LC To LC Patch Cords 10 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	620	42

Single Mode LC To LC Patch Cords 15 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	510	42

Single Mode LC To LC Patch Cords 20 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	370	42

Single Mode LC To LC Patch Cords 30 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	135	42

Single Mode LC To FC Patch Cords 2 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	515	42

Single Mode LC To FC Patch Cords 3 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behloipur Khadar, Opp. ISBT, Sarai Kale Khan	360	42

Single Mode LC To FC Patch Cords 5 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	790	42

Single Mode LC To FC Patch Cords 10 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	610	42

Single Mode LC To FC Patch Cords 15 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	580	42

Single Mode LC To FC Patch Cords 20 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	450	42

Single Mode LC To FC Patch Cords 30 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	202	42

Single Mode SC To FC Patch Cords 2 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	160	42

Single Mode SC To FC Patch Cords 5 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	405	42

Single Mode SC To FC Patch Cords 10 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	330	42

Single Mode SC To FC Patch Cords 20 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behloipur Khadar, Opp. ISBT, Sarai Kale Khan	220	42

Single Mode SC To SC Patch Cords 2 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	270	42

Single Mode LC-SC Patch Cords 03mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	825	42

Single Mode LC-SC Patch Cords 05mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	835	42

Single Mode LC-SC Patch Cords 10 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	645	42

Single Mode LC-SC Patch Cords 15 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	185	42

Single Mode LC-SC Patch Cords 20 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	350	42

Single Mode LC-SC Patch Cords 30 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	136	42

Single Mode FC-FC Patch Cords 5 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	600	42

Single Mode FC-FC Patch Cords 10 Mtr Yellow In Colour.

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behloipur Khadar, Opp. ISBT, Sarai Kale Khan	500	42

Single Mode FC-FC Patch Cords 15 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	166	42

Single Mode FC-FC Patch Cords 20 Mtr Yellow In Colour

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	80	42

Single Mode LC To LC Connectors Coupler FF 0db

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	660	42

Single Mode FC To FC Connectors 0 Db FF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	710	42

Single Mode SC To SC Connectors 0 Db FF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	280	42

Single Mode FC To FC Attenuators 5 DB FF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	235	42

Single Mode FC To FC Attenuators 10 DB FF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	105	42

Single Mode 02 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	320	42

Single Mode 03 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behloipur Khadar, Opp. ISBT, Sarai Kale Khan	530	42

Single Mode 05 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	870	42

Single Mode 07 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	815	42

Single Mode 10 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	550	42

Single Mode 12 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	265	42

Single Mode 15 DB Fixed Attenuators LC-MF

(Minimum 55% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashok Kumar Jajoriya	110013,Northern Regional Telecom Control Centre, Power Grid Corporation of India Limited Maharni Bagh 400/220 KV GIS S/s, Behlolpur Khadar, Opp. ISBT, Sarai Kale Khan	245	42

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc.

and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---