

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-03-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	24-03-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Coal
विभाग का नाम/Department Name	Materials Management
संगठन का नाम/Organisation Name	Nlc India Limited
कार्यालय का नाम/Office Name	Materials Management
कुल मात्रा/Total Quantity	369

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

Capacity control valve assembly of Air intake system for compressor Model NH-105 , Check valve - Discharge system for Compressor Model NH-105 , Pump lub oil for lubrication system for compressor Model NH-105 , CLAMP CONNECTOR FOR COMPRESSOR MODEL NH-105PART NO -41041X279 , Hose flexible wateraftercooler inandout compressor NH-105 PRTNO-415300278 , FERRULE 12MM X 10MM FOR CAPCONTROL VALVE ACTUATOR-ELGI COMP- PNO B010505390009 , PRE FILTER ASSEMBLY FOR INSTRUMENT AIR COMPRESSOR NH 105PART NO -B474701 , Pre filter Element for Instrument Air compressor NH 105 Part No - B574701 , Strainer oil for lubricating system for compressor NH-105 PrtNo-41041X019 , CONNECTOR AIR INLET FOR COMPRESSOR MODEL NH-105 PART NO -41041X029 , Capacity Control valve Assembly for compressor model NH-190 , Check Valve for discharge system for compressor model NH 190 , Hoseflexiblewateroilcooler 2ndstageto1ststage for compressorNH190 , Hose flexible first stage to water headerfor cooling system for compressorNH 190 , Hose flex oil drain 2nd stage for lubrication system for compressor NH-190 , MOUNT ANTII VIBRATION NH-190 , CLAMP CONNECTOR FOR COMPRESSOR NH-190 PART NO 410431168 , Hose flexible water for inter cooler in and out for compressor NH 190- , Hose flexible - oil drain 1st stage for compressor NH - 190 , BRASS QUICK FITTING CONNECTOR 1 by 2 BSP X 10 MM PART NO B010505390006 , Brass quick fittings elbow 1 by 4 BSP X 10 mm for CAC and IAC , Brass quick fittings elbow 1 by 2 BSP X 12 for CAC and IAC Part No -000920627 , PUSHIN TYPE STRAIGHTFITTING SIZE 12MMOD X 1 by 2INCHBSPT for ELGI compressor , PUSHIN TYPE ELBOWFITTING SIZE12MMOD X 1 by 2INCHBSPT for ELGI compressor , PIPE ASSY IC WATER OUTLET PART NO 410331314 , PIPE ASSY AC WATER INLET PART NO 410331313 , PIPE ASSY AC WATER OUTLET PART NO 410331315 , Pressure Switch - Oil or Water or interstage for compressor NH - 190 , Temp Switch - oil lemperture for compressor NH - 190 , Discharge Temp Switch for Compressor NH - 190 , Pressure Switch Blow off for ELGI make Air Compressors NH 190 and NH 105

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Capacity control valve assembly of Air intake system for compressor Model NH-105, Check valve - Discharge system for Compressor Model NH-105, Pump lub oil for lubrication system for compressor Model NH-105, CLAMP CONNECTOR FOR COMPRESSOR MODEL NH-105PART NO -41041X279 , Hose flexible wateraftercooler inandout compressor NH-105 PRTNO-415300278, FERRULE 12MM X 10MM FOR CAPCONTROL VALVE ACTUATOR-ELGI COMP- PNO BO10505390009, PRE FILTER ASSEMBLY FOR INSTRUMENT AIR COMPRESSOR NH 105PART NO -B474701 , Pre filter Element for Instrument Air compressor NH 105 Part No - B574701, Strainer oil for lubricating system for compressor NH-105 PrtNo-41041X019, CONNECTOR AIR INLET FOR COMPRESSOR MODEL NH-105 PART NO -41041X029, Capacity Control valve Assembly for compressor model NH-190, Check Valve for discharge system for compressor model NH 190, Hoseflexiblewateroilcooler 2ndstageto1ststage for compressorNH190, Hose flexible first stage to water headerfor cooling system for compressorNH 190, Hose flex oil drain 2nd stage for lubrication system for compressor NH-190, MOUNT ANTI VIBRATION NH-190 , CLAMP CONNECTOR FOR COMPRESSOR NH-190 PART NO 410431168, Hose flexible water for inter cooler in and out for compressor NH 190-, Hose flexible - oil drain 1st stage for compressor NH - 190, BRASS QUICK FITTING CONNECTOR 1 by 2 BSP X 10 MM PART NO B010505390006, Brass quick fittings elboow 1 by 4 BSP X 10 mm for CAC and IAC, Brass quick fittings elboow 1 by 2 BSP X 12 for CAC and IAC Part No -000920627, PUSHIN TYPE STRAIGHTFITTING SIZE 12MMOD X 1 by 2INCHBSPT for ELGI compressor, PUSHIN TYPE ELBOWFITTING SIZE12MMOD X 1 by 2INCHBSPT for ELGI compressor, PIPE ASSY IC WATER OUTLET PART NO 410331314, PIPE ASSY AC WATER INLET PART NO 410331313, PIPE ASSY AC WATER OUTLET PART NO 410331315, Pressure Switch - Oil or Water or interstage for compressor NH - 190, Temp Switch - oil leperature for compressor NH - 190, Discharge Temp Switch for Compressor NH - 190, Pressure Switch Blow off for ELGI make Air Compressors NH 190 and NH 105

Searched String: Capacity control valve assembly of Air intake system for compressor Model NH-105

Category not available on GeM for the text string uploaded by the buyer

Searched String: Check valve - Discharge system for Compressor Model NH-105

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pump lub oil for lubrication system for compressor Model NH-105

Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656

Searched String: CLAMP CONNECTOR FOR COMPRESSOR MODEL NH-105PART NO -41041X279

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details
Searched String: Hose flexible wateraftercooler inandout compressor NH-105 PRTNO-415300278

Category not available on GeM for the text string uploaded by the buyer

Searched String: FERRULE 12MM X 10MM FOR CAPCONTROL VALVE ACTUATOR-ELGI COMP- PNO BO10505390009

Category not available on GeM for the text string uploaded by the buyer

Searched String: PRE FILTER ASSEMBLY FOR INSTRUMENT AIR COMPRESSOR NH 105PART NO -B474701

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pre filter Element for Instrument Air compressor NH 105 Part No -B574701

Category not available on GeM for the text string uploaded by the buyer

Searched String: Strainer oil for lubricating system for compressor NH-105 PrtNo-41041X019

Category not available on GeM for the text string uploaded by the buyer

Searched String: CONNECTOR AIR INLET FOR COMPRESSOR MODEL NH-105 PART NO -41041X029

Category not available on GeM for the text string uploaded by the buyer

Searched String: Capacity Control valve Assembly for compressor model NH-190

Category not available on GeM for the text string uploaded by the buyer

Searched String: Check Valve for discharge system for compressor model NH 190

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hoseflexiblewateroilcooler 2ndstageto1ststage for compressorNH190

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Live Remote Temperature and Humidity Monitoring and Alert System, Desk and Bench Set for Classroom/Training Area, Signal/ Triad Cable, resuscitation crash cart console for hospitals, Desk and Chair Set for Classroom/Training Area, Fibre Cable for Networking, Bunk Beds as per IS 17636, Desk Only for Classroom/Training Area, instrument trolley for hospitals

Searched String: Hose flexible first stage to water headerfor cooling system for compressorNH 190

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hose flex oil drain 2nd stage for

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	बिड विवरण / Bid Details
	<p>lubrication system for compressor NH-190</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MOUNT ANTII VIBRATION NH-190</p> <p>Anti vibration mounting pad, Bathroom Water Shower (V2)</p> <p>Searched String: CLAMP CONNECTOR FOR COMPRESSOR NH-190 PART NO 410431168</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Hose flexible water for inter cooler in and out for compressor NH 190-</p> <p>Trackside Indicator Boards and Signages as per IRICEN Manual</p> <p>Searched String: Hose flexible - oil drain 1st stage for compressor NH - 190</p> <p>Flexible Drain Hoses for Wash Basins/ Sinks</p> <p>Searched String: BRASS QUICK FITTING CONNECTOR 1 by 2 BSP X 10 MM PART NO B010505390006</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Brass quick fittings elboow 1 by 4 BSP X 10 mm for CAC and IAC</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Brass quick fittings elboow 1 by 2 BSP X 12 for CAC and IAC Part No -000920627</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PUSHIN TYPE STRAIGHTFITTING SIZE 12MMOD X 1 by 2INCHBSPT for ELGI compressor</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PUSHIN TYPE ELBOWFITTING SIZE12MMOD X 1 by 2INCHBSPT for ELGI compressor</p> <p>Sterile Hypodermic Needles for Single use (V2)</p> <p>Searched String: PIPE ASSY IC WATER OUTLET PART NO 410331314</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PIPE ASSY AC WATER INLET PART NO 410331313</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PIPE ASSY AC WATER OUTLET PART NO 410331315</p>

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: Pressure Switch - Oil or Water or interstage for compressor NH - 190</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Temp Switch - oil lemperature for compressor NH - 190</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Discharge Temp Switch for Compressor NH - 190</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Pressure Switch Blow off for ELGI make Air Compressors NH 190 and NH 105</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778 • Directional Control Valve
बीओक्यू शीर्षक / BOQ Title	ELGI Compressor spares
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled	No
बिड का प्रकार / Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी / Primary product category	Capacity control valve assembly of Air intake system for compressor Model NH-105
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	5 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	9

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CGM
Materials Management, NLC India Limited, Neyveli-607807
(Unit Head)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमएसई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MSE

सक्षम प्राधिकारी का नाम/Name of Competent Authority	MUDE BALAJI NAIK
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	GM
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	PURCHASE WING/MATERIAL MANAGEMENT COMPLEX/NLCIL
सीए अनुमोदन संख्या/CA Approval Number	NOTE DT 04.02.2026

सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	05-02-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण//Brief Description of the Approval Granted by Competent Authority	Approval for non-selection of MSE preference in GeM Bid , since the bid is floated as STE

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	MUDE BALAJI NAIK
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	GM
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	PURCHASE WING/MATERIAL MANAGEMENT COMPLEX/NLCIL
सीए अनुमोदन संख्या/CA Approval Number	NOTE DT 04.02.2026
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	05-02-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	Approval for non-selection of MII preference in GeM Bid , since the bid is floated as STE

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Capacity Control Valve Assembly Of Air Intake System For Compressor Model Nh-105	1
Schedule 2	Check Valve - Discharge System For Compressor Model Nh-105	2
Schedule 3	Pump Lub Oil For Lubrication System For Compressor Model Nh-105	4

Schedule 4	Clamp Connector For Compressor Model Nh-105part No - 41041x279	6
Schedule 5	Hose Flexible Wateraftercooler Inandout Compressor Nh-105 Prtno-415300278	4
Schedule 6	Ferrule 12mm X 10mm For Capcontrol Valve Actuator-elgi Comp- Pno Bo10505390009	72
Schedule 7	Pre Filter Assembly For Instrument Air Compressor Nh 105part No -b474701	3
Schedule 8	Pre Filter Element For Instrument Air Compressor Nh 105 Part No -b574701	4
Schedule 9	Strainer Oil For Lubricating System For Compressor Nh-105 Prtno-41041x019	16
Schedule 10	Connector Air Inlet For Compressor Model Nh-105 Part No - 41041x029	3
Schedule 11	Capacity Control Valve Assembly For Compressor Model Nh-190	1
Schedule 12	Check Valve For Discharge System For Compressor Model Nh 190	2
Schedule 13	Hoseflexiblewateroilcooler 2ndstageto1ststage For Compressornh190	5
Schedule 14	Hose Flexible First Stage To Water Headerfor Cooling System For Compressornh 190	3
Schedule 15	Hose Flex Oil Drain 2nd Stage For Lubrication System For Compressor Nh-190	2
Schedule 16	Mount Antii Vibration Nh-190	16
Schedule 17	Clamp Connector For Compressor Nh-190 Part No 410431168	8
Schedule 18	Hose Flexible Water For Inter Cooler In And Out For Compressor Nh 190-	11
Schedule 19	Hose Flexible - Oil Drain 1st Stage For Compressor Nh - 190	6
Schedule 20	Brass Quick Fitting Connector 1 By 2 Bsp X 10 Mm Part No B010505390006	24
Schedule 21	Brass Quick Fittings Elboow 1 By 4 Bsp X 10 Mm For Cac And lac	48
Schedule 22	Brass Quick Fittings Elboow 1 By 2 Bsp X 12 For Cac And lac Part No -000920627	32
Schedule 23	Pushin Type Straightfitting Size 12mmod X 1 By 2inchbspt For Elgi Compressor	52
Schedule 24	Pushin Type Elbowfitting Size12mmod X 1 By 2inchbspt For Elgi Compressor	26
Schedule 25	Pipe Assy Ic Water Outlet Part No 410331314	1
Schedule 26	Pipe Assy Ac Water Inlet Part No 410331313	1
Schedule 27	Pipe Assy Ac Water Outlet Part No 410331315	1
Schedule 28	Pressure Switch - Oil Or Water Or Interstage For Compressor Nh - 190	6

Schedule 29	Temp Switch - Oil Lemperature For Compressor Nh - 190	3
Schedule 30	Discharge Temp Switch For Compressor Nh - 190	3
Schedule 31	Pressure Switch Blow Off For Elgi Make Air Compressors Nh 190 And Nh 105	3

Capacity Control Valve Assembly Of Air Intake System For Compressor Model NH-105

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	1	90

Check Valve - Discharge System For Compressor Model NH-105

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	2	90

Pump Lub Oil For Lubrication System For Compressor Model NH-105

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	4	90

CLAMP CONNECTOR FOR COMPRESSOR MODEL NH-105PART NO -41041X279

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	6	90

Hose Flexible Wateraftercooler Inandout Compressor NH-105 PRTNO-415300278

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	4	90

FERRULE 12MM X 10MM FOR CAPCONTROL VALVE ACTUATOR-ELGI COMP- PNO BO10505390009

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	72	90

PRE FILTER ASSEMBLY FOR INSTRUMENT AIR COMPRESSOR NH 105PART NO -B474701

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	3	90

Pre Filter Element For Instrument Air Compressor NH 105 Part No -B574701

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	4	90

Strainer Oil For Lubricating System For Compressor NH-105 PrtNo-41041X019

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	16	90

CONNECTOR AIR INLET FOR COMPRESSOR MODEL NH-105 PART NO -41041X029

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	3	90

Capacity Control Valve Assembly For Compressor Model NH-190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	1	90

Check Valve For Discharge System For Compressor Model NH 190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	2	90

Hoseflexiblewateroilcooler 2ndstageto1ststage For CompressorNH190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	5	90

Hose Flexible First Stage To Water Headerfor Cooling System For CompressorNH 190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	3	90

Hose Flex Oil Drain 2nd Stage For Lubrication System For Compressor NH-190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	2	90

MOUNT ANTII VIBRATION NH-190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	16	90

CLAMP CONNECTOR FOR COMPRESSOR NH-190 PART NO 410431168

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	8	90

Hose Flexible Water For Inter Cooler In And Out For Compressor NH 190-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	11	90

Hose Flexible - Oil Drain 1st Stage For Compressor NH - 190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	6	90

BRASS QUICK FITTING CONNECTOR 1 By 2 BSP X 10 MM PART NO B010505390006

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	24	90

Brass Quick Fittings Elbow 1 By 4 BSP X 10 Mm For CAC And IAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	48	90

Brass Quick Fittings Elbow 1 By 2 BSP X 12 For CAC And IAC Part No -000920627

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	32	90

PUSHIN TYPE STRAIGHTFITTING SIZE 12MMOD X 1 By 2INCHBSPT For ELGI Compressor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	52	90

PUSHIN TYPE ELBOWFITTING SIZE12MMOD X 1 By 2INCHBSPT For ELGI Compressor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	26	90

PIPE ASSY IC WATER OUTLET PART NO 410331314

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	1	90

PIPE ASSY AC WATER INLET PART NO 410331313

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	1	90

PIPE ASSY AC WATER OUTLET PART NO 410331315

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	1	90

Pressure Switch - Oil Or Water Or Interstage For Compressor NH - 190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	6	90

Temp Switch - Oil Lemperature For Compressor NH - 190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	3	90

Discharge Temp Switch For Compressor NH - 190

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	3	90

Pressure Switch Blow Off For ELGI Make Air Compressors NH 190 And NH 105

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vignesh M S	607807,SUB STORES, STAGE - I, THERMAL POWER STATION-II, NLC INDIA LIMITED, AMMERI, NEYVELI-7	3	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NIL

Post Receipt Inspection at consignee site before acceptance of stores:
NLCIL STORES, NEYVELI

5. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

7. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. The Bidders are requested to submit the requisite documents as per the Contract well in advance of the dispatch of the first consignment.
2. Bidders are requested to furnish Eco friendly / Green energy products manufactured/Supplied if any.
3. Bidder should confirm to submit Bank Guarantee on Rs 80/- Non-judicial stamp paper for Faithful Performance and Warranty of Contract for 5% of the total order value, within 60 days from the date of purchase order or within delivery period prescribed in the purchase order, whichever is earlier as per bid condition. If the Bank Guarantee is not submitted within the due date or sent in a different format other than either NLCIL or GeM, NLCIL shall have the option, either to cancel the order at the risk and cost of the seller and/ or to reject the Bank Guarantee at the discretion of NLCIL.

NLCIL RESERVES ITS RIGHT TO NOT TO CONSIDER THE OFFER FOR FURTHER PROCESS OF THE

BID / TENDER, IF THE BIDDER FAILS TO ADHERE / COMPLY WITH ANY OF THE TENDER CONDITIONS / REQUIREMENTS”.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---