

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-02-2026 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	12-02-2026 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Punjab
विभाग का नाम/Department Name	Technical Education And Industrial Training Department Punjab
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Chandigarh
कुल मात्रा/Total Quantity	17
वस्तु श्रेणी /Item Category	Modular Table / Meeting Table / Centre Table (V2) (Q2) , Sofa (V3) (Q2) , Wooden Podium (Q3) , Revolving Chair (V5) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	3 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	22 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	60 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Modular Table / Meeting Table / Centre Table (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 35 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 60% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.

- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Modular Table / Meeting Table / Centre Table (V2) (7 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ± 50 mm)	2400 mm
	Depth of Table Top (Tolerance ± 50 mm)	1200 mm
	Height of Table Top Adjustable	No
	Colour Family of Table Top	Brown
Table Understructure	Material Type in Table Understructure	Metal Understructure
	Support Type in Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	1.2 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (7 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Description	Type: Laboratory Table with Boxes, required for Mechanical Engineering Labs (Automobile Engg. Lab, Thermodynamics Lab, Hydraulics and Pnuematics Lab, SOM Lab etc)
Size, Frame and storage	• Table size: 2400 mm length x1200 mm width x 800 mm height (+/- 10mm) • Frame: 48 mm square MS pipe and 1.2 mm thickness. • Storage Boxes: Two storage boxes with doors and standard locks made up of 0.8 mm CRCA sheet (+/- 0.1 mm) • Handle: Plastic concealed handle of black colour.
Top and Edges	• Top: Top made of water proof ply board of thickness 25 mm pasted with 0.8 mm thick sun mica, • Edges: Edges cover with 2 mm thick hot glue pvc lipping pasted with CNC machine
Colour	Colour: Top mica chocolate brown, frame & legs brown and storage boxes of cream colour.
Powder coating	Coating: Powder coating Range 50-55 microns

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramandeep Singh	151501,Back Side New M.C Office,	7	20

Sofa (V3) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	3 - seater
	Count of Secondary Unit(s) in Sofa Set	Two Single-Seater Units
	Count of Chaise Units	No Chaise Unit, 1
	Color Family of Upholstery in Primary unit of Sofa Set	Brown, Black
	Color Family of Upholstery in Secondary unit of Sofa Set	Brown, Black
	Upholstery coverage of Primary Unit in Sofa Set	Seat, Backrest and Armrest Upholstered
	Upholstery coverage of Each Secondary Unit (s) in Sofa Set	Seat, Backrest and Armrest Upholstered

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Upholstery Material of Primary Unit in Sofa Set	Synthetic Leather / Leatherette
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Synthetic Leather / Leatherette
	Material of Sofa Set Frame	Engineered Wood / Wood
CONSTRUCTIONAL PARAMETERS - PRIMARY UNIT OF SOFA SET	Availability of Armrest in Primary Unit of Sofa Set	Yes
CONSTRUCTIONAL PARAMETERS - SECONDARY UNIT OF SOFA SET	Availability of Armrest in Each Secondary Unit of Sofa Set	Yes
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

Additional Specification Parameters - Sofa (V3) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Size	Sofa set with one 3 seater and 2 single seater units with Wooden Frame, SS Pipe Legs Frame, Seat and Back synthetic Leather, Size In MM: for 3 seater unit: 1860(L) 770(D) 780(H), for single seater units: 860MM (L) 770(D) 780(H), Seat Height 450 mm.
Seat	Seat foam shall be made of PU foam with density 40 +/- 2 kg /cu mtr having an additional top layer of PU Foam with density 32 +/- 2 kg/cu . Mtr , upholstered with synthetic Leather/ standard fabric.
Back	The back shall be made of PU foam with density 32 +/- 2 kg /cu mtr having an additional top layer of super soft Foam with density 28 +/- 2 kg/cu . Mtr , upholstered with synthetic Leather/ standard fabric.
Understructure	Understructure shall be made up of 1.2 +/- 0.1 cm thick hot pressed plywood. Dia 4 mm zig-zag spring assembly shall be mounted in understructure for support and additional cushioning purpose.
Legs	Leg assembly shall be in welded stainless steel tube and plate grade 202 or higher.

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramandeep Singh	151501,Back Side New M.C Office,	2	20

Wooden Podium (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Understructure of podium	Gable end and modesty panel
	Storage	Closed storage
	Shelves	2 - shelves
	Reading surface	Angled surface
	Top position	Adjustable
	Paper stop	Padded paper stop
	Wire management	with
	Number of socket box	2 Or higher
	In built sockets for LAN / Internet	Yes
	Type of socket box	Fixed with flip cover
MATERIAL	Podium top Material	MDF board of grade SBG II of IS 12406/Latest
	Gable end and modesty panel material	Flat single layer prelaminate MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	Leg Material	Teak wood
MISC	Podium top plain sides	CP Teak Wood Lipping
	Gable end and modesty panel plain side	CP Teak Wood Lipping
DIMENSION	Thickness of podium top ±2mm	38.0 (millimeter)
	Thickness of gable end and modesty panel ±2mm	38.0 (millimeter)
	Length of podium top ±10mm	800.0 (millimeter)
	Depth of podium ±10mm	700.0 (millimeter)
	Height of podium ±10mm	1250.0 (millimeter)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Presenter side height ± 10mm	1100mm
	Dimension of leg (mmXmm) ±5mm	60mmX60mm
SHELVES	Width of shelves ±10mm	560mm
	Depth of shelves in mm (±10mm)	400mm
FOOTREST	Length of footrest ±10mm	600mm
	Depth of footrest ±10mm	350mm
	Height of footrest (front / back) ±10mm	125mm/75mm
	Material thickness of footrest ±2mm	38mm
COLOUR & FINISH	Podium top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side
	Table top shade	peach
WARRANTY	Warranty period in number of years	3
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

Additional Specification Parameters - Wooden Podium (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Frame	Frame: 25 mm x 25 mm MS sq. pipe 1.2 mm thick having a 3 step pedestal at base.

Specification Parameter Name	Bid Requirement (Allowed Values)
Size and Cladding	The height of the podium facing the speaker as 1090mm or 1040mm for the total front height of 1270 mm or 1200 mm. the flat surface on top having a working area of 560mm x 440 mm to be provided for addressing the audience. Cladding: 18 mm thick ISO certified pre laminated MDF board, the 550 mm front edges of the board is pre-laminated MDF board.
Shelf and Footrest	One shelf is provided below the flat surface for any accompaniment for use of the speaker/ lecture. a footrest is provided at 180 mm above the base for the comfort of the user.
Colour and coating	All metal components are power coated and oven baked after proper pretreatment , COLOR: Dark Brown Podium should have computer keeping and screen display provision

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramandeep Singh	151501,Back Side New M.C Office,	3	20

Revolving Chair (V5) (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
	Mechanism to adjust seat height	Pneumatic Mechanism (Gas Lift)
CHAIR SEAT	Availability of cushion on seat	Yes
	Seat upholstery material	Polyester fabric
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid- back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Mid-back
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Seat assembly	The seat assembly should be made up of 1.2 ±0.1cm. Thick hot-pressed plywood, upholstered with standard fabric upholstery covers and moulded Polyurethane foam. SEAT SIZE: 47.0 cm. (W) x 48.0 cm. (D)
Back assembly	The back assembly should be made of powder coated (OFT 40-60 microns) tubular frame of 2.54 ±0.03cm. x 0.2 ±0.016cm.thk. MS ERW tube designed with contoured lumbar support for extra comfort. The back should be upholstered using double layer spacer mesh fabric with high tenacity yarn. BACK SIZE : 46.5 cm (W) x 60.5 cm (H)
Foam and Armrests	HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam should be moulded with density =45+/-2 kg/m ³ and hardness load 16 ± 2 kgf for 25% compression. ARMRESTS: The one-piece armrests should be injection moulded from black Co-polymer Polypropylene.
Tilting and height adjustment	CENTRE-TILT mechanism: The mechanism should be m should be designed with the following features: 360° revolving type, 17° ±2° maximum tilt on pivot at center, Upright position locking, Tilt tension adjustment. . PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment has an adjustment stroke of 11.0 ±0.3cm. TELESCOPIC BELLOW ASSY: The bellow should be 3 piece telescopic type and injection moulded in Black polypropylene.
Pedestal assembly	The pedestal should be injection moulded in black 33% glass-filled Nylon 66% and fitted with 5 nos. twin wheel castors. The pedestal should be 66.3 ±0.5cm. Pitch-center dia. (76.3 ±1.0cm with castors.). The twin wheel castors should be injection moulded in black nylon

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramandeep Singh	151501,Back Side New M.C Office,	5	20

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery

time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Shaheed Nand Singh Government Polytechnic College,
Back side M.C. office, Near Kullrian Railway crossing,
Bareta, Pin 151501,
Tehsil Budhlada,
District Mansa, Punjab

3. **Generic**

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

A center table with glass table top and wooden understructure, approx. width 1200mm, depth 600mm, height 450mm, of adequate colour to be supplied along with the Sofa set

4. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

5. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

6. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance as per technical/ service /operational manual of the manufacturer, service charges and spares. Durin

g the warranty period commencing from date of the successful installation, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. Warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipment such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

4. Packing and Marking: Some equipment (if any) being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit , rough handling, open storage etc. without any damage, deterioration etc.

5. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipment so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipment supplied.

6. Installation and Assembly: Seller shall be responsible to carry out Installation & commissioning, Assembly in case of goods supplied in parts, Supervision and Demonstration of the goods.

7. No conditional bid shall be allowed/ accepted.

8. Bidder will supply the material F.O.R. at stations ordered by this office and bid offer price will be including off loading and unloading of goods.

9. Certificate from the bidder regarding never been blacklisted by any of the Procuring Agency/ Govt. Dept. should be submitted.

10. Violation of any terms and conditions and furnishing of false certificate/ documents/information etc. may result in cancellation of bid submitted by the bidder and necessary action will be taken against the bidder as per Government of Punjab provision.

11. Each equipment and other items mentioned in the bid document should be covered under minimum onsite warranty of one (01) year period or as specified in the specifications/ bid document.

12. The bidder shall certify that the rates being quoted are not higher than those quoted for any Govt. Dept. or Institution (central or state govt.) or any organization and that if during the years at any time the bidder has quoted rates lower than those quoted against this tender, the institution would be given the benefit of lower rates by the bidder. The relevant documents should be enclosed with the technical bid.

13. Experience and Past Performance criteria eligibility will be decided on the basis of the contracts and proof of supply of same or similar items from the bid. The Bidder shall be declared qualified only if the relevant experience documents have been uploaded. The bidders should upload relevant contracts along with proof of supply as GeM CRAC report, Installation report signed by buyer etc. GeM Contracts should be accompanied by GeM CRAC reports.

14. Wherever applicable or upon the request of buyer, Test reports from NABL accredited Laboratory

ory regarding the material, testing, conformance to relevant IS etc (as applicable) regarding any item, will have to be provided by the bidder. Failure to do so will be considered as a violation of terms and may lead to cancellation of contract.

15. Bidder/ OEM must have ISO 9001, ISO 14001, BIFMA and OHSAS/ ISO 45001 certifications and same should be uploaded with the bid documents.

16. Bidders are required to upload Acceptance to Terms and Conditions of the bid including Buyer added ATC clauses. The acceptance documents should be on company letterhead, duly signed and stamped.

17. Bidders must upload Technical Compliance with respect to each technical parameter/ specification of the quoted product (including additional specification parameters) on OEM letterhead duly signed by OEM , clearly stating 'No Deviation'.

18. Bidders must also upload product catalogue/ Datasheet showing details of the offered product (including good quality images of the actual product).

19. After award of contract- Successful bidder shall get Detailed Design Drawings approved from buyer before starting fabrication. Successful bidder shall submit Detailed Design Drawing for Buyers approval within 2 working days of award of contract .Buyer shall either approve the Drawings or will provide complete list of modification required in the drawings within 2 working days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing-the delivery period shall be re-fixed without LD for the period of delay in approval of Drawing.

20. The delivery period of 20 days from receipt of contract as mentioned in the document must be strictly adhered to by the supplier. After delivery, a maximum of 2 days will be available to the successful bidder for installation and commissioning . After the expiry of said period for delivery or installation, the bidder will be considered in violation of the contract and it will be the sole discretion of buyer to cancel the contract or levy LD charges as per GeM GTC. An undertaking regarding the same to be enclosed in the bid documents.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---