

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-02-2026 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-02-2026 09:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Controller General Of Defence Accounts
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	1
वस्तु श्रेणी /Item Category	Modular Toilet (Q3)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
---	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Modular Toilet (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Number of Compartments	1 - seater modular toilet, 2 - seater modular toilet, 3 - seater modular toilet, 4 - seater modular toilet, 6 - seater modular toilet, 8 - seater modular toilet, 10 - seater modular toilet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of WC	Indian with ceramic pan, Indian with SS pan, Indian with FRP pan, Indian FRP pan with integrated facility(With FRP floor), European with ceramic pan, European with SS pan
	Water facility	By mean of overhead tank(Capacity 200Ltrs), By mean of overhead tank(Capacity 300Ltrs), By mean of overhead tank(Capacity 500Ltrs), By mean of overhead tank(Capacity 750Ltrs), By mean of overhead tank(Capacity 1200Ltrs), with running water connection, Direct connection from external supply
	Sewage facility	Sludge tank (capacity-400ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 4-seater), Sludge tank (capacity-600ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 6-seater), Sludge tank (capacity-1400ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 8-seater), Sludge tank (capacity-2000ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 10-seater), Provision for directly connected to septic tank/sewage, Twin Leech pit with inspection chamber, Sludge tank (capacity-200ltrs) with 75mm outlet facility through butterfly valve and hose pipe(For 1-seater and 2-seater), Sludge tank (capacity-400ltrs) with 75mm outlet facility through butterfly valve and hose pipe(For 3-seater and 4-seater)
	ventilation	One No., Two No., Full size ventilation above door plus half size ventilation on other side for cross ventilation
	Leech pit provision	Yes, No
	Civil foundation	No foundation Required, Required to be provide by seller, Required - to be provide by consignee himself
FRAME MATERIAL	Side panel frame material	35mm X 35mm X 5mm(thick) and 5mm X 25mm X 3mm(thick) MS angle (for 4-seater/6-seater/8-seater & 10-seater), No side frame structure
	Top(roof) frame material	40mm X 40mm X 5mm(thick)-35mm X 35mm X 5mm(thick) and 25mm X 25mm X 3mm(thick) MS angle, No roof frame structure
	Top(roof) support frame structure	40mm X 5mm(thick),35mm X 5mm(thick),25mm X 3mm(thick) MS flat, No support structure
	Partition frame material	35mm X 35mm X 5mm(thick),25mm X 25 mm X 3mm(thick) MS angle, No partition frame structure
	Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS, 3 sides zero spangled cold rolled 120 GSM galvanised(galvano) powder coated louver panel for cross ventilation with EPS insulated panels(provision for natural light above door), No ventilation frame material

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Door frame material	50mm X 25mm of 14-16gauge rectangular MS hollow pipe, 50mm X 25mm of 14-16gauge rectangular SS hollow pipe, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated with necessary stiffeners and aluminium accessories(2 Al handles - 1 Al tower bolt - 1 Al L-drop(steel sheet thickness - 0.6mm 275 MPA), No door frame material
	Support material for Door panel fixing	Aluminium U-channel of 18gauge, SS U-channel of 18gauge, No support material
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS, 75mm size with 0.6-0.8mm thickness SS, 75mm size with 1.2-1.5mm thickness Chrome plated
	Tank holder frame material	25mm X 3mm(thick) MS flat, 25mm X 3mm(thick) SS flat, 1125mm X 820mm outer ring(tubular structure)-MS
	Unit understructure	Supported by 4-legs of size 75mm X 37mm C-channel MS angle, Supported by 4-legs of size 75mm X 37mm C-channel SS angle, NO legs base
	Stairs frame material	25mm x 25mm X 3mm MS angle, 25mm x 25mm X 3mm SS angle, NO stairs
	Stairs material	25mm X 3mm MS flat, 25mm X 3mm SS flat, No stairs material
	Door Tee material	40mm X 40mm x40mm X 5mm(thick) MS Tee, 40mm X 40mm x40mm X 5mm(thick) SS Tee, No door Tee material
PANEL MATERIAL	Side panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), Outside paneling of 18 gauge MS sheet and inside paneling of 18 gauge aluminum sheet(single partition, corrugated sheet, Fitted with plastic light weight LLDPE roto molded, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Top(Roof) panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40-70mm thick taper roof EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), 4mm poly carbonate sheet fitted on top, Fitted with plastic light weight LLDPE roto molded, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	Door panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated with necessary stiffeners and Aluminium accessories (2 Al handles-1 Al tower bolt-1Al L-drop and steel sheet thickness 0.6mm 275MPA), Outside paneling of 18 gauge aluminum sheet(corrugated sheet), Fitted with plastic light weight LLDPE roto molded, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	partition panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA), Fitted with plastic light weight LLDPE roto molded, Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM ±2 kg/CUM
	Floor material(inside cubical)	5mm thick FRP material, 2-3mm thick SS material, Fitted with plastic light weight LLDPE roto molded, Anti skid tile finish floor inside toilet
DIMENSION	size of each cubical(LXWXH) ± 25mm	890mm X 840mm X 1980mm, 915mm X 915mm x 1980mm, 1220mm X 915mm X 1980mm, 915mm X 435mm X 1955mm, 1220mm X 1220mm X 1980mm, 1830mm X 1220mm X 2050mm (For physically disabled)
	Partition height ± 20mm	1830mm, 1900mm, NO partition

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Stairs size ± 10mm	610mm X 230mm having 1-step, 610mm X 230mm having 2-step, 610mm X 230mm having 3-step, NO MS stairs
MISC	Overhead tank material	made of double layer HDPE sheet, made of three layer HDPE sheet, Made of PVC, NO tank
	Sewage tank material	Sludge tank made of FRP 4mm thick (for 4-seater/6-seater/8-seater and 10-seater), Twin Leech pit with insepction chamber, NO sewage tank
	Electric provision	By mean solar energy, BY mean of battery, By mean of connection from main line, NO electric provision
	Base floor surface(inside)	To be suitably slanted towards WC for proper drainage(for Indian WC), N.A
	Raised platform for passage	Width of passage 1220mm and height of passage above ground level 225mm antiskid block finish on passage only, N.A
CIVIL FOUNDATION DETAILS	Brick foundation size	200mm X 200mm with depth of 200mm from ground level for anchor/column locations, N.A
	Pocket to be filled	With PCC of 1:2:4 ratio after grouting of steel element of structure, N.A
	Plinth height	300mm with 125mm brick plus 1:5 mortar, N.A
	Platform size	1125mm X 1500mm, N.A
	Soling height	75mm by single brick flat, N.A
	Floor casting	75mm thick PCC of 1:2:4 ratio above brick flat soling, N.A
	Outside plinth plaster	15mm thick on brick work with CM 1:5, N.A
	Stairs dimension	Two Nos. stair of size 250mm(W) X 900mm(L) X 150mm(H), N.A
TWIN LEECH PIT	Twin leech pit with inspection chamber	1000mm Dia and 1000mm deep, N.A
	Construction of leech pit	made out of 40-50mm thick concrete rings/brick work with sufficient holes, N.A
	Top cover	75mm RCC slab(1:4:8 C:S:A), N.A
	Dimension(inside) of one inspection chamber	375mm X 375mm X 300mm(depth), N.A
	Base of chamber	75mm thick PCC in 1:5:10, N.A
	Finishing of chamber(inside surface)	10mm thick cement plaster in 1:4, N.A
	Pipe connection	To be between Toilet structure-inspection channel and leech pit, N.A
WARRANTY	Warranty period in number of years	1, 2, 3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Sonitpur	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---