

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	21-04-2026 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	21-04-2026 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Uttar Pradesh
विभाग का नाम/Department Name	Energy Department Uttar Pradesh
संगठन का नाम/Organisation Name	Uttar Pradesh Rajya Vidyut Utpadan Nigam Limited (uprvunl) Lucknow
कार्यालय का नाम/Office Name	Lucknow
कुल मात्रा/Total Quantity	46
वस्तु श्रेणी /Item Category	SUMP PUMP SHAFT SLEEVE PN 12 , SUMP STUFFING BOX BUSH PN 13 , SUMP LINE SHAFT PN 15 , SUMP BUSH BEARING HOUSING PN 17 , SUMP LINE SHAFT BUSH PN 18 , SUMP LINE SHAFT SLEEVE PN 19 , SUMP SHAFT COUPLING SLEEVE PN 20 , SUMP SPLIT RING PN 21 , SUMP HEAD SHAFT PN 23 , SUMP PACKING BOX PN 24 , SUMP GLAND PACKING , SUMP GASKET PN 34 , SUMP O-RING PN 34 , SUMP ADJUSTING NUT PN 1 , SUMP IMPELLER NUT PN 7 , SUMP STUFFING BOX PN 9 , SUMP COOLING TUBE Half inch PN 10 , SUMP FLANGED STRAINER PN 32
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	SUMP PUMP SHAFT SLEEVE PN 12, SUMP STUFFING BOX BUSH PN 13, SUMP LINE SHAFT PN 15, SUMP BUSH BEARING HOUSING PN 17, SUMP LINE SHAFT BUSH PN 18, SUMP LINE SHAFT SLEEVE PN 19, SUMP SHAFT COUPLING SLEEVE PN 20, SUMP SPLIT RING PN 21, SUMP HEAD SHAFT PN 23, SUMP PACKING BOX PN 24, SUMP GLAND PACKING, SUMP GASKET PN 34, SUMP O-RING PN 34, SUMP ADJUSTING NUT PN 1, SUMP IMPELLER NUT PN 7, SUMP STUFFING BOX PN 9, SUMP COOLING TUBE 1/2" PN 10, SUMP FLANGED STRAINER PN 32
	<p>Searched String: SUMP PUMP SHAFT SLEEVE PN 12</p> <p>Sleeves for DVT Pump, Shaft and Shaft Assembly as per Drawing (RCF), Self Priming Pump Conforming To IS 5120, Rubber Components (Deepwell Hand Pumps Components) as per IS 15500, IS 12732, High Capacity Portable Pump For Fire Fighting Conforming To IS 12717</p> <p>Searched String: SUMP STUFFING BOX BUSH PN 13</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS</p>

बिड विवरण / Bid Details 1239 (Part 2 - Steel Pipe Fittings)

Searched String: SUMP LINE SHAFT PN 15

Fipronil 15% + Flonicamid 15% WDG (Water Dispersible Granules), Line Interactive UPS with AVR (V2), Oil Om - 15 (Defence), Clodinafop-Propargyl 15% WP, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Line Tester, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Flexible Shaft Grinder, Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, Shaft and Shaft Assembly as per Drawing (RCF)

Searched String: SUMP BUSH BEARING HOUSING PN 17

Bush Bearing

Searched String: SUMP LINE SHAFT BUSH PN 18

Category not available on GeM for the text string uploaded by the buyer

Searched String: SUMP LINE SHAFT SLEEVE PN 19

Category not available on GeM for the text string uploaded by the buyer

Searched String: SUMP SHAFT COUPLING SLEEVE PN 20

T - Shirt (Indian Coast Guards)

Searched String: SUMP SPLIT RING PN 21

Split or Cotter Pin, File/Folder (V3), Backing Ring, Polyethylene Pipes for Water Supply conforming to IS 4984, Wiro Ring, Key Chain, Tennikoit Ring, Basketball Ring, Towel Ring, Imidacloprid 21% + Beta-cyfluthrin 10.5% SC (Suspension Concentrate)

Searched String: SUMP HEAD SHAFT PN 23

Flexible Shaft Grinder, Laboratory Glass Adapters, Shaft and Shaft Assembly as per Drawing (RCF), Rechargeable LED Head Torch (Head Lamp), Locking Compression Plates (V2), Customs Declaration Form (CN - 22 and CN - 23), Four way angle Head open Head wrench, Deca Head Microscope, Penta Head Microscope, Square Head Bolts

Searched String: SUMP PACKING BOX PN 24

Jewellery Box from North 24 Parganas - ODOP, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Paper Box (V2), Trisodium Phosphate as per IS 573, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Corrugated Fibreboard Cartons [for packing Soluble Coffee With 30% Chicory Powder (Polyester pouches) - DEFENCE], Wind Vane as per IS 5799, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Packing Strip, Paraquat Dichloride 24% Soluble Liquid(V2)

Searched String: SUMP GLAND PACKING

Graphite gland packing ropes, Nitrile Coated/Nitrile Hand Gloves (V2), Gland Packaging, Flamproof Cable Gland, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Gasket And Packings-Gland Packings Asbestos - IS

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण

4687, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Flameproof Cable Gland (BHEL) (EM),

Surgical Sutures, Packing Strip

Searched String: SUMP GASKET PN 34

Gasket (BHEL), Shielding Gasket, Grooved gasket, GASKET CUTTING MACHINE, Metal Jacketed Gasket, Rubberized cork gasket, Gasket sealing Compound, Gasket Cylinder Head, Nitrile Rubber Gasket-BHEL, Gasket Sheet-IS:11149

Searched String: SUMP O'RING PN 34

O-Ring Kit, File/Folder (V3), O-Ring Extraction tool, Non Sparking Ring Slugging Spanners (V2), Fluid Power Systems O-Rings Conforming to IS 17891, NBR O - Ring for Self Closing Valves of LPG Cylinders, Non Sparking Double Ended Ring Spanner (V2), Ped-O-Cycle, Auramine O For Microscopy, Ped-O-Cycle (V2)

Searched String: SUMP ADJUSTING NUT PN 1

Hydraulic Nut Splitter, Multi Adjustable Bench (V2), Rivet Nut (BHEL), Lock Nut (BHEL), Needle Valve, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Span Bolt and Nut, Nut Cone End-BHEL, Groundnut Oil Conforming to IS 544 (Latest) (V3), BRASS NUT (BHEL-SCR)

Searched String: SUMP IMPELLER NUT PN 7

Stainless Steel Pump Impeller, Stud with Nuts, Hydraulic Nut Splitter, Polyethylene Pipes for Water Supply conforming to IS 4984, Rivet Nut (BHEL), Lock Nut (BHEL), Insulated T-Handle, Span Bolt and Nut, Nut Cone End-BHEL, BRASS NUT (BHEL-SCR)

Searched String: SUMP STUFFING BOX PN 9

9 - Fluorenylmethyl Chloroformate, Stapler Pin / Staples (V2), Box Spanner, Polyethylene Pipes for Water Supply conforming to IS 4984, Tissue box, Resistance Box, Pencil box, Lunch Box (V3), Lunch Box (V2), Rounded Letter Box

Searched String: SUMP COOLING TUBE1/2" PN 10

Chlorine (CL 2) Detector (V1), Line Interactive UPS with AVR (V2), Fire Breathing Apparatus SCBA as per IS 10245 (Part 2), Commercial UPVC Fittings, Vacuum Filtration Equipment as per IS 10037 (Part 2), Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), Fire - Resistant Hydraulic Fluids, (Part 2) as per IS 10532, shoes school pvc boys girls, Phenol (Carbolic Acid) as per IS 538, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: SUMP FLANGED STRAINER PN 32

Industrial Strainer, Polyethylene Pipes for Water Supply conforming to IS 4984, Steam Strainer, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Y Strainer, General Purpose Ball Valves conforming to IS 9890, Domestic Strainers or Colanders Tea Strainer (Defence), General Purpose Ball Valves (V2), Foot Valve (V2), Bromocresol green

बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Spares For Coal Mills Of Thermal Power Stations (GSECL)
बीओक्यू शीर्षक /BOQ Title	BOQ Item WPIL
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	SUMP PUMP SHAFT SLEEVE PN 12
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	782266.37

बिड विवरण/Bid Details

Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

Single Tender

Single Tender Applicable	Yes
Reason	It will not be in public interest to procure the goods through advertised tender enquiry. Sufficient reasons for the same have been recorded in writing by the competent authority.
List of Seller Organization for participation	ISHAN POWERTECH PRIVATE LIMITED

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

SUMP PUMP SHAFT SLEEVE PN 12

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP STUFFING BOX BUSH PN 13

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP LINE SHAFT PN 15

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP BUSH BEARING HOUSING PN 17

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	4	150

SUMP LINE SHAFT BUSH PN 18

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	4	150

SUMP LINE SHAFT SLEEVE PN 19

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	4	150

SUMP SHAFT COUPLING SLEEVE PN 20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	4	150

SUMP SPLIT RING PN 21

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	4	150

SUMP HEAD SHAFT PN 23

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP PACKING BOX PN 24

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP GLAND PACKING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP GASKET PN 34

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP O-RING PN 34

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP ADJUSTING NUT PN 1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP IMPELLER NUT PN 7

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP STUFFING BOX PN 9

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP COOLING TUBE Half Inch PN 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

SUMP FLANGED STRAINER PN 32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dipender Kumar	207001,Jawaharpur Thermal Power Plant	2	150

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3. Generic

OPTIONAL SITE VISIT:

1. The Bidder is advised to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder.

INCLUSIVE

2. The Bidder representative shall be allowed entry upon consignee premises for such visits, only upon the express conditions that the Bidder will release and indemnify the Buyer and Consignee against all liabilities arising out of such visit including death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of such visit.

3. The Bidder shall not be entitled to hold any claim against Buyer for noncompliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

4. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

6. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

9. Rate Contract

Materials shall be guaranteed for 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier.

10. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

EXECUTIVE ENGINEER
STORE DIVISON
2X660MW JAWAHARPUR THERMAL POWER PROJECT
MALAWAN
ETAH
.

11. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---