

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-01-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	05-01-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Bihar
विभाग का नाम/Department Name	Home Department Bihar
संगठन का नाम/Organisation Name	Bihar State Police - A Voyage Of Excellence
कार्यालय का नाम/Office Name	Phq
कुल मात्रा/Total Quantity	80
वस्तु श्रेणी /Item Category	Inflatable Tent (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	18 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	72 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

**बिड विवरण/Bid Details**

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	38

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

AIG (Q)

Room No- C 319, 3rd Floor, C Block, Sardar Patel Bhawan, Nehru Marg, Patna-800023  
(Rajiv Ranjan)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.

- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### Inflatable Tent ( 80 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Tent size (outer side dimension of the tent) (Length X Width X Height at ridge X Minimum Diameter of the inflatable arc)</b>	14 Feet X 10 Feet X 7 feet X 28 Cm, 24 Feet X 10 Feet X 7 feet X 28 Cm, Width: 5.65 m - Length: 7.92 m - Side height: 2.80 m - Peak height: 3.00 m - Floor space: 44.75 sqm Inflatable arches: 4 units, Width: 5.65 m - Length: 5.28 m - Side height: 2.80 m - Peak height: 3.00 m - Bay distance: 2.20 m - Floor space: 29.83 sqm - Inflatable arches: 3 units, Width: 5.65 m - Length: 10.56 m - Side height: 2.80 m - Peak height: 3.00 m - Bay distance: 2.60 m - Floor space: 59.66 sqm - Inflatable arches: 5 units, Width: 5.65 m - Length: 13.20 m - Side height: 2.80 m - Peak height: 3.00 m - Bay distance: 2.60 m - Floor space: 74.58 sqm - Inflatable arches: 6 units, Width: 13.9 Meters - Length: 21.9 m - Side height: 3.0 m - Peak height: 7.00 Meters , Bay distance: 3.65 m - Total Floor space:304.4 Sq Meters, Carpet Area 240 Sq M, Inflatable arches:6 Numbers, Width: 6.9 Meters - Length: 10.9 m - Side height: 2.80 m - Peak height: 3.70 Meters , Bay distance: 3.10 m - Total Floor space: 75.2 Sq Meters, Carpet Area 60 Sq M, Inflatable arches: 4 Numbers, 5.65m (18.5 Feet) x 5.28m (17 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 7.92m (25 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 10.56m (34 feet) x 2.80m side height (9.10 feet), 5.65m (18.5 Feet) x 13.2m (43 feet) x 2.80m side height (9.10 feet)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Tent structure</b>	<p>Two doors and two windows – doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps (for tent of 14 feet length), Two doors and four windows – doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps (for tent 24 feet length), Two doors (one on each gable sides) with adaption device (for identical tents) - Each entrance is rollable and dividable by zippers, Inflatable Air-Beam Insulated Tent made of 4 Nos 450mm Diameter Air-Beams Arches, and 5 Nos horizontal beams using air-retaining PVC fabric made of 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey. To form the Air-Beam Skeleton. This Skeleton is draped on the outer side with rugged 450-630 GSM UV Stabilized Flame retardant Dtex Polyester Vinyl Coated fabric to form the Tents outer cover. Total 2 Nos of Zipper Door and 6 Nos of Windows with Mosquito Net., Inflatable Air-Beam Insulated Tent made of 6 Nos 950 mm Diameter Air-Beams Arches, and 7 Nos horizontal beams using air-retaining PVC fabric made of 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey. To form the Air-Beam Skeleton. This Skeleton is draped on the outer side with rugged 450-630 GSM UV Stabilized Flame retardant Dtex Polyester Vinyl Coated fabric to form the Tents outer cover. Total 2 Nos of Zipper Door and 10 Nos of Windows with Mosquito Net., 2 Doors (one on each gable sides), 4 Windows doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps, Each entrance is rollable and dividable by zippers (for 5.28m Tent Length), 2 Doors (one on each gable sides), 6 Windows doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps, Each entrance is rollable and dividable by zippers (for 7.92m Tent Length), 2 Doors (one on each gable sides), 8 Windows doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps, Each entrance is rollable and dividable by zippers (for 10.56m Tent Length), 2 Doors (one on each gable sides), 10 Windows doors and windows can be rolled up (if required) and are equipped with a mosquito net – the door and window closing mechanism will be fitted with heavy duty nylon zips and Velcro taps, Each entrance is rollable and dividable by zippers (for 13.2m Tent Length)</p>

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Design/drawing of inflatable tent</b>	As per drawing – uploaded at QR/Spcn (for 14 feet length), As per drawing – uploaded at GeM drawing (for 24 feet length), As per requirement, As per Drawing uploaded at GeM for 304.4 Sq M Meter Tent, Inner carpet Area : 240 Sq M, As per Drawing uploaded at GeM for 75.2 Sq M Meter Tent, Inner carpet Area : 60 Sq M
	<b>Maximum time required for complete erection of tent</b>	10 minutes with the help of two persons (for 14 feet length), 10 to 12 minutes with the help of two persons (for 24 feet length), Set up time - standard compressor: approx. 260 sec / 0.15 bar, Set up time - turbo compressor: approx. 240 sec / 0.25 bar, Set up time - compressed air bottles: approx. 95 sec / 0.3 bar, Set up time - standard compressor: approx. 420 sec / 0.15 bar, Set up time - turbo compressor: approx. 360 sec / 0.25 bar, Set up time - compressed air bottles: approx. 240 sec / 0.3 bar, Set up time - standard compressor: approx. 540 sec / 0.15 bar, Set up time - turbo compressor: approx. 450 sec / 0.25 bar, Set up time - compressed air bottles: approx. 300 sec / 0.3 bar, Setup Time 60 Min, with 2 Nos 1200W Air Compressor., Setup Time 30 Min, with 1200W Air Compressor., Standard compressor: approx. 540 sec / 0.15 bar (2.17psi), Standard compressor: approx. 540 sec / 0.15 bar (2.17psi) (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<p><b>Each tent supplied with</b></p>	<p>10 numbers MS pegs -12 numbers Polyester rope (3.5 mtr each) - 8 numbers. Aluminium pipes - electric air blower - foot pump - hammer - repair kit for the stability of the inflated tent during torrential rain and thunderstorm (for 14 feet length), 12 numbers MS pegs -12 numbers Polyester rope (3.5 mtr each) - 12 numbers Aluminium pipes - electric air blower - 2 numbers foot pump - hammer - repair kit for the stability of the inflated tent during torrential rain and thunderstorm (for 24 feet length), Standard accessories - valves for blowers and / or compressed air bottles • ventilation holes • rollable and divisible entrances • pipelines for heating and cables • PVC ground cover • earth nails made out of steel, galvanized, length: 30 cm • including storm wires • Repair kit • packing bag for tent and accessories, Hammer 2 Kg- 12 Number Nylon Guy Rope 10 mm thick x 7 Meters.- 4 Number Nylon Guy Rope 8 mm thick x 4 Meters.-14 Number carabineers.- 4 Nos Bow Shackle 16 mm. Galvanized.- 12 Nos Gay Ground Anchors 24 inch for snow. - 4 Nos Gay Ground Anchors 12 inch for snow. - 1 Nos Plyers.- 1 Nos Screwdriver flat type. - 2 Nos Snow Gloves.- Puncher Repair kit. - 30 Meter 8mm Nylon Climbing Rope Bundle.- Rigging Kit Bag. - 2 Nos Dual Function Air-Compressor 1200 W, Hammer 2 Kg- 10 Number Nylon Guy Rope 8mm thick x 5 Meters. -10 Number carabineers.- 4 Nos Bow Shackle 12 mm. Galvanized.- 8 Nos Gay Ground Anchors 20 inch for snow. - 4 Nos Gay Ground Anchors 12 inch for snow. - 1 Nos Plyers.- 1 Nos Screwdriver flat type. - 2 Nos Snow Gloves.- Puncher Repair kit. - 30 Meter 8mm Nylon Climbing Rope Bundle.- Rigging Kit Bag. - 1 Nos Dual Function Air-Compressor 1200 W, Standard accessories - valves for blowers and / or compressed air bottles • ventilation holes • rollable and divisible entrances • pipelines for heating and cables • PVC ground cover • earth nails made out of steel, galvanized, length: 30 cm • including storm wires • Repair kit • packing bag for tent and accessories, Standard accessories - valves for blowers and / or compressed air bottles • ventilation holes • rollable and divisible entrances • pipelines for heating and cables • PVC ground cover • earth nails made out of steel, galvanized, length: 30 cm • including storm wires • Repair kit • packing bag for tent and accessories (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)</p>

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<p><b>Structure design (tent frame and tent skin) NOTE : ARCHES WILL BE PERMANENTLY ATTACHED TO THE TENT COVER AND FLOOR</b></p>	<p>Three numbers of individual inflatable air chambers (arch) made out of one side hypalon coated polyester fabric and inside neoprene coated having minimum 1000 GSM <math>\pm</math> 50 GSM and the canopy will be one sided PU coated polyester fabric and the floor fabric will be both sides PVC coated polyester fabric (for 14 feet length), Four numbers of individual inflatable air chambers (arch) made out of one side hypalon coated polyester fabric and inside neoprene coated having minimum 1150 GSM <math>\pm</math> 50 GSM and the canopy will be one sided PU coated polyester fabric and the floor fabric will be both sides PVC coated polyester fabric (for 24 feet length), Frame made out of PVC (high frequency welded) - Aluminium tubes are being put in the sides between the main frames for reinforcement - At floor level there are connection flaps for the pegs (spaced on the long sides of the tent canvas) - There are loops attached to all longitudinal and cross beams for hanging up lamps/drip bottles/other hanging items, No Arches, Tent Air Beam skeleton or Outer Dimension of 21.9L x 13.9W x 7.0H Meters, is made of 6 Nos Air beam Arches with 7 Nos Horizontal beams having 950mm Diameter Air Beams, made of air-retaining PVC fabric using 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey. This Skeleton is draped on the outer side with rugged Vinyl Coated Polyester Fabric to form the Tents outer cover. The Floor is connected to the Air-Beams and outer cover on all sides. This prevents water from entering the floor space easily, during rain, or on muddy ground., Tent Air Beam skeleton or Outer Dimension of 10.8L x 6.8W x 3.7H Meters, is made of 4 Nos Air beam Arches with 5 Nos Horizontal beams having 420mm Diameter Air Beams, made of air-retaining PVC fabric using 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey. This Skeleton is draped on the outer side with rugged Vinyl Coated Polyester Fabric to form the Tents outer cover. The Floor is connected to the Air-Beams and outer cover on all sides. This prevents water from entering the floor space easily, during rain, or on muddy ground., Frame made out of PVC (high frequency welded) - Aluminium tubes are being put in the sides between the main frames for reinforcement - At floor level there are connection flaps for the pegs (spaced on the long sides of the tent canvas) - There are loops attached to all longitudinal and cross beams for hanging up lamps/drip bottles/other hanging items, (neoprene coated is not acceptable) (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)</p>

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	<b>Tent frame material</b>	One side hypalon coated polyester fabric and inside neoprene coated having minimum 1000 GSM $\pm$ 50 GSM (for 14 feet length), One side hypalon coated polyester fabric and inside neoprene coated having minimum 1150 GSM $\pm$ 50 GSM (for 24 feet length), Frame fabric made out of PVC ( 1000 gr/ sqm) and Roof cover made out of PVC(620 gr/ sqm), Air-Retaining PVC fabric using 900-1100 GSM UV Stabilized Flame Retardant Dtex Polyester fabric. Color: Grey., Inflatable air beams made out of PVC, approx. 1000 g/sqm - Roof outer cover made out of PVC material approx. 620 g/sqm - PVC coated welded fabric, Inflatable air beams made out of PVC, approx. 1000 g/sqm - Roof outer cover made out of PVC material approx. 620 g/sqm - PVC coated welded fabric (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)
ACCESSORIES MATERIAL	<b>Aluminium pipes</b>	8 numbers Pipe having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness (for 14 feet length), 12 numbers Pipe having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness(for 24 feet length), As per requirement, 8pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness, 12pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness, 16pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness, 20pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness, 8pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness (for 5.28m Tent), 12pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness (for 7.92m Tent), 16pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness (for 10.56m Tent), 20pipes having length of 1.7 mtr to 1.8 mtr - Outer dia 31 mm minimum with 2 mm Wall thickness (for 13.2m Tent)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>MS peg</b>	10 numbers having 300 mm length with 18 mm dia conforming to IS 1875 - latest (for 14 feet length), 12 numbers having 300 mm length with 18 mm dia conforming to IS 1875 - latest (for 24 feet length), As per requirement, Ground Anchor made with 8mm carbon steel, galvanized, and hardened to withstand hammering on to the ground. The length 24 inch and designed for snow use. The ground can hold tent in high wind conditions for wind loads upto 100Km/ Hr, Ground Anchor made with 6mm carbon steel, galvanized, and hardened to withstand hammering on to the ground. The length 20 inch and designed for snow use. The ground can hold tent in high wind conditions for wind loads upto 100Km/ Hr, 16(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 20(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 24(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 28(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised, 16(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 5.28 Length Tent), 20(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised(for 7.92 Length Tent), 24(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 10.56 Length Tent), 28(Nails) Earth peg having 300 mm length with 18 mm dia - Earth nails made out of steel, galvanised (for 13.2 Length Tent)
	<b>Foot pump</b>	1 number (for 14 feet length), 2 numbers (for 24 feet length), As per requirement, 2 numbers (for each type), 2 numbers (for each type) (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)Hammer
PACKING	<b>Total weight of product (including packing accessories)</b>	72 Kgs (for 14 feet length), 90 Kgs (for 24 feet length), 225 Kg (approx), 176.0 kg (approx), 275.0 kg (approx), 327.0 kg (approx), 1250Kg, 195 Kg (for 5.28m length tent), 225 Kg (for 7.92m length tent), 275 Kg (for 10.56m length tent), 327 Kg (for 13.2m length tent)
WARRANTY AND GUARANTY	<b>Guaranty certificate will be provided along with each tent</b>	Yes
CERTIFICATION	<b>Tensile strength of the arch fabric in warp direction</b>	350 Kgs minimum (for 14 feet length), 395 Kgs minimum (for 24 feet length), 3000 N/5cm ((for PVC 1000 gm/square metre), 3500N/5Cm for 950 GSM PVC Fabric/ Sq Meter, 3000 N/5cm, 3000 N/5cm (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)
	<b>Tensile strength of the arch fabric in weft direction</b>	350 Kgs minimum (for 14 feet length), 395 Kgs minimum (for 24 feet length), 3000 N/5cm ((for PVC 1000 gm/square metre), 3500N/5Cm for 950 GSM PVC Fabric/ Sq Meter, 3000 N/5cm, 3000 N/5cm (for 5.28m, 7.92m, 10.56m 13.2m Length Tent)

**Additional Specification Parameters - Inflatable Tent ( 80 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Inflatable Tent	Required Inflatable Tent in ATC

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**

Applicable Specification Document	<a href="#">View</a>
Applicable Drawing Document	<a href="#">View</a>
Verified and Signed Tp document	<a href="#">View</a>

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bipin Narayan Sharma	800014,Central Cloth Store, BMP-5 Campus, Near Jaiprakash Narayan Airport, Patna-800014	80	60

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

### 3. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

### 4. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

### 5. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

### 6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Bid participants must ensure to Upload (submit) following documents in serial and read carefully a nnexed terms and condition & Checklist:

<b>Sr. No.</b>	<b>Required Document</b>	
1	OEM/Dealer	
2	Certificate, if OEM	
3	OEM Authority, if Dealer	
4	OEM Turn Over	
5	Bidder Turn Over	
6	Experience last 3 Yrs. (attach Purchase Order)	
7	Past Performance last 3 Yrs. The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date .	
8	No. of Service Centers in Bihar	
9	Toll Free Number	
10	Escalation Matrix	
11	Affidavit (Rule 4 of term & condition)	
12	Test Report	

13	Balance Sheet, P&L Account (Last 3 Yrs.)	
14	ITR (Last 3 Yrs.)	
15	Warranty 3 Yrs. minimum	
16	Ready to submit e-PBG (5% for 38 months) after contract generation (Yes/No)	

## Required Light Weight Tent detailed specification in ATC Parameter S:

### 7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional

terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---