

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	18-03-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	18-03-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Navy
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	284
वस्तु श्रेणी /Item Category	EK9938V DGD360303002 , EK9938V DMA361040003 , EK9938V DMA361040004 , EK9938V DMA360810150 , EK9938V DMA361070002 , EK9938V DMA361070003 , EK9938V DMA361070004 , EK9938V DMA361070006 , EK9938V DMA361070008 , EK9938V DMA361120004 , EK9938V DPD360340155 , EK9938V DSA360343218 , EK9938V DSA360540728 , EK9938V DSA360540732 , EK9938V DSA360540733 , EK9938V DSA360980114 , EK9938V DSA361040016 , EK9938V DSA361040017 , EK9938V DSA361040019 , EK9938V DSA361040108 , EK9938V DSA361040111 , EK9938V DSA361040113 , EK9938V DSA361040115 , EK9938V DSA361041027 , EK9938V DSA361070108 , EK9938V DSA361070109 , EK9938V DSA361070151 , EK9938V DSA361070152 , EK9938V DSA361070153 , EK9938V DSA361070154 , EK9938V DSA361070155 , EK9938V DSA361070156 , EK9938V DSA361070157 , EK9938V DSA361070158 , EK9938V DSA361070159 , EK9938V DSA361070160 , EK9938V DSA361070161 , EK9938V DSA361070162 , EK9938V DSA361070163 , EK9938V DSA361070164 , EK9938V DSA361070165 , EK9938V DSA361120005 , EK9938V DSA361120100 , EK9938V EFF03010000H , EK9938V EFF02010000H , EK9938V EFS10002500L , EK9938V EFS30012500L , EK9938V EIL050HZ000L , EK9938V EKPRMPR2CTPL , EK9938V ENT002R2815P , EK9938V IDCD7201MPSC , EK9938V ILJ0LM7812CT , EK9938V MS 3106F 18 1SX , EK9938V PSA36024VGS1 , EK9938V TECH DOCUMENTS EM LOG , EK9938V TECH DOCUMENTS RTU , EK9938V XCFRE022038N , EK9938V XFN MEC0384V1 , EK9938V XX 000H47000

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

TRANSDUCER 33KHZ WITH CABLE 100MTRS, LED REPEATER UNIT, VGA REPEATER UNIT, TRANSDUCER ASSY 33 KHZ, EMLOG V3 MASTER UNIT, DISTRIBUTION UNIT, CAL TEST BOX, TRANSDUCER ASSEMBLY, JUNCTION BOX, PROCESSOR UNIT SINGLE CHANNEL 33 KHZ, EXTRACTOR TOOL C SPANNER, OSCILLATOR CARD ASSEMBLY, ANALOG INTERFACE CARD, FD CARD ASSEMBLY, CALIBRATION CARD ASSEMBLY, BA CARD, TRANSCIEVER MODULE ASSY CH2 210 KHZ, TRANSCIEVER MODULE ASSY CH1 33 KHZ, COMMUNICATION MODULE ASSY, CABLE ASSEMBLY 2, CABLE ASSEMBLY 5, CABLE ASSEMBLY 7, CABLE ASSEMBLY 9, PANEL PC ASSY, RESOLVER MODULE ASSY, CONTROLLER AND SDLC MODULE ASSY, CABLE ASSEMBLY 2 100 MTRS, CABLE ASSEMBLY 5 15MTRS, CABLE ASSEMBLY 6 50 MTRS, CABLE ASSEMBLY 7 15 MTRS, CABLE ASSEMBLY 8 30 MTRS, CABLE ASSEMBLY 9 2 MTRS, CABLE ASSEMBLY 20 10 MTRS, CABLE ASSEMBLY 13 15 MTRS, CABLE ASSEMBLY 14 15MTRS, CABLE ASSEMBLY 15 15 MTRS, CABLE ASSEMBLY 16 15 MTRS, CABLE ASSEMBLY 17 15 MTRS, CABLE ASSEMBLY 18 15 MTRS, CABLE ASSEMBLY 19 b15 MTRS, CABLE ASSEMBLY 11 10 MTRS, TRANSCIEVER MODULE ASSY CH1 33KHZ, CABLE ASSEMBLY 4 LENGTH IS 50 MTR, FUSE 3A, FUSE 2A, FUSE CARTRIDGE 1A 5X15MM 0229001HXP, FUSE CARTRIDGE 3A 32MM 6 3MM 0326003HXP, LINE FILTER, RELAY MPR2C12D, CONNECTORS MS 3102R 28 15P WITH C&C, MULTI PROTOCOL SERIAL CONTROLLER MPSC D7201C, PYB10 Q24 D5 DC DC CONVERTER 24V TO 5V 10W, MS CONNECTOR MS 3106 F 18 1SX, POWER SUPPLY VGS 100 24, TECHNICAL DOCUMENTS FOR EM LOG, TECHNICAL DOCUMENTS FOR RTU, COOLING FAN 230VAC, COOLING FAN 48V DC, PRINTER

Searched String: TRANSDUCER 33KHZ WITH CABLE 100MTRS

PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Cable Lug for PZU-7 without surface treatment (Defence), Digital Ultrasonic Non-Contact Flowmeter with Totalizer, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Online UPS (V2)

Searched String: LED REPEATER UNIT

Static Single Frequency Repeater Station (UP State), Sofa (V3), Digital VHF Repeater Set as per MHA QR, Digital UHF Repeater Sets as per MHA QR (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Emergency Light Unit (V2), LED Curbstone, Laboratory Incubators, LED Batten, Tethered UAV System with Digital VHF Repeater as per MHA QR

Searched String: VGA REPEATER UNIT

बिड विवरण / Bid Details

Static Single Frequency Repeater Station (UP State), Sofa (V3), Digital VHF Repeater Set as per MHA QR, Digital UHF

Repeater Sets as per MHA QR (V2), Executive Table (V3), OPG Unit, Cryotherapy Unit, Metal Storage Cabinet, PHOTOTHERAPY Unit, Executive Table (V4)

Searched String: TRANSDUCER ASSY 33 KHZ

Category not available on GeM for the text string uploaded by the buyer

Searched String: EMLOG V3 MASTER UNIT

Sofa (V3), Executive Table (V3), Switch Mode Power Supply (SMPS) as per IS 14886:, Unitary Air Conditioner (Window AC) (V3) ISI Marked to IS 1391 (Part 1), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Switch Fuse Unit, Executive Table (V4), MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Computer Table (V3)

Searched String: DISTRIBUTION UNIT

Power Distribution Box, Sofa (V3), Layer - 3 Distribution Switch, Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Executive Table (V3), Plug and Socket Distribution Board, Metal Storage Cabinet, OPG Unit, Executive Table (V4), Cryotherapy Unit

Searched String: CAL TEST BOX

Pilling Tester - Box Type (Textile), Pencil box, Urine Drug Screen Kit, Box Spanner, File/Folder (V3), Tissue box, Microbial Fuel Test Kit, Resistance Box, Electrical Extension Box (V4), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others

Searched String: TRANSDUCER ASSEMBLY

Hose assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Microfiltration Assembly, Plummer Block Assembly, RF Cable Assembly, Vacuum Filtration Assembly, Door With Assembly, Starter Motor Assembly, Glass Distillation Assembly, Connecting Rod Assembly

Searched String: JUNCTION BOX

Telephone Junction Box, Junction Box for Lighting, Junction Boxes (Flameproof), File/Folder (V3), Thermocouple Standards Platinum / Platinum Rhodium, modular electrical enclosure switch board boxes for modular type accessories, Pencil box, Electrical Extension Box (V4), Box Spanner, Hopper Tipper Dumper for Garbage

Searched String: PROCESSOR UNIT SINGLE CHANNEL 33 KHZ

Category not available on GeM for the text string uploaded by the buyer

Searched String: EXTRACTOR TOOL C SPANNER

Non Sparking Double Ended Ring Spanner (V2), Open Jaw Wrenches (Spanners) as per IS 2028, Non Sparking Double Open Ended Spanner (V2), Software Based Solution For

बिड विवरण / Bid Details

Mobile Devices And CDR Analysis, Non Sparking Ring Slugging Spanners (V2), Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Non Sparking Open end Slugging Spanners (V2), Non Sparking Combination Spanners (V2), Ring Slugging Wrenches (Spanners) - as per IS 4509, Open Ended Slugging Wrenches (Spanners) as per IS 4508

Searched String: OSCILLATOR CARD ASSEMBLY

Mamata Card, Tent Card, Orthopedic Battery Operated Drill System, Memory Card, Random Access Memory (RAM) Card (V2), Graphics Card, FTA Card, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Child Assessment card, Business Card Holders

Searched String: ANALOG INTERFACE CARD

Network Interface Card, Steam Sterlizer (V2), Interface module, Add on Cards and Accessories for PABX System, Analog Oscilloscope, Analog Transceiver - Handheld, Analog Transceiver - Mobile, Random Access Memory (RAM) Card (V2), Mamata Card, Badge Holders - I Card

Searched String: FD CARD ASSEMBLY

Mamata Card, Tent Card, Heart rate monitor, Memory Card, Random Access Memory (RAM) Card (V2), Graphics Card, FTA Card, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Child Assessment card, Badge Holders - I Card

Searched String: CALIBRATION CARD ASSEMBLY

Calibration Gas, Calibration Gas Mixture, Semi automated urine analyser, Benchtop Thermocouple Calibration Furnace (High Temperature Thermocouple Calibration Furnace)/Portable Calibration Furnace, Random Access Memory (RAM) Card (V2), Mamata Card, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Tent Card, Badge Holders - I Card, Memory Card

Searched String: BA CARD

Mamata Card, Tent Card, Memory Card, Random Access Memory (RAM) Card (V2), Graphics Card, Auditorium Chair (V2), FTA Card, Badge Holders - I Card, Theft Proof Rifle Racks, ID Card Holder (V2)

Searched String: TRANSCSIEVER MODULE ASSY CH2 210 KHZ

Category not available on GeM for the text string uploaded by the buyer

Searched String: TRANCSIEVER MODULE ASSY CH1 33 KHZ

Category not available on GeM for the text string uploaded by the buyer

Searched String: COMMUNICATION MODULE ASSY

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Counter Communication System, Relay Module, Voice Logger System, Interface module, under water communication set, Education Tech (EdTech), Bulk Packing of TSM Assy (BSF), Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, PRAN: Processor and

Network Module (NPCIL)
बिड विवरण/Bid Details

Searched String: CABLE ASSEMBLY 2

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Cable Cross Over (Version 2), Sofa (V3), Inspection Door Assembly (BHEL), Laminar air flow cabinets or stations, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Desk and Bench Set for Classroom/Training Area, Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802

Searched String: CABLE ASSEMBLY 5

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Starter Motor Assembly, Radiator as per Drawing (BHEL), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), All in One PC (V2), 5-5 Dithiobis -2-2 Nitrobenzoic Acid, File/Folder (V3)

Searched String: CABLE ASSEMBLY 7

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Lug for PZU-7 without surface treatment (Defence), All in One PC (V2), Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802, File/Folder (V3), Lactose TTC Agar with Tergitol 7, Disposable Surgical Rubber Gloves (V2)

Searched String: CABLE ASSEMBLY 9

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Radiator as per Drawing (BHEL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, 9 - Fluorenylmethyl Chloroformate, Field Telephone Cable (Telecommunication Cable), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Antenna Cable, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694

Searched String: PANEL PC ASSY

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), All in One PC (V2), Mini PC, Power Control Center Panel (PCC Panel) as per IS 11717, Power Generator - DG Set (up to 900 KVA), PC based Logic Analyzer, LCR Meter, PUF Panel, Interactive Panels with CPU, Insulated Panel

Searched String: RESOLVER MODULE ASSY

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Relay Module, Mobile Work Force Management Solution Software, Interface module, Bulk Packing of TSM Assy (BSF), LoRA Development Module Kit, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Current Voltage Measuring Module, Virtual Reality Based Vestibular Rehabilitation Module, Single

विड विवरण/Bid Details

switch IGBT Module

Searched String: CONTROLLER AND SDLC MODULE ASSY

Category not available on GeM for the text string uploaded by the buyer

Searched String: CABLE ASSEMBLY 2 100 MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Multicore Cable as per IS 694, Cable Cross Over (Version 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Inspection Door Assembly (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694

Searched String: CABLE ASSEMBLY 5 15MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Radiator as per Drawing (BHEL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Starter Motor Assembly, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, rubber bands

Searched String: CABLE ASSEMBLY 6 50 MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Ammonium carbonate, Caution / Crime Scene Tape (V2), Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Cat 6 Patch cord, 1-Heptanesulphonic acid sodium salt anhydrous

Searched String: CABLE ASSEMBLY 7 15 MTRS

RF Cable Assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cable Assembly B25A RHS, Cable Lug for PZU-7 without surface treatment (Defence), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4)

Searched String: CABLE ASSEMBLY 8 30 MTRS

RF Cable Assembly, Cable Assembly B25A RHS, High Pressure Fire Fighting Hose - IS 14933, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082,

बिड विवरण / Bid Details

Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Solar Street Lighting System (NTPC), Toxic Gas Detector, Cat 6 Patch cord, Antenna Cable

Searched String: CABLE ASSEMBLY 9 2 MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Radiator as per Drawing (BHEL), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Cross Over (Version 2), Inspection Door Assembly (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Caution / Crime Scene Tape (V2)

Searched String: CABLE ASSEMBLY 20 10 MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Freight Containers - High Security Cable Seal as per IS 17381:2021, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment)

Searched String: CABLE ASSEMBLY 13 15 MTRS

RF Cable Assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cable Assembly B25A RHS, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Plug confirming to IS 1239 (Part 2), Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Untarred Sisal Rope (V2) Conforming To IS 1321 (Part 1)

Searched String: CABLE ASSEMBLY 14 15MTRS

RF Cable Assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cable Assembly B25A RHS, Elastomer Insulated Flexible Cables for use in Mines (V2) as per IS 14494, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aerial Bunched Cables as per IS 14255, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details Searched String: CABLE ASSEMBLY 15 15 MTRS

Fipronil 15% + Flonicamid 15% WDG (Water Dispersible Granules), Clodinafop-Propargyl 15% WP, Oil Om - 15 (Defence), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Monocrotophos 15% SG (Soluble Granule), Clodinafop-Propargyl 15% Wp (Wettable Powder) (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Ethoxysulfuron 15% WDG (Water Dispersible Granules)(V2), Bucket Mop Wringer Trolley, Benzpyrimoxan 15% + Fipronil 10% SC (Suspension Concentrate)

Searched String: CABLE ASSEMBLY 16 15 MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656

Searched String: CABLE ASSEMBLY 17 15 MTRS

RF Cable Assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cable Assembly B25A RHS, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Freight Containers - High Security Cable Seal as per IS 17381:2021, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Imidacloprid 17.8% Soluble Liquid (V3) Conforming To IS 15335, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: CABLE ASSEMBLY 18 15 MTRS

RF Cable Assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cable Assembly B25A RHS, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, Imidacloprid 18.50% + Hexaconazole 1.50% FS (Flowable Suspension), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Imidacloprid 18.5% + Hexaconazole 1.5% FS (Flowable Solution), Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293

Searched String: CABLE ASSEMBLY 19 b15 MTRS

RF Cable Assembly, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Cable Assembly B25A RHS, Carbon Tape 19 MM(OFB-DEFENCE), Copper alloy Taps/Stop Valves

बिड विवरण / Bid Details

(V2) Conforming to IS 8931, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible

Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694

Searched String: CABLE ASSEMBLY 11 10 MTRS

RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Electrical Sleeves as per IS 11654, IS 5831, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694

Searched String: TRANSCIEVER MODULE ASSY CH1 33KHZ

Digital Trainer Kit, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), LCR Meter, Tapered Bearings as per IS 12102, Signal Generator, Relay Module, Handloom Cotton Pillow Covers (V3)

Searched String: CABLE ASSEMBLY 4 LENGTH IS 50 MTR

Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe for Gardening Purpose, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Multicore Cable as per IS 694

Searched String: FUSE 3A

Glass Fuse, High End Desktop Computer, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Shirts Plain Weave Polyester and Cotton Full Sleeve, Switch Fuse Unit, Sofa (V3), Cylindrical Fuses, Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, Fuse Wire as per IS 9926, Entry and Mid Level Desktop Computer

Searched String: FUSE 2A

Glass Fuse, Sofa (V3), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Disinfectant Fluids ,

बिड विवरण

Phenolic Type (V3) conforming to IS 1061, Switch Fuse Unit, Laminar air flow cabinets or stations, Cylindrical Fuses,

Disinfectant Fluids , Phenolic Type (V4) conforming to IS 1061, Fuse Wire as per IS 9926, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: FUSE CARTRIDGE 1A 5X15MM 0229001HXP

File/Folder (V3), Drop Out Fuses, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Disinfectant Fluids , Phenolic Type (V4) conforming to IS 1061, Cotton Towelling And Towels (V3) Conforming To IS 7056, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694

Searched String: FUSE CARTRIDGE 3A 32MM 6 3MM 0326003HXP

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, patient care mattresses, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Bone Nibbler (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Desk and Bench Set for Classroom/Training Area, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694

Searched String: LINE FILTER

Line Tester, Line Interactive UPS with AVR (V2), Bag filter, Pre-Connected/Customized Heart Lung Tubing Pack, Filter Cartridge, Laboratory Filter Papers, Filter Sand, Syringe Filter, Pollen filter, Ice Lined Refrigerator

Searched String: RELAY MPR2C12D

Overload Relay, Sofa (V3), Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, Laminar air flow cabinets or stations, LED Flasher Relay, Cleaning Duster (V3), Voltage Monitor Relay, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: CONNECTORS MS 3102R 28 15P WITH C&C

PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Auditorium Chair (V2), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), PISTOL GRIP PNEUMATIC DRILL GUNS, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)

Searched String: MULTI PROTOCOL SERIAL CONTROLLER MPSC D7201C

Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details by the buyer

Searched String: PYB10 Q24 D5 DC DC CONVERTER 24V TO 5V 10W

Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Solid State Potentiometer, Digital pH Meter, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Static Protective Relays, Analog-Digital Circuits Development Platform, Electric Ceiling Fan (V4) ISI Marked to IS 374, Cotton Bandage Cloth Conforming to IS 863, DC Regulated Power Supply As Per MHA QRs

Searched String: MS CONNECTOR MS 3106 F 18 1SX

Dough Kneader (V1), Auditorium Chair (V2), Potato Peeler, Ultra Violet (UV) Cabinet for Sterilization, Functional Trainer, Industrial Cooling Fan (Man Coolers) as per IS 6272

Searched String: POWER SUPPLY VGS 100 24

Portable Power Supply Unit, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Switching Power Supply for Wireless Application, high performance power supplies, DC Regulated Power Supply As Per MHA QRs, Switch Mode Power Supply (SMPS) as per IS 14886:, Cleaning Duster (V3), Online UPS (>10 KVA) With Battery

Searched String: TECHNICAL DOCUMENTS FOR EM LOG

Soda Ash, Technical for Bulk Purchase - IS 251, File/Folder (V3), Digital Voice Recording and Replay System for airports (AAI), Deposit Safe (Non Tool Resistant), Technical Grade Sulfur Hexafluoride (SF 6) for use in Electrical Equipment as per IS 13072, Toner Cartridges / Ink Cartridges / Consumables for Printers, Passive Exoskeleton for Augmentation and Rapid Logistics (PEARL)[CRPF], Cloth, Disruptive Pattern, Uniform for VIP Security, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Emulsifier for Industrial Laundry

Searched String: TECHNICAL DOCUMENTS FOR RTU

Soda Ash, Technical for Bulk Purchase - IS 251, File/Folder (V3), Technical Grade Sulfur Hexafluoride (SF 6) for use in Electrical Equipment as per IS 13072, Deposit Safe (Non Tool Resistant), Toner Cartridges / Ink Cartridges / Consumables for Printers, Insulating Oil For Transformer As Per POWERGRID TS

Searched String: COOLING FAN 230VAC

Industrial Cooling Fan (Man Coolers) (V2) Conforming To IS 6272, Air Curtain, Fan Blades for Cooling Tower fan Rev 1, Industrial Cooling Fan (Man Coolers) as per IS 6272, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Fan Bearing, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Crossfit Fan, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Electric Table Type Fan and Regulator (V2) Conforming To IS 555

बिड विवरण / Bid Details	<p>Searched String: COOLING FAN 48V DC</p>
	<p>Industrial Cooling Fan (Man Coolers) (V2) Conforming To IS 6272, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Fan Blades for Cooling Tower fan Rev 1, Oscillating DC Fans used in Automotive Vehicles, Electric Ceiling Fan (V4) ISI Marked to IS 374, Industrial Cooling Fan (Man Coolers) as per IS 6272, PULLEY FOR EXHAUST FAN, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), DC Regulated Power Supply As Per MHA QRs, Solid State Potentiometer</p> <p>Searched String: PRINTER</p> <p>Label Printer / Barcode Printer, Plotter Paper Roll (V2), Ferrule Printer, Receipt Printer (V3), Multifunction Printer (Print, Scan, Copy), Computer Printer (V2), Industrial composite color 3D Printer, line matrix printer, Dot Matrix Printers (V2), Plotter Printers (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Executive Table (V4)
बीओक्यू शीर्षक / BOQ Title	25KKTC001 ECHO SOUNDER AND EM LOG SPARES
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	<p>Past Performance, Certificate (Requested in ATC), OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है / Number of Auto Extension count	3

बिड विवरण/Bid Details	
विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	EK9938V DGD360303002
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	345022

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

DCDA
PERUMANOOR, KOCHI, THEVARA
(Area Accounts Officer)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also

subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

EK9938V DGD360303002

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DMA361040003

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	3	120

EK9938V DMA361040004

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DMA360810150

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DMA361070002

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DMA361070003

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DMA361070004

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DMA361070006

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DMA361070008

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DMA361120004

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	3	120

EK9938V DPD360340155

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA360343218

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA360540728

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	8	120

EK9938V DSA360540732

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA360540733

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA360980114

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361040016

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361040017

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361040019

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361040108

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361040111

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361040113

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361040115

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361041027

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070108

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361070109

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070151

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070152

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070153

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361070154

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070155

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070156

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	3	120

EK9938V DSA361070157

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070158

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070159

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361070160

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361070161

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070162

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070163

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070164

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361070165

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V DSA361120005

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V DSA361120100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V EFF03010000H

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V EFF02010000H

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	164	120

EK9938V EFS10002500L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	24	120

EK9938V EFS30012500L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	4	120

EK9938V EIL050HZ000L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V EKPRMPR2CTPL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V ENT002R2815P

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V IDCD7201MPSC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V ILJ0LM7812CT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V MS 3106F 18 1SX

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V PSA36024VGS1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V TECH DOCUMENTS EM LOG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V TECH DOCUMENTS RTU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	120

EK9938V XCFRE022038N

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V XFN MEC0384V1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	120

EK9938V XX 000H47000

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	4	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2. Generic

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

5

Shelf Life. On the date of supply, minimum

5

usable shelf life should be available / balance.

3. Inspection

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at

consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

6. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

AREA ACCOUNTS OFFICER NAVY

Account No.

10589078085

IFSC Code

SBIN0008660

Bank Name

STATE BANK OF INDIA

Branch address

PERUMANOOR, KOCHI

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

8. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---