

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-02-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-02-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Indian Coast Guard
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	1248
	Winch Shaft Seal , Shaft Wiper Seals , Winch Hydraulic Motor Shaft Seal , Clutch Plate 01 Tons Winch , Pressure Plate 01 Tons Winch , Seal Kit For Brake and Clutch System , High pressure hose pipe alongwith 1st other 90 deg elbow , High pressure hose pipe alongwith both end ST connector , High pressure hose pipe alongwith both ST connector , High pressure hose pipe alongwith both end 90 deg elbow , High pressure hose pipe alongwith ST 90 degree , High pressure hose pipe alongwith ST connector , High pressure hose pipe alongwith one end ST other 90 deg elbow , Winch Gear Bearings , Hydraulic Motor Plate Bearing , Directional Control Valve , Hydraulic Oil Pump , Wire Rope Length 30 Mtr and Dia 09 Mm Galvanized , Shaft Wiper Seal , Shaft Seals , Pressure Gauge 90 To 400 Bar , Hydraulic Pump Seal Kit , Seal Sets For The Hydraulic Cylinder , High pressure hydraulic hose pipe alongwith end st connector , Pressure Plate 4 point 5 Tons Winch , Pressure Plate 1 point 5 Tons Winch , Return Line Filter Element , Pulley Pins , Hydraulic Motor Shaft Seal , High pressure hydraulic hose pipe alongwith end connector 90 deg and ST , High pressure hydraulic hose pipe alongwith end ST connectoer , High pressure hydraulic hose pipe alongwith end connector with 90 and ST , High pressure hydraulic hose pipe alongwith both end ST connector , High pressure hydraulic hose pipe alongwith end connector with 90 deg , Clutch Plates 1 point 5 Tons Winch , Clutch Plates 4 point 5 Tons Winch , Seal Kit Of Counter Balance Valve , Seal Kit Of Directional Control Valve , Gear Bearings , Main Shaft Bearing , Swing Counter Balance Valve Ball Valve , Pressure Gauge Needle Valve , Swivel Bearing , Drain Valve Hydraulic Oil Tank , Pulley Bearings , Wire Rope 70 Mts X 2 equal to 140 Mts 10 point 5 mm Dia , Wire Rope 70 Mts X 2 equal to 140 Mts 16 point 5 mm Dia , Cylinder Mounting Pins 02 Nos X 02 Nos of Cranes

बिड विवरण / Bid Details	वस्तु श्रेणी / Item Category
	<p>Counter Balance Valve Seal Kit , Teflon Boom Pulleys Thickness 10mm , Pulley Pin Bush 04 Nos X 02 Nos of Cranes , Pulley Pin 01 Nos X 01 Nos of Cranes , Teflon Packing Plates 02 Nos X 02 Nos of Cranes , Teflon Elbow Plates 02 Nos X 02 Nos of Cranes , Teflon Sq Plates 02 Nos X 02 Nos of Cranes , Telescopic Cylinder Seals 01 ST X 02 Nos of Cranes , Shaft Wiper Seal 01 Nos X 02 Nos of Cranes , Mechanical or Penalty Brake Seal Kit 01 Nos X 02 Nos of Cranes , Hydraulic Motor Pressure Plate 01 Set X 02 Nos of Cranes , Hydraulic Motor Seal Set 01 Nos X 02 Nos of Cranes , Boom Counter Balance Valve Seal Kit 02 Nos , Cylinder Seals 01 Set X 02 Nos of Cranes , Pressure Plate Of Motor 01 Nos X 02 Nos of Cranes , Hydraulic Motor Seal Kit 01 Nos X 02 Nos of Cranes , Pressure Plate 01 Nos X 02 Nos of Cranes , Seal Kit Set 01 Nos X 02 Nos of Cranes , Hook Safety Lock 9 point 5 Tons 01 Nos X 02 Nos of Cranes , Wire Rope Guide Pin 01 Nos X 02 Nos of Cranes , Winch Seal Kit 01 Nos X 02 Nos of Cranes , Planetary Gear Box Roller Pin 180 Nos X 02 Nos of Cranes , Gear Box Seal Kit 01 Nos X 02 Nos of Cranes , Mechanical Clutch Plates Set 01 Nos X 02 Nos of Cranes , Shaft Seal 04 Nos X 02 Nos of Cranes , Return Line Filter 01 Nos X 02 Nos of Cranes , Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend and Benjo E , Hydraulic Hose Pipe Wp 275 Bar Alongwith Both End ST Connector , Hydraulic Hose Pipe Wp 270 Bar Alongwith Both End ST Connector , Hydraulic Hose Pipe Wp 270 Bar Alongwith End Connector With 90 Deg Ben , Oil Breather Size 2 and half inch , Oil Indicator 10 Inch , Pressure Gauge Range 0 To 400 Bar , Hydraulic Hose Pipe Alongwith End Connector With 120 Deg Bend and ST , Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend and ST , Hydraulic Hose Pipe Alongwith Both End St Connector , Hydraulic Hose Pipe Alongwith End Connector With 90 Deg and ST , Hydraulic Hose Pipe Alongwith Both End ST Connector , Hydraulic Hose Pipe Alongwith End Connector With St and Benjo Eye 3 by 4 inch , Hydraulic Hose Pipe Alongwith End Connector With Benjo Eye and ST , Pulley Bearing 04 Nos X 02 Nos of Cranes , Winch Shaft Bearing , Hydraulic Motor Bearing 02 Nos X 02 Nos of Cranes , Swivel Bearings 02 Nos X 02 Nos of Cranes , Bearings 02 Nos X 02 Nos of Cranes , Hook Pulley Bearings 02 Nos X 02 Nos of Cranes , Drive Gear Shaft Bearing 03 Nos X 02 Nos of Cranes , Universal Coupling Bearing 08 Nos X 02 Nos of Cranes , 2nd Stage Bearings 06 Nos X 02 Nos of Cranes , Clutch Plate Bearing 02 Nos X 02 Nos of Cranes , Swing Motor Shaft Bearing 02 Nos X 02 Nos of Cranes , Bearing Shaft 02 Nos X 02 Nos of Cranes , Wire Rope , Accumulator Cylinder Relief Seal Kit , Load Jumping Cylinder Counter Balance Valve Seal Kit , Wire Rope Pulley Jumping Cylinder Seal Kit , Load Jumping Cylinder Seal Kit , Main Boom Mounting Cylinder Teflon Bush , Seal Kit For The Hydraulic Cylinder Main Boom , Winch Wiper Seal , Return line filter 1and 1 by 4 inch , Winch Seal Kit , Winch Hydraulic Motor Seal Kit , 10 mmx 10 mm x 1100 mm ST x 90 high pressure hose pipe , 10 Mm x 10 mm X 700 mm St X 90 High Pressure Hose Pipe , 16 Mm x 16 mm X 800 mm St X 90 High Pressure Hose Pipe , 16 Mm X 16 mm X 600 mm St X 90 High Pressure Hose Pipe , 16 Mm X 16 mm X 1000 mm St X St High Pressure Hose Pipe , 20 Mm X 20 mm X 1000 mm St X St High Pressure Hose Pipe , Suction Hose Pipe 2and half inch X 1500 mm Length , 10 Mmx 10 mm X 1500 mm ST X St High Pressure Hose Pipe , 20 Mm X 20 mm X 1000 mm ST X ST High Pressure Hose Pipe , 10 Mm X 10 mm X 1000 mm St X 90 High Pressure Hose Pipe , 10 Mm</p>

विड विवरण/Bid Details	X 10 mm X 1400 mm ST X 90 High Pressure Hose Pipe , 10 Mm X 10 mm X 500 mm ST X ST High Pressure Hose Pipe ,
	1by4 X 10 mm X 900 mm ST X ST High Pressure Hose Pipe , Seal Kit Of Relief And Flow Control Valve Of Pump , Emergency Hand Pump Seal Kit , Oil Level Indicator , Pressure Gauge 6000 PSI , Wire Rope Pulley Pin 600 mm X 60 mm , Bladder For 50 Liters Accumulator , Cradle Mounting Pin , Cylinder Mounting Pins , Seal Kit 10 Ltrs Accumulator , Seal Kit of 50 Ltrs Accumulator , Winch Needle Roller Bearing , Brake Seal , Return Line Filter , Adaptor , High Pressure Hose ST X 90 Degree , Clutch Plates , Springs , Pressure Plates , Wire Rope Pulley Bearing , Ball valve half inch , Ball valve 1 inch , Bearing Of The Hydraulic Pump , Check Valve , Winch Main Bearing , Balancing Swivel Bearing , High Pressure Non Return Valve , 9 point 5 Tons D Shackle , Co2 Shock Absorber Cylinder , Wire Rope Pc Davit Port and Stbd , Accumulator Cylinder 05 Ltrs , Counter
	Balance Shaft Seal, Shaft Wiper Seals, Winch Hydraulic Motor Shaft Seal, Clutch Plate 01 Tons Winch, Pressure Plate 01 Tons Winch, Seal Kit For Brake & Clutch System, High pressure hose pipe alongwith 1st other 90 deg elbow,, High pressure hose pipe alongwith both end ST connector,, High pressure hose pipe alongwith both end ST connector, High pressure hose pipe alongwith both ST connector,, High pressure hose pipe alongwith both end 90 deg elbow,, High pressure hose pipe alongwith ST, 90 degree,, High pressure hose pipe alongwith ST connector,, High pressure hose pipe alongwith one end ST other 90 deg elbow,, Winch Gear Bearings, Hydraulic Motor Plate Bearing, Directional Control Valve, Hydraulic Oil Pump, Wire Rope Length 30 Mtr & Dia 09 Mm Galvanized, Shaft Wiper Seal, Shaft Seals, Pressure Gauge (90 To 400 Bar), Hydraulic Pump Seal KIT, Seal Sets For The Hydraulic Cylinder, High pressure hydraulic hose pipe alongwith end st connector,, Seal Kit For Brake & Clutch System, Pressure Plate 4.5 Tons Winch, Pressure Plate 1.5 Tons Winch, Return Line Filter Element, Pulley Pins, Hydraulic Motor Shaft Seal, High pressure hydraulic hose pipe alongwith end connector 90 deg & ST,, High pressure hydraulic hose pipe alongwith end ST connector,, High pressure hydraulic hose pipe alongwith end connector with 90 & ST,, High pressure hydraulic hose pipe alongwith both end ST connector,, High pressure hydraulic hose pipe alongwith both end ST connector,, High pressure hydraulic hose pipe alongwith end connector with 90 deg,, High pressure hydraulic hose pipe alongwith both end ST connector,, High pressure hose pipe alongwith both end ST connector, High pressure hydraulic hose pipe alongwith end connector 90 deg & ST,, Clutch Plates 1.5 Tons Winch, Clutch Plates 4.5 Tons Winch, Seal Kit Of Counter Balance Valve, Seal Kit Of Directional Control Valve, Gear Bearings, Main Shaft Bearing, Swing Counter Balance Valve Ball Valve, Pressure Gauge Needle Valve, Swivel Bearing, Drain Valve Hydraulic Oil Tank, Pulley Bearings, Hydraulic Motor Plate Bearing, Wire Rope 70 Mts X 2 = 140 Mts, 10.5 mm Dia, Wire Rope 70 Mts X 2 = 140 Mts, 16.5 mm Dia, Directional Control Valve, Cylinder Mounting Pins 02 Nos X 02 Nos of Cranes, Counter Balance Valve Seal Kit, Teflon Boom Pulleys (Thickness-10mm), Pulley Pin Bush 04 Nos X 02 Nos of Cranes, Pulley Pin 01 Nos X 01 Nos of Cranes, Teflon Packing Plates 02 Nos X 02 Nos of Cranes, Teflon Elbow Plates 02 Nos X 02 Nos of Cranes, Teflon Sq Plates 02 Nos X 02 Nos of Cranes, Telescopic Cylinder Seals 01 ST X 02 Nos of Cranes, Shaft Wiper Seal 01 Nos X 02 Nos of

बिड विवरण

Cranes, Mechanical/Penalty Brake Seal Kit 01 Nos X 02 Nos of Cranes, Hydraulic Motor Pressure Plate 01 Set X 02 Nos of

Cranes, Hydraulic Motor Seal Set 01 Nos X 02 Nos of Cranes, Boom Counter Balance Valve Seal Kit 02 Nos, Cylinder Seals 01 Set X 02 Nos of Cranes, Pressure Plate Of Motor 01 Nos X 02 Nos of CraneS, Hydraulic Motor Seal Kit 01 Nos X 02 Nos of Cranes, Pressure Plate 01 Nos X 02 Nos of Cranes, Seal Kit Set 01 Nos X 02 Nos of Cranes, Wire Rope Guide Pin 01 Nos X 02 Nos of Cranes, Winch Seal Kit 01 Nos X 02 Nos of Cranes, Hook Safety Lock 9.5 Tons 01 Nos X 02 Nos of Cranes, Planetary Gear Box Roller Pin 180 Nos X 02 Nos of Cranes, Gear Box Seal Kit 01 Nos X 02 Nos of Cranes, Mechanical Clutch Plates Set 01 Nos X 02 Nos of Cranes, Shaft Seal 04 Nos X 02 Nos of Cranes, Return Line Filter 01 Nos X 02 Nos of Cranes, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & Benjo E, Hydraulic Hose Pipe Wp-275 Bar Alongwith Both End ST Connector, Hydraulic Hose Pipe Wp-270 Bar Alongwith Both End ST Connector, Hydraulic Hose Pipe Wp-275 Bar Alongwith Both End ST Connector, Hydraulic Hose Pipe Wp-270 Bar Alongwith Both End ST Connector, Hydraulic Hose Pipe Wp-270 Bar Alongwith Both End ST Connector, Hydraulic Hose Pipe Wp-270 Bar Alongwith End Connector With 90 Deg Ben, Oil Breather (Size: 2 ½ Inch), Oil Indicator (10 Inch), Counter Balance Valve Seal Kit, Pressure Gauge (Range 0 To 400 Bar), Hydraulic Hose Pipe Alongwith End Connector With 120 Deg Bend & ST, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & ST, Hydraulic Hose Pipe Alongwith Both End St Connector, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST, Hydraulic Hose Pipe Alongwith Both End ST Connector, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST, Hydraulic Hose Pipe Alongwith Both End ST Connector, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST, Hydraulic Hose Pipe Alongwith Both End ST Connector, Hydraulic Hose Pipe Alongwith End Connector With St & Benjo Eye 3/4", Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST, Hydraulic Hose Pipe Alongwith End Connector With Benjo Eye & ST, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & Benjo E,, Hydraulic Hose Pipe Alongwith Both End St Connector, Hydraulic Hose Pipe Alongwith Both End St ConnectoR, Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & ST, Pulley Bearing 04 Nos X 02 Nos of Cranes, Winch Shaft Bearing, Winch Shaft BearinG, Hydraulic Motor Bearing 02 Nos X 02 Nos of Cranes, Swivel Bearings 02 Nos X 02 Nos of Cranes, Bearings 02 Nos X 02 Nos of Cranes, Hook Pulley Bearings 02 Nos X 02 Nos of Cranes, Drive Gear Shaft Bearing 03 Nos X 02 Nos of Cranes, Universal Coupling Bearing 08 Nos X 02 Nos of Cranes, 2nd Stage Bearings 06 Nos X 02 Nos of Cranes, Clutch Plate Bearing 02 Nos X 02 Nos of Cranes, Swing Motor Shaft Bearing 02 Nos X 02 Nos of Cranes, Bearing Shaft 02 Nos X 02 Nos of Cranes, Directional Control Valve, Wire RopE, Accumulator Cylinder Relief Seal Kit, Load Jumping Cylinder Counter Balance Valve Seal Kit, Wire Rope Cylinder Counter Balance Valve Seal Kit, Wire Rope Pulley Jumping Cylinder Seal Kit, Load Jumping Cylinder Seal Kit, Load Jumping Cylinder Seal Kit, Main Boom Mounting Cylinder Teflon Bush, Seal Kit For The Hydraulic Cylinder Main Boom, Winch Wiper Seal, Return line filter 1 ¼", Winch Seal Kit, Hydraulic Pump Seal Kit, Winch Hydraulic Motor Seal Kit, 10 mmx 10 mm x 1100 mm ST x 90 high pressure hose pipe, 10 Mm x 10 mm X 700 mm St X 90 High Pressure Hose Pipe, 16 Mm x 16 mm X 800 mm St X 90 High Pressure Hose Pipe, 16 Mm X 16 mm X 600 mm St X 90 High

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

विड विवरण/Bid Details	Pressure Hose Pipe, 16 Mm X 16 mm X 1000 mm St X St High Pressure Hose Pipe, 20 Mm X 20 mm X 1000 mm St X
	St High Pressure Hose Pipe, Suction Hose Pipe 2 ½" X 1500 mm Length, 10 Mmx 10 mm X 1500 mm ST X St High Pressure Hose Pipe, 20 Mm X 20 mm X 1000 mm ST X ST High Pressure Hose Pipe, 10 Mm X 10 mm X 1000 mm St X 90 High Pressure Hose Pipe, 10 Mm X 10 mm X 1400 mm ST X 90 High Pressure Hose Pipe, 10 Mm X 10 mm X 500 mm ST X ST High Pressure Hose Pipe, ¼ X 10 mm X 900 mm ST X ST High Pressure Hose Pipe, Winch Hydraulic Motor Seal Kit, Seal Kit Of Relief And Flow Control Valve Of Pump, Emergency Hand Pump Seal Kit, Oil Level Indicator, Pressure Gauge 6000 PSI, Wire Rope Pulley Pin 600 mm X 60 mm, Bladder For 50 Litres Accumulator, Cradle Mounting Pin, Cylinder Mounting Pins, Seal Kit 10 Ltrs Accumulator, Seal Kit of 50 Ltrs Accumulator, Winch Needle Roller Bearing, Brake Seal, Return Line Filter, Adaptor, High Pressure Hose, ST X 90 Degree, Clutch Plates, Springs, Pressure Plates, Wire Rope Pulley Bearing, Ball valve 1/2", Ball valve 1", Bearing Of The Hydraulic Pump, Check Valve, Winch Main Bearing, Balancing Swivel Bearing, High Pressure Non-Return Valve, 9.5 Tons D Shackle, Balancing Swivel Bearing, Co2 Shock Absorber Cylinder, Wire Rope Pc Davit (Port & Stbd), Directional Control Valve, Accumulator
	Cylinder (05 Ltrs), Counter Balance Valve, Cartridge Valve Searched String: Winch Shaft Seal multicable winch, DC WINCH MOTOR, Laboratory Winch Dyeing Machine, Puf Seal, Bolt / Bullet Seal, Municipal solid waste Twin shaft shredder, Plastic Grip Seal, D Seal (Rubber), Flexible Shaft Grinder, Shaft and Shaft Assembly as per Drawing (RCF) Searched String: Shaft Wiper Seals Domestic Wiper/Wiper Mopper (V3), Vehicle Wiper Motor, Water Pump Seals, Tamper Evident Seals for LPG cylinders, Flexible Shaft Grinder, Municipal solid waste Twin shaft shredder, Shaft and Shaft Assembly as per Drawing (RCF), Self Locking seals cum Tag Labels, Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382, Plastic Grip Seal Searched String: Winch Hydraulic Motor Shaft Seal DC WINCH MOTOR, Hydraulic Motors, Hydraulic Cylinder Seal Kit, Electric Motorized hydraulic pump, CNG Compressor (HPCL) Searched String: Clutch Plate 01 Tons Winch Deep well plates, DC WINCH MOTOR, LCR Meter, Steel Pipe Flanges as per IS 6392 Searched String: Pressure Plate 01 Tons Winch Deep well plates, Surgical Forceps, DC WINCH MOTOR, High Pressure Washer, Steel Pipe Flanges as per IS 6392, Pressure Calibrator Searched String: Seal Kit For Brake & Clutch System Retrofit Kit Hub Drive System for Tricycles (ALIMCO), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Cable Termination Kit (V2),

विड विवरण

Bid Details
Theft Proof Rifle Racks, Cable Joint Kit (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), White LED Based Solar Street Lighting System for Model (I, II, III And IV), High Speed Drill System for Neurosurgery & Spinal Surgery, Facial Kit

Searched String: High pressure hose pipe alongwith 1st other 90 deg elbow,

Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service

Searched String: High pressure hose pipe alongwith both end ST connector,

Category not available on GeM for the text string uploaded by the buyer

Searched String: High pressure hose pipe alongwith both end ST connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: High pressure hose pipe alongwith both ST connector,

Category not available on GeM for the text string uploaded by the buyer

Searched String: High pressure hose pipe alongwith both end 90 deg elbow,

Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service

Searched String: High pressure hose pipe alongwith ST, 90 degree,

Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523

Searched String: High pressure hose pipe alongwith ST connector,

High Pressure Fire Fighting Hose - IS 14933, High Pressure Fire Fighting Hose with Delivery Couplings as per IS 14933, Rubber Steam Hose (V2) as per IS 10655, Seamless Ferritic Alloy - Steel Pipe for High - Temperature Service, Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098

Searched String: High pressure hose pipe alongwith one end ST other 90 deg elbow,

Category not available on GeM for the text string uploaded by the buyer

Searched String: Winch Gear Bearings

multicable winch, Mounted Bearings, DC WINCH MOTOR, Laboratory Winch Dyeing Machine, Self-Aligning Roller Bearings, Cloth Dryer Stand, Gear Shaper, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Gear couplings, Gear Puller

बिड विवरण/Bid Details Searched String: Hydraulic Motor Plate Bearing

Hydraulic Motors, Hydraulic Rod Ends Bearing, Copper bearing structural Plate as per IS 2062 (Steel Plate)(UNIT - QUANTITY), Carbon brushes for motor and generator, Electric Motorized hydraulic pump, Tool Kit for Mitti Ke Bartan (Terakota) - ODOP UP Gov. (Gorakhpur), CNG Compressor (HPCL), Bearing Induction Heater

Searched String: Directional Control Valve

Directional Control Valve, Power Generator - DG Set (up to 900 KVA), Control Valve Pneumatic, Control valve Hydraulic Oils, magnetic stirrers, Control Transformer, Control Cable, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Needle Valve, Flying Insect Control Traps - Fly Catcher

Searched String: Hydraulic Oil Pump

Hydraulic Gear Pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Marine Hydraulic Oil, centrifugal oil cleaning machine, Transformer Oil Pump, Self Priming Centrifugal Pump as per IS 5120 , Vacuum Pump Oil, Antiwear Hydraulic Oil (V3) as per IS 11656, Electric Motorized hydraulic pump, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018

Searched String: Wire Rope Length 30 Mtr & Dia 09 Mm Galvanized

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, High Pressure Fire Fighting Hose - IS 14933

Searched String: Shaft Wiper Seal

Domestic Wiper/Wiper Mopper (V3), Vehicle Wiper Motor, Puf Seal, Bolt / Bullet Seal, Plastic Grip Seal, Municipal solid waste Twin shaft shredder, D Seal (Rubber), Flexible Shaft Grinder, Shaft and Shaft Assembly as per Drawing (RCF), Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal)

Searched String: Shaft Seals

Water Pump Seals, Tamper Evident Seals for LPG cylinders, Flexible Shaft Grinder, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Shaft and Shaft Assembly as per Drawing (RCF), Municipal solid waste Twin shaft shredder, Self Locking seals cum Tag Labels, Rubber Seals Joint Rings for Water Supply, Drainage and Sewerage Pipelines as per IS 5382, Shaft Insulator Heater-IS:302, IS:4159, Municipal solid waste single shaft shredder

Searched String: Pressure Gauge (90 To 400 Bar)

Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118

Searched String: Hydraulic Pump Seal Kit

Hydraulic Cylinder Seal Kit, Styling Chair / Salon Chair / Swiveling Barber Chair, Hydraulic Gear Pump, Electric Motorized hydraulic pump, Hydraulic Pumps - Floating Pump, hydraulic ramset with matching foot pump, Hydraulic Cylinder and Hand Pump Set, Water Pump Seals, Cable Joint Kit (V2), Cable Sealing Kit

बिड विवरण/Bid Details Searched String: Seal Sets For The Hydraulic Cylinder

Hydraulic Cylinder Seal Kit, Hydraulic Cylinder and Hand Pump Set, Tamper Evident Seals for LPG cylinders, Mild Steel Sheet

Searched String: High pressure hydraulic hose pipe alongwith end st connector,

Category not available on GeM for the text string uploaded by the buyer

Searched String: Seal Kit For Brake & Clutch System

Retrofit Kit Hub Drive System for Tricycles (ALIMCO), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Cable Termination Kit (V2), Theft Proof Rifle Racks, Cable Joint Kit (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), White LED Based Solar Street Lighting System for Model (I, II, III And IV), High Speed Drill System for Neurosurgery & Spinal Surgery, Facial Kit

Searched String: Pressure Plate 4.5 Tons Winch

Split Air Conditioner Including Green AC, Wall Mount Type (V2), Locking Compression Plates (V2), Non-Locking Bone Plate, Rubberized Weight Plates, Lat Pull Down (Version 2), Domestic Pressure Cookers (V2) as per IS 2347, Chapati Plate with Puffer (V2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), High Pressure Washer

Searched String: Pressure Plate 1.5 Tons Winch

Forged Fish Plate-IS1570, Rubberized Weight Plates, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Split Air Conditioner Including Green AC, Wall Mount Type (V2), PE-AL-PE Composite Pressure Pipes for Hot and Cold Water Supplies - IS 15450, Domestic Pressure Cookers (V2) as per IS 2347, Lamp Ballast for HPSV Lamps as per IS 15882:2009, IS 15885, Locking Compression Plates (V2), Mild Steel Sheet

Searched String: Return Line Filter Element

Element Filter Compressor, ELEMENT SPIN ON OIL, Bacterial / Viral Filters (V2)

Searched String: Pulley Pins

Entomological Pins, Duel Adjustable Pulley, Conveyor Pulley Lagging, Pin Up Notice Board (V2), Shoulder pulley Unit, Brooches & Pins-Handicraft, Paper Pins (V2) Conforming to IS 5653, Pins, Paper, Straight as per IS 5653, Lat Pull Down (Version 2), Staple Pins/Staples(V3)

Searched String: Hydraulic Motor Shaft Seal

Hydraulic Motors, Hydraulic Cylinder Seal Kit, Electric Motorized hydraulic pump, CNG Compressor (HPCL)

Searched String: High pressure hydraulic hose pipe alongwith end connector 90 deg & ST,

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details
Searched String: High pressure hydraulic hose pipe
alongwith end ST connector,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hydraulic hose pipe
alongwith end connector with 90 & ST,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hydraulic hose pipe
alongwith both end ST connector,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hydraulic hose pipe
alongwith both end ST connector,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hydraulic hose pipe
alongwith end connector with 90 deg,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hydraulic hose pipe
alongwith both end ST connector,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hose pipe alongwith both
end ST connector,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hose pipe alongwith both
end ST connector

Category not available on GeM for the text string uploaded
by the buyer

Searched String: High pressure hydraulic hose pipe
alongwith end connector 90 deg & ST,

Category not available on GeM for the text string uploaded
by the buyer

Searched String: Clutch Plates 1.5 Tons Winch

Rubberized Weight Plates, Split Air Conditioner Including
Green AC, Wall Mount Type (V2), LCR Meter, Locking
Compression Plates (V2), multicable winch, Non-Locking
Bone Plate, Lat Pull Down (Version 2), Ratchet Handle as per
IS 7975, Split Air Conditioner (Ceiling Mount Type), as per IS:
1391 (part 2), Leaf Plate Making Machine

Searched String: Clutch Plates 4.5 Tons Winch

Split Air Conditioner Including Green AC, Wall Mount Type
(V2), multicable winch, Locking Compression Plates (V2),
Rubberized Weight Plates, Non-Locking Bone Plate, Lat Pull

विड विवरण

Down (Version 2), Chapati Plate with Puffer (V2), Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Ratchet Handle as per IS 7975

Searched String: Seal Kit Of Counter Balance Valve

Hawkers of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Papad Making Kit (GRIMCO Gujarat Govt)

Searched String: Seal Kit Of Directional Control Valve

Directional Control Valve, Papad Making Kit (GRIMCO Gujarat Govt), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

Searched String: Gear Bearings

Mounted Bearings, Self-Aligning Roller Bearings, Gear Shaper, Tapered Bearings as per IS 12102, Gear couplings, Cloth Dryer Stand, Gear Puller, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Hydraulic Gear Pump, Gear Hobbing Machine

Searched String: Main Shaft Bearing

BEARING ISOLATOR, Bearing (BHEL), Fan Bearing, Bush Bearing, Flexible Shaft Grinder, Cloth Dryer Stand, Shaft and Shaft Assembly as per Drawing (RCF), Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Bearing Induction Heater, Roller Bearing (BHEL)

Searched String: Swing Counter Balance Valve Ball Valve

CPVC Ball Valve, General Purpose Ball Valves (V2), Swing Type Check Valve, Ball Valve as per GAIL (India) Limited, Check Valve (V2) as per IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312, Commercial PPR Pipes Fittings as per IS 15801

Searched String: Pressure Gauge Needle Valve

Needle Valve, Blood Lancets, Gauge Valve - BHEL, Filter cum Pressure Regulator, Pressure Gauge - BHEL, Dial type indicating Pressure Gauges, Tyre Air Pressure Gauge, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, GAUGE PRESSURE (OFB-DEFENCE), Pressure reducing valve

Searched String: Swivel Bearing

BEARING ISOLATOR, Bearing (BHEL), Fan Bearing, Bush Bearing, Water Swivel and Hoisting Plug (CMPDI), Cloth Dryer Stand, Bearing Induction Heater, Roller Bearing (BHEL), Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Thrust Bearing (BHEL)

Searched String: Drain Valve Hydraulic Oil Tank

Control valve Hydraulic Oils, Portable Toilet, Electronic Auto drain valve, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Marine Hydraulic Oil, Modular Toilet, Anti Wear Hydraulic Oil - Coal India, High Viscosity Index Anti - Wear Hydraulic Oils, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, centrifugal

Searched String: Pulley Bearings

Mounted Bearings, Duel Adjustable Pulley, Shoulder pulley Unit, Conveyor Pulley Lagging, Cloth Dryer Stand, Self-Aligning Roller Bearings, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Hand - Operated Chain Pulley Block (V2) as per IS 3832, PULLEY FOR EXHAUST FAN, Tapered Bearings as per IS 12102

Searched String: Hydraulic Motor Plate Bearing

Hydraulic Motors, Hydraulic Rod Ends Bearing, Copper bearing structural Plate as per IS 2062 (Steel Plate)(UNIT - QUANTITY), Carbon brushes for motor and generator, Electric Motorized hydraulic pump, Tool Kit for Mitti Ke Bartan (Terakota) - ODOP UP Gov. (Gorakhpur), CNG Compressor (HPCL), Bearing Induction Heater

Searched String: Wire Rope 70 Mts X 2 = 140 Mts, 10.5 mm Dia

Category not available on GeM for the text string uploaded by the buyer

Searched String: Wire Rope 70 Mts X 2 = 140 Mts, 16.5 mm Dia

Category not available on GeM for the text string uploaded by the buyer

Searched String: Directional Control Valve

Directional Control Valve, Power Generator - DG Set (up to 900 KVA), Control Valve Pneumatic, Control valve Hydraulic Oils, magnetic stirrers, Control Transformer, Control Cable, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Needle Valve, Flying Insect Control Traps - Fly Catcher

Searched String: Cylinder Mounting Pins 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Counter Balance Valve Seal Kit

Colony counter electronic balance, Hydraulic Cylinder Seal Kit, Hawkens of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Cable Sealing Kit, Cable Joint Kit (V2), Counter Seat (Chair or Stool) (V2), Athanu Maker Kit (Gujarat Govt), Industrial Bellows-Seal Wedge Gate Valves-IS:11733, Papad Making Kit (GRIMCO Gujarat Govt), Papad Making Kit (Gujarat Govt)

Searched String: Teflon Boom Pulleys (Thickness-10mm)

Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Teflon Beaker with Lid, Kabaddi Mat (V2), Ultrasonic Thickness Gauge, Vertical Blinds (V2), Microscopes Slide Coverslips as per IS 3099, Foot Rest, wooden flooring, Swing (Preschool Kit), traffic signs - bilinker light

Searched String: Pulley Pin Bush 04 Nos X 02 Nos of Cranes

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pulley Pin 01 Nos X 01 Nos of Cranes

Copper Tube 104.9mm-OFB, Ultrasonic Probe Sonicator, Digital Pull - off Adhesion Tester (V2), Electronic Weighing Scales

Searched String: Teflon Packing Plates 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Teflon Elbow Plates 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Teflon Sq Plates 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Telescopic Cylinder Seals 01 ST X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Shaft Wiper Seal 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Mechanical/Penalty Brake Seal Kit 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Motor Pressure Plate 01 Set X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Motor Seal Set 01 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator

Searched String: Boom Counter Balance Valve Seal Kit 02 Nos

Category not available on GeM for the text string uploaded by the buyer

Searched String: Cylinder Seals 01 Set X 02 Nos of Cranes

Tamper Evident Seals for LPG cylinders

Searched String: Pressure Plate Of Motor 01 Nos X 02 Nos of Cranes

बिड विवरण / Bid Details Buses (V2), Buses for State Road Transport (V2)

Searched String: Hydraulic Motor Seal Kit 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pressure Plate 01 Nos X 02 Nos of Cranes

Copper Tube 104.9mm-OFB, Self Watering Tree guard, Digital Pull - off Adhesion Tester (V2), Ultrasonic Probe Sonicator, LCR Meter

Searched String: Seal Kit Set 01 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator

Searched String: Wire Rope Guide Pin 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Winch Seal Kit 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hook Safety Lock 9.5 Tons 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Planetary Gear Box Roller Pin 180 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Gear Box Seal Kit 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Mechanical Clutch Plates Set 01 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator, LCR Meter

Searched String: Shaft Seal 04 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator, Digital Pull - off Adhesion Tester (V2)

Searched String: Return Line Filter 01 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & Benjo E

Category not available on GeM for the text string uploaded

विड विवरण/Bid Details

by the buyer

Searched String: Hydraulic Hose Pipe Wp-275 Bar Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Wp-270 Bar Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Wp-275 Bar Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Wp-270 Bar Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Wp-270 Bar Alongwith End Connector With 90 Deg Ben

Category not available on GeM for the text string uploaded by the buyer

Searched String: Oil Breather (Size: 2 ½ Inch)

Internal Storage Device (SSD/HDD) (V2), Television (TV) (V2), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Drill Pipes (Petroleum Industry), General Purpose Ball Valves (V2), CPVC Industrial Pipe Fittings, Schedule 80, General Purpose Hand Gloves (V2), CPVC Ball Valve, CPVC Industrial Pipe, Hand Operated Hydraulic Pipe Bender

Searched String: Oil Indicator (10 Inch)

Trackside Indicator Boards and Signages as per IRICEN Manual, Bio - Medical Waste Collection Bags (Biohazard Bags), Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Sal Wooden Plank, Cyantraniliprole - 10.26% Od (Oil Dispersion) (V2), General Purpose Hand Gloves (V2), Turbine Lubricating Oil as per IS 1012, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Laboratory Hot plate, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493

Searched String: Counter Balance Valve Seal Kit

Colony counter electronic balance, Hydraulic Cylinder Seal Kit, Hawkers of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Cable Sealing Kit, Cable Joint Kit (V2), Counter Seat (Chair or Stool) (V2), Athanu Maker Kit (Gujarat Govt), Industrial Bellows-Seal Wedge Gate Valves-IS:11733, Papad Making Kit (GRIMCO Gujarat Govt), Papad Making Kit (Gujarat Govt)

Searched String: Pressure Gauge (Range 0 To 400 Bar)

Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil)

बिड विवरण / Bid Details (V3) Conforming to IS 1118, Ultrasonic Thickness Gauge, Digital Tachometer, Turbidity meter, COD (Chemical Oxygen

Demand) Analyzer (Closed Reflux), Ferromanganese (V3) Conforming to IS 1171, DC Electronic Load, Ion Chromatography System

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 120 Deg Bend & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith Both End St Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith Both End ST Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With St & Benjo Eye 3/4"

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg & ST

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With Benjo Eye & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & Benjo E,

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith Both End St Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith Both End St ConnectoR

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend & ST

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pulley Bearing 04 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator, Digital Pull - off Adhesion Tester (V2)

Searched String: Winch Shaft Bearing

multicable winch, DC WINCH MOTOR, Laboratory Winch Dyeing Machine, BEARING ISOLATOR, Bearing (BHEL), Cloth Dryer Stand, Fan Bearing, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Bush Bearing, Flexible Shaft Grinder

Searched String: Winch Shaft BearinG

multicable winch, DC WINCH MOTOR, Laboratory Winch Dyeing Machine, BEARING ISOLATOR, Bearing (BHEL), Cloth Dryer Stand, Fan Bearing, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Bush Bearing, Flexible Shaft Grinder

Searched String: Hydraulic Motor Bearing 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Swivel Bearings 02 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator, Digital Pull - off Adhesion Tester (V2), LCR Meter

Searched String: Bearings 02 Nos X 02 Nos of Cranes

विड विवरण/Bid Details Ultrasonic Probe Sonicator, Digital Pull - off Adhesion Tester (V2), LCR Meter

Searched String: Hook Pulley Bearings 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Drive Gear Shaft Bearing 03 Nos X 02 Nos of Cranes

Pinion gears

Searched String: Universal Coupling Bearing 08 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: 2nd Stage Bearings 06 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Clutch Plate Bearing 02 Nos X 02 Nos of Cranes

LCR Meter

Searched String: Swing Motor Shaft Bearing 02 Nos X 02 Nos of Cranes

Category not available on GeM for the text string uploaded by the buyer

Searched String: Bearing Shaft 02 Nos X 02 Nos of Cranes

Ultrasonic Probe Sonicator, Digital Pull - off Adhesion Tester (V2), LCR Meter

Searched String: Directional Control Valve

Directional Control Valve, Power Generator - DG Set (up to 900 KVA), Control Valve Pneumatic, Control valve Hydraulic Oils, magnetic stirrers, Control Transformer, Control Cable, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Needle Valve, Flying Insect Control Traps - Fly Catcher

Searched String: Wire RopE

Wire Rope For Wire Rope Barrier, Muffle Furnace, Wire rope as per IS 4521/API Spec 9A (ONGC), Steel Wire Rope (CMPDI), Monkey rope, Post For Wire Rope Barrier, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vertical Anchor for wire rope barrier, Tapered Bearings as per IS 12102, Thimbles For Wire Ropes- IS:2315

Searched String: Accumulator Cylinder Relief Seal Kit

Hydraulic Cylinder Seal Kit, Disaster Relief Kit - Packet 2 (UP Gov.), Disaster Relief Kit - Packet 1 (UP Gov.), Cable Joint Kit (V2), Flood/Disaster Relief Kit (बाढ/आपदा रहत किट), Cable Sealing Kit, Athanu Maker Kit (Gujarat Govt), Papad Making Kit (Gujarat Govt), Tamper Evident Seals for LPG cylinders, Papad Making Kit (GRIMCO Gujarat Govt)

विड विवरण / Bid Details
Searched String: Load Jumping Cylinder Counter Balance Valve Seal Kit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Wire Rope Cylinder Counter Balance Valve Seal Kit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Wire Rope Pulley Jumping Cylinder Seal Kit

Hydraulic Cylinder Seal Kit

Searched String: Load Jumping Cylinder Seal Kit

Hydraulic Cylinder Seal Kit, HBV Viral Load Test Kit, Cable Sealing Kit, Cable Joint Kit (V2), Papad Making Kit (Gujarat Govt), Athanu Maker Kit (Gujarat Govt), Tamper Evident Seals for LPG cylinders, Papad Making Kit (GRIMCO Gujarat Govt)

Searched String: Load Jumping Cylinder Seal Kit

Hydraulic Cylinder Seal Kit, HBV Viral Load Test Kit, Cable Sealing Kit, Cable Joint Kit (V2), Papad Making Kit (Gujarat Govt), Athanu Maker Kit (Gujarat Govt), Tamper Evident Seals for LPG cylinders, Papad Making Kit (GRIMCO Gujarat Govt)

Searched String: Main Boom Mounting Cylinder Teflon Bush

Category not available on GeM for the text string uploaded by the buyer

Searched String: Seal Kit For The Hydraulic Cylinder Main Boom

Hydraulic Cylinder Seal Kit

Searched String: Winch Wiper Seal

Domestic Wiper/Wiper Mopper (V3), multicable winch, Vehicle Wiper Motor, DC WINCH MOTOR, Laboratory Winch Dyeing Machine, Plastic Grip Seal, Puf Seal, Spiral Wound Metallic Gasket, Bolt / Bullet Seal, Polytetrafluoroethylene (PTFE) Thread Sealing Tape

Searched String: Return line filter 1 ¼"

Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Line Interactive UPS with AVR (V2), thermal gloves, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Line Tester, line matrix printer, Cat 6 Patch cord, Syringe Filter, Battery Operated Industrial Sweeper, Telephone Line Cord

Searched String: Winch Seal Kit

multicable winch, personal safety kit reflective luminous garments, Hydraulic Cylinder Seal Kit, Cable Termination Kit (V2), DC WINCH MOTOR, Networking Trainer Educational Kit, Laboratory Winch Dyeing Machine, Cable Joint Kit (V2),

विड विवरण / Bid Details Cable Sealing Kit, Biochemistry Reagent Kit for Human Samples

Searched String: Hydraulic Pump Seal Kit

Hydraulic Cylinder Seal Kit, Styling Chair / Salon Chair / Swiveling Barber Chair, Hydraulic Gear Pump, Electric Motorized hydraulic pump, Hydraulic Pumps - Floating Pump, hydraulic ramset with matching foot pump, Hydraulic Cylinder and Hand Pump Set, Water Pump Seals, Cable Joint Kit (V2), Cable Sealing Kit

Searched String: Winch Hydraulic Motor Seal Kit

DC WINCH MOTOR, Hydraulic Cylinder Seal Kit, Hydraulic Motors, Cable Joint Kit (V2), Cable Sealing Kit, Athanu Maker Kit (Gujarat Govt), Electric Motorized hydraulic pump, Mechanic Motor Vehicle trainee tool kit (Skill India Program), Flour Mill (Gujarat Govt), Papad Making Kit (Gujarat Govt)

Searched String: 10 mmx 10 mm x 1100 mm ST x 90 high pressure hose pipe

Modular Toilet, Digital Pull - off Adhesion Tester (V2), First Aid Dressing

Searched String: 10 Mm x 10 mm X 700 mm St X 90 High Pressure Hose Pipe

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Absorbable Gelatin, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Digital Pull - off Adhesion Tester (V2), Modular Toilet, First Aid Dressing, Drawing Trussels / Drawing Board Stand, Correspondence Envelopes (V3) Conforming to IS 13892, Corrugated Boxes

Searched String: 16 Mm x 16 mm X 800 mm St X 90 High Pressure Hose Pipe

Parallel Bar - Outdoor Gym Equipment, Domestic Tongs(Chimta), Modular Toilet, Equipment Camouflage Nets (Jute), Correspondence Envelopes (V3) Conforming to IS 13892, Corrugated Boxes, Note Sheet Pad (Azure Laid) (V3), Crematoria bed, Kidney Trays, M.S Stopper for Traffic Control (Portable Barrier)

Searched String: 16 Mm X 16 mm X 600 mm St X 90 High Pressure Hose Pipe

Dry Erase Writing Boards (V3), Domestic Tongs(Chimta), Parallel Bar - Outdoor Gym Equipment, Equipment Camouflage Nets (Jute), Pin Up Notice Board (V2), Light Weight Folding Rectangular Table, Modular Toilet, Combination Board, Correspondence Envelopes (V3) Conforming to IS 13892, The Indian National Flag - Polyester

Searched String: 16 Mm X 16 mm X 1000 mm St X St High Pressure Hose Pipe

Parallel Bar - Outdoor Gym Equipment, First Aid Dressing, Computer Paper (V3) Conforming to IS 12766 (In Packet), Domestic Tongs(Chimta), Modular Toilet, Equipment Camouflage Nets (Jute), Mild Steel Sheet, Drawing Trussels / Drawing Board Stand, Granite Surface Plate as per IS 7327, Sheet Cellular Defence or Foam Rubber Sheet as per IS 8255

बिड विवरण / Bid Details
Searched String: 20 Mm X 20 mm X 1000 mm St X St High Pressure Hose Pipe

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Computer Paper (V3) Conforming to IS 12766 (In Packet), First Aid Dressing, Modular Toilet, Absorbable Gelatin, Theft Proof Rifle Racks, Drawing Trussels / Drawing Board Stand, Granite Surface Plate as per IS 7327

Searched String: Suction Hose Pipe 2 ½" X 1500 mm Length

Cast Iron Bench, Modular Toilet, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Black Flexible Rubber Hose Pipe, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Dunnage Pallets Made from Recycled Plastic Wastes for Warehousing Applications as per IS 16058

Searched String: 10 Mmx 10 mm X 1500 mm ST X St High Pressure Hose Pipe

Mild Steel Sheet, Modular Toilet, First Aid Dressing, Digital Pull - off Adhesion Tester (V2)

Searched String: 20 Mm X 20 mm X 1000 mm ST X ST High Pressure Hose Pipe

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Computer Paper (V3) Conforming to IS 12766 (In Packet), First Aid Dressing, Modular Toilet, Absorbable Gelatin, Theft Proof Rifle Racks, Drawing Trussels / Drawing Board Stand, Granite Surface Plate as per IS 7327

Searched String: 10 Mm X 10 mm X 1000 mm St X 90 High Pressure Hose Pipe

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Absorbable Gelatin, Computer Paper (V3) Conforming to IS 12766 (In Packet), Digital Pull - off Adhesion Tester (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, First Aid Dressing, Modular Toilet, Correspondence Envelopes (V3) Conforming to IS 13892, Drawing Trussels / Drawing Board Stand

Searched String: 10 Mm X 10 mm X 1400 mm ST X 90 High Pressure Hose Pipe

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Absorbable Gelatin, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Digital Pull - off Adhesion Tester (V2), Modular Toilet, First Aid Dressing, Correspondence Envelopes (V3) Conforming to IS 13892, Corrugated Boxes, Theft Proof Rifle Racks

Searched String: 10 Mm X 10 mm X 500 mm ST X ST High Pressure Hose Pipe

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, First Aid Dressing, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Digital Pull - off Adhesion

बिड विवरण / Bid Details

Tester (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), Absorbable Gelatin, Modular Toilet, Portable

Toilet, Theft Proof Rifle Racks

Searched String: ¼ X 10 mm X 900 mm ST X ST High Pressure Hose Pipe

Mild Steel Sheet, Modular Toilet, First Aid Dressing, Digital Pull - off Adhesion Tester (V2), High Pressure Fire Fighting Hose - IS 14933

Searched String: Winch Hydraulic Motor Seal Kit

DC WINCH MOTOR, Hydraulic Cylinder Seal Kit, Hydraulic Motors, Cable Joint Kit (V2), Cable Sealing Kit, Athanu Maker Kit (Gujarat Govt), Electric Motorized hydraulic pump, Mechanic Motor Vehicle trainee tool kit (Skill India Program), Flour Mill (Gujarat Govt), Papad Making Kit (Gujarat Govt)

Searched String: Seal Kit Of Relief And Flow Control Valve Of Pump

Papad Making Kit (GRIMCO Gujarat Govt)

Searched String: Emergency Hand Pump Seal Kit

Special Tools (Deepwell Hand Pumps Components) as per IS 15500, Manually Operated Knapsack Sprayer, Hydraulic Cylinder Seal Kit, deepwell hand pumps as per IS 15500 (Part 2), Pneumatic Barrel Pump, Rubber Components (Deepwell Hand Pumps Components) as per IS 15500, IS 12732, Rescue Kit / Disaster Management Kit or Accessories, Hydraulic Cylinder and Hand Pump Set, personal safety kit reflective luminous garments, Hand Embroidery Tool kit

Searched String: Oil Level Indicator

Water Level Indicator (Hydrological), Entry and Mid Level Desktop Computer, Phenolphthalein indicator, Universal Indicator, Surgical Drapes, Phase Indicator, Spirit level, Bromocresol Green Indicator, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Cresol Red Indicator

Searched String: Pressure Gauge 6000 PSI

Pressure Gauge - BHEL, Tyre Air Pressure Gauge, GAUGE PRESSURE (OFB-DEFENCE), Dial type indicating Pressure Gauges, Pressure and Vacuum Gauges as per IS:3624, Filter cum Pressure Regulator, Ion Chromatography System

Searched String: Wire Rope Pulley Pin 600 mm X 60 mm

Pin Up Notice Board (V2), Dry Erase Writing Boards (V3), Light Weight Folding Rectangular Table, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Computer Paper (V3) Conforming to IS 12766, Computer Paper (V3) Conforming to IS 12766 (In Packet), PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Modular Toilet, Combination Board

Searched String: Bladder For 50 Litres Accumulator

Backpacks - Rucksack - Forty Liter, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Plastic Sheet (4

विड विवरण/Bid Details

x 50 m) for NDRF, Jute Bags for Packaging 50 kg Sugar ISI marked to IS 15138, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Water Container, 20 Litres Aluminium Alloy, Light Weight Jute Sacking Bags for Packing 50 kg foodgrains (V2) ISI marked to IS 16186, General Purpose Grease For Defence Applications (V2) Conforming to IS 507, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)

Searched String: Cradle Mounting Pin

Mounting plate, Television Mounting stand, Wall Mounting Cabinet, Pin Up Notice Board (V2), pin cushions, Rotary Switch, Dowel Pin, General Operating Table, Knowles Pin, Steinmann Pin

Searched String: Cylinder Mounting Pins

Entomological Pins, Mounting plate, Brooches & Pins- Handicraft, Pin Up Notice Board (V2), Paper Pins (V2) Conforming to IS 5653, Television Mounting stand, General Operating Table, Wall Mounting Cabinet, Laboratory Graduated Cylinders as per IS 878, Pins, Paper, Straight as per IS 5653

Searched String: Seal Kit 10 Ltrs Accumulator

Hydraulic Cylinder Seal Kit, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Cable Sealing Kit, Papad Making Kit (Gujarat Govt), Sealed Nickel Cadmium Button Type Rechargeable Single Cells Conforming to IS 10893, Modular Toilet, Cable Joint Kit (V2), Athanu Maker Kit (Gujarat Govt), Papad Making Kit (GRIMCO Gujarat Govt), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV)

Searched String: Seal Kit of 50 Ltrs Accumulator

Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), CBNAAT MTB / RIF PCR Test Kit, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Papad Making Kit (GRIMCO Gujarat Govt), Rapid Pregnancy Test Kit

Searched String: Winch Needle Roller Bearing

Ring Type Needle Bearings - IS 4215, Roller Bearing (BHEL), Cylindrical Roller bearing set, Self-Aligning Roller Bearings, Tapered Bearings as per IS 12102, Mounted Bearings

Searched String: Brake Seal

Brake Rectifier, Puf Seal, Hydraulic Press Brake Machine, Bolt / Bullet Seal, Plastic Grip Seal, Spiral Wound Metallic Gasket, D Seal (Rubber), Automotive Hydraulic Brake Fluid, Heavy Duty (V2) Conforming to IS 8654, Polytetrafluoroethylene (PTFE) Thread Sealing Tape, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal)

Searched String: Return Line Filter

Non Return Valve, Line Interactive UPS with AVR (V2), Bag filter, Filter Cartridge, Laboratory Filter Papers, Filter Sand, Syringe Filter, Pollen filter, Ice Lined Refrigerator,

विड विवरण/Bid Details intracompartmental pressure monitoring set accessories (Pressure Monitoring Line)

Searched String: Adaptor

DC ADAPTOR FOR CDSC (OFB), CPVC Industrial Pipe Fittings, Schedule 80, Adaptor sleeve along with locknut and washer, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Laboratory Glass Adapters

Searched String: High Pressure Hose, ST X 90 Degree

High Pressure Fire Fighting Hose - IS 14933, High Pressure Fire Fighting Hose with Delivery Couplings as per IS 14933, Hydraulic Hose, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523

Searched String: Clutch Plates

Enamel Plates, Locking Compression Plates (V2), Dining Plates (V3), Rubberized Weight Plates, Deep well plates, LCR Meter, petri plates or dishes, Multiwell plates for tissue culture, STEEL CHEQUERED PLATES as per IS 3502 (STEEL PLATES)(UNIT-QUANTITY), Petri plates or dishes(V2)

Searched String: Springs

Compression Springs, Steel Wire For Mechanical Springs-IS:4454, Bends and Springs confirming to IS 1239 (Part 2), File/Folder (V3), Double ferrule fittings for air spring, Spring post, Spring Rider, Cultivator, Weighing Scale (Infant) under POSHAN Abhiyaan, Spring Balance

Searched String: Pressure Plates

Enamel Plates, Locking Compression Plates (V2), Surgical Forceps, Dining Plates (V3), Deep well plates, Rubberized Weight Plates, Pressure Sensor, Pressure Calibrator, Pressure Transducers, Multiwell plates for tissue culture

Searched String: Wire Rope Pulley Bearing

Wire Rope For Wire Rope Barrier, Wire rope as per IS 4521/API Spec 9A (ONGC), Steel Wire Rope (CMPDI), Tapered Bearings as per IS 12102, Monkey rope, Post For Wire Rope Barrier, Vertical Anchor for wire rope barrier, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Thimbles For Wire Ropes-IS:2315, Wire rope slings and sling legs (V3) conforming to IS 2762

Searched String: Ball valve 1/2"

CPVC Ball Valve, Nitrile Coated/Nitrile Hand Gloves (V2), General Purpose Ball Valves (V2), Ball Valve as per GAIL (India) Limited, BOD Incubator, Medicine Ball, Multipara Monitor - Low End, Cricket Ball, Sofa (V3), Squash Ball

Searched String: Ball valve 1"

CPVC Ball Valve, Nitrile Coated/Nitrile Hand Gloves (V2), General Purpose Ball Valves (V2), Ball Valve as per GAIL (India) Limited, Multipara Monitor - Low End, Medicine Ball, BOD Incubator, Cricket Ball, Squash Ball, High End Desktop Computer

Searched String: Bearing Of The Hydraulic Pump

Hydraulic Gear Pump, Hydraulic Rod Ends Bearing,

बिड विवरण / Bid Details

WELDING ELECTRODE - Solid wire for TIG welding (BEML) - as per C4012 BEML Welding Electrode, Electric Motorized

hydraulic pump, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Hydraulic Pumps - Floating Pump, Triple Quadrupole LCMS System for contaminant analysis in Food and Dairy Products, hydraulic ramset with matching foot pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Hydraulic Cylinder and Hand Pump Set

Searched String: Check Valve

Check Valve(API 594), Swing Type Check Valve, Check Valve (V2) as per IS 778, Industrial Check Valves-IS:11733, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), General Purpose Ball Valves (V2), Gate, Globe And Check Valves For Water Work Purposes-IS:778, Needle Valve, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931

Searched String: Winch Main Bearing

multicable winch, DC WINCH MOTOR, Laboratory Winch Dyeing Machine, BEARING ISOLATOR, Bearing (BHEL), Cloth Dryer Stand, Fan Bearing, Bush Bearing, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Bearing Induction Heater

Searched String: Balancing Swivel Bearing

Rotor Balancing Ring NDE (BHEL), BEARING ISOLATOR, Bearing (BHEL), Fan Bearing, Bush Bearing, Cloth Dryer Stand, Computerised Wheel Balancer, Water Swivel and Hoisting Plug (CMPDI), Bearing Induction Heater, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455

Searched String: High Pressure Non-Return Valve

Non Return Valve, Body Seat Ring For Non Return Valve-IS:5312, intracompartmental pressure monitoring set accessories (Pressure Monitoring Line), Pressure reducing valve, High Pressure Washer, Pressure Safety Valve, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, HPLC Columns (High pressure liquid chromatography), High-Pressure High-Temperature Reactor, Non-Contact High Voltage Detector

Searched String: 9.5 Tons D Shackle

Forged Shackles for General Lifting Purpose (V2) Conforming to IS/ISO 2415, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Split Air Conditioner Including Green AC, Wall Mount Type (V2), File/Folder (V3), Cat 6 Patch cord, Split Air Conditioner (Ceiling Mount Type), as per IS: 1391 (part 2), Dehumidifier, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Rotary Evaporator

Searched String: Balancing Swivel Bearing

Rotor Balancing Ring NDE (BHEL), BEARING ISOLATOR, Bearing (BHEL), Fan Bearing, Bush Bearing, Cloth Dryer Stand, Computerised Wheel Balancer, Water Swivel and

<p style="text-align: center;">बिड विवरण / Bid Details</p>	<p>Hoisting Plug (CMPDI), Bearing Induction Heater, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455</p> <p>Searched String: Co2 Shock Absorber Cylinder</p> <p>High Pressure Portable Pump for large fire fighting as per IS 12717, LCR Meter, Gasket Cylinder Head, Cylinder Stand, Cylinders for Liquefied Petroleum Gases (LPG) of 14.2 Kg</p> <p>Searched String: Wire Rope Pc Davit (Port & Stbd)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Directional Control Valve</p> <p>Directional Control Valve, Power Generator - DG Set (up to 900 KVA), Control Valve Pneumatic, Control valve Hydraulic Oils, magnetic stirrers, Control Transformer, Control Cable, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Needle Valve, Flying Insect Control Traps - Fly Catcher</p> <p>Searched String: Accumulator Cylinder (05 Ltrs)</p> <p>Calibration Gas</p> <p>Searched String: Counter Balance Valve</p> <p>Colony counter electronic balance, Bar Counter, Frequency Counter, GM Counter, Hawkers of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Mud Balance, Plummet Balance, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Spring Balance, General Purpose Ball Valves (V2)</p> <p>Searched String: Cartridge Valve</p> <p>Filter Cartridge, Ion Exchange Cartridge, Wound Filter Cartridge, Toner Cartridges / Ink Cartridges / Consumables for Printers, Polypropylene Cartridge Filter, Tape Cartridge / Tape Media, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Writing and Printing Paper Conforming to IS 1848 (Part 2), General Purpose Ball Valves (V2), Linear Cutter Stapler Cartridge (V2)</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • Standard Storage Container or Cargo or Container Ships (V2)
<p>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover</p>	<p>No</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</p>	<p>No</p>

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Winch Shaft Seal
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	305965

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CGO (LOGISTICS)

Coast Guard Regional Headquarters West, Mumbai, Department of Defence, Indian Coast Guard, Ministry of Defence

(Vaishali Yatin Purav)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Winch Shaft Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Shaft Wiper Seals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Winch Hydraulic Motor Shaft Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Clutch Plate 01 Tons Winch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Pressure Plate 01 Tons Winch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Seal Kit For Brake And Clutch System

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith 1st Other 90 Deg Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

High Pressure Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

High Pressure Hose Pipe Alongwith Both ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith Both End 90 Deg Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith ST 90 Degree

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith One End ST Other 90 Deg Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Winch Gear Bearings

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	12	180

Hydraulic Motor Plate Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Directional Control Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Oil Pump

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Wire Rope Length 30 Mtr And Dia 09 Mm Galvanized

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	30	180

Shaft Wiper Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Shaft Seals

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Pressure Gauge 90 To 400 Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Pump Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Sets For The Hydraulic Cylinder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

High Pressure Hydraulic Hose Pipe Alongwith End St Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Seal Kit For Brake And Clutch System

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Pressure Plate 4 Point 5 Tons Winch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pressure Plate 1 Point 5 Tons Winch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Return Line Filter Element

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pulley Pins

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Hydraulic Motor Shaft Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

High Pressure Hydraulic Hose Pipe Alongwith End Connector 90 Deg And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hydraulic Hose Pipe Alongwith End ST Connectoer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

High Pressure Hydraulic Hose Pipe Alongwith End Connector With 90 And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hydraulic Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hydraulic Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hydraulic Hose Pipe Alongwith End Connector With 90 Deg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hydraulic Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

High Pressure Hydraulic Hose Pipe Alongwith End Connector 90 Deg And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Clutch Plates 1 Point 5 Tons Winch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Clutch Plates 4 Point 5 Tons Winch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Kit Of Counter Balance Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Kit Of Directional Control Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Gear Bearings

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	48	180

Main Shaft Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Swing Counter Balance Valve Ball Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pressure Gauge Needle Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Swivel Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Drain Valve Hydraulic Oil Tank

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pulley Bearings

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Hydraulic Motor Plate Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Wire Rope 70 Mts X 2 Equal To 140 Mts 10 Point 5 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Wire Rope 70 Mts X 2 Equal To 140 Mts 16 Point 5 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Directional Control Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Cylinder Mounting Pins 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Counter Balance Valve Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Teflon Boom Pulleys Thickness 10mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pulley Pin Bush 04 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pulley Pin 01 Nos X 01 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Teflon Packing Plates 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Teflon Elbow Plates 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Teflon Sq Plates 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Telescopic Cylinder Seals 01 ST X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Shaft Wiper Seal 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Mechanical Or Penalty Brake Seal Kit 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Motor Pressure Plate 01 Set X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Motor Seal Set 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Boom Counter Balance Valve Seal Kit 02 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Cylinder Seals 01 Set X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Pressure Plate Of Motor 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Motor Seal Kit 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pressure Plate 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Kit Set 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hook Safety Lock 9 Point 5 Tons 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Wire Rope Guide Pin 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Winch Seal Kit 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Planetary Gear Box Roller Pin 180 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	360	180

Gear Box Seal Kit 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Mechanical Clutch Plates Set 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Shaft Seal 04 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Return Line Filter 01 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend And Benjo E

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Wp 275 Bar Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Wp 270 Bar Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Hose Pipe Wp 275 Bar Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Hose Pipe Wp 270 Bar Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Wp 270 Bar Alongwith End Connector With 90 Deg Ben

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Oil Breather Size 2 And Half Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Oil Indicator 10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Counter Balance Valve Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pressure Gauge Range 0 To 400 Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Hose Pipe Alongwith End Connector With 120 Deg Bend And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	3	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Hose Pipe Alongwith Both End St Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	12	180

Hydraulic Hose Pipe Alongwith Both End ST Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	7	180

Hydraulic Hose Pipe Alongwith End Connector With St And Benjo Eye 3 By 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With Benjo Eye And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend And Benjo E

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith Both End St Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith Both End St Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Hydraulic Hose Pipe Alongwith End Connector With 90 Deg Bend And ST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pulley Bearing 04 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Winch Shaft Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Winch Shaft Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Hydraulic Motor Bearing 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Swivel Bearings 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Bearings 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Hook Pulley Bearings 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Drive Gear Shaft Bearing 03 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	6	180

Universal Coupling Bearing 08 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	16	180

2nd Stage Bearings 06 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	12	180

Clutch Plate Bearing 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Swing Motor Shaft Bearing 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Bearing Shaft 02 Nos X 02 Nos Of Cranes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Directional Control Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Wire Rope

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	160	180

Accumulator Cylinder Relief Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Load Jumping Cylinder Counter Balance Valve Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Wire Rope Cylinder Counter Balance Valve Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Wire Rope Pulley Jumping Cylinder Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Load Jumping Cylinder Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Load Jumping Cylinder Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Main Boom Mounting Cylinder Teflon Bush

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Seal Kit For The Hydraulic Cylinder Main Boom

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Winch Wiper Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Return Line Filter 1and 1 By 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Winch Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Hydraulic Pump Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Winch Hydraulic Motor Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

10 Mmx 10 Mm X 1100 Mm ST X 90 High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	9	180

10 Mm X 10 Mm X 700 Mm St X 90 High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	3	180

16 Mm X 16 Mm X 800 Mm St X 90 High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

16 Mm X 16 Mm X 600 Mm St X 90 High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

16 Mm X 16 Mm X 1000 Mm St X St High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

20 Mm X 20 Mm X 1000 Mm St X St High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Suction Hose Pipe 2and Half Inch X 1500 Mm Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

10 Mmx 10 Mm X 1500 Mm ST X St High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

20 Mm X 20 Mm X 1000 Mm ST X ST High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

10 Mm X 10 Mm X 1000 Mm St X 90 High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

10 Mm X 10 Mm X 1400 Mm ST X 90 High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

10 Mm X 10 Mm X 500 Mm ST X ST High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

1by4 X 10 Mm X 900 Mm ST X ST High Pressure Hose Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Winch Hydraulic Motor Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Kit Of Relief And Flow Control Valve Of Pump

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Emergency Hand Pump Seal Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Oil Level Indicator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Pressure Gauge 6000 PSI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Wire Rope Pulley Pin 600 Mm X 60 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Bladder For 50 Liters Accumulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	3	180

Cradle Mounting Pin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

Cylinder Mounting Pins

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Kit 10 Ltrs Accumulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Seal Kit Of 50 Ltrs Accumulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Winch Needle Roller Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	18	180

Brake Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Return Line Filter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Adaptor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

High Pressure Hose ST X 90 Degree

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Clutch Plates

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	14	180

Springs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	90	180

Pressure Plates

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	14	180

Wire Rope Pulley Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

Ball Valve Half Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	6	180

Ball Valve 1 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Bearing Of The Hydraulic Pump

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Check Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Winch Main Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Balancing Swivel Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	8	180

High Pressure Non Return Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

9 Point 5 Tons D Shackle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Balancing Swivel Bearing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Co2 Shock Absorber Cylinder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Wire Rope Pc Davit Port And Stbd

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Directional Control Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Accumulator Cylinder 05 Ltrs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	4	180

Counter Balance Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	2	180

Cartridge Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Ernakulam	1	180

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake

compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---