

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-02-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-02-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Employees State Insurance Corporation (esic)
कार्यालय का नाम/Office Name	Madhya Pradesh
कुल मात्रा/Total Quantity	2110
वस्तु श्रेणी /Item Category	Arch Bar , Round Straight Fissure Carbide Bur S , Round Straight Fissure Carbide Bur M , Round Straight Fissure Carbide Bur L , Drill Bits 1 mm , Drill Bits 15 mm , Drill Bits 2 mm , SS Plates Mini Plates 2 Holes with gap 15 mm , SS Plates Mini Plates 3 Holes with gap 15 mm , SS Plates Mini Plates 4 Holes with gap 15 mm , SS Plates Mini Plates 2 Holes with gap 2 mm , SS Plates Mini Plates 3 Holes with gap 2 mm , SS Plates Mini Plates 4 Holes with gap 2 mm , SS Plates Mini Plates 2 Holes with gap 25 mm , SS Plates Mini Plates 3 Holes with gap 25 mm , SS Plates Mini Plates 4 Holes with gap 25 mm , Titanium Plates Mini Plates 2 Holes with gap 15 mm , Titanium Plates Mini Plates 3 Holes with gap 15 mm , Titanium Plates Mini Plates 4 Holes with gap 15 mm , Titanium Plates Mini Plates 2 Holes with gap 2 mm , Titanium Plates Mini Plates 3 Holes with gap 2 mm , Titanium Plates Mini Plates 4 Holes with gap 2 mm , Titanium Plates Mini Plates 2 Holes with gap 25 mm , Titanium Plates Mini Plates 3 Holes with gap 25 mm , Titanium Plates Mini Plates 4 Holes with gap 25 mm , Titanium Plates Mini Plates 2 Holes with gap 25 mm , SS Screws 15 mm L 6 mm , SS Screws 15 mm L 8 mm , SS Screws 15 mm L 12 mm , SS Screws 2 mm L 6 mm , SS Screws 2 mm L 8 mm , SS Screws 2 mm L 12 mm , SS Screws 25 mm L 6 mm , SS Screws 25 mm L 8 mm , SS Screws 25 mm L 12 mm , Titanium Screws 15 mm L 6 mm , Titanium Screws 15 mm L 8 mm , Titanium Screws 15 mm L 12 mm , Titanium Screws 2 mm L 6 mm , Titanium Screws 2 mm L 8 mm , Titanium Screws 2 mm L 12 mm , Titanium Screws 25 mm L 6 mm , Titanium Screws 25 mm L 8 mm , Titanium Screws 25 mm L 12 mm , SS Wire 24 Gauze reels , SS Wire 26 Gauze reels , IMF Screws 2 x 10 mm , IMF Screws 25 x 10 mm , Dental Elastics Yellow 500 Piece Pkt , Dental Elastics Red 500 Piece Pkt

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

Arch Bar, Round & Straight Fissure Carbide Bur (S), Round & Straight Fissure Carbide Bur (M), Round & Straight Fissure Carbide Bur (L), Drill Bits 1 mm, Drill Bits 1.5 mm, Drill Bits 2 mm, S.S. Plates Mini Plates 2 Holes with gap ) 1.5 mm, S.S. Plates Mini Plates 3 Holes with gap ) 1.5 mm, S.S. Plates Mini Plates 4 Holes with gap ) 1.5 mm, S.S. Plates Mini Plates 2 Holes with gap ) 2 mm, S.S. Plates Mini Plates 3 Holes with gap ) 2 mm, S.S. Plates Mini Plates 4 Holes with gap ) 2 mm, S.S. Plates Mini Plates 2 Holes with gap ) 2.5 mm, S.S. Plates Mini Plates 3 Holes with gap ) 2.5mm, S.S. Plates Mini Plates 4 Holes with gap ) 2.5 mm, Titanium Plates Mini Plates 2 Holes with gap ) 1.5 mm, Titanium Plates Mini Plates 3 Holes with gap ) 1.5 mm, Titanium Plates Mini Plates 4 Holes with gap ) 1.5 mm, Titanium Plates Mini Plates 2 Holes with gap ) 2 mm, Titanium Plates Mini Plates 3 Holes with gap ) 2 mm, Titanium Plates Mini Plates 4 Holes with gap ) 2 mm, Titanium Plates Mini Plates 2 Holes with gap ) 2.5 mm, Titanium Plates Mini Plates 3 Holes with gap ) 2.5mm, Titanium Plates Mini Plates 4 Holes with gap ) 2.5 mm, S.S. Screws 1.5 mm L -6 mm, S.S. Screws 1.5 mm L -8 mm, S.S. Screws 1.5 mm L -12 mm, S.S. Screws 2 mm L -6 mm, S.S. Screws 2 mm L -8 mm, S.S. Screws 2 mm L -12 mm, S.S. Screws 2.5 mm L -6 mm, S.S. Screws 2.5 mm L -8 mm, S.S. Screws 2.5 mm L -12 mm, Titanium Screws 1.5 mm L -6 mm, Titanium Screws 1.5 mm L -8 mm, Titanium Screws 1.5 mm L -12 mm, Titanium Screws 2 mm L -6 mm, Titanium Screws 2 mm L -8 mm, Titanium Screws 2 mm L -12 mm, Titanium Screws 2.5 mm L -6 mm, Titanium Screws 2.5 mm L -8 mm, Titanium Screws 2.5 mm L -12 mm, S.S. Wire 24 Gauze reels, S.S. Wire 26 Gauze reels, IMF Screws 2 x 10 mm, IMF Screws 2.5 x 10 mm, Dental Elastics Yellow 500 Piece Pkt, Dental Elastics Red 500 Piece Pkt

**Searched String:** Arch Bar  
Lever Arch File, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Three Hinged Arch Apparatus, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Two Hinged Arch Apparatus, Cloth Dryer Stand, Solder Bar, Triceps bar, File/Folder (V3), Extension Bar

**Searched String:** Round & Straight Fissure Carbide Bur (S)  
Cutting Tools

**Searched String:** Round & Straight Fissure Carbide Bur (M)  
Cutting Tools

**Searched String:** Round & Straight Fissure Carbide Bur (L)  
Cutting Tools

**Searched String:** Drill Bits 1 mm  
Conventional Drill Bits for Surface Mineral Exploration, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Wireline Drill Bits for Surface Mineral Exploration, Button Bits for DTH Hammer, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wireline Diamond Core Bit Set, Mild Steel Sheet, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible

विड विवरण/Bid Details  
Conductor (V2) as per IS 694, Rotary Hammer Drill (NDRF),  
rubber bands

**Searched String:** Drill Bits 1.5 mm

Conventional Drill Bits for Surface Mineral Exploration, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wireline Drill Bits for Surface Mineral Exploration, Button Bits for DTH Hammer, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Wireline Diamond Core Bit Set, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Mild Steel Sheet, Rotary Hammer Drill (NDRF)

**Searched String:** Drill Bits 2 mm

Conventional Drill Bits for Surface Mineral Exploration, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wireline Drill Bits for Surface Mineral Exploration, Button Bits for DTH Hammer, Surface Drill (V2), Fabric Pin Up Notice Boards, Wireline Diamond Core Bit Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Mild Steel Sheet, Rotary Hammer Drill (NDRF)

**Searched String:** S.S. Plates Mini Plates 2 Holes with gap )  
1.5 mm

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Locking Compression Plates (V2), Ratchet Handle as per IS 7975, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, 4.5mm T-Buttress Plate with corresponding screws, LCP 3.5mm PHILOS-Proximal Humeral Plate with corresponding screws

**Searched String:** S.S. Plates Mini Plates 3 Holes with gap )  
1.5 mm

Locking Compression Plates (V2), 3.5mm Reconstruction Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with support (corresponding screws), LCP 3.5mm Medial Distal Humeral Plate with corresponding screws, 3.5mm One - Third Tubular Plate with corresponding screws

**Searched String:** S.S. Plates Mini Plates 4 Holes with gap )  
1.5 mm

Locking Compression Plates (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible

बिड विवरण / Bid Details	Conductor (V2) as per IS 694, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, 4.5mm T-Buttress Plate with corresponding screws
	<p><b>Searched String:</b> S.S. Plates Mini Plates 2 Holes with gap ) 2 mm</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Chapati Plate with Puffer (V2), Locking Compression Plates (V2), Modular Work Stations (V2), Non-Locking Bone Plate, Bunk Beds as per IS 17636, Ratchet Handle as per IS 7975, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws</p> <p><b>Searched String:</b> S.S. Plates Mini Plates 3 Holes with gap ) 2 mm</p> <p>Locking Compression Plates (V2), Parallel Bar - Outdoor Gym Equipment, 3.5mm Reconstruction Plate with corresponding screws, Ratchet Handle as per IS 7975, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with support (corresponding screws)</p> <p><b>Searched String:</b> S.S. Plates Mini Plates 4 Holes with gap ) 2 mm</p> <p>Parallel Bar - Outdoor Gym Equipment, Locking Compression Plates (V2), Chapati Plate with Puffer (V2), Ratchet Handle as per IS 7975, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Non-Locking Bone Plate, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> S.S. Plates Mini Plates 2 Holes with gap ) 2.5 mm</p> <p>Locking Compression Plates (V2), Chapati Plate with Puffer (V2), Ratchet Handle as per IS 7975, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Lat Pull Down (Version 2), LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with</p>

बिड विवरण / Bid Details	corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
	<p><b>Searched String:</b> S.S. Plates Mini Plates 3 Holes with gap ) 2.5mm</p> <p>Locking Compression Plates (V2), Parallel Bar - Outdoor Gym Equipment, 3.5mm Reconstruction Plate with corresponding screws, Ratchet Handle as per IS 7975, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws</p> <p><b>Searched String:</b> S.S. Plates Mini Plates 4 Holes with gap ) 2.5 mm</p> <p>Locking Compression Plates (V2), 4.5mm Narrow D.C. Plate with corresponding screws, Lat Pull Down (Version 2), LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, Chapati Plate with Puffer (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Reconstruction Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, LCP 4.5mm Narrow Compression Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws</p> <p><b>Searched String:</b> Titanium Plates Mini Plates 2 Holes with gap ) 1.5 mm</p> <p>Locking Compression Plates (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, 3.5mm Reconstruction Plate with corresponding screws, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with support (corresponding screws)</p> <p><b>Searched String:</b> Titanium Plates Mini Plates 3 Holes with gap ) 1.5 mm</p> <p>Locking Compression Plates (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, 3.5mm Reconstruction Plate with corresponding screws, Non-Locking Bone Plate, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm</p>

**बिड विवरण / Bid Details**

Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, Corrugated Boxes

**Searched String:** Titanium Plates Mini Plates 4 Holes with gap ) 1.5 mm

Locking Compression Plates (V2), 3.5mm Reconstruction Plate with corresponding screws, Non-Locking Bone Plate, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, Non Sparking Ring Slugging Spanners (V2), LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with support (corresponding screws)

**Searched String:** Titanium Plates Mini Plates 2 Holes with gap ) 2 mm

Locking Compression Plates (V2), Non-Locking Bone Plate, 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, Chapati Plate with Puffer (V2), 4.5mm Broad D.C. Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, 4.5mm T-Buttress Plate with corresponding screws, LCP 3.5mm PHILOS-Proximal Humeral Plate with corresponding screws

**Searched String:** Titanium Plates Mini Plates 3 Holes with gap ) 2 mm

Locking Compression Plates (V2), 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with support (corresponding screws), LCP 3.5mm Medial Distal Humeral Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws, 3.5mm One - Third Tubular Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws

**Searched String:** Titanium Plates Mini Plates 4 Holes with gap ) 2 mm

Locking Compression Plates (V2), 3.5mm Reconstruction Plate with corresponding screws, Non-Locking Bone Plate, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws, 4.5mm T-Buttress Plate with corresponding screws

**Searched String:** Titanium Plates Mini Plates 2 Holes with gap ) 2.5 mm

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694,

विड विवरण / Bid Details	Locking Compression Plates (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Rubberized Weight Plates, Ring Binder - File Folder, 3.5mm Reconstruction Plate with corresponding screws, Non-Locking Bone Plate, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> Titanium Plates Mini Plates 3 Holes with gap ) 2.5mm</p> <p>Locking Compression Plates (V2), 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with support (corresponding screws), LCP 3.5mm Medial Distal Humeral Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws, 3.5mm One - Third Tubular Plate with corresponding screws, LCP 3.5mm Small T-Plate Right Angled with corresponding screws</p> <p><b>Searched String:</b> Titanium Plates Mini Plates 4 Holes with gap ) 2.5 mm</p> <p>Locking Compression Plates (V2), Non-Locking Bone Plate, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, 3.5mm Reconstruction Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws</p> <p><b>Searched String:</b> S.S. Screws 1.5 mm L -6 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, patient care mattresses, Cotton Bandage Cloth (V2), Bone Screw (V2)</p> <p><b>Searched String:</b> S.S. Screws 1.5 mm L -8 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, Signal/ Triad Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Answer Book/Booklets For Examinations (V3), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Bone Screw (V2), 4.5mm Narrow D.C. Plate with</p>

विड विवरण/ Bid Details

corresponding screws

**Searched String:** S.S. Screws 1.5 mm L -12 mm

4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, Signal/ Triad Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, 4.5mm Narrow D.C. Plate with corresponding screws, Bone Screw (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

**Searched String:** S.S. Screws 2 mm L -6 mm

4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, bag kit universal, Bone Screw (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bunk Beds as per IS 17636, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, M.S Stopper for Traffic Control (Portable Barrier)

**Searched String:** S.S. Screws 2 mm L -8 mm

4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, Bone Screw (V2), Answer Book/Booklets For Examinations (V3), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Bunk Beds as per IS 17636, M.S Stopper for Traffic Control (Portable Barrier), Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Signal/ Triad Cable

**Searched String:** S.S. Screws 2 mm L -12 mm

4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, bag kit universal, Bone Screw (V2), Bunk Beds as per IS 17636, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Signal/ Triad Cable

**Searched String:** S.S. Screws 2.5 mm L -6 mm

4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, bag kit universal, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Bunk Beds as per IS 17636, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Signal/ Triad Cable, Bone Screw (V2)

बिड विवरण/Bid Details	Searched String: S.S. Screws 2.5 mm L -8 mm
	<p>4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Answer Book/Booklets For Examinations (V3), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Bunk Beds as per IS 17636, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Signal/ Triad Cable, Bone Screw (V2)</p> <p><b>Searched String:</b> S.S. Screws 2.5 mm L -12 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, Parallel Bar - Outdoor Gym Equipment, LCP 4.5mm L-Buttress Plate with corresponding screws, bag kit universal, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bunk Beds as per IS 17636, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Signal/ Triad Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592</p> <p><b>Searched String:</b> Titanium Screws 1.5 mm L -6 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 4.5mm L-Buttress Plate with corresponding screws, LCP 3.5 mm Compression Plate with corresponding screws, patient care mattresses, 4.5mm Broad D.C. Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, 3.5mm Reconstruction Plate with corresponding screws, Bone Screw (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p><b>Searched String:</b> Titanium Screws 1.5 mm L -8 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, LCP 4.5mm L-Buttress Plate with corresponding screws, LCP 3.5 mm Compression Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Static Protective Relays, Bone Screw (V2), Wood screws, rubber bands, 4.5mm Broad D.C. Plate with corresponding screws</p> <p><b>Searched String:</b> Titanium Screws 1.5 mm L -12 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, LCP 4.5mm L-Buttress Plate with corresponding screws, LCP 3.5 mm Compression Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, Bone Screw (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), rubber bands, Pedicle Screw (V2)</p>

बिड विवरण/Bid Details	Searched String: Titanium Screws 2 mm L -6 mm
	<p>4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), LCP 3.5 mm Compression Plate with corresponding screws, LCP 4.5mm L-Buttress Plate with corresponding screws, patient care mattresses, LCP 4.5 mm Distal Femoral Plate with corresponding screws, 4.5mm Broad D.C. Plate with corresponding screws, LCP 4.5 mm T-Buttress Plate with corresponding screws, Fabric Pin Up Notice Boards, 3.5mm Reconstruction Plate with corresponding screws</p> <p><b>Searched String:</b> Titanium Screws 2 mm L -8 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), LCP 3.5 mm Compression Plate with corresponding screws, LCP 4.5mm L-Buttress Plate with corresponding screws, Fabric Pin Up Notice Boards, LCP 4.5 mm Distal Femoral Plate with corresponding screws, Wood screws, LCP 4.5 mm T-Buttress Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, 3.5mm Reconstruction Plate with corresponding screws</p> <p><b>Searched String:</b> Titanium Screws 2 mm L -12 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), LCP 3.5 mm Compression Plate with corresponding screws, LCP 4.5mm L-Buttress Plate with corresponding screws, Fabric Pin Up Notice Boards, LCP 4.5 mm Distal Femoral Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 4.5 mm T-Buttress Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, 3.5mm Reconstruction Plate with corresponding screws</p> <p><b>Searched String:</b> Titanium Screws 2.5 mm L -6 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), LCP 4.5mm L-Buttress Plate with corresponding screws, LCP 3.5 mm Compression Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, 4.5mm Broad D.C. Plate with corresponding screws, patient care mattresses, Bone Screw (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Pedicle Screw (V2)</p> <p><b>Searched String:</b> Titanium Screws 2.5 mm L -8 mm</p> <p>4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), LCP 4.5mm L-Buttress Plate with corresponding screws, LCP 3.5 mm Compression Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Static Protective Relays, Bone Screw (V2), Wood screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, 4.5mm Broad D.C. Plate with corresponding</p>

बिड विवरण/Bid Details

SCREWS

**Searched String:** Titanium Screws 2.5 mm L -12 mm

4.5mm L-Buttress Plate with corresponding screws, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), LCP 4.5mm L-Buttress Plate with corresponding screws, LCP 3.5 mm Compression Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, Bone Screw (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Pedicle Screw (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** S.S. Wire 24 Gauze reels

2,4,6-Tris(2-pyridyl)-s-triazine, Absorbent Cotton Gauze, handloom cotton gauze, Absorbent Cotton Gauze Conforming to IS 758, X - Ray Detectable Absorbent Cotton Gauze, Sterilization Packaging Material

**Searched String:** S.S. Wire 26 Gauze reels

Ordinary Portland Cement (43 Grade or 43 - S Grade) for Bulk Buying (V2) as per IS 269, Absorbent Cotton Gauze, Ordinary Portland Cement (53 Grade or 53 - S Grade) for Bulk Buying (V2) as per IS 269, handloom cotton gauze, ORDINARY PORTLAND CEMENT, 53 GRADE as per IS:269, Absorbent Cotton Gauze Conforming to IS 758, Ordinary Portland Cement ( 43 Grade or 43-S grade) for bulk buying as per IS: 269, X - Ray Detectable Absorbent Cotton Gauze, Ordinary Portland Cement ( 53 Grade Or 53-S Grade) For Bulk Buying as per IS: 269, Sterilization Packaging Material

**Searched String:** IMF Screws 2 x 10 mm

Mild Steel Sheet, Bunk Beds as per IS 17636, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wood screws, Portable Toilet, 4.5mm Broad D.C. Plate with corresponding screws, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Compostable Nursery Bags, Bone Screw (V2), Computer Paper (V3) Conforming to IS 12766

**Searched String:** IMF Screws 2.5 x 10 mm

LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mild Steel Sheet, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Bunk Beds as per IS 17636, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Wood screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, 4.5mm Broad D.C. Plate with corresponding screws, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694

**Searched String:** Dental Elastics Yellow 500 Piece Pkt

Category not available on GeM for the text string uploaded by the buyer

	<b>Searched String:</b> Dental Elastics Red 500 Piece Pkt <b>बिड विवरण/Bid Details</b>
	Category not available on GeM for the text string uploaded by the buyer
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• DENTAL ENDOMOTOR</li> <li>• Locking Compression Plates (V2)</li> <li>• Dental Implant Motor (Physiodispenser)</li> </ul>
<b>बीओक्यू शीर्षक /BOQ Title</b>	Supply of various size and types of dental implants and related items
<b>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	2 Lakh (s)
<b>मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)</b>	12 Lakh (s)
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</b>	No
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b>	No
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
<b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b>	3
<b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b>	7
<b>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</b>	3

**बिड विवरण/Bid Details**

विगत प्रदर्शन /Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Arch Bar
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	309200
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

7. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### Pre Bid Detail(s)

<b>मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time</b>	<b>प्री-बिड स्थान/Pre-Bid Venue</b>
05-02-2026 11:00:00	Dean Chamber, 6th Floor , ESIC Medical College and Hospital Nanda Nagar, Indore (M.P.).

#### Arch Bar

##### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

##### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	100	15

#### Round Straight Fissure Carbide Bur S

##### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	50	15

**Round Straight Fissure Carbide Bur M**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	50	15

**Round Straight Fissure Carbide Bur L**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	50	15

### Drill Bits 1 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Drill Bits 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Drill Bits 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 2 Holes With Gap 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 3 Holes With Gap 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 4 Holes With Gap 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 2 Holes With Gap 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 3 Holes With Gap 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 4 Holes With Gap 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 2 Holes With Gap 25 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 3 Holes With Gap 25 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Plates Mini Plates 4 Holes With Gap 25 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 2 Holes With Gap 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 3 Holes With Gap 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 4 Holes With Gap 15 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 2 Holes With Gap 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 3 Holes With Gap 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 4 Holes With Gap 2 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 2 Holes With Gap 25 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 3 Holes With Gap 25 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### Titanium Plates Mini Plates 4 Holes With Gap 25 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	20	15

### SS Screws 15 Mm L 6 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 15 Mm L 8 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 15 Mm L 12 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 2 Mm L 6 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 2 Mm L 8 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 2 Mm L 12 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 25 Mm L 6 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 25 Mm L 8 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Screws 25 Mm L 12 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 15 Mm L 6 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 15 Mm L 8 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 15 Mm L 12 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 2 Mm L 6 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 2 Mm L 8 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 2 Mm L 12 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 25 Mm L 6 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 25 Mm L 8 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### Titanium Screws 25 Mm L 12 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	70	15

### SS Wire 24 Gauze Reels

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	30	15

### SS Wire 26 Gauze Reels

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	30	15

### IMF Screws 2 X 10 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	50	15

### IMF Screws 25 X 10 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	50	15

### Dental Elastics Yellow 500 Piece Pkt

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	10	15

### Dental Elastics Red 500 Piece Pkt

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dr. Ratan Prakash Dhir	452011,ESIC Model Hospital & ODC, Nanda Nagar, MR-9 Road,	10	15

### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 3. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers

can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 4. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 5. **Generic**

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 7. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 8. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 9. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 30% of total value.

#### 10. **Purchase Preference (State)**

**Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry / State of Bid inviting

authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15 % of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 20 percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM\_No.1\_4\_2021\_PPD\_dated\_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

#### 11. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

#### 12. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Checklist for tender: - For technical evaluation of tender following documents (As per check list) need to be submit at the time of submission of bid.

S. No.	Checklist Item	Yes/No
01	<p><b>Experience Criteria:</b> As per the experience filter applied, the Bidder or its OEM (themselves or through reseller(s)) must have regularly manufactured and supplied the same or similar category products to any Central/State Government Organization/PSU during the financial years <b>2022-23, 2023-24, and 2024-25</b> before the bid opening date. Copies of relevant contracts must be submitted along with the bid as proof of having supplied some quantity in each of the financial years. In the case of bunch bids, the primary product category with the highest value must meet this criterion.</p> <p>A) Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.</p> <p>(B) Execution certificate /CRAC by client with order value.</p> <p>(C) Any other document in support of order execution like Third Party Inspection release note, etc.</p>	
02	<p><b>Past Performance:</b> The Bidder or its OEM (themselves or through reseller(s)) must have supplied the same or similar category products equivalent to <b>30% of the bid quantity</b> in at least one of the last three financial years (<b>2022-23, 2023-24, or 2024-25</b>) to any Central/State Government Organization/PSU before the bid opening date. Copies of relevant contracts showing cumulative supply quantity in any one financial year must be submitted. In the case of bunch bids, the primary product category with the highest bid value must meet this criterion.</p>	

03	<b>OEM Turnover Certificate:</b> As per the tender document, turnover details for the last three financial years ( <b>2022-23, 2023-24, and 2024-25</b> ) must be submitted. Documentary evidence in the form of audited balance sheets or a certificate from a Chartered Accountant/Cost Accountant must be uploaded.	
04	<b>Bidder Turnover Certificate:</b> As per the tender document, turnover details for the last three financial years ( <b>2022-23, 2023-24, and 2024-25</b> ) must be submitted. Documentary evidence in the form of audited balance sheets or a certificate from a Chartered Accountant/Cost Accountant must be uploaded.	
05	<b>OEM Authorization:</b> In cases where authorized distributors submit the bid, a Manufacturer's Authorization Form (MAF)/Certificate containing OEM details such as name, designation, address, email ID, and phone number must be uploaded along with the bid.	
06	<b>MII Preference:</b> If the bidder intends to avail Purchase Preference under the Make in India (MII) policy, the bidder must upload a valid OEM Local Content Certificate and must be the manufacturer of the offered product.	
07	<b>MSME Preference:</b> If the bidder intends to avail MSME Purchase Preference, the bidder must be the manufacturer of the offered goods.	
08	<b>Undertaking:</b> An undertaking must be submitted stating that the bidder accepts all the terms and conditions of the bid.	
09	<b>Product Data Sheets:</b> Product data sheets for all offered items must be uploaded.	
10	<b>Bidder Financial Standing Certificate:</b> Valid financial standing certificates must be submitted as per the bid requirements.	
11	<b>GST Registration Certificate:</b> A valid GST Registration Certificate must be uploaded.	
12	<b>Signed Bid Document:</b> All pages of the bid document and annexures must be duly signed by the authorized signatory.	

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

