

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	13-02-2026 17:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	13-02-2026 17:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	120 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Defence Production
<b>संगठन का नाम/Organisation Name</b>	Hindustan Aeronautics Limited (hal)
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	39
<b>वस्तु श्रेणी /Item Category</b>	Work Benches (Q3)
<b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</b>	No
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b>	No
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
<b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b>	2
<b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b>	7

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
क्रेता के लिए उपलब्ध आईटीसी/ITC available to <b>buyer</b>	Yes
लागू आरसीएम/RCM Applicable	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Work Benches
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical <b>Clarifications during technical evaluation</b>	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By <b>Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents

submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### जीएसटी की धारा 9(3)/Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

#### जीएसटी की धारा 9(3) / Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

#### मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Work Benches	15
Schedule 2	Work Benches	15
Schedule 3	Work Benches	6
Schedule 4	Work Benches	3

#### Work Benches ( 15 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Work bench having surface</b>	Only Top surface, Top surface and Bottom surface with 100 mm ground clearance, Bottom surface with 100 mm ground clearance
MATERIAL	<b>Top surface material</b>	Chir wood plank, Solid seasoned wood plank, Water proof ISI mark board, Seasoned Sheesham wood
	<b>Bottom surface material</b>	Chir wood plank, Solid seasoned wood plank
	<b>Top frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden, Seasoned Sheesham wood
	<b>Bottom frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden
	<b>Leg material</b>	MS square pipe, MS rectangle pipe, MS round pipe, Solid wood, MS angle, Seasoned Sheesham wood
DIMENSION	<b>Length of top surface ± 10 mm</b>	2200 mm, 2300 mm, 2400 mm, 2500 mm, 2600 mm, 1800 mm
	<b>Width of top surface ± 10 mm</b>	1000 mm, 1100 mm, 1200 mm, 1300 mm, 1400 mm
	<b>Height of Work benches ± 10 mm</b>	550 mm, 600 mm, 650 mm, 700 mm, 750 mm, 800 mm, 850 mm, 900 mm
	<b>Thickness of top surface ± 1 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 225 mm, 22.5 mm
	<b>Length of bottom surface ± 10 mm</b>	2200 mm, 2225 mm, 2250 mm, 2275 mm, 2300 mm, 2325 mm, 2350 mm, 2375 mm, 2400 mm, N.A
	<b>Width of bottom surface ± 10 mm</b>	1000 mm, 1025 mm, 1050 mm, 1075 mm, 1100 mm, N.A
	<b>Thickness of bottom surface ± 10 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, N.A
	<b>Size of top frame material (Length and Width of Frame can be 100 mm to 150 mm less from length &amp; width of top surface)</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 125 mm X 35 mm (wooden)
<b>Size of bottom frame material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 100 mm X 35 mm (wooden)	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Size of leg material	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 75 mm X 75 mm (wooden)
WARRANTY	Warranty period	1-Year, 2-Years, 3-Years

#### Additional Specification Parameters - Work Benches ( 15 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Complete and Final Technical Specification	Please refer attachment at "Buyer Added Bid Specific ATC" for complete technical specifications. Evaluation of bids will be done on the basis of these technical specifications. Bidders are requested to upload signed and stamped compliance of attached technical specifications for technical evaluation purpose. Offers received without signed compliance of technical specifications will be liable for rejection

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
100%	NA	Yes	18%	00%	00 (INR) - Per Unit	Yes

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****NASHIK RURAL	15	150

#### Work Benches ( 15 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ / Technical Specifications

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	<b>Work bench having surface</b>	Only Top surface, Top surface and Bottom surface with 100 mm ground clearance, Bottom surface with 100 mm ground clearance
MATERIAL	<b>Top surface material</b>	Chir wood plank, Solid seasoned wood plank, Water proof ISI mark board, Seasoned Sheesham wood
	<b>Bottom surface material</b>	Chir wood plank, Solid seasoned wood plank
	<b>Top frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden, Seasoned Sheesham wood
	<b>Bottom frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden
	<b>Leg material</b>	MS square pipe, MS rectangle pipe, MS round pipe, Solid wood, MS angle, Seasoned Sheesham wood
DIMENSION	<b>Length of top surface ± 10 mm</b>	2200 mm, 2300 mm, 2400 mm, 2500 mm, 2600 mm, 1800 mm
	<b>Width of top surface ± 10 mm</b>	1000 mm, 1100 mm, 1200 mm, 1300 mm, 1400 mm
	<b>Height of Work benches ± 10 mm</b>	550 mm, 600 mm, 650 mm, 700 mm, 750 mm, 800 mm, 850 mm, 900 mm
	<b>Thickness of top surface ± 1 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 225 mm, 22.5 mm
	<b>Length of bottom surface ± 10 mm</b>	2200 mm, 2225 mm, 2250 mm, 2275 mm, 2300 mm, 2325 mm, 2350 mm, 2375 mm, 2400 mm, N.A
	<b>Width of bottom surface ± 10 mm</b>	1000 mm, 1025 mm, 1050 mm, 1075 mm, 1100 mm, N.A
	<b>Thickness of bottom surface ± 10 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, N.A
	<b>Size of top frame material (Length and Width of Frame can be 100 mm to 150 mm less from length &amp; width of top surface)</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 125 mm X 35 mm (wooden)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Size of bottom frame material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 100 mm X 35 mm (wooden)
	<b>Size of leg material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 75 mm X 75 mm (wooden)
WARRANTY	<b>Warranty period</b>	1-Year, 2-Years, 3-Years

#### Additional Specification Parameters - Work Benches ( 15 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Complete and Final Technical Specification	Please refer attachment at "Buyer Added Bid Specific ATC" for complete technical specifications. Evaluation of bids will be done on the basis of these technical specifications. Bidders are requested to upload signed and stamped compliance of attached technical specifications for technical evaluation purpose. Offers received without signed compliance of technical specifications will be liable for rejection

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicabl e	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
100%	NA	Yes	18%	00%	00 (INR) - Per Unit	Yes

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****NASHIK RURAL	15	90

### Work Benches ( 6 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	<b>Work bench having surface</b>	Only Top surface, Top surface and Bottom surface with 100 mm ground clearance, Bottom surface with 100 mm ground clearance
MATERIAL	<b>Top surface material</b>	Chir wood plank, Solid seasoned wood plank, Water proof ISI mark board, Seasoned Sheesham wood
	<b>Bottom surface material</b>	Chir wood plank, Solid seasoned wood plank
	<b>Top frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden, Seasoned Sheesham wood
	<b>Bottom frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden
	<b>Leg material</b>	MS square pipe, MS rectangle pipe, MS round pipe, Solid wood, MS angle, Seasoned Sheesham wood
DIMENSION	<b>Length of top surface ± 10 mm</b>	2200 mm, 2300 mm, 2400 mm, 2500 mm, 2600 mm, 1800 mm
	<b>Width of top surface ± 10 mm</b>	1000 mm, 1100 mm, 1200 mm, 1300 mm, 1400 mm
	<b>Height of Work benches ± 10 mm</b>	550 mm, 600 mm, 650 mm, 700 mm, 750 mm, 800 mm, 850 mm, 900 mm
	<b>Thickness of top surface ± 1 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 225 mm, 22.5 mm
	<b>Length of bottom surface ± 10 mm</b>	2200 mm, 2225 mm, 2250 mm, 2275 mm, 2300 mm, 2325 mm, 2350 mm, 2375 mm, 2400 mm, N.A
	<b>Width of bottom surface ± 10 mm</b>	1000 mm, 1025 mm, 1050 mm, 1075 mm, 1100 mm, N.A
	<b>Thickness of bottom surface ± 10 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Size of top frame material (Length and Width of Frame can be 100 mm to 150 mm less from length &amp; width of top surface)</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 125 mm X 35 mm (wooden)
	<b>Size of bottom frame material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 100 mm X 35 mm (wooden)
	<b>Size of leg material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 75 mm X 75 mm (wooden)
WARRANTY	<b>Warranty period</b>	1-Year, 2-Years, 3-Years

#### Additional Specification Parameters - Work Benches ( 6 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Complete and Final Technical Specification	Please refer attachment at "Buyer Added Bid Specific ATC" for complete technical specifications. Evaluation of bids will be done on the basis of these technical specifications. Bidders are requested to upload signed and stamped compliance of attached technical specifications for technical evaluation purpose. Offers received without signed compliance of technical specifications will be liable for rejection

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
100%	NA	Yes	18%	00%	00 (INR) - Per Unit	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****NASHIK RURAL	06	28

**Work Benches ( 3 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	<b>Work bench having surface</b>	Only Top surface, Top surface and Bottom surface with 100 mm ground clearance, Bottom surface with 100 mm ground clearance
MATERIAL	<b>Top surface material</b>	Chir wood plank, Solid seasoned wood plank, Water proof ISI mark board, Seasoned Sheesham wood
	<b>Bottom surface material</b>	Chir wood plank, Solid seasoned wood plank
	<b>Top frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden, Seasoned Sheesham wood
	<b>Bottom frame material</b>	MS square pipe, MS rectangle pipe, MS angle, Solid wood, MS round pipe, Wooden
	<b>Leg material</b>	MS square pipe, MS rectangle pipe, MS round pipe, Solid wood, MS angle, Seasoned Sheesham wood
DIMENSION	<b>Length of top surface ± 10 mm</b>	2200 mm, 2300 mm, 2400 mm, 2500 mm, 2600 mm, 1800 mm
	<b>Width of top surface ± 10 mm</b>	1000 mm, 1100 mm, 1200 mm, 1300 mm, 1400 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Height of Work benches ± 10 mm</b>	550 mm, 600 mm, 650 mm, 700 mm, 750 mm, 800 mm, 850 mm, 900 mm
	<b>Thickness of top surface ± 1 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 225 mm, 22.5 mm
	<b>Length of bottom surface ± 10 mm</b>	2200 mm, 2225 mm, 2250 mm, 2275 mm, 2300 mm, 2325 mm, 2350 mm, 2375 mm, 2400 mm, N.A
	<b>Width of bottom surface ± 10 mm</b>	1000 mm, 1025 mm, 1050 mm, 1075 mm, 1100 mm, N.A
	<b>Thickness of bottom surface ± 10 mm</b>	20 mm, 25 mm, 30 mm, 35 mm, 40 mm, N.A
	<b>Size of top frame material (Length and Width of Frame can be 100 mm to 150 mm less from length &amp; width of top surface)</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 125 mm X 35 mm (wooden)
	<b>Size of bottom frame material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 100 mm X 35 mm (wooden)
	<b>Size of leg material</b>	50 mm X 50 mm X 8 mm, 60 mm x 60 mm x 8 mm, 65 mm X 65 mm X 8 mm, 70 mm X 70 mm X 8 mm, 50 mm X 70 mm X 8 mm, 60 mm x 70 mm x 8 mm, 50 mm Dia X 8 mm(wall thickness), 60 mm Dia X 8 mm(wall thickness), 70 mm Dia X 8 mm(wall thickness), 50 mm x 25 mm (wooden), 50 mm x 35 mm (wooden), 50 mm x 50 mm (wooden), 75 mm X 75 mm (wooden)
WARRANTY	<b>Warranty period</b>	1-Year, 2-Years, 3-Years

#### Additional Specification Parameters - Work Benches ( 3 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Complete and Final Technical Specification	Please refer attachment at "Buyer Added Bid Specific ATC" for complete technical specifications. Evaluation of bids will be done on the basis of these technical specifications. Bidders are requested to upload signed and stamped compliance of attached technical specifications for technical evaluation purpose. Offers received without signed compliance of technical specifications will be liable for rejection

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
100%	NA	Yes	18%	00%	00 (INR) - Per Unit	Yes

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****NASHIK RURAL	3	90

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions****1. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

**2. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

**3. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**4. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1] Bidder must upload signed and stamped compliance of technical specifications uploaded in "buyer add

ed bid specification ATC" for technical evaluation purpose , else offer will be liable for rejection. Bids will be evaluated on the basis of buyer added specific terms and conditions only.

2] Warranty : Minimum 12 months from the date of acceptance of equipment at HAL works.

4] Delivery Place : HAL Nasik

5] Delivery Period :

i] For Schedule no 01: Material to be supplied within 5 months from the date of PO placement.

ii] For Schedule no 02: Material to be supplied within 3 months from the date of PO placement.

iii] For Schedule no 03: Material to be supplied within 4 weeks from the date of PO placement.

iv] For Schedule no 04: Material to be supplied within 90 days from the date of PO placement.

Final Inspection at HAL Nasik Works.

6]. For MSMEs & Start-ups, 15% (of the basic price) interest free Advance shall be payable against BG of equivalent amount, balance 85% shall be paid within 30 days of receipt and acceptance at our stores. In case 15% Advance is not sought by the vendor, 100%

payment shall be made within 30 days of receipt and acceptance at our stores.

7]. If bidder is MSME, then bidder must confirm following category: (a) Women (Yes / No), and (b) SC / ST (Yes / No)

5. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

7. **Rate Contract**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---