

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण / Bid Details                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय / Bid End Date/Time                               | 26-01-2026 20:00:00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time                              | 26-01-2026 20:30:00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date) | 180 (Days)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| मंत्रालय/राज्य का नाम / Ministry/State Name                                 | Delhi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| विभाग का नाम / Department Name                                              | Health And Family Welfare Department Delhi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| संगठन का नाम / Organisation Name                                            | N/a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| कार्यालय का नाम / Office Name                                               | Directorate General Of Health Services-esat Delhi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| कुल मात्रा / Total Quantity                                                 | 219                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| वस्तु श्रेणी / Item Category                                                | Biosafety Cabinet (Q2) , BOD Incubator (Q3) , Medical Centrifuge (Q3) , Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204 (Q3) , Vertical Autoclave (FSSAI) (Q2) , vortex mixers (Q3) , VDRL rotator shaker , ELISA reader with washer , Refrigerator 400 liters , Urine Analyser , Hot Air Oven medium size , Hot Plate for culture media preparation , Needle Destroyer , Micropipette 0.1 2 , Micropipette 1 10 , Micropipette 5 50 , Micropipette 50 200 , Micropipette 200 1000 , Multi Channel pipette octapipette 200 TO 1000 , Gas Supply , Bunsen burner , Automated system for Blood culture desirable , Automated system for bacterial identification and sensitivity desirable , Micro incinerator for inoculating loops and needles |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS         | VDRL rotator/shaker, ELISA reader with washer, Refrigerator 400 liters, Urine Analyser, Hot Air Oven (medium size), Hot Plate for culture media preparation, Needle Destroyer, Micropipette 0.1-2 l, Micropipette 1-10 l, Micropipette 5-50 l, Micropipette 50-200 l, Micropipette 200-1000 l, Multi-Channel pipette (octapipette) 200-1000 l, Gas Supply, Bunsen burner, Automated system for Blood culture (desirable), Automated system for bacterial identification and sensitivity (desirable), Micro-incinerator for inoculating loops and needles                                                                                                                                                                                                                         |
|                                                                             | <p><b>Searched String:</b> VDRL rotator/shaker</p> <p>Rotospin Test tube rotator, Rotary Shaker, Laboratory Desiccator (V2), Shaker Incubator, Sieve Shaker, Cocktail Shaker, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Gym Shaker, Orbital Shaker (FSSAI), See Saw Shaker</p> <p><b>Searched String:</b> ELISA reader with washer</p>                                                                                                                                                                                                                                                                                                                                                                                                                          |

| बिड विवरण / Bid Details | ELISA reader and washer, Laundry Type Washing Machines / Drying Machines, ELISA Reader and Washer (ICMR Specification), ELISA Reader and Washer - Semi Automated, Squeegee Washer Wiper Mopper (V2), ELISA Reader (V2), Elisa Reader (ICMR), ELISA Plate Washer (V2), ELISA Plate Washer (ICMR Specs), Barcode Reader Equipment (V2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         | <p><b>Searched String:</b> Refrigerator 400 liters</p> <p>Laboratory Refrigerator, Deep freezer, Laboratory Refrigerator (V2), Ice Lined Refrigerator, Modular Metal Drawer File Cabinet Pedestal, Spotting Fluid (Non Weighted) (In Liters), Ultra low temperature laboratory deep freezer, Refrigerator Truck for Vaccine Transport, Pole Mounted Stainless Steel Dustbin (V2), Anti TB Drugs - Moxifloxacin 400 mg Tablets</p> <p><b>Searched String:</b> Urine Analyser</p> <p>Fully automated urine analyser, Urine Collection Bag - Sterile (Single Use), Semi automated urine analyser, Semi Automated Urine Analyzer, Urine Collection Bag (V2), Fully Automated Urine Analyzer, urine collection containers or urine culture bottles, Breath Analyser, Urine Test Strips, Moisture analyser</p> <p><b>Searched String:</b> Hot Air Oven (medium size)</p> <p>Hot air oven, Hot Air Oven (FSSAI), Nitrile Coated/Nitrile Hand Gloves (V2), Hot Air Electric Oven (GAIL), Single use Rubber Examination Gloves (V2), Hot air gun, Laboratory Hot plate, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Towel Hand Cotton Turkish (IAF), Hot Air Blower (BHEL)</p> <p><b>Searched String:</b> Hot Plate for culture media preparation</p> <p>Agar Media, Multiwell plates for tissue culture, Mild Steel Sheet</p> <p><b>Searched String:</b> Needle Destroyer</p> <p>Needle and syringe destroyer - Manual, Sterile Hypodermic Syringe (V3), Manual Needle Cum Syringe Hub Destroyer, Needle and syringe destroyer - Electric, Intravenous Cannulas as per IS 10555 - 5, NEEDLES AND SYRINGES DESTROYER, Blood Lancets, Needle Threader, Surgical Sutures, Needle Valve</p> <p><b>Searched String:</b> Micropipette 0.1-2 l</p> <p>BCAA 2:1:1 Powder, Line Interactive UPS with AVR (V2), Isopropyl Alcohol (2 - Propanol), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Online UPS (V2), Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, Static Protective Relays, Tool Kit of Agriculture Skill for L 1 for RM (HSSPP, Haryana), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL)</p> <p><b>Searched String:</b> Micropipette 1-10 l</p> <p>Topramezone 10g/l + Atrazine 300g/l SC (Suspension Concentrate), Line Interactive UPS with AVR (V2), Topramezone 10g/l +Atrazine 300g/l SC (Suspension Concentrate), Static Protective Relays, Tool Kit of Agriculture</p> |

| बिड विवरण / Bid Details                                                            | Skill for L 1 for RM (HSSPP, Haryana), Online UPS (V2), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Potato Peeler                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p> | <p><b>Searched String:</b> Micropipette 5-50 l</p> <p>Chlorpyrifos 50% + Cypermethrin 5% EC (Emulsifiable Concentrate), Online UPS (V2), Chlorpyrifos 50% + Cypermethrin 5% WG (Wettable Granules), Malathion Emulsifiable Concentrates (V2) Conforming To IS 2567, L-Ascorbic Acid, Acephate 50%+ Fipronil 5% Water Dispersible Granules (WDG), Malathion 50% Emulsifiable Concentrates (V3) Conforming To IS 2567, Chlorpyrifos 50% + Cypermethrin 5% Emulsifiable Concentrate Conforming to IS 15235 (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Fenoxaprop p ethyl 5% + Chlorimuron ethyl 0.6% + Pretilachlor 50% ME (Microemulsion)</p> <p><b>Searched String:</b> Micropipette 50-200 l</p> <p>L-Ascorbic Acid, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Health Supplements, Nutraceuticals and Food for Special Dietary Use, RCCB - Residual Current Operated Circuit - Breakers as per IS 12640, Digital pH Meter, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Hammers as per IS 841:1983, Mass Flow Controllers, Micro/Semi-Micro/Analytical weighing balance, General Purpose Hand Gloves (V2)</p> <p><b>Searched String:</b> Micropipette 200-1000 l</p> <p>Sulfate Standard Solution, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Ultra low temperature laboratory deep freezer, Hot air oven, Computer Paper (V3) Conforming to IS 12766 (In Packet), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Roti Making Machine, Charge Fire Ext Mech Foam 9 L for High Altitude and Sub Zero Temp Conditions (Defence)</p> <p><b>Searched String:</b> Multi- Channel pipette (octapipette) 200-1000 l</p> <p>Manual Single Channel Air Displacement Pipettors Or Micropipette (V2)</p> <p><b>Searched String:</b> Gas Supply</p> <p>Compressed Medical Oxygen (IP) Gas Supply in Cylinders, Cleaning Duster (V3), Liquefied Petroleum Gas (LPG) as per IS 4576 for Bulk Supply, Compressed Medical Oxygen (IP) Gas Supply in Cylinders (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Power supply board, Refrigerant Gas, Squeegee Washer Wiper Mopper (V2), Calibration Gas, Blow Pipe for Welding and Cutting as per IS 7653 (V2)</p> <p><b>Searched String:</b> Bunsen burner</p> <p>Spirit Burner-IS:323, Stock Pot Stove, Preheat Gas Burner (Used in Welding), Single Burner Gas Range (for Deep Fryer), Atomic Absorption Spectrophotometer (AAS), Chapati Plate with Puffer (V2), Gas burners, Domestic Gas Stoves for use with Piped Natural Gas (PNG) as per IS 17153</p> |

|                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड विवरण / Bid Details                                                                                                             | <p><b>Searched String:</b> Automated system for Blood culture (desirable)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                                                                                                                     | <p>Automated Blood Culture System, Automated HPLC System for Separation of complex mixtures, Automated rapid Mycobacterium Culture Differentiation and Sensitivity System (Liquid Culture), Automated Hematology Analyser (Part 5), Automated Hematology Analyser (Part 3), Robotic or automated liquid handling systems, Add on GATEWAYS and Accessories for PABX System, Automated Mortar Fire Direction Controller (AMFDC) as per MHA QRs</p> <p><b>Searched String:</b> Automated system for bacterial identification and sensitivity (desirable)</p> <p>Automated Bacterial Identification and Susceptibility Testing System, Automated rapid Mycobacterium Culture Differentiation and Sensitivity System (Liquid Culture), Sports Management And Talent Identification Software for Sports Eco System, Add on GATEWAYS and Accessories for PABX System, Automated Mortar Fire Direction Controller (AMFDC) as per MHA QRs</p> <p><b>Searched String:</b> Micro-incinerator for inoculating loops and needles</p> <p>Storage Box for Electronic Component, Manual Needle Cum Syringe Hub Destroyer, Microwave Ovens For Household And Similar Purposes As Per Is 11676 (V2), Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, Memory Card Reader (V2), Emergency Foldable Rescue Stretcher, Electric sterilizer for inoculation loop, Needle Punched Nonwoven Geobags For Coastal And Waterways Protection ISI Marked to IS 16653</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>                                    | <ul style="list-style-type: none"> <li>Automated Bacterial Identification and Susceptibility Testing System</li> <li>Semi Automated Urine Analyzer</li> <li>ELISA Reader and Washer - Semi Automated</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| बीओक्यू शीर्षक / <b>BOQ Title</b>                                                                                                   | MICRO BIOLOGY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / <b>Minimum Average Annual Turnover of the bidder (For 3 Years)</b>              | 100 Lakh (s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / <b>OEM Average Turnover (Last 3 Years)</b>                                     | 700 Lakh (s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / <b>Years of Past Experience Required for same/similar service</b>             | 3 Year (s)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>MSE Relaxation for Years of Experience and Turnover</b>       | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years of Experience and Turnover</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| <b>बिड विवरण/Bid Details</b>                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>                                                                                                                                                              | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| <b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b> | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)                                                                                                                                                                                                                                                          |
| <b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b>                                                                                 | 3                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b>                                                                                                       | 5                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</b>                                                                                                                                             | 2                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>विगत प्रदर्शन /Past Performance</b>                                                                                                                                                                                           | 80 %                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</b>                                                                                                                                                                        | Yes                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>रिवर्स नीलामी योग्यता नियम/RA Qualification Rule</b>                                                                                                                                                                          | H1-Highest Priced Bid Elimination                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>बिड का प्रकार/Type of Bid</b>                                                                                                                                                                                                 | Two Packet Bid                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>प्राथमिक उत्पाद श्रेणी/Primary product category</b>                                                                                                                                                                           | Urine Analyser                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation</b>                                                                                         | 2 Days                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>                                      | No                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>अनुमानित बिड मूल्य /Estimated Bid Value</b>                                                                                                                                                                                   | 20239100                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>मूल्यांकन पद्धति/Evaluation Method</b>                                                                                                                                                                                        | Item wise evaluation                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>मध्यस्थता खंड/Arbitration Clause</b>                                                                                                                                                                                          | No                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>सुलह खंड/Mediation Clause</b>                                                                                                                                                                                                 | No                                                                                                                                                                                                                                                                                                                                                                                                                              |

#### ईएमडी विवरण/EMD Detail

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
|-----------------------------|---------------------|

|                                            |        |
|--------------------------------------------|--------|
| Schedule 1 ईएमडी राशि/EMD Amount (In INR)  | 10000  |
| Schedule 2 ईएमडी राशि/EMD Amount (In INR)  | 300    |
| Schedule 3 ईएमडी राशि/EMD Amount (In INR)  | 1100   |
| Schedule 4 ईएमडी राशि/EMD Amount (In INR)  | 2000   |
| Schedule 5 ईएमडी राशि/EMD Amount (In INR)  | 1000   |
| Schedule 6 ईएमडी राशि/EMD Amount (In INR)  | 45000  |
| Schedule 7 ईएमडी राशि/EMD Amount (In INR)  | 300    |
| Schedule 8 ईएमडी राशि/EMD Amount (In INR)  | 6000   |
| Schedule 9 ईएमडी राशि/EMD Amount (In INR)  | 105000 |
| Schedule 10 ईएमडी राशि/EMD Amount (In INR) | 63000  |
| Schedule 11 ईएमडी राशि/EMD Amount (In INR) | 120000 |
| Schedule 12 ईएमडी राशि/EMD Amount (In INR) | 22500  |
| Schedule 13 ईएमडी राशि/EMD Amount (In INR) | 1500   |
| Schedule 14 ईएमडी राशि/EMD Amount (In INR) | 300    |
| Schedule 15 ईएमडी राशि/EMD Amount (In INR) | 3780   |
| Schedule 16 ईएमडी राशि/EMD Amount (In INR) | 3780   |
| Schedule 17 ईएमडी राशि/EMD Amount (In INR) | 2880   |
| Schedule 18 ईएमडी राशि/EMD Amount (In INR) | 2880   |
| Schedule 19 ईएमडी राशि/EMD Amount (In INR) | 2880   |
| Schedule 20 ईएमडी राशि/EMD Amount (In INR) | 36000  |
| Schedule 21 ईएमडी राशि/EMD Amount (In INR) | 150    |
| Schedule 22 ईएमडी राशि/EMD Amount (In INR) | 45     |
| Schedule 23 ईएमडी राशि/EMD Amount (In INR) | 63000  |
| Schedule 24 ईएमडी राशि/EMD Amount (In INR) | 90000  |
| Schedule 25 ईएमडी राशि/EMD Amount (In INR) | 630    |

**ईपीबीजी विवरण /ePBG Detail**

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
|-----------------------------|---------------------|

|                                                                    |      |
|--------------------------------------------------------------------|------|
| ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)                          | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months). | 12   |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Director  
Cats Building, CPA Office, 1st floor, School Block, Laxmi Nagar Delhi-110092.  
(Directorate General Of Health Services, Gncd)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                           |    |
|-------------------------------------------|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|-------------------------------------------|----|

**एमआईआई खरीद वरीयता/MII Purchase Preference**

|                                            |    |
|--------------------------------------------|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--------------------------------------------|----|

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### Pre Bid Detail(s)

| मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time | प्री-बिड स्थान/Pre-Bid Venue                                     |
|---------------------------------------------------|------------------------------------------------------------------|
| 15-01-2026 12:00:00                               | CPA BUILDING, 1ST FLOOR, SCHOOL BLOCK, LAXMI NAGAR, DELHI-110092 |

#### मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / Evaluation Schedules | अनुमानित मूल्य / Estimated Value | वस्तु/श्रेणी / Item/Category                                                      | मात्रा / Quantity |
|---------------------------------------------|----------------------------------|-----------------------------------------------------------------------------------|-------------------|
| Schedule 1                                  | 249600                           | Biosafety Cabinet                                                                 | 2                 |
| Schedule 2                                  | 6000                             | Bod Incubator                                                                     | 6                 |
| Schedule 3                                  | 27000                            | Medical Centrifuge                                                                | 15                |
| Schedule 4                                  | 42000                            | Medical Centrifuge                                                                | 21                |
| Schedule 5                                  | 28000                            | Microscopes - Pathological And Research As Per Is 4381, Is 5204, Is 4381, Is 5204 | 14                |
| Schedule 6                                  | 2400000                          | Vertical Autoclave (fssai)                                                        | 6                 |
| Schedule 7                                  | 9000                             | Vortex Mixers                                                                     | 3                 |
| Schedule 8                                  | 200000                           | Vdrl Rotator Shaker                                                               | 4                 |
| Schedule 9                                  | 3500000                          | Elisa Reader With Washer                                                          | 7                 |
| Schedule 10                                 | 2100000                          | Refrigerator 400 Liters                                                           | 21                |
| Schedule 11                                 | 4000000                          | Urine Analyser                                                                    | 5                 |
| Schedule 12                                 | 750000                           | Hot Air Oven Medium Size                                                          | 5                 |

|             |         |                                                                         |    |
|-------------|---------|-------------------------------------------------------------------------|----|
| Schedule 13 | 50000   | Hot Plate For Culture Media Preparation                                 | 1  |
| Schedule 14 | 10000   | Needle Destroyer                                                        | 2  |
| Schedule 15 | 126000  | Micropipette 0.1 2                                                      | 21 |
| Schedule 16 | 126000  | Micropipette 1 10                                                       | 21 |
| Schedule 17 | 96000   | Micropipette 5 50                                                       | 16 |
| Schedule 18 | 96000   | Micropipette 50 200                                                     | 16 |
| Schedule 19 | 96000   | Micropipette 200 1000                                                   | 16 |
| Schedule 20 | 1200000 | Multi Channel Pipette Octapipette 200 To 1000                           | 4  |
| Schedule 21 | 5000    | Gas Supply                                                              | 2  |
| Schedule 22 | 1500    | Bunsen Burner                                                           | 3  |
| Schedule 23 | 2100000 | Automated System For Blood Culture Desirable                            | 3  |
| Schedule 24 | 3000000 | Automated System For Bacterial Identification And Sensitivity Desirable | 2  |
| Schedule 25 | 21000   | Micro Incinertor For Inoculating Loops And Needles                      | 3  |

### Biosafety Cabinet ( 2 pieces )

#### तकनीकी विशिष्टियाँ / Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification    | विशिष्टि का नाम /Specification Name                              | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)        |
|------------------------|------------------------------------------------------------------|------------------------------------------------------------------------|
| Performance Parameters | <b>Type of Configuration</b>                                     | Freestanding, Benchtop                                                 |
|                        | <b>Material used for working area</b>                            | Stainless steel 304 grade, Stainless steel 316 grade                   |
|                        | <b>Intensity of light in lux</b>                                 | ? 600, ? 900                                                           |
|                        | <b>Filtration efficiency of ULPA filter</b>                      | 99.999% for 0.1 micron particles, ?99.9995%, @0.12micron particles, NA |
|                        | <b>Width of the working area in feet</b>                         | 3ft and more, 4ft and more                                             |
|                        | <b>Depth of the working area in feet</b>                         | 2ft and more, 3ft and more, 4ft and more                               |
|                        | <b>Height of the working area in feet</b>                        | 2ft and more, 3ft and more, 4ft and more                               |
|                        | <b>Bio saftey cabimet should have Provision for fitting taps</b> | Taps for vaccum, water and non combustible gas, Not provided           |
| Additional Accessories | <b>Magnehelic Gauge provided</b>                                 | 1, NA                                                                  |
|                        | <b>Hepafilter</b>                                                | 1, NA                                                                  |
|                        | <b>Gas burner</b>                                                | 1, NA                                                                  |

| विवरण/Specification      | विशिष्टि का नाम /Specification Name                                                                                                                  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| Miscellaneous Parameters | <b>Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)</b> | 5, 1, 2, 3, 4                                                   |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-------------------------------------------------------|------------------|------------------------------|
| 1             | Satish Kumar                                            | 110032,F-17 Karkardooma, Near Dr. Head Gewar Hospital | 2                | 45                           |

**BOD Incubator ( 6 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name                 | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DESIGN              | <b>Features available in BOD Incubator</b>          | Toughened glass window, Air circulation fan, Removable tray, Temperature sensor, Door hinges, Door handle with lock & key, PID temperature controller, Analog ampere meter, Pilot lamp, Safety thermostat, On/Off MCB, Refrigeration system, Power cord, Caster wheels, Solid door, Heater, Temperature High/Low Safety alarm, Digital Ampere Meter, On/Off Switch, Touch Screen PID Controller, Automatic Co2 Injection in the chamber for sterilization with solenoid with solenoid valve, UV tube, 7 days programmable timer to cost extra                                               |
|                     | <b>Optional Features available in BOD Incubator</b> | Digital event timer, illumination with 3 florescent lights, Digital cyclic timer 24 x 7, 21 CFR Software for data recording, RS485 computer interface, ExteriorSS304/SS316 (GMP Model), Stainless steel perforated trays, Data logger with USB Interface, Humidity system, Door open buzzer, PLC & HMI controller with USB interface, 50 mm validation port hole to insert sensor or wire, IQ, OQ & PQ Documentation,Caster wheels with brake, Inner Chamber made of Anodized Aluminium, Aluminium Perforated Tray, Exterior Mild Steel Powder Coated, Micro PLC PID Controller LCD Display |
|                     | <b>No of Trays</b>                                  | 2, 3, 4, 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                      |
|---------------------|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
|                     | <b>Air Circulation</b>                                    | Motorized Blower, Axial fan                                                                                          |
| MATERIAL            | <b>Exterior body material</b>                             | CR Steel Sheet, Powder Coated GI sheet, Stainless Steel 304, Mild Steel and painted in Epoxy Powder Coating          |
|                     | <b>Insulation material</b>                                | PUF, Polystyrene Foam, Glass wool                                                                                    |
|                     | <b>Outer door material</b>                                | Stainless Steel 304, Mild Steel, Powder Coated GI sheet                                                              |
|                     | <b>Inner door material Material of removable tray</b>     | Toughed Glass, Acrylic Sheet, Aluminium                                                                              |
| DIMENSION           | <b>Chamber Capacity(in Itr)</b>                           | 100-149, 150-199, 200-249, 250-299, 300-349, 350-399, 400-449, 450-499, 500-599, 600-699, 700-799, 800-800, 900-1000 |
|                     | <b>Thickness of sheet (in MM )</b>                        | 0.7, 0.8, 0.9, 1.0, 1.1, 1.2                                                                                         |
|                     | <b>Thickness of Toughed Glass/Acrylic Sheet (in MM )</b>  | 7, 8, 9, 10, 11, 12, 13, 14, 15                                                                                      |
|                     | <b>Diameter of Stainless Steel wire in mesh ( in MM )</b> | 3, 4, 5, 6, 7, NA                                                                                                    |
| POWER               | <b>Temperature Range</b>                                  | 5°C to 60°C, 10°C to 70°C, 15°C to 80°C, 20°C to 90°C                                                                |
|                     | <b>Temperature Accuracy</b>                               | ± 0.5°C, ± 1.0°C, ± 2.0°C                                                                                            |
|                     | <b>Temperature Uniformity</b>                             | ± 1°C, ± 2°C, ± 5°C                                                                                                  |
| WARRANTY            | <b>Warranty(in year)</b>                                  | 1, 2, 3, 4 Or higher                                                                                                 |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-------------------------------------------------------|------------------|------------------------------|
| 1             | Satish Kumar                                            | 110032,F-17 Karkardooma, Near Dr. Head Gewar Hospital | 6                | 45                           |

**Medical Centrifuge ( 15 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|-----------------------------------------------------------------|
|                     |                                     |                                                                 |

| विवरण/Specification    | विशिष्टि का नाम /Specification Name        | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                 |
|------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Standards              | <b>Conformity to standards</b>             | European CE (Notified Body)With 4 Digit Notified Body No., BIS, CE                                                                              |
| Performance Parameters | <b>Rotor configuration</b>                 | Swing Out Rotor, Angle Rotor                                                                                                                    |
|                        | <b>Maximum Volume of the tube testable</b> | Vacutainers, 10 ml centrifuges tubes, 15 ml centrifuges tubes                                                                                   |
|                        | <b>Rotor Size</b>                          | 8x15ml,, 12x15ml,, 16x15ml,, 24x15ml, 32x15ml, 36x15ml, 16 Vacuutainers, 24 Vacuutainers, 32 Vacuutainers, 48 Vacuutainers, 64 Vacuutainers, NA |
|                        | <b>Warranty in Years</b>                   | 1, 2, 3, 4, 5                                                                                                                                   |
| Reports                | <b>ISO certification for Manufacturer</b>  | Yes, No                                                                                                                                         |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-------------------------------------------------------|------------------|------------------------------|
| 1             | Satish Kumar                                            | 110032,F-17 Karkardooma, Near Dr. Head Gewar Hospital | 15               | 45                           |

**Medical Centrifuge ( 21 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification    | विशिष्टि का नाम /Specification Name        | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                 |
|------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Standards              | <b>Conformity to standards</b>             | European CE (Notified Body)With 4 Digit Notified Body No., BIS, CE                                                                              |
| Performance Parameters | <b>Rotor configuration</b>                 | Swing Out Rotor, Angle Rotor                                                                                                                    |
|                        | <b>Maximum Volume of the tube testable</b> | Vacutainers, 10 ml centrifuges tubes, 15 ml centrifuges tubes                                                                                   |
|                        | <b>Rotor Size</b>                          | 8x15ml,, 12x15ml,, 16x15ml,, 24x15ml, 32x15ml, 36x15ml, 16 Vacuutainers, 24 Vacuutainers, 32 Vacuutainers, 48 Vacuutainers, 64 Vacuutainers, NA |
|                        | <b>Warranty in Years</b>                   | 1, 2, 3, 4, 5                                                                                                                                   |
| Reports                | <b>ISO certification for Manufacturer</b>  | Yes, No                                                                                                                                         |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 21               | 45                              |

**Microscopes - Pathological And Research As Per IS 4381, IS 5204, IS 4381, IS 5204 ( 14 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification                                     | विशिष्टि का नाम /Specification<br>Name                    | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CONFORMITY / TYPE<br>/ EYE PIECE -<br>OBJECTIVE DETAILS | <b>Microscope Type</b>                                    | pathological monocular hinged type without built in light and without light intensity regulator, pathological monocular non hinged type with built in light and with light intensity regulator, pathological binocular non hinged type with built in light and with light intensity regulator, research binocular non hinged type with built in light and with light intensity regulator, Research Trinocular - Non-Hinged type - with built-in light and with light intensity regulator, Compact integrated unit including: cell imaging system, digital camera, computer, high power fluorescence lighting system and LCD display, research/ pathology with display |
|                                                         | <b>Eye piece Type</b>                                     | Huygenian, Compensating, NA, Ramsden                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                                         | <b>Eye Piece with magnification</b>                       | monocular 5 x, monocular 10 x, monocular 15 x, set of two for binocular 5 x, Set of Two For Binocular 10x, Internal magnification 23x, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                         | <b>Objective Type</b>                                     | achromatic, semiapochromatic, Apochromatic, Semi Plan Achromatic, Plan Achromatic, Plan Achromatic Infinity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                                         | <b>Objective Magnification</b>                            | 10 x, 20 x, 40 x, 45 x, 90 x, 100X, 4X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                         | <b>Numerical Aperture of Objective</b>                    | 0.25, 0.5, 0.65, 1.25, 0.45, 0.10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| ACCESSORIES                                             | <b>Extra eyepieces (inclusive in the scope of supply)</b> | 5 x, 10 x, 15 x, set of two 5 x, set of two 10 x, set of two 15 x, NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| WARRANTY                                                | <b>Warranty</b>                                           | 1, 2, 3, 4, 5 Or higher (year)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 14               | 45                              |

**Vertical Autoclave (FSSAI) ( 6 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification                   | विशिष्टि का नाम /Specification<br>Name                                                                                            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement<br>(Allowed Values)                                                                                                                     |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conformity                            | <b>Conformity to Technical Requirements/Governing Specifications</b>                                                              | As per Specification for "Vertical Autoclave ", prepared/approved by Joint Director, Quality assurance division, FSSAI on behalf of authority, dated 31st January 2023 (Copy Attached) |
|                                       | <b>Scope of supply of "Vertical Autoclave " covers all components as per governing specification (Unless specified otherwise)</b> | Yes                                                                                                                                                                                    |
| Buyer Specific Requirement & features | <b>Spares &amp; Accessories</b>                                                                                                   | Perforated Corrosion Free Basket made up of SS 304 (3-4 Nos) that are Stackable Two High or More Levels, Silicon Gasket                                                                |
|                                       | <b>Comprehensive Warranty</b>                                                                                                     | Three years Onsite warranty including lamps with One Preventive Maintenance and equipment calibration from the data of installation and commissioning every year                       |

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

|                                 |                      |
|---------------------------------|----------------------|
| Verified and Signed Tp document | <a href="#">View</a> |
|---------------------------------|----------------------|

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 6                | 45                              |

## Vortex Mixers ( 3 pieces )

### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                 |
|---------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| WARRANTY            | Warranty on machine                            | 3, 5, 2 (year)                                                                                                  |
| DISCREPTION         | Type of Drive Motor                            | Brushless DC Motor, Brushless AC Motor, Brushless induction Motor, Carbon Brush DC Motor, Carbon Brush AC Motor |
|                     | Display Option/Output Read out Option          | Analog, Digital, No integral Display, Other                                                                     |
|                     | Material of Mixing Head/vortex cup             | Silicone, Rubber, Plastic, Steel, Aluminium                                                                     |
|                     | Type of Controller                             | Microprocessor Controlled, other                                                                                |
|                     | Base material                                  | Die cast aluminium, Stainless Steel, Steel, Plastic                                                             |
|                     | Number of Sample tubes testable simultaneously | Single Tube, Multi-Tube                                                                                         |
|                     | User Interface                                 | Analog Front Panel, Digital Front Panel Without Glove mode, Digital Front panel With Glove mode                 |
|                     | Largest Volume of the tube testable            | Above 200 (milliliter)                                                                                          |
|                     | Finish of Body material                        | Powder coated, Electro plated, Plain finish, other                                                              |
|                     | Body Material                                  | Die cast Aluminium, Aluminium Alloy, Metal Alloy, Plastic                                                       |
|                     | Noise Level (maximum) (db)                     | 0 - 60 (decibel)                                                                                                |
|                     | Maximum Load capacity                          | Above 0.1 (kilogram)                                                                                            |
| FEATURES            | IP rating or Ingress protection rating         | 21 - 69                                                                                                         |
|                     | Activation mode                                | Press Activated, Continuous run, Press Activated and Continuous run                                             |
|                     | Speed mode                                     | Fixed Speed, Variable Speed                                                                                     |
|                     | Number of Programmable/Programmed modes        | Above 0                                                                                                         |
|                     | Minimum Speed (RPM)                            | Above 1                                                                                                         |
|                     | Timer Provided                                 | Yes, No                                                                                                         |
|                     | Programmable Pulse mode                        | Yes, No                                                                                                         |
|                     | Speed control Accuracy (+/- ) (RPM)            | 0 - 50                                                                                                          |
| DIMENSIONS          | Orbital Diameter                               | 2 - 6 (millimeter)                                                                                              |

| विवरण/Specification | विशिष्टि का नाम /Specification Name     | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-----------------------------------------|-----------------------------------------------------------------|
| POWER               | Input Voltage (V) with number of Phases | Any applicable text(s)                                          |
| CERTIFICATIONS      | Product CE certified                    | Yes, No                                                         |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---------------------------------------------------------|-------------------------------------------------------|------------------|------------------------------|
| 1              | Satish Kumar                                            | 110032,F-17 Karkardooma, Near Dr. Head Gewar Hospital | 3                | 45                           |

**VDRL Rotator Shaker**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---------------------------------------------------------|-------------------------------------------------------|------------------|------------------------------|
| 1              | Satish Kumar                                            | 110032,F-17 Karkardooma, Near Dr. Head Gewar Hospital | 4                | 45                           |

**ELISA Reader With Washer**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 7                | 45                              |

**Refrigerator 400 Liters**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 21               | 45                              |

**Urine Analyser**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 5                | 45                              |

**Hot Air Oven Medium Size**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 5                | 45                              |

**Hot Plate For Culture Media Preparation**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 1                | 45                              |

## Needle Destroyer

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 2                | 45                              |

## Micropipette 0.1 2

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 21               | 45                              |

### Micropipette 1 10

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 21               | 45                              |

### Micropipette 5 50

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 16               | 45                              |

### Micropipette 50 200

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 16               | 45                              |

### Micropipette 200 1000

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 16               | 45                              |

### Multi Channel Pipette Octapipette 200 TO 1000

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 4                | 45                              |

### Gas Supply

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 2                | 45                              |

### Bunsen Burner

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 3                | 45                              |

### Automated System For Blood Culture Desirable

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 3                | 45                              |

### Automated System For Bacterial Identification And Sensitivity Desirable

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 2                | 45                              |

### Micro Incinertor For Inoculating Loops And Needles

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|----------------------------------------------------------|------------------|---------------------------------|
| 1                 | Satish Kumar                                                  | 110032,F-17 Karkardooma,<br>Near Dr. Head Gewar Hospital | 3                | 45                              |

### Special terms and conditions-Version:2 effective from 06-01-2023 for category Biosafety Cabinet

- Comprehensive warranty**  
Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturers technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
  - Service centres**  
Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
  - Source of supply**  
It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
  - Packing and Marking**  
Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.
  - Spare Parts**  
Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.  
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
  - Installation, Training, Manuals**  
Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignees representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.
  - Electrical safety checking**  
Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical

safety compliance through labs with facilities for such checking during every preventive maintenance call.

- o Software All software updates should be provided free of cost during warranty period.

### **Special terms and conditions-Version:2 effective from 11-02-2025 for category Medical Centrifuge**

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard. (As Applicable)
2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc. (As Applicable)
3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
6. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
7. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
8. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
9. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
10. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or

reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

11. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
12. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. **Software:** All software updates should be provided free of cost during warranty period.

**Special terms and conditions-Version:3 effective from 14-01-2025 for category Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204**

1. **Special Terms and Conditions**

1. **Comprehensive warranty**

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. **Service centres** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies
3. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .
4. **Packing and Marking** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details
5. **Spare Parts :** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. **Installation, Training, Manuals** Seller shall be responsible to carry out Installation &

commissioning, Supervision and Demonstration of the They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable

7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. Software: All software updates should be provided free of cost during warranty period

Note- The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such Buyers may also opt for ISI marked product while creating BID. In such cases buyer shall verify valid BIS License for the same at the time of evaluation of BID and check ISI marking at the time of receipt of material before issuing CRAC.

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Provisions for workmen compensation, insurance, public liability, property damage, insurance etc. to be ensured by the contractor. Also, safety measures prescribed for working in Extra High Voltage & use of personnel protective equipment must be adhered to.
3. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1.The bidder of equipment will give rate list for accessories, spares and consumables.This rate will be frozen for the duration of warranty.

2.Fall clause - if rate of consumables or any other accessories or spares is decreased or given by vendor at lower price in any other government hospital/Govt institution/PSU/local body in Delhi or in India which is lower than the rate coated in this list then accordingly price will be reduced.

3. EMD should be 3% each item.

### 4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**