

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	06-05-2026 11:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	06-05-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Karnataka
विभाग का नाम / Department Name	Health And Family Welfare Department Karnataka
संगठन का नाम / Organisation Name	Directorate Of Health And Family Welfare Services
कार्यालय का नाम / Office Name	District Hospital Dharwad
कुल मात्रा / Total Quantity	2048

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

Agar Agar, Type IHimedia , Macconkey agar himedia , Blood agar base himedia , Sabouraud dextrose agar himedia , Potato dextrose agar himedia , Muller Hinton Agar , Hi Crome UTI HiVeg Agar , Cooked Meat Medium Glucose Hemin Vitamin K , Sterile Glycerol, 40 per , Nigrosin Stain 10 per , Lugols Iodine , ZN Acid Fast Stains - Kit , Lactophenol Cotton Blue , Sterile Mineral Oil , MacConkey Broth Double Strength Neutral Red , N 10 HCl , Paraffin oil , isopropyl , Erythromycin 15mcg , High level Gentamycin HLG 120 , Gentamycin GEN 10 , Imipenem 10 mcg IMP 10 , Levofloxacin 5 mcg LE 5 , Linezolid 30 mcg LZ 30 , Norfloxacin 10 mcg NX 10 , Nalidixic acid 30 mcg NA 30 , Nitrofurantoin 300 mcg NIT 300 , Piperacillin Tazobactam 100 10 mcg PTZ , Penicillin 10 UNITS P 10 , Tetracycline TE 30 mcg TE 30 , Teicoplanin TEI 30 mcg , Tobramycin TOB 10 mcg , Netilmicin NET 30 mcg , Meropenem 10 mcg , Azithromycin AZM 15mcg , Cefixime CFM 30 mcg , Vancomycin 30 mcg , Optochin , Bacitracin 0.04 Units , Cefazolin CZ 30mcg , Novobiocin NV30 , Furazolidone FR 100 , Polymyxin B 50 Units , Imipenem-EDTA IE 10 750 mcg , Cefoxitin Cloxacillin CXX 30 200 mcg , Sterile Discs 10mm , Hexa Antimyc 01 , Hexa Anaerobic 1 , Oxidase Discs , Scrub typus IgM ELISA 96wells , Escherichia coli ATCC 25922 , Enterococcus faecalis ATCC 29212 , Pseudomonas aeruginosa ATCC 27853 , Staphylococcus aureus subsp aureus ATCC 25923 , Staphylococcus aureus subsp aureus ATCC BAA 977 , Glass petriplates 100mm size Borosilicate , Staining dropping bottles white plastic , Staining dropping bottles brown glass , Tubes, Test, With Rim 5ml borosilicate , Sterile Plastic test tube 5ml capacity , Sterile Uricol with 1.8 PERC Boric Acid , Sterile Uricol standard , Cover slip small , Thumb Press Dispensing Dropper Pasteur Pipettes plastic , Autoclave tapes , MICROSCOPE SLIDE TRAY 20 PLACES Steel , MICROSCOPE SLIDE FILE 20 PLACES tarson , Teasing needles , Multiple purpose stand , S.S. Spirit Lamp , Anaerogas Pack 3.5L , Heavy duty gloves and heat resistant , Labeling sheets Big and Small , high quality Digital thermometer with long wire

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Agar Agar, Type I(Himedia), Macconkey agar (himedia), Blood agar base (himedia), Sabouraud dextrose agar(himedia), Potato dextrose agar(himedia), Muller Hinton Agar, Hi Crome UTI HiVeg Agar (Uri chrome agar), Cooked Meat Medium w/ Glucose,Hemin& Vitamin K, Sterile Glycerol, 40%, Nigrosin Stain,10% w/v, Lugol's Iodine, ZN Acid Fast Stains - Kit, Lactophenol Cotton Blue, Sterile Mineral Oil, MacConkey Broth (Double Strength) w/ Neutral Red, N/10 HCl, Paraffin oil, isopropyl, Erythromycin 15mcg (E 15), High level Gentamycin (HLG 120), Gentamycin (GEN 10), Imipenem 10 mcg (IMP 10), Levofloxacin 5 mcg (LE 5), Linezolid 30 mcg (LZ 30), Norfloxacin 10 mcg (NX 10), Nalidixic acid 30 mcg (NA 30), Piperacillin/Tazobactam 100/10 mcg (PTZ 100/10), Penicillin 10 UNITS (P 10), Tetracycline TE 30 mcg (TE 30), Teicoplanin TEI 30 mcg, Tobramycin TOB 10 mcg, Netilmicin NET 30 mcg, Meropenem 10 mcg, Azithromycin AZM 15mcg, Cefixime CFM 30 mcg, Vancomycin 30 mcg, Optochin, Bacitracin 0.04 Units, Cefazolin CZ 30mcg, Novobiocin NV30µg, Furazolidone FR 100 µg, Polymyxin B 50 Units, Imipenem-EDTA IE 10/750 mcg, Cefoxitin-Cloxacillin CXX 30/200 mcg, Sterile Discs, 10mm, Hexa Antimyco-01, Hexa Anaerobic 1, Oxidase Discs, Scrub typus IgM ELISA 96wells, Escherichia coli ATCC® 25922, Enterococcus faecalis ATCC® 29212, Pseudomonas aeruginosa ATCC® 27853, Staphylococcus aureus subsp.aureus ATCC® 25923, Staphylococcus aureus subsp. aureus ATCC® BAA-977, Glass petriplates (100mm size) (Borosilicate), Staining dropping bottles white plastic, Staining dropping bottles brown glass, Tubes, Test, With Rim 5ml borosilicate, Sterile Plastic test tube (5ml capacity), Sterile Uricol (with 1.8% Boric Acid), Sterile Uricol (with 1.8% Boric Acid), Cover slip small, Thumb Press Dispensing Dropper / Pasteur Pipettes plastic, Autoclave tapes, MICROSCOPE SLIDE TRAY, 20 PLACES Steel, MICROSCOPE SLIDE FILE, 20 PLACES tarson, Teasing needles, Multiple purpose stand (Autoclavable), S.S. Spirit Lamp, Anaerogas Pack 3.5L, Heavy duty gloves and heat resistant, Labeling sheets Big and Small, high quality Digital thermometer with long wire

Searched String: Agar Agar, Type I(Himedia)

AGAR AGAR Bacteriological Powder

Searched String: Macconkey agar (himedia)

MacConkey Sorbitol Agar, Agar Media, MacConkey Broth, Syringe Filter, AGAR AGAR Bacteriological Powder, Pseudomonas Selective Agar (CFC Agar), Cetrimide Agar, Coliform Agar, Qualitative PCR Machine (Thermal Cycler), Gelatin Agar

Searched String: Blood agar base (himedia)

Pseudomonas Agar Base, Agar Media, Sheep Blood Agar, Sheep Blood Agar Plate, AGAR AGAR Bacteriological Powder, Tributyrin Agar, Tributyrin Agar Base without Tributyrin, Chromogenic Agar Listeria (Listeria Ottaviani - Agosti Agar Base), Pseudomonas Selective Agar (CFC Agar), Palcam Listeria Selective Agar

Searched String: Sabouraud dextrose agar(himedia)

विड विवरण/Bid Details
Agar Media, Sabroud Dextrose Agar with CAP, Syringe Filter, Dextrose Injection, Dextrose Anhydrous (V2), AGAR AGAR

Bacteriological Powder, Pseudomonas Selective Agar (CFC Agar), Dextrose + Sodium Chloride Injection, Qualitative PCR Machine (Thermal Cycler), Cetrimide Agar

Searched String: Potato dextrose agar(himedia)

Agar Media, Sabroud Dextrose Agar with CAP, Dextrose Injection, Onion / Potato Bin, Potato Planter, Potato Digger, Syringe Filter, Dextrose Anhydrous (V2), AGAR AGAR Bacteriological Powder, Potato Seed (V2)

Searched String: Muller Hinton Agar

Agar Media, AGAR AGAR Bacteriological Powder, Pseudomonas Selective Agar (CFC Agar), Cetrimide Agar, Coliform Agar, Eosin Methylene Blue Agar, Gelatin Agar, Tributyrin Agar, Glucose agar, MacConkey Sorbitol Agar

Searched String: Hi Crome UTI HiVeg Agar (Uri chrome agar)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Cooked Meat Medium w/ Glucose,Hemin& Vitamin K

Broth Media

Searched String: Sterile Glycerol, 40%

Glycerol triacetate

Searched String: Nigrosin Stain,10% w/v

Giemsa Stain, water baths, Leishman's Stain, Sodium Hyaluronate Drops (V2), New Methylene Blue Stain (Reticulocyte Stain), Nitrile Coated/Nitrile Hand Gloves (V2), Brodifacoum 0.005 %w/w BB (Bait Block), High Level Medical Device Disinfectant, PENICILLIN V, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494

Searched String: Lugol's Iodine

Gram's Iodine, POVIDONE IODINE SOLUTION, POVIDONE IODINE OINTMENT, Parallel Bar - Outdoor Gym Equipment, Iodine Flask with Stopper, Povidone Iodine Ointment Based Knitted Dressing (V2), Vertical Autoclave, Karl Fischer Reagent, Books (V2), Vacuum Oven

Searched String: ZN Acid Fast Stains - Kit

Nucleic Acid Extraction Kit (Diagnostic Purpose), Biochemistry Reagent Kit for Human Samples, Nucleic Acid Extraction Kit (For Research Use Only), Nucleic Acid Amplification Test (NAAT) based PCR Diagnostic Kit for Human Samples

Searched String: Lactophenol Cotton Blue

Lacto Phenol Cotton Blue Solution

Searched String: Sterile Mineral Oil

Oil Mineral Hydraulic Buffer (OMHB) -Defence (V2), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422,

बिड विवरण / Bid Details

Mineral Water, Quenching Oils (V2) Conforming to IS 2664, Sterile Connecting Device, Mineral Insulated Thermocouple, Sterile Water for Injection, Natural Mineral Water (Defence), Bone Mineral Densitometer (V2), Surgical Drapes Conforming to IS 17334

Searched String: MacConkey Broth (Double Strength) w/ Neutral Red

Category not available on GeM for the text string uploaded by the buyer

Searched String: N/10 HCl

Grinding Media Rods (HCL), water baths, N Heptane, N - Hexadecane, Nitrile Coated/Nitrile Hand Gloves (V2), N,N Dimethyl P Phenylenediamine Dihydrochloride, Irinotecan HCl trihydrate Solution for Injection, Humidity Chamber, N-acetylcysteine Injection, Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder)

Searched String: Paraffin oil

Paraffin Wax Bath, Paraffin Gauze Dressings, Liquid Paraffin for Cosmetic Industry (V2) Conforming to IS 7299, Oil Deflector, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Silicone Oil, Circulating oil, Transformer Oil BDV Test Kit, Dielectric oil, Oil tray

Searched String: isopropyl

Sodium Isopropyl Xanthate, Isopropyl Alcohol (2 - Propanol), Isopropyl Alcohol (IPA) (ONGC), Indaziflam 1.65% + Glyphosate Isopropyl Ammonium 44.63% SC (Suspension Concentrate), Glufosinate ammonium 14.3% + Glyphosate (isopropyl ammonium) 18.04% SL (Soluble Liquid), Oxyfluorfen 2.5% + Glyphosate (Isopropyl amine salt) 41% SC (Suspension Concentrate), Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Iso Propyl Alcohol (V2) Conforming To Is 2631

Searched String: Erythromycin 15mcg (E 15)

PNEUMATIC TYRES FOR TWO AND THREE-WHEELED MOTOR VEHICLES, QUADRICYCLES AND E-RICKSHAW/E-CARTS marked to IS 15627, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Bucket Mop Wringer Trolley, Medical Centrifuge, Diesel Power Generator (up to 900 KVA), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Muffle/Box Furnace (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)

Searched String: High level Gentamycin (HLG 120)

High Level Surface Disinfectant, LED Luminaire for High Bay Lighting, High Level Medical Device Disinfectant, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257

Searched String: Gentamycin (GEN 10)

GENTAMICIN

बिड विवरण/Bid Details **Searched String:** Imipenem 10 mcg (IMP 10)

Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, Bifenthrin 10% Emulsifiable Concentrate (V2), Laboratory Vials (V2), Chlorpyrifos 10% Gr (Granules) (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Foldable Jerri Can (10 ltr), Cypermethrin10% + Indoxacarb 10% SC (Suspension Concentrate), Humidity Chamber, Online UPS (>10 KVA) Without Battery

Searched String: Levofloxacin 5 mcg (LE 5)

5-5 Dithiobis -2-2 Nitrobenzoic Acid, All in One PC (V2), Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), Ipratropium Bromide + Levosalbutamol Respules (V2), 5-Sulfosalicylic acid, File/Folder (V3), LEVOFLOXACIN, Butachlor 5% Granule(GR), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Carbendazim 5% Granules(Gr)

Searched String: Linezolid 30 mcg (LZ 30)

Rucksack (30 Ltrs Capacity) (V2) (MHA), water baths, Insulin Premix Injection (30:70::Regular:NPH), Bifenthrin 3% + Chlorpyrifos 30% Emulsifiable Concentrate (EC), Fipronil 10% + Diafenthiuron 30% WG (Wettable Granules), CopperSulphate 47.15% + Mancozeb 30% WDG (Water Dispersible Granules), Diesel Power Generator (up to 900 KVA), Paraquat dichloride 7.50% + Glyphosate 30% SC (Suspension Concentrate), Dimethoate 30 % Emulsifiable Concentrate(V2) Conforming To IS 3903, Bulk Bitumen 60/70

Searched String: Norfloxacin 10 mcg (NX 10)

Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, Bifenthrin 10% Emulsifiable Concentrate (V2), Laboratory Vials (V2), Chlorpyrifos 10% Gr (Granules) (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Foldable Jerri Can (10 ltr), Cypermethrin10% + Indoxacarb 10% SC (Suspension Concentrate), Humidity Chamber, Online UPS (>10 KVA) Without Battery

Searched String: Nalidixic acid 30 mcg (NA 30)

Murexide or Ammonium Purpurate

Searched String: Piperacillin/Tazobactam 100/10 mcg (PTZ 100/10)

Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, PT 100 DUPLEX RTD (Air Circuit) (BHEL), Levosalbutamol Tablets (V2), Anti TB Drugs - Clofazimine 100 mg Capsules, Nitrile Coated/Nitrile Hand Gloves (V2), Anti TB Drugs - Pyridoxine 100 mg Tablets, Laboratory Vials (V2), Benzaldehyde, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)

Searched String: Penicillin 10 UNITS (P 10)

Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, Bifenthrin 10% Emulsifiable Concentrate (V2), BENZATHINE PENICILLIN, Chlorpyrifos 10% Gr (Granules) (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Foldable Jerri Can (10 ltr), Cypermethrin10% + Indoxacarb 10% SC (Suspension Concentrate), Humidity Chamber, Online UPS (>10 KVA) Without Battery

बिड विवरण / Bid Details	Searched String: Tetracycline TE 30 mcg (TE 30)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>TETRACYCLINE</p> <p>Searched String: Teicoplanin TEI 30 mcg</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Tobramycin TOB 10 mcg</p> <p>Laboratory Vials (V2)</p> <p>Searched String: Netilmicin NET 30 mcg</p> <p>Moisteners (V2)</p> <p>Searched String: Meropenem 10 mcg</p> <p>MEROPENEM</p> <p>Searched String: Azithromycin AZM 15mcg</p> <p>AZITHROMYCIN</p> <p>Searched String: Cefixime CFM 30 mcg</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Vancomycin 30 mcg</p> <p>Rucksack (30 Ltrs Capacity) (V2) (MHA), water baths, Insulin Premix Injection (30:70::Regular:NPH), Bifenthrin 3% + Chlorpyriphos 30% Emulsifiable Concentrate (EC), Fipronil 10% + Diafenthuron 30% WG (Wettable Granules), Ipratropium Bromide + Levosalbutamol Respules (V2), CopperSulphate 47.15% + Mancozeb 30% WDG (Water Dispersible Granules), Diesel Power Generator (up to 900 KVA), Paraquat dichloride 7.50% + Glyphosate 30% SC (Suspension Concentrate), Levothyroxine Tablet</p> <p>Searched String: Optochin</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Bacitracin 0.04 Units</p> <p>Fuel Dispensing Units, Sofa (V3), Customised Mobile Health Units, Air Handling Units as per IOCL Specification, Metal Storage Cabinet, Liquid Chilling Package Units Conforming to IS 16590, Turbine Flow Meter, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Executive Table (V4), Tissue culture Racks for Plant Tissue culture in pre hardening Units</p> <p>Searched String: Cefazolin CZ 30mcg</p> <p>Cefazolin Injection (V2)</p> <p>Searched String: Novobiocin NV30µg</p> <p>Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTN), water baths, Broth Media, Diesel Power Generator (up to 900 KVA), Blood Administration Set (V2), Sanitary Napkins Vending Machines, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (>10 KVA) With Battery, Blood Lancets, Foot Operated Pedal Bin</p>

विड विवरण/Bid Details or Bucket for Bio - Medical Waste Collection

Searched String: Furazolidone FR 100 µg

Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086

Searched String: Polymyxin B 50 Units

Light Weight Jute Sacking Bags (B-Twill) for Packing 50 kg Pulses and Soyabean Conforming to IS 18162, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Classroom Stools, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Surgical Face Masks Conforming to IS 16289, Laboratory Glassware - Burettes (V2) as per IS 1997, Close Wound Suction Drain Unit, Culture Tube With Screw Cap

Searched String: Imipenem-EDTA IE 10/750 mcg

245 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100), Blood Collection Tube, 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), Laboratory Vials (V2)

Searched String: Cefoxitin-Cloxacillin CXX 30/200 mcg

Laboratory Vials (V2)

Searched String: Sterile Discs, 10mm

Dulcitol Discs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Weightlifting Discs, Sterile Connecting Device, Sterile Water for Injection, Endotracheal Tube - Sterile (Single Use), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Urine Collection Bag - Sterile (Single Use)

Searched String: Hexa Antimyco-01

Hexamethylenetetramine(Hexamine) - IS 4306, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Trichloroethylene, Technical as per IS 245, Proteinase K, digital conductivity meter, Access Door Assembly (BHEL), Potassium Bromate, Electronic Weighing Scales, Shoes Black Non-Slip for Camouflage Rig ICG, Rubberized Weight Dumbbells

Searched String: Hexa Anaerobic 1

Anaerobic Indicator Strip, Nitrile Coated/Nitrile Hand Gloves (V2), Anaerobic Jar- IS:8501, Hexamethylenetetramine(Hexamine) - IS 4306, Multipara Monitor - Low End, 1, 1, 3 - Triethoxybutane, Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), 1-Bromohexadecane, High End Desktop Computer, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1)

Searched String: Oxidase Discs

बिड विवरण / Bid Details

Oxidase disc, Dulcitol Discs, Weightlifting Discs, Optical Storage Media, Coir Product from Sivaganga - ODOP, Agriculture Harrow (Disc Type), Coir Pith Products from Dindigul - ODOP, Coir Pith Products from Tenkasi - ODOP, Sander Disc, Tractor Operated Disc Plough

Searched String: Scrub typus IgM ELISA 96wells

Dengue ELISA Test Kit, Anti-HEV ELISA Test Kits (V2), ELISA Test Kits (V2), Anti-HAV ELISA Test Kits (V2), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others

Searched String: Escherichia coli ATCC® 25922

Category not available on GeM for the text string uploaded by the buyer

Searched String: Enterococcus faecalis ATCC® 29212

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pseudomonas aeruginosa ATCC® 27853

Category not available on GeM for the text string uploaded by the buyer

Searched String: Staphylococcus aureus subsp.aureus ATCC® 25923

Category not available on GeM for the text string uploaded by the buyer

Searched String: Staphylococcus aureus subsp. aureus ATCC® BAA-977

Category not available on GeM for the text string uploaded by the buyer

Searched String: Glass petriplates (100mm size) (Borosilicate)

Endotracheal Tube - Sterile (Single Use), Labels Stickers (V3), Bathroom Water Shower (V2), Electronic Baby Weighing Scale - RBSK, Cast Iron Bench, Volumetric Pipettes as per IS 1117, Laboratory Glass Adapters, Serological Pipettes and Graduated Pipettes as per IS 4364, Work Benches, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3)

Searched String: Staining dropping bottles white plastic

Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), Flower Pots or Planters (V2), Plastics feeding bottles ISI marked to IS 14625, Plastic and Plastic Moulded Products from Bhiwani, Haryana - ODOP, Plastic Wash Bottle, Plastic and Plastic Moulded Products from Sonipat, Haryana - ODOP, Isopropyl Alcohol (2 - Propanol), Plastic Bottles/Containers for Packaging of Natural Mineral Water and Packaged Drinking Water Conforming to IS 15410, Spray Bottles, GLACIAL ACETIC ACID

Searched String: Staining dropping bottles brown glass

Glass Weighing Bottles as per IS 1574, Isopropyl Alcohol (2 - Propanol), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Laboratory Glassware Bottles

बिड विवरण / Bid Details

(Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), GLACIAL ACETIC ACID, Ethyl Acetate, Dropping Bottle with Tip Cap, Diethyl ether, Karl Fischer Reagent

Searched String: Tubes, Test, With Rim 5ml borosilicate

Laboratory Glassware - Burettes (V2) as per IS 1997, Blood Collection Tube, Weightlifting Discs, Multipurpose or General Test Tubes (V2) as per IS 2618, Automatic Milk Collection Unit with Electronic Milk Analyzer and Adulteration testing, Test Tube Rack, Culture Tube With Screw Cap, Water Jugs, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Endotracheal Tube - Sterile (Single Use)

Searched String: Sterile Plastic test tube (5ml capacity)

Endotracheal Tube - Sterile (Single Use), Sample Cup, Urine Collection Bag - Sterile (Single Use), Blood Collection Tube, Touchless Sanitizer Dispenser, Liquid Soap Dispenser (V2), Minifuge, FRANCIS TURBINE TEST RIG, Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), Plastic Grocery Container (V3)

Searched String: Sterile Uricol (with 1.8% Boric Acid)

Laboratory Vials (V2)

Searched String: Sterile Uricol (with 1.8% Boric Acid)

Laboratory Vials (V2)

Searched String: Cover slip small

Slip Gauge Calibrator, Nitrile Coated/Nitrile Hand Gloves (V2), Slip Gauges / Gauge Blocks, Cover for Diaries (V2), quilt cover, Battery Cover, Durry Small (IAF), Small Cardamom (खोटी इलाइची), Foam barrel cover, Pin Up Notice Board (V2)

Searched String: Thumb Press Dispensing Dropper / Pasteur Pipettes plastic

Category not available on GeM for the text string uploaded by the buyer

Searched String: Autoclave tapes

Dental Autoclave, Vertical Autoclave, Horizontal Autoclave, Vertical Autoclave (FSSAI), Polyimide Tapes, Hydrothermal Autoclave Reactor, Table Top Autoclave (V2), Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Kraft Paper Tapes-IS :4185

Searched String: MICROSCOPE SLIDE TRAY, 20 PLACES Steel

Oil tray, Drying Racks for Microscopic Slides

Searched String: MICROSCOPE SLIDE FILE, 20 PLACES tarson

Microscopes Slide Coverslips as per IS 3099

Searched String: Teasing needles

बिड विवरण

Blood Collection Needles (V2), Fistula Needles Sets (V2), Sterile Hypodermic Needles for Single use (V2), Hair Comb

(V2), Blood Lancets, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Spinal Needle (V2), Surgical Needle Holders, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Needle Valve

Searched String: Multiple purpose stand (Autoclavable)

Category not available on GeM for the text string uploaded by the buyer

Searched String: S.S. Spirit Lamp

Spirit Burner-IS:323, Spirit level, Hand Lamp, Multipara Monitor - Low End, Infrared Heat Lamp, Parallel Bar - Outdoor Gym Equipment, Lamp Shades-Handicraft, Slit Lamp (V2), JAL NETI POT, ETO Sterilizer

Searched String: Anaerogas Pack 3.5L

Year Pack, Nitrile Coated/Nitrile Hand Gloves (V2), Nasal Pack (V2), Carrier Man Pack (Defence), High End Desktop Computer, Hydration Pack as per MHA specification, Entry and Mid Level Desktop Computer, Pre - Connected / Customized Heart Lung Tubing Pack (V2), Ultra low temperature laboratory deep freezer, Ice Gel Pack for Medical use

Searched String: Heavy duty gloves and heat resistant

Heat Resistant Gloves, Heat Resistant Alloy Steel and Nickel Base Casting Conforming to IS 4522, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), Low cement and ultra low cement castables for general engineering purpose (V2) conforming to IS 15541, Welding Cable ISI Marked To IS 9857 (V2), Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Ready Mixed Paint, Brushing, Bituminous, Black, Lead Free, Acid, Alkali and Heat Resisting as per IS 158, Corrugated Fibreboard Boxes - Heavy Duty

Searched String: Labeling sheets Big and Small

Automotive Vehicle - Retroreflective Sheets and Tape (V2) conforming to IS 14221, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Plastic Small Shapes Beads And Threads (Preschool Kit) (V2)-Toys, Corrugated Boxes, POLYETHYLENE FILMS AND SHEETS (V3) Conforming to IS 2508, Galvanized Steel Sheets (Plain and Corrugated) (V2) as per IS 277, Lead Sheets And Strips For Other Than Chemical Purposes-IS:405 (Part 2), Bed, Bath and Beyond, Steel Trunk conforming to IS 7257 (V3), Multilayered Cross Laminated Sheets/Tarpaulins/Covers/ Agricultural Films conforming to 14611

Searched String: high quality Digital thermometer with long wire

Digital Grounding System with Equipment Protection, Candy Thermometer / Food Thermometer, Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Aortic Cannula (V2)

अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	विद्युत विद्युत Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P.
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	10 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	10 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Agar Agar, Type IHimedia
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Agar Agar, Type IHimedia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Macconkey Agar Himedia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Blood Agar Base Himedia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

Sabouraud Dextrose Agar Himedia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

Potato Dextrose Agar Himedia

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

Muller Hinton Agar

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Hi Crome UTI HiVeg Agar

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Cooked Meat Medium Glucose Hemin Vitamin K

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Sterile Glycerol, 40 Per

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

Nigrosin Stain 10 Per

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

Lugols Iodine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

ZN Acid Fast Stains - Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Lactophenol Cotton Blue

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Sterile Mineral Oil

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

MacConkey Broth Double Strength Neutral Red

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

N 10 HCI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Paraffin Oil

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Isopropyl

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

Erythromycin 15mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

High Level Gentamycin HLG 120

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Gentamycin GEN 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Imipenem 10 Mcg IMP 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Levofloxacin 5 Mcg LE 5

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Linezolid 30 Mcg LZ 30

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Norfloxacin 10 Mcg NX 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Nalidixic Acid 30 Mcg NA 30

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Nitrofurantoin 300 Mcg NIT 300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Piperacillin Tazobactam 100 10 Mcg PTZ

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Penicillin 10 UNITS P 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Tetracycline TE 30 Mcg TE 30

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Teicoplanin TEI 30 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Tobramycin TOB 10 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Netilmicin NET 30 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Meropenem 10 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Azithromycin AZM 15mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Cefixime CFM 30 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Vancomycin 30 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Optochin

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	11	15

Bacitracin 0.04 Units

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	11	15

Cefazolin CZ 30mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Novobiocin NV30

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Furazolidone FR 100

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Polymyxin B 50 Units

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Imipenem-EDTA IE 10 750 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Cefoxitin Cloxacillin CXX 30 200 Mcg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Sterile Discs 10mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	4	15

Hexa Antimyco 01

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Hexa Anaerobic 1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Oxidase Discs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

Scrub Typus IgM ELISA 96wells

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

Escherichia Coli ATCC 25922

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Enterococcus Faecalis ATCC 29212

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Pseudomonas Aeruginosa ATCC 27853

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Staphylococcus Aureus Subsp Aureus ATCC 25923

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Staphylococcus Aureus Subsp Aureus ATCC BAA 977

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Glass Petriplates 100mm Size Borosilicate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	250	15

Staining Dropping Bottles White Plastic

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

Staining Dropping Bottles Brown Glass

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Tubes, Test, With Rim 5ml Borosilicate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	500	15

Sterile Plastic Test Tube 5ml Capacity

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1000	15

Sterile Uricol With 1.8 PERC Boric Acid

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Sterile Uricol Standard

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

Cover Slip Small

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Thumb Press Dispensing Dropper Pasteur Pipettes Plastic

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	4	15

Autoclave Tapes

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

MICROSCOPE SLIDE TRAY 20 PLACES Steel

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	4	15

MICROSCOPE SLIDE FILE 20 PLACES Tarson

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Teasing Needles

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Multiple Purpose Stand

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

S.S. Spirit Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

Anaerogas Pack 3.5L

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

Heavy Duty Gloves And Heat Resistant

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	7	15

Labeling Sheets Big And Small

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	20	15

High Quality Digital Thermometer With Long Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijayalaxmi D Toragalmath	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	30	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1 License: The bidder must upload a valid Drug License issued by the competent authority..

2. Registration in Karnataka: The bidder's company must be registered within the jurisdiction of Karnataka. Supporting documents must be uploaded in the bid; failure to do so will result in bid rejection.

3. Turnover Certificate: The bidder must submit a Turnover Certificate issued by a Chartered Accountant.

4. Income Tax Returns (ITR): Copies of Income Tax Returns for the last three financial years must be submitted.7. GST Certification: A valid GST certification issued by the relevant authority must be submitted.

5.GST Returns: The bidder must upload GST (3B) returns for the last six months.

6. Pan Card

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly

and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc.

and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---