

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 07-05-2026 10:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 07-05-2026 10:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Power |
| विभाग का नाम/Department Name | Power Grid Corporation Of India Limited |
| संगठन का नाम/Organisation Name | Power Grid Corporation Of India Limited |
| कार्यालय का नाम/Office Name | Corporate Office Gurgaon |
| कुल मात्रा/Total Quantity | 5 |
| वस्तु श्रेणी /Item Category | Twister - Outdoor Gym Equipment (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |

| बिड विवरण/Bid Details | |
|--|--|
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 2 |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | No |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Twister - Outdoor Gym Equipment |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Payment Timelines | Payments shall be made to the Seller within 21 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|---|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%) | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 15 |

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(b). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Power Grid Corporation of India Ltd, Secunderabad
Power Grid Corporation of India Ltd, Kavadiguda Main Road, Secunderabad-500080
(Powergrid Corporation Of India Ltd, Secunderabad)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and

based on competitive prices received in Bid / RA process.

Twister - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE | Type | Triple Twister (Three standing) |
| CAPACITY | Maximum User Weight (Kg) | 100.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 100 mm NB with 4.5 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | Not Applicable |
| | Standing/ Sitting Twister Frame Pipe | 40 mm Nominal Bore G.I. Pipe |
| | Standing/ Sitting Twister Frame Pipe, Class as per IS 1239 | Medium |
| | Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 40 mm NB with 4 mm Thickness |
| | Grade Material as per table 2 IS 1161 | Not Applicable |
| | Rotating Disk Support Pipe at Bottom Pipe | 80 mm Nominal Bore G.I. Pipe |
| | Rotating Disk Support Pipe, Class as per IS 1239 | Medium |
| | Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness | 80 mm NB with 4 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | Not Applicable |
| Handle Frame Pipe | 25mm Nominal bore G.I. pipe | |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Handle Frame Pipe, Class as per IS 1239 | Medium |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 3.2 mm Thickness |
| | Grade Material per table 2 of IS 1161 | Not Applicable |
| | Foundation Pipes with anchoring | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 4 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | Not Applicable |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | HDPE |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--|------------------|------------------------------|
| 1 | Uppuluri Meher Priyatam | 522617, Power Grid Corporation of India Limited, Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh-522617 | 1 | 90 |

Air Walker / Stroller - Outdoor Gym Equipment (1 pieces)**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------------------------|---|---|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 110.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Frame | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium |
| | leg movement frame | 40mm Nominal Bore G.I. Pipe |
| | Leg Movement Frame Pipe, Class as per IS 1239 | Medium |
| | Handle Frame | 25mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium |
| | Bearings | Tapered Roller Bearing |
| | Foot Rest | Nylon |
| | MS Foundation Plate Thickness | 12.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| Foundation Pipe, Class as per IS 1239 | Heavy | |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 4.0 (year) |

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Uppuluri Meher Priyatam | 522617,Power Grid Corporation of India Limited, Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh-522617 | 1 | 90 |

Leg Press - Outdoor Gym Equipments (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE | Type | Leg Press Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Moving Frame Pipe | 40mm Nominal bore G.I. pipe |
| | Moving Frame Pipe, Class as per IS 1239 | Heavy |
| | Foot Rest Frame/ Foot Rest Hinging Pipe | 25mm Nominal Bore G.I. Pipe |
| | Foot Rest Frame Pipe, Class as per IS 1239 | Medium |
| | Connecting Links | 25mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Bearings | Ball Bearing |
| | Seat and Back Rest | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|--|------------------|------------------------------|
| 1 | Uppuluri Meher Priyatam | 522617, Power Grid Corporation of India Limited, Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh-522617 | 1 | 90 |

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| TYPE | Type | Three Wheel |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe construction | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Ring (Wheel) | 40mm Nominal Bore G.I. Pipe |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Ring (Wheel) Pipe, Class as per IS 1239 | Heavy |
| | Pipe of Spokes of Wheel | 20mm Nominal bore G.I. pipe |
| | Pipe of Spoke of Wheel , Class as per IS 1239 | Heavy |
| | Connector Pipe (between Main Central Pipe and Wheel) | 50 mm Nominal bore G.I. pipe |
| | Connector Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Uppuluri Meher Priyatam | 522617,Power Grid Corporation of India Limited, Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh-522617 | 1 | 90 |

Surf Board - Outdoor Gym Equipment (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--|---|---|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 100 mm NB with 5.4 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 210 |
| | Movement (Paddle) Frame | 40mm Nominal Bore G.I. Pipe |
| | Movement (Paddle) Frame Pipe, Class as per IS 1239 | Medium |
| | Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 40 mm NB with 3.2 mm Thickness |
| | Grade Material as per table 2 IS 1161 | YSt 210 |
| | Connecting Links | 25 mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Medium |
| | Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 32 mm NB with 3.2 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium |
| Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness | |
| Grade Material per table 2 of IS 1161 | YSt 210 | |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | HDPE |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Uppuluri Meher Priyatam | 522617,Power Grid Corporation of India Limited, Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh-522617 | 1 | 90 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

The bidder has to upload OEM authorization Certificate along with bid documents

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws,

including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---