

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण/Bid Details   |  |
|---|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time                              | 14-02-2026 20:00:00  |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time                             | 14-02-2026 20:30:00  |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 30 (Days)  |
| मंत्रालय/राज्य का नाम/Ministry/State Name                                 | Ministry Of Defence  |
| विभाग का नाम/Department Name  | Department Of Military Affairs   |
| संगठन का नाम/Organisation Name  | Indian Army  |
| कार्यालय का नाम/Office Name   | *****  |
| कुल मात्रा/Total Quantity   | 1296   |
| वस्तु श्रेणी /Item Category   | steel angle 30x30x50 mm , steel angle 45x45x5 mm , steel mild bright round , steel angles 40x40x3 mm , steel angles 50x50x5 mm , steel angles 55x55x6 mm , steel angles 65x65x6 mm , steel angles 65x65x10 mm , steel angles 75x75x6 mm , steel angles 90x90x10 mm , steel sheet carbon galvanised plain 1800 , electrodes welding cast steel 2 mm , rod welding steel mild 1 mm , rod welding steel mild 3 mm , screw metric slotted cheese , rivets split countersunk , nut with bolt  |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS       | STEEL ANGLE 30X30X50 MM, STEEL ANGLE 45X45X5 MM, STEEL MILD BRIGHT ROUND, STEEL ANGLES 40X40X3 MM, STEEL ANGLES 50X50X5 MM, STEEL ANGLES 55X55X6 MM, STEEL ANGLES 65X65X6 MM, STEEL ANGLES 65X65X10 MM, STEEL ANGLES 75X75X6 MM, STEEL ANGLES 90X90X10 MM, STEEL SHEET CARBON GALVANISED PLAIN 1800, ELECTRODES WELDING CAST STEEL 2.50 MM , ROD WELDING STEEL MILD 1.60 MM , ROD WELDING STEEL MILD 3.15 MM , SCREW METRIC SLOTTED CHEESE , RIVETS SPLIT COUNTERSUNK, NUT WITH BOLT   |
|   | <p><b>Searched String:</b> STEEL ANGLE 30X30X50 MM</p> <p>Mild Steel Sheet, Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Picket Steel as per DGS&amp;D Drawing, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Dry Erase Writing Boards (V3), Steel Rod 30.1mm Diameter (OFB (Defence)), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p><b>Searched String:</b> STEEL ANGLE 45X45X5 MM</p> |

बिड विवरण / Bid Details

Mild Steel Sheet, Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Picket Steel as per DGS&D Drawing, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Dry Erase Writing Boards (V3), Steel Rod 30.1mm Diameter (OFB (Defence)), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2)

**Searched String:** STEEL MILD BRIGHT ROUND

Mild Steel Sheet, Metal Storage Cabinet, Mild Steel High quality Shots, medical stools or chairs, Steel Round as per IS 2062, Alloy Steel Round Bars (BHEL), foot step for hospitals, Mild Steel Wire for General Engineering Purpose as per IS 280, Platform Trolley (V2), High Alloy Creep Steel Round Bars (BHEL)

**Searched String:** STEEL ANGLES 40X40X3 MM

Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB (Defence)), Dry Erase Writing Boards (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), Shaker Incubator, Parallel Bar - Outdoor Gym Equipment, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

**Searched String:** STEEL ANGLES 50X50X5 MM

Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB (Defence)), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), Shaker Incubator, Small Angle Grinders, Parallel Bar - Outdoor Gym Equipment

**Searched String:** STEEL ANGLES 55X55X6 MM

Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB (Defence)), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), patient care mattresses, Shaker Incubator, Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories

**Searched String:** STEEL ANGLES 65X65X6 MM

Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB (Defence)), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), patient care mattresses, Shaker Incubator, Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories

**Searched String:** STEEL ANGLES 65X65X10 MM

Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB (Defence)), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), Shaker Incubator, Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636

**Searched String:** STEEL ANGLES 75X75X6 MM

Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB

| विड विवरण / Bid Details  | (Defence), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), patient care  |
|--|---|
| <p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p> | <p>mattresses, Shaker Incubator, Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories</p> <p><b>Searched String:</b> STEEL ANGLES 90X90X10 MM</p> <p>Mild Steel Sheet, Steel Rod 30.1mm Diameter (OFB (Defence)), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Pipe Clamps (V2), Shaker Incubator, Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636</p> <p><b>Searched String:</b> STEEL SHEET CARBON GALVANISED PLAIN 1800</p> <p>Mild Steel Sheet, Steel Trunk conforming to IS 7257 (V3), Cold Reduced carbon steel sheet and strip IS 513(Part 1) (UNIT -Quantity), galvanized steel sheets as per IS 277, Cold Reduced Carbon Steel Sheet and Strip as per IS 513 (Part 2) (Unit - Mass), MS Sheet as per IS 1079</p> <p><b>Searched String:</b> ELECTRODES WELDING CAST STEEL 2.50 MM</p> <p>Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Cast Iron Bench, Mild Steel Sheet, Parliament Hinges-IS:362, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Compostable Nursery Bags, Steel Tubes used for Water Wells (V2) as per IS 4270, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p><b>Searched String:</b> ROD WELDING STEEL MILD 1.60 MM</p> <p>Mild Steel Sheet, Pipe Clamps (V2), Steel Rod 30.1mm Diameter (OFB (Defence)), Carry Oven for Welding Electrodes, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Laboratory Drying Oven, Tent Extendable Frame Supported With Mild Steel joints and Flooring TPO, Heavy Duty Storage Racks, Welding Rods and Filler Wire for Gas Shielded Arc Welding of Structural Steel as per IS 6419, Covered Electrode for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel (V2) ISI marked to IS 814</p> <p><b>Searched String:</b> ROD WELDING STEEL MILD 3.15 MM</p> <p>Mild Steel Sheet, Pipe Clamps (V2), Steel Rod 30.1mm Diameter (OFB (Defence)), Carry Oven for Welding Electrodes, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Laboratory Drying Oven, Welding Rods and Filler Wire for Gas Shielded Arc Welding of Structural Steel as per IS 6419, Pillar Taps for Water Supply Purpose conforming to IS 1795, Covered Electrode for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel (V2) ISI marked to IS 814, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721</p> |

|   |  |
|---|--|
| बिड विवरण / Bid Details   | <p><b>Searched String:</b> SCREW METRIC SLOTTED CHEESE</p>   |
|   | <p>Stainless Steel slotted Cheese Head Screw - BHEL, Wood screws, Slotted Countersunk Flat Head Screws- IS 1365, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175</p> <p><b>Searched String:</b> RIVETS SPLIT COUNTERSUNK</p> <p>Split or Cotter Pin, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Cross Recessed Countersunk Head Screws - IS 7485, Cold Forged Steel Rivets For Cold Closing- IS:2998, Slotted Countersunk Flat Head Screws- IS 1365, Steel Countersunk Head Wire Nails Conforming To IS 723, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, FPO - Dal Urad Dhuli (Split Husked) , Wood screws, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2)</p> <p><b>Searched String:</b> NUT WITH BOLT</p> <p>Span Bolt and Nut, Revolving Chair (V5), Coach Bolt, Nut and Washer (BHEL), Eye Bolts with Collars - IS 4190, High End Desktop Computer, Studs-IS:1862, Sofa (V3), Allen Bolt, Entry and Mid Level Desktop Computer, U Bolt</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification   | <ul style="list-style-type: none"> <li>• post fence metal angle</li> </ul>   |
| बीओक्यू शीर्षक /BOQ Title   | AS PER BOQ   |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover                     | No   |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover               | No   |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3  |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended                       | 3  |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count   | 2  |
| बिड से रिवर्स नीलामी सक्रिय किया /Bid to RA enabled   | No   |
| बिड का प्रकार /Type of Bid  | Two Packet Bid   |
| प्राथमिक उत्पाद श्रेणी /Primary product category  | steel angle 30x30x50 mm  |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation         | 2 Days   |

**बिड विवरण/Bid Details**

|  |                             |
|--|-----------------------------|
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b> | No                          |
| मूल्यांकन पद्धति/ <b>Evaluation Method</b>   | Total value wise evaluation |
| मध्यस्थता खंड/ <b>Arbitration Clause</b>   | No                          |
| सुलह खंड/ <b>Mediation Clause</b>  | No                          |

**ईएमडी विवरण/EMD Detail**

|                   |    |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

**ईपीबीजी विवरण /ePBG Detail**

|                   |    |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

|  |    |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|  |     |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference  | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15  |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference                          | 25  |

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is

not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

### Steel Angle 30x30x50 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 95               | 21                              |

### Steel Angle 45x45x5 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 95               | 21                              |

## Steel Mild Bright Round

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1                 | *****  | *****Gurdaspur | 80               | 21                              |

## Steel Angles 40x40x3 Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1                 | *****  | *****Gurdaspur | 80               | 21                              |

## Steel Angles 50x50x5 Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
|-------------------------------|---------------------------|

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 80               | 21                              |

**Steel Angles 55x55x6 Mm**

**तकनीकी विशिष्टियाँ /Technical Specifications**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 85               | 21                              |

**Steel Angles 65x65x6 Mm**

**तकनीकी विशिष्टियाँ /Technical Specifications**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 90               | 21                              |

**Steel Angles 65x65x10 Mm**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 90               | 21                              |

**Steel Angles 75x75x6 Mm**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 90               | 21                              |

### Steel Angles 90x90x10 Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 90               | 21                              |

### Steel Sheet Carbon Galvanised Plain 1800

#### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 200              | 21                              |

## Electrodes Welding Cast Steel 2 Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1                 | *****  | *****Gurdaspur | 10               | 21                              |

## Rod Welding Steel Mild 1 Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--|----------------|------------------|---------------------------------|
| 1                 | *****  | *****Gurdaspur | 5                | 21                              |

## Rod Welding Steel Mild 3 Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
|-------------------------------|---------------------------|

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 5                | 21                              |

### **Screw Metric Slotted Cheese**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 100              | 21                              |

### **Rivets Split Countersunk**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 1                | 21                              |

**Nut With Bolt**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address    | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|----------------|------------------|---------------------------------|
| 1                 | *****   | *****Gurdaspur | 100              | 21                              |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent

Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**