

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	09-02-2026 18:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	09-02-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Himachal Pradesh
विभाग का नाम / Department Name	Himachal Pradesh University, Shimla
संगठन का नाम / Organisation Name	Himachal Pradesh University, Shimla
कार्यालय का नाम / Office Name	Registrar Office
कुल मात्रा / Total Quantity	85943
वस्तु श्रेणी / Item Category	CAT 6a Cable Indoor , CAT 6a Cable Outdoor , IO Box , Wall Mount Networking Rack , 24 Port Jack Panel , CAT 6a Patch Cord 1 Mtr , CAT 6a Patch Cord 2 Mtr , Conduit Pipe , 16 Amp Electrical Switch and Socket , Electrical Wire , Pigtail , Fiber Patch Cord , Service Part
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	CAT 6A U/UTP Cable for Indoor, CAT 6A STP Cable for Outdoor, CAT6A U/UTP I/O Box with key stone jack, Wall Mounted Racks along with accessories , CAT6A U/UTP 24 Port JACK Panel with Labelling, CAT 6A U/UTP Mounting Cord 1mtr, CAT 6A U/UTP Mounting Cord 2 mtr, 2 PVC Conduit/Casing Capping for UTP Cabling , 1 PVC Conduit/Casing Capping for UTP Cabling , 16 Amp Switch & Socket (fixing on metal box of 180mmx100mmx60mm), Electric Wire 2.5mm (Heating) pack of 90 mtr, 0.75 mm earthing wire Pack of 90mtr, Pigtail Single Mode SC to SC Type, Fiber Patch Cord SC to LC 3 Meter (Single Mode), Laying and fixing of Outdoor STP Cable in PVT or HDPE Pipe, Laying and fixing of Indoor U/UTP CAT6a Cable in PVC Conduit , Laying of Optical Fibre Cable along with stay wire , Fixing of Wall Mounted Racks along with installation of accessories, Fixing and termination of 24 Port Jack Panel, I/O termination and Face Plating Fitting, , Fiber Splicing per core , Installation of electrical wire 2.5 mm earthing wire pack of 90 mtr, Installation of 0.75 mm earthing wire pack of 90 mtr, Fixing and installation of 16 Amp Switch & Socket in metal box , Digging per mtr, Fixing and Installation of Fibre LIU with Accessories, OTDR testing of OFC Cores
	Searched String: CAT 6A U/UTP Cable for Indoor Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cat 6 Patch cord, Cables suitable for CCTV System (Accessories), Cable Termination Kit (V2), XLPE Cable for Working Voltages

बिड विवरण / Bid Details

up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type: A PVC compound, Category: 01 as per IS:1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Category C1 - FR as per IS 1554 (Part 2), Cat 6 Patch Panel (V2), PVC Insulated (Heavy Duty) Electric Cables, Category C2 - FR - LSH as per IS 1554 (Part 2)

Searched String: CAT 6A STP Cable for Outdoor

Cables suitable for CCTV System (Accessories), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cable Termination Kit (V2), PVC Copper Cable (Heavy Duty), Type: A PVC compound, Category: 01 as per IS:1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Category C1 - FR as per IS 1554 (Part 2), PVC Insulated (Heavy Duty) Electric Cables, Category C2 - FR - LSH as per IS 1554 (Part 2), Ethernet Cables, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: CAT6A U/UTP I/O Box with key stone jack

Category not available on GeM for the text string uploaded by the buyer

Searched String: Wall Mounted Racks along with accessories

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Metal Storage Cabinet, Point of Sale (POS) Kiosk (V2), Bathroom Water Shower (V2), Metal Alloy Casting Water Tap with Aerator (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Vacuum Contactor, Wooden Display cabinet with Glass Doors, Battery-Powered Electronic Clock, Breath Analyser

Searched String: CAT6A U/UTP 24 Port JACK Panel with Labelling

Cat 6 Patch Panel (V2), Fiber Optic Patch Panels, Rack Mountable

Searched String: CAT 6A U/UTP Mounting Cord 1mtr

Cat 6 Patch cord, Laboratory Desiccator (V2), Electrical Extension Box (V4), Automatic Auditory Brainstem Response (ABR) Screener (V2) - RBSK, Cat 6 Patch Panel (V2), Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cables suitable for CCTV System (Accessories), IP Based KVM Switch

Searched String: CAT 6A U/UTP Mounting Cord 2 mtr

Cat 6 Patch cord, Electrical Extension Box (V4), Cat 6 Patch Panel (V2)

Searched String: 2 PVC Conduit/Casing Capping for UTP Cabling

PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Cables

बिड विवरण / Bid Details	suitable for CCTV System (Accessories)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: 1 PVC Conduit/Casing Capping for UTP Cabling</p> <p>Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1)</p> <p>Searched String: 16 Amp Switch & Socket (fixing on metal box of 180mmx100mmx60mm)</p> <p>Electrical Extension Box (V4)</p> <p>Searched String: Electric Wire 2.5mm (Heating) pack of 90 mtr</p> <p>Endotracheal Tube - Sterile (Single Use), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Stacker (V2), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Mild Steel Wire for General Engineering Purpose as per IS 280, Endodontic Files (V2)</p> <p>Searched String: 0.75 mm earthing wire Pack of 90mtr</p> <p>Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Laboratory Desiccator (V2), Endotracheal Tube - Sterile (Single Use), Fine Aggregate (V2) Conforming to IS 383</p> <p>Searched String: Pigtail Single Mode SC to SC Type</p> <p>Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Hexaconazole 5% Suspension Concentrate (SC) Conforming to IS 15692 (V2), Laboratory Desiccator (V2), Fipronil 5% Suspension Concentrate (Sc) Conforming To Is 16145 (V3), Net Camouflage Shrimp Type (Defence), Single Disc Scrubber, Fiber Optic Patch Panels, Rack Mountable, Topramezone 10g/l + Atrazine 300g/l SC (Suspension Concentrate), ADSS Optical Fibre Cable For laying along Power line alignments</p> <p>Searched String: Fiber Patch Cord SC to LC 3 Meter (Single Mode)</p> <p>Fiber Optic Patch Cord, Laboratory Desiccator (V2), Fiber Optic Patch Panels, Rack Mountable</p> <p>Searched String: Laying and fixing of Outdoor STP Cable in PVT or HDPE Pipe</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Laying and fixing of Indoor U/UTP CAT6a Cable in PVC Conduit</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Laying of Optical Fibre Cable along with stay wire</p> <p>Category not available on GeM for the text string uploaded</p>

बिड विवरण/Bid Details

by the buyer

Searched String: Fixing of Wall Mounted Racks along with installation of accessories

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing and termination of 24 Port Jack Panel

Category not available on GeM for the text string uploaded by the buyer

Searched String: I/O termination and Face Plating Fitting,

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fiber Splicing per core

Category not available on GeM for the text string uploaded by the buyer

Searched String: Installation of electrical wire 2.5 mm earthing wire pack of 90 mtr

Category not available on GeM for the text string uploaded by the buyer

Searched String: Installation of 0.75 mm earthing wire pack of 90 mtr

Category not available on GeM for the text string uploaded by the buyer

Searched String: Fixing and installation of 16 Amp Switch & Socket in metal box

Category not available on GeM for the text string uploaded by the buyer

Searched String: Digging per mtr

Energy Audit Service - Per Resource Per Month Based, Hiring of Consultants - Per Person Per Month Based, Goods Transport Service - Per MT per KM Based Service, Goods Transport Services - Per MT, Catering Service per Packet based, Warehousing Service - Per MT - Monthly Basis, Payment Gateway Service - Cost Per Transaction, Record Management Service - Per File Based, Call Centre Service - Per Seat Basis, Warehousing Service - Per MT - Annual Basis

Searched String: Fixing and Installation of Fibre LIU with Accessories

Management and Supply of ATM

Searched String: OTDR testing of OFC Cores

Selection of Laboratories for Testing of Products/Material, Testing of Water Quality, Cluster Outsourcing for Maintenance of Landline and Broadband network - OFC Network, Hiring of Third-Party Inspection Agency, Leasing in of Commercial Properties, Refilling of Industrial Gases in Cylinders, Hiring of Professionals for Application Development and Maintenance

बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Networking / Server Rack
बीओक्यू शीर्षक /BOQ Title	Passive Components
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	35 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	270 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid

बिड विवरण/Bid Details

प्राथमिक उत्पाद श्रेणी/Primary product category	CAT 6a Cable Indoor
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	7000000
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	150000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Finance Officer HPU

Finance Officer, Himachal Pradesh University, Summer Hill, Shimla-5
(Finance Officer)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
28-01-2026 17:00:00	Office of Campus Networking and Wi-Fi, Main Library Building, Himachal Pradesh University 171005

CAT 6a Cable Indoor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	31905	45

CAT 6a Cable Outdoor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	190	45

IO Box

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	1603	45

Wall Mount Networking Rack

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	70	45

24 Port Jack Panel

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	70	45

CAT 6a Patch Cord 1 Mtr

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	1709	45

CAT 6a Patch Cord 2 Mtr

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	1719	45

Conduit Pipe

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	2000	45

Conduit Pipe

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	12000	45

16 Amp Electrial Switch And Socket

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	70	45

Electrical Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	10	45

Electrical Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	7	45

Pigtail

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	88	45

Fiber Patch Cord

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	28	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	190	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	31905	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	250	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	70	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	70	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	1603	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	96	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	10	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	8	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	70	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	100	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	6	45

Service Part

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Tarun Sharma	171005,HIMACHAL PRADESH UNIVERSITY, GYAN-PATH, SUMMER-HILL, SHIMLA.	96	45

क्रता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

7. **Generic**

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. **Generic**

OPTIONAL SITE VISIT:

1. The Bidder is advised to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder.

Cost of visiting site shall be borne by the bidder

2. The Bidder representative shall be allowed entry upon consignee premises for such visits, only upon the express conditions that the Bidder will release and indemnify the Buyer and Consignee against all liabilities arising out of such visit including death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of such visit.

3. The Bidder shall not be entitled to hold any claim against Buyer for noncompliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

9. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

10. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

12. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

13. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

14. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

15. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Finance Officer, Himachal Pradesh University, Summer Hill, Shimla-5
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

16. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

17. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---

