

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-04-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-04-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Haryana
विभाग का नाम/Department Name	Urban Local Bodies
संगठन का नाम/Organisation Name	Directorate Of Urban Local Bodies
कार्यालय का नाम/Office Name	Panchkula
कुल मात्रा/Total Quantity	2
वस्तु श्रेणी /Item Category	Modular Toilet (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Modular Toilet
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईएमडी राशि/EMD Amount	35000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

The Secretary
Municipal Council Kaithal
(The Secretary Municipal Council Kaithal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Modular Toilet (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Number of Compartments	10 - seater modular toilet
	Type of WC	Indian with SS pan
	Water facility	By mean of overhead tank(Capacity 750Ltrs)
	Sewage facility	Sludge tank (capacity-2000ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 10-seater)
	ventilation	Full size ventilation above door plus half size ventilation on other side for cross ventilation
	Leech pit provision	No
	Civil foundation	No foundation Required
FRAME MATERIAL	Side panel frame material	35mm X 35mm X 5mm(thick) and 5mm X 25mm X 3mm(thick) MS angle (for 4-seater/6-seater/8-seater & 10-seater)
	Top(roof) frame material	40mm X 40mm X 5mm(thick)-35mm X 35mm X 5mm(thick) and 25mm X 25mm X 3mm(thick) MS angle

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Top(roof) support frame structure	40mm X 5mm(thick),35mm X 5mm(thick),25mm X 3mm(thick) MS flat
	Partition frame material	35mm X 35mm X 5mm(thick),25mm X 25 mm X 3mm(thick) MS angle
	Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS
	Door frame material	50mm X 25mm of 14-16gauge rectangular MS hollow pipe
	Support material for Door panel fixing	Aluminium U-channel of 18gauge
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness Chrome plated
	Tank holder frame material	25mm X 3mm(thick) MS flat
	Unit understructure	NO legs base
	Stairs frame material	25mm x 25mm X 3mm MS angle
	Stairs material	25mm X 3mm MS flat
	Door Tee material	40mm X 40mm x40mm X 5mm(thick) MS Tee
PANEL MATERIAL	Side panel material	Single layer 3mm thick FRP
	Top(Roof) panel material	Single layer 3mm thick FRP
	Door panel material	Single layer 3mm thick FRP
	partition panel material	Single layer 3mm thick FRP
	Floor material(inside cubical)	5mm thick FRP material
DIMENSION	size of each cubical(LXWXH) ± 25mm	890mm X 840mm X 1980mm
	Partition height ± 20mm	1830mm
	Stairs size ± 10mm	610mm X 230mm having 3-step
MISC	Overhead tank material	made of double layer HDPE sheet
	Sewage tank material	Sludge tank made of FRP 4mm thick (for 4-seater/6-seater/8-seater and 10-seater)
	Electric provision	By mean of connection from main line
	Base floor surface(inside)	To be suitably slanted towards WC for proper drainage(for Indian WC)
	Raised platform for passage	Width of passage 1220mm and height of passage above ground level 225mm antiskid block finish on passage only
CIVIL FOUNDATION DETAILS	Brick foundation size	200mm X 200mm with depth of 200mm from ground level for anchor/column locations
	Pocket to be filled	With PCC of 1:2:4 ratio after grouting of steel element of structure
	Plinth height	N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Platform size	1125mm X 1500mm
	Soling height	N.A
	Floor casting	75mm thick PCC of 1:2:4 ratio above brick flat soling
	Outside plinth plaster	N.A
	Stairs dimension	N.A
TWIN LEECH PIT	Twin leech pit with inspection chamber	N.A
	Construction of leech pit	N.A
	Top cover	N.A
	Dimension(inside) of one inspection chamber	N.A
	Base of chamber	N.A
	Finishing of chamber(inside surface)	N.A
	Pipe connection	N.A
WARRANTY	Warranty period in number of years	1

Additional Specification Parameters - Modular Toilet (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
10-Seater Mobile Toilet (Quantity-1)	Only buyer added ATC specification will be considered.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Varun	136027,Municipal Council Office, Near Saheed Chowk, Kaithal (HR)	1	30

Modular Toilet (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Number of Compartments	6 - seater modular toilet
	Type of WC	Indian with FRP pan
	Water facility	By mean of overhead tank(Capacity 500Ltrs)
	Sewage facility	Sludge tank (capacity-600ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 6-seater)
	ventilation	One No.
	Leech pit provision	Yes
	Civil foundation	No foundation Required
FRAME MATERIAL	Side panel frame material	35mm X 35mm X 5mm(thick) and 5mm X 25mm X 3mm(thick) MS angle (for 4-seater/6-seater/8-seater & 10-seater)
	Top(roof) frame material	40mm X 40mm X 5mm(thick)-35mm X 35mm X 5mm(thick) and 25mm X 25mm X 3mm(thick) MS angle
	Top(roof) support frame structure	40mm X 5mm(thick),35mm X 5mm(thick),25mm X 3mm(thick) MS flat
	Partition frame material	35mm X 35mm X 5mm(thick),25mm X 25 mm X 3mm(thick) MS angle
	Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS
	Door frame material	50mm X 25mm of 14-16gauge rectangular MS hollow pipe
	Support material for Door panel fixing	Aluminium U-channel of 18gauge
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS
	Tank holder frame material	25mm X 3mm(thick) MS flat
	Unit understructure	Supported by 4-legs of size 75mm X 37mm C-channel MS angle
	Stairs frame material	25mm x 25mm X 3mm MS angle
	Stairs material	25mm X 3mm MS flat
	Door Tee material	40mm X 40mm x40mm X 5mm(thick) MS Tee
PANEL MATERIAL	Side panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm)
	Top(Roof) panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm)
	Door panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm)
	partition panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Floor material(inside cubical)	5mm thick FRP material
DIMENSION	size of each cubical(LXWXH) ± 25mm	915mm X 915mm x 1980mm
	Partition height ± 20mm	1830mm
	Stairs size ± 10mm	610mm X 230mm having 1-step
MISC	Overhead tank material	Made of PVC
	Sewage tank material	Sludge tank made of FRP 4mm thick (for 4-seater/6-seater/8-seater and 10-seater)
	Electric provision	By mean of connection from main line
	Base floor surface(inside)	To be suitably slanted towards WC for proper drainage(for Indian WC)
	Raised platform for passage	Width of passage 1220mm and height of passage above ground level 225mm antiskid block finish on passage only
CIVIL FOUNDATION DETAILS	Brick foundation size	N.A
	Pocket to be filled	N.A
	Plinth height	N.A
	Platform size	N.A
	Soling height	N.A
	Floor casting	N.A
	Outside plinth plaster	N.A
	Stairs dimension	N.A
TWIN LEECH PIT	Twin leech pit with inspection chamber	N.A
	Construction of leech pit	N.A
	Top cover	N.A
	Dimension(inside) of one inspection chamber	N.A
	Base of chamber	N.A
	Finishing of chamber(inside surface)	N.A
	Pipe connection	N.A
WARRANTY	Warranty period in number of years	1

Additional Specification Parameters - Modular Toilet (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
6-Seater Mobile Toilet (Quantity-1)	Only buyer added ATC specification will be considered.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Varun	136027,Municipal Council Office, Near Saheed Chowk, Kaithal (HR)	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to

exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---