

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-05-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-05-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Railways
विभाग का नाम/Department Name	Indian Railways
संगठन का नाम/Organisation Name	South Central Railway
कार्यालय का नाम/Office Name	Principal Chief Material Manager Secunderabad
कुल मात्रा/Total Quantity	4
वस्तु श्रेणी /Item Category	Solid Cushion Tyres (V3) (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Solid Cushion Tyres (V3)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	4 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

Solid Cushion Tyres (V3) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimension and Constructions	Rim	Without Rim
	Tyre Size (Inch)	8.15-15
	Rim Width	7
	Load Capacity of Tyre (In Kg)	3001-3200
Certification, Testing & Warranty	Agreed to furnish all the test reports and certificates to buyer/consignee on demand	Yes

Additional Specification Parameters - Solid Cushion Tyres (V3) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION:	SOLID CUSHION TYRE OF SIZE 23" x 7"x 12" SUITABLE TO RIM FOR THE USE ON DIESEL OPERATED FORK LIFTER OF 03/05 TONNE CAPACITY.MATERIAL SHALL BE NATURAL RUBBER CONFIRMING TO STANDARD ISO:9001
NOTE:	Solid 3-layer rubber: Hard base, heat-dissipating soft center for 45°C+ ops, and tough tread. 2. 100% puncture-proof for metal debris. Flat-proof design with reinforced rim guard sidewalls to protect wheels near tracks/frames.

Specification Parameter Name	Bid Requirement (Allowed Values)
NOTE1:	3. Dusty & Marshy - Deep Lug / Block Tread Pattern with a wide footprint to prevent sinking and provide grip on slippery/loose surfaces. They must offer high cut-and-chip resistance, ensuring reliable operation in demanding environments while keeping a firm grip, avoiding the smooth, slippery surface of traditional smooth tires. 4. Rough Terrain - Cut & Chip Resistance. Tread must use a Natural Rubber Compound with high tensile strength to prevent "chunking" (rubber pieces falling off).

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Peruri Amala Rao	506003,GSTIN Number: 36AAAGM0289C1ZK, Office of the Sr. DME/DSL/KZJ, DIESEL LOCO SHED, KAZIPET. mail: srdmedslkzj@gmail.com, Ph. No. 97013 71487	2	30

Solid Cushion Tyres (V3) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimension and Constructions	Rim	Without Rim
	Tyre Size (Inch)	23 x 9 - 10
	Rim Width	6.5
	Load Capacity of Tyre (In Kg)	3201-3400
Certification, Testing & Warranty	Agreed to furnish all the test reports and certificates to buyer/consignee on demand	Yes

Additional Specification Parameters - Solid Cushion Tyres (V3) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)

Specification Parameter Name	Bid Requirement (Allowed Values)
DESCRIPTION:	SOLID CUSHION TYRE OF SIZE 23" x 6.5"x 10" SUITABLE TO RIM FOR THE USE ON DIESEL OPERATED FORK LIFTER OF 03 TONNE CAPACITY. MATERIAL SHALL BE NATURAL RUBBER CONFIRMING TO STANDARD ISO:9001
NOTE:	Solid 3-layer rubber: Hard base, heat-dissipating soft center for 45°C+ ops, and tough tread. 2. 100% puncture-proof for metal debris. Flat-proof design with reinforced rim guard sidewalls to protect wheels near tracks/frames.
NOTE1:	3. Dusty & Marshy - Deep Lug / Block Tread Pattern with a wide footprint to prevent sinking and provide grip on slippery/loose surfaces. They must offer high cut-and-chip resistance, ensuring reliable operation in demanding environments while keeping a firm grip, avoiding the smooth, slippery surface of traditional smooth tires. 4. Rough Terrain - Cut & Chip Resistance. Tread must use a Natural Rubber Compound with high tensile strength to prevent "chunking" (rubber pieces falling off).

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Peruri Amala Rao	506003,GSTIN Number: 36AAAGM0289C1ZK, Office of the Sr. DME/DSL/KZJ, DIESEL LOCO SHED, KAZIPET. mail: srdmedslkzj@gmail.com, Ph. No. 97013 71487	2	30

Special terms and conditions-Version:2 effective from 18-08-2025 for category Solid Cushion Tyres (V3)

- Special Terms and Conditions for Solid Cushion Tyres (V3)**

 - The category: "Solid Cushion Tyres" is to cater to the requirements of procurement of Solid Cushion Tyres. This category is bid only category and Direct Purchase is not enabled.
 - The buyer may specify the details of the vehicle for which Solid Cushion Tyres are required.
 - Details on environmental conditions, working conditions and specific application may also be included by the buyer in the bid.
 - Details on warranty shall be specified by the buyer in the bid.
 - The buyer may verify that the supplied tyre is not more than 6 months old from its manufacturing date.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to

increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Warranty**

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope

WARRANTY CERTIFICATE SHALL BE SUPPLIED ALONG WITH THE MATERIAL

(Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

4. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. These tyres are required for DIESEL OPERATED FORK LIFTER OF 03 TON CAPACITY. MATERIAL SHALL BE NATURAL RUBBER CONFIRMING TO STANDARD [ISO:9001](#)

2. Requirement: 1. FRONT TYRE OF SIZE 23" x 6.5"x 10" (Quantity 02 NOs), 2. REAR TYRE OF SIZE 26"x7.00" X 12" (Quantity 02 NOs).

Additional Parameters required:

1. High Working Temp (40-50°C) - Must be 3-Layer Construction: 1. Hard Base (for rim stability), 2. Soft Center (cushioning & heat dissipation), 3. Tough Tread. The construction must include a dedicated heat-dissipation center layer to ensure continuous operation in ambient temperatures exceeding 45°C without internal thermal degradation

2. Metal Debris - 100% Solid Resilient Rubber; must be "Flat-Proof" with no air cavity or foam filling. Tyres must offer 100% Puncture Immunity against metallic scrap and sharp debris. Sidewalls must be reinforced with a Rim Guard feature to protect the wheel rims from impact damage during operation near railway tracks and sliding door frames.

3. Dusty & Marshy - Deep Lug / Block Tread Pattern with a wide footprint to prevent sinking and provide grip on slippery/loose surfaces. They must offer high cut-and-chip resistance, ensuring reliable operation in demanding environments while keeping a firm grip, avoiding the smooth, slippery surface of traditional smooth tires.

4. Rough Terrain - Cut & Chip Resistance. Tread must use a Natural Rubber Compound with high tensile strength to prevent "chunking" (rubber pieces falling off).

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its

outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---