

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 21-05-2026 18:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 21-05-2026 18:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Heavy Industries And Public Enterprises |
| विभाग का नाम/Department Name | Department Of Heavy Industry |
| संगठन का नाम/Organisation Name | National Automotive Board |
| कार्यालय का नाम/Office Name | National Automotive Board Manesar |
| कुल मात्रा/Total Quantity | 165 |
| वस्तु श्रेणी /Item Category | 12 VDC Relay with base , 24 VDC Relay With base , 24 AC Relay With Base , Power Supply 5VDC, 10A , Power Supply 12VDC, 10A , Power Supply 24VDC, 10A , Encoder , PT 100 Temp Sensor , PID Temp Controller , Humidity Controller , Timer Relay , Soldering Station , Octal Relay 12 VDC , Octal Relay 24VDC , Solid State Relay 24VDC , TDK Lambda Power Supply NV 350 , Single Phase Preventer , Selector Switch , 3 Phase Power Rotary Switch , Allen Bradley battery , CMOS Battery , Lithium Battery , 3.7kW VFD , IC Thermal Paste Heat Sink , Resistor HS100 2R2 , HRC Fuse bottle neck 10A , HRC Fuse bottle neck 20A , HRC Fuse bottle neck 25A , HRC Fuse bottle neck 16A , Resistor box kit , Capacitor box kit , Mosfet , Transistor and Electronic component kit , PILZ Safety Relay , Proximity Sensor , Allen Bradley power supply 1606-XLP , Flexible Coupling , Passive high volatage Probe , 170M6162 Fuse , KTY2K-M4-800 Temp. Sensor , 10 OHM 10 percentage 200W GRI , DC 1700V 1U0 10 percentage FST Capacitor , KTK 25 Fuse , 170M6811 Fuse , KTY10-6-M4-400 Temp. Sensor , 150W 10K 10 percentage , Pressure Switch 1 , Pressure Switch 2 , V Belt , Wedge Belt , Hydraulic oil filter 1 , Hydraulic oil filter 2 , Pneumatic Solenoide SMC , Bussmann Fuse |

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

12 VDC Relay with base, 24 VDC Relay With base, 24 AC Relay With Base, Power Supply 5VDC, 10A, Power Supply 12VDC, 10A, Power Supply 24VDC, 10A, Encoder , PT 100 Temp Sensor, PID Temp Controller, Humidity Controller, Timer Relay, Soldering Station (Soldering & Desoldering), Octal Relay (12VDC), Octal Relay (24VDC), SSR 24VDC, TDK Lambda Power Supply (NV-175), Single Phase Preventer, Selector Switch, 3 Phase Power Rotary Switch , Allen Bradley battery , CMOS Battery, Lithium Battery, 3kW VFD , IC Thermal Paste (Heat Sink), Resistor (HS100), HRC Fuse bottle neck 10A, HRC Fuse bottle neck 20A, HRC Fuse bottle neck 25A, HRC Fuse bottle neck 16A, Resistor box kit, Capacitor box kit, Mosfet, Transistor & Electronic component kit , PILZ Safety Relay, Proximity Sensor, Allen Bradley power supply 1606-XLP, Flexible Coupling , Passive high volatage Probe, 170M6162 Fuse, KTY2K-M4-800 Temp. Sensor, 10 OHM+-10% 200W GRI 20/267 Resistor, DC 1700V 1U0+-10% FST Capacitor, KTK-25 Fuse, 170M6811 Fuse, KTY10-6-M4-400 Temp. Sensor, 150W 10K +-10% D3/D4 Resistor, Pressure Switch # 1, Pressure Switch # 2, V Belt , Wedge Belt, Hydraulic oil filter # 1, Hydraulic oil filter # 2, Pneumatic Solenoide SMC, Bussmann Fuse

Searched String: 12 VDC Relay with base
 Tributyrin Agar Base without Tributyrin, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Stainless Steel Utensil as per IS 14756, Lighting Box (Flasher For Police Vehicles), Mechanised Hook and Clips with Base(OFB-DEFENCE), pH Meter, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, ISAT Phone Docking Unit Along with Magnetic Base Outdoor / Vehicular Antenna, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Lithium Base Grease for Automotive Purposes as per IS 12203

Searched String: 24 VDC Relay With base
 Plug In Relay, 24V DC (BHEL-SCR), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Stainless Steel Utensil as per IS 14756, Directional Control Valve, Mechanised Hook and Clips with Base(OFB-DEFENCE), pH Meter, Tributyrin Agar Base without Tributyrin, Lighting Box (Flasher For Police Vehicles), ISAT Phone Docking Unit Along with Magnetic Base Outdoor / Vehicular Antenna, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559

Searched String: 24 AC Relay With Base
 Plug In Relay, 24V DC (BHEL-SCR), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Stainless Steel Utensil as per IS 14756, Directional Control Valve, Mechanised Hook and Clips with Base(OFB-DEFENCE), Digital pH Meter, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Lighting Box (Flasher For Police Vehicles), Tributyrin Agar Base without Tributyrin, pH Meter

Searched String: Power Supply 5VDC, 10A

विड विवरण / Bid Details

Portable Power Supply Unit, Diesel Power Generator (up to 900 KVA), DC Regulated Power Supply As Per MHA QRs, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), File/Folder (V3), Switching Power Supply for Wireless Application, Online UPS (>10 KVA) Without Battery, high performance power supplies, Online UPS (>10 KVA) With Battery, Computer Monitor (V2)

Searched String: Power Supply 12VDC, 10A

Portable Power Supply Unit, Diesel Power Generator (up to 900 KVA), DC Regulated Power Supply As Per MHA QRs, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Cleaning Duster (V3), Switching Power Supply for Wireless Application, high performance power supplies, Online UPS (>10 KVA) Without Battery, Computer Monitor (V2), Online UPS (>10 KVA) With Battery

Searched String: Power Supply 24VDC, 10A

Portable Power Supply Unit, Diesel Power Generator (up to 900 KVA), DC Regulated Power Supply As Per MHA QRs, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), high performance power supplies, Switching Power Supply for Wireless Application, Multi function Calibrators, Online UPS (>10 KVA) Without Battery, Computer Monitor (V2), Online UPS (>10 KVA) With Battery

Searched String: Encoder

Rotary Encoder, Video Conferencing Media Encoder, RFID Label Printer with Encoder, PVC Card Printers

Searched String: PT 100 Temp Sensor

PT 100 DUPLEX RTD (Air Circuit) (BHEL), Pt 100 Duplex Rid For Stator Winding Core and Tooth (BHEL), Temperature sensor, Temperature & Humidity Sensor

Searched String: PID Temp Controller

PID Controller, Diesel Power Generator (up to 900 KVA), Temperature Controller, Temperature humidity controller, magnetic stirrers, Wireless Controller, Sanitary Napkins Incinetator Machine with Smoke Control Unit, Motorized Pipette Controller, Wheel Chairs (V2), Hybrid Charge Controller

Searched String: Humidity Controller

Temperature humidity controller, Diesel Power Generator (up to 900 KVA), Humidity Chamber, Temperature & Humidity Sensor, magnetic stirrers, Wireless Controller, Sanitary Napkins Incinetator Machine with Smoke Control Unit, PID Controller, Wheel Chairs (V2), Temperature Controller

Searched String: Timer Relay

Time delay relay, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Digital Timer, Auto Drain Trap Valve-Solenoid operated (To drain Water) for Oxygen Concentrator, Stopwatch (V2), Relay Testing Educational Kit, Overload Relay, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Relay Module, Rotary Shaker

Searched String: Soldering Station (Soldering &

विड विवरण/Bid Details

Desoldering)

Soldering and Desoldering Station with digital display, SMD Rework Station, Temperature controlled soldering station, Electronic Welding (Soldering) Tool Kit, Electric Soldering Iron, Soldering Clamp Holder, Fume extraction unit for filtration of soldering fumes, Soft Solder - IS 193, Soft Solder for Electronic applications

Searched String: Octal Relay (12VDC)

Overload Relay, Cleaning Duster (V3), Relay Module, Time delay relay, CONTACTOR RELAY, Vacuum Oven, LED Flasher Relay, Relay Testing Educational Kit, Voltage Monitor Relay, Surgical Sutures

Searched String: Octal Relay (24VDC)

Overload Relay, Cleaning Duster (V3), Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Layer 2 Access Switch (V2), Voltage Monitor Relay, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Time delay relay

Searched String: SSR 24VDC

Cleaning Duster (V3), Surface Resistivity Meter (V2), Layer 2 Access Switch (V2), Time delay relay, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Commercial Idli Steamer, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Vacuum Oven, Medical Centrifuge, 15w - 40 Diesel Engine Oil

Searched String: TDK Lambda Power Supply (NV-175)

high performance power supplies

Searched String: Single Phase Preventer

Single phasing preventer Relay (SPPR), Surgical Gowns Conforming to IS 17334, Power Quality Analyzer, Phase Indicator, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Sofa (V3), Solid Phase Extraction unit, Digital Grounding Device 3 Phase, Sterile Hypodermic Syringe (V3)

Searched String: Selector Switch

Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Layer 2 Access Switch (V2), Limit Switch, Ammeter - Analog (Panel Meter) as per IS 1248, Time Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch, Voltmeter - Analog (Panel Meter) as per IS 1248, Industrial Switch, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3)

Searched String: 3 Phase Power Rotary Switch

Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Layer - 3 Core Switch, Layer - 3 Distribution Switch, Layer 3 - Access Switch, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Layer 3 Access Switch

विड विवरण/Bid Details (V2), Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Digital Grounding Device 3 Phase, Computer Monitor (V2)

Searched String: Allen Bradley battery

Allen Bolt, Online UPS (V2), Allen Key, Programmable Logic Controller (PLC), Insulated allen key, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Cover, Battery Tester, Non-Sparking Allen Key-IS:4595, Battery Terminal Coating

Searched String: CMOS Battery

Battery Cover, Online UPS (V2), Battery Tester, Battery Terminal Coating, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Link Terminal, Gel Documentation System, Inverter Battery Trolley, AllMS Neuropsychological Battery, Battery Operated Combitoool

Searched String: Lithium Battery

Lithium ion solar battery, Online UPS (V2), Lithium Battery For Use With Radio Set in Mobile Role as per MHA QRs, Lithium Battery for Hand Held Radio Set as per MHA QR, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), 72V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Lithium Metaborate, Online UPS (> 10 KVA) With Battery

Searched String: 3kW VFD

High End Desktop Computer, Entry and Mid Level Desktop Computer, Viscometer, Sofa (V3), Interactive Panels with CPU, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), All in One PC (V2), Garden Bench, Laminar air flow cabinets or stations

Searched String: IC Thermal Paste (Heat Sink)

Extruded Heat Sink, Solar Water Heating System as per IS 12976:1990, Thermal Grease, Liquid Cooled Heat Sink(BHEL), Aluminized Leg Guard (V2), Tubular Furnace

Searched String: Resistor (HS100)

Neutral Grounding Resistor (NGR), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Resistors (V2), Rheostat Kit For Educational Purpose, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, CR Type Surge Suppressor Upto 33 kV (BHEL), Hot air oven, Digital Multimeter, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Classroom Stools

Searched String: HRC Fuse bottle neck 10A

HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Laboratory Glassware Bottles (Screw - Neck Bottles) (V2) Conforming to IS 1388 (Part 1), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To

| बिड विवरण / Bid Details | IS/IEC 60947 (Part 3), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Plastic Bottles |
|--|--|
| <p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p> | <p>Water Bottle With Carry Bag For Cpmf (MHA), Non Sparking Chisel-IS:4595, Ribonuclease A, Bottle for Chemical Laboratory</p> <p>Searched String: HRC Fuse bottle neck 20A</p> <p>HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Laboratory Glassware Bottles (Screw - Neck Bottles) (V2) Conforming to IS 1388 (Part 1), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Rubber Hot Water Bottel as per IS 1867, Ribonuclease A, Glass Fuse, Bottle for Chemical Laboratory, Microscope immersion oil</p> <p>Searched String: HRC Fuse bottle neck 25A</p> <p>HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Laboratory Glassware Bottles (Screw - Neck Bottles) (V2) Conforming to IS 1388 (Part 1), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Isopropyl Alcohol (2 - Propanol), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Silver sulfate, GLACIAL ACETIC ACID, Ribonuclease A, Bottle for Chemical Laboratory</p> <p>Searched String: HRC Fuse bottle neck 16A</p> <p>HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Laboratory Glassware Bottles (Screw - Neck Bottles) (V2) Conforming to IS 1388 (Part 1), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Ribonuclease A, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Bottle for Chemical Laboratory, Microscope immersion oil, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926</p> <p>Searched String: Resistor box kit</p> <p>Rheostat Kit For Educational Purpose, Neutral Grounding Resistor (NGR), Resistors (V2), Muffle/Box Furnace (V2), masala box ss to cqa secification, File/Folder (V3), Tissue box, Biochemistry Reagent Kit for Human Samples, Resistance Box, personal safety kit reflective luminous garments</p> <p>Searched String: Capacitor box kit</p> <p>Capacitor Banks For Use On 11 KV System (PSPCL)), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), masala box ss to cqa secification, Muffle/Box Furnace (V2), Tissue box, File/Folder (V3), Resistance Box, Biochemistry Reagent Kit for Human Samples, Pencil box, personal safety kit reflective luminous garments</p> <p>Searched String: Mosfet, Transistor & Electronic component kit</p> |

| बिड विवरण / Bid Details | DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Electronic component cleaner Sprayer, |
|-------------------------|---|
| | <p>Electronic component cleaner (co2), Storage Box for Electronic Component, Transformer Oil BDV Test Kit, Electronic Welding (Soldering) Tool Kit, Electronic Tyre Inflator Kit For Educational Purpose, Electronics & Hardware Kit, Digital Trainer Kit, Aadhaar Enrollment Kit Accessories as per UIDAI Specification</p> <p>Searched String: PILZ Safety Relay</p> <p>Overload Relay, personal safety kit reflective luminous garments, Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Polyester Webbing Slings, Voltage Monitor Relay, Electrical Safety Devices And Accessories (Insulating Mats For Electrical Purposes) ISI Marked to IS 15652, Time delay relay</p> <p>Searched String: Proximity Sensor</p> <p>Inductive Proximity Sensor, Breath Analyser, Automatic Door sensor, Fire Proximity Suit Accessories - Helmet, Locking Compression Plates (V2), Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Force Sensor, Soil Moisture Sensor</p> <p>Searched String: Allen Bradley power supply 1606-XLP</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Flexible Coupling</p> <p>Flexible Jaw Coupling, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Gear couplings, Grid coupling, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Cystoscope, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Saddle Coupling (BHEL), Coupling-I (BHEL), Cryogenic Flexible Hose</p> <p>Searched String: Passive high volatage Probe</p> <p>High Voltage Probe, High Voltage Probe (V2)</p> <p>Searched String: 170M6162 Fuse</p> <p>Glass Fuse, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Cylindrical Fuses, water baths, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Drop Out Fuses, Ultra low temperature laboratory deep freezer, HT Motor Protection Fuse (BHEL), Blade Fuses-IS:13703, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926</p> <p>Searched String: KTY2K-M4-800 Temp. Sensor</p> <p>Temperature sensor, water baths, Temperature & Humidity Sensor, Laminar air flow cabinets or stations, Stability Chamber, Ultra low temperature laboratory deep freezer, Turbine Flow Meter, Biosafety Cabinet, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Laboratory Incubators</p> <p>Searched String: 10 OHM+-10% 200W GRI 20/267 Resistor</p> |

विड विवरण / Bid Details

Digital pH Meter, Resistors (V2)

Searched String: DC 1700V 1U0+-10% FST Capacitor

Digital pH Meter, Analog-Digital Circuits Development Platform, Circuit Breakers for DC Operation, Light emitting diode driver, Line Interactive UPS with AVR (V2)

Searched String: KTK-25 Fuse

Glass Fuse, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Cylindrical Fuses, Electronic Weighing Scales, Iprodion 25% + Carbendazim 25% WP (Wettable Powder), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Drop Out Fuses

Searched String: 170M6811 Fuse

Glass Fuse, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Cylindrical Fuses, water baths, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Drop Out Fuses, Ultra low temperature laboratory deep freezer, HT Motor Protection Fuse (BHEL), Blade Fuses-IS:13703, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926

Searched String: KTY10-6-M4-400 Temp. Sensor

shoes school pvc boys girls, Tress Name Plate (V2), Zinc Oxide Elastic Self - Adhesive Bandage (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Polyurethane Tube (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Staplers (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)

Searched String: 150W 10K +-10% D3/D4 Resistor

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Bucket Mop Wringer Trolley, Resistors (V2), Line Interactive UPS with AVR (V2), Neutral Grounding Resistor (NGR), Crepe Bandage Conforming to IS 4605, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Endotracheal Tube - Sterile (Single Use), Electronic Lectern, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Pressure Switch # 1

Digital Pressure Switch, Nitrile Coated/Nitrile Hand Gloves (V2), Differential Pressure Switch (BHEL), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Multipara Monitor - Low End, Limit Switch, Time Switch, BOD Incubator, Reed Switch, Industrial Switch

Searched String: Pressure Switch # 2

Digital Pressure Switch, Sofa (V3), Differential Pressure

बिड विवरण / Bid Details

Switch (BHEL), Layer 2 Access Switch (V3), Laminar air flow cabinets of stations, Layer 2 Access Switch (V2), Argon

Plasma Coagulator with ESU, Layer - 2 Access Switch for Railways, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), KVM Switches (V2)

Searched String: V Belt

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Insulation Tester, PENICILLIN V, Small Angle Grinders, Belt Trainer, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Timing Belt, Belt Oil skimmer, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)

Searched String: Wedge Belt

Wedge Wire Screen, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Belt Trainer, Timing Belt, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Belt Oil skimmer, jacks hydraulic, Conveyor Belt System, Weigh Belt Feeder, Leather belt (MHA)

Searched String: Hydraulic oil filter # 1

Filter Cartridge, Power Hacksaw Machine, Oil Filter Cartridges, Oil filter assembly for wheel loader, Marine Hydraulic Oil, Antiwear Hydraulic Oil (V3) as per IS 11656, Anti Wear Hydraulic Oil - Coal India, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Hydraulic Torque Wrench Set, Paraffin Oil

Searched String: Hydraulic oil filter # 2

Filter Cartridge, Syringe Filter, Oil Filter Cartridges, Battery Operated Industrial Sweeper, Marine Hydraulic Oil, Antiwear Hydraulic Oil (V3) as per IS 11656, Oil filter assembly for wheel loader, Anti Wear Hydraulic Oil - Coal India, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, centrifugal oil cleaning machine

Searched String: Pneumatic Solenoide SMC

Pneumatic fender, Pneumatic impact wrenches, Pneumatic Planter, Submersible Sewerage Pump, Pneumatic Grinder, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Control Valve Pneumatic, Intubating Laryngoscope for Anesthesia Procedures, Pneumatic Barrel Pump, Pneumatic tool oils

Searched String: Bussmann Fuse

Glass Fuse, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Cylindrical Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Drop Out Fuses, Industrial composite color 3D Printer, HT Motor Protection Fuse (BHEL), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Blade Fuses-IS:13703

| बिड विवरण/Bid Details | |
|---|---|
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> • Overload Relay |
| बीओक्यू शीर्षक / BOQ Title | Supply of Electrical and Electronics Spare Parts |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service | 3 Year (s) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover | No |
| विक्रेता से मांगे गए दस्तावेज़/ Document required from seller | <p>Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p> |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 3 |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule | H1-Highest Priced Bid Elimination |
| बिड का प्रकार/ Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/ Primary product category | 12 VDC Relay with base |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation | 2 Days |

बिड विवरण/Bid Details

| | |
|--|-----------------------------|
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/ Evaluation Method | Total value wise evaluation |
| वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required | Yes |
| मध्यस्थता खंड/ Arbitration Clause | No |
| सुलह खंड/ Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

| | |
|---|---|
| एमआईआई खरीद वरीयता / MII Purchase Preference | Yes |
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X% | 20 |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference | 50 |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

12 VDC Relay With Base

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

24 VDC Relay With Base

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

24 AC Relay With Base

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

Power Supply 5VDC, 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Power Supply 12VDC, 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Power Supply 24VDC, 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Encoder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

PT 100 Temp Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 2 | 90 |

PID Temp Controller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-------------|------------------|---------------------------------|
|-------------------|---|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Humidity Controller

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Timer Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Soldering Station

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Octal Relay 12 VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Octal Relay 24VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Solid State Relay 24VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

TDK Lambda Power Supply NV 350

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Single Phase Preventer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Selector Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-------------|------------------|---------------------------------|
|-------------------|---|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

3 Phase Power Rotary Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 2 | 90 |

Allen Bradley Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

CMOS Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 5 | 90 |

Lithium Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 5 | 90 |

3.7kW VFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

IC Thermal Paste Heat Sink

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Resistor HS100 2R2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

HRC Fuse Bottle Neck 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

HRC Fuse Bottle Neck 20A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-------------|------------------|---------------------------------|
|-------------------|---|-------------|------------------|---------------------------------|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

HRC Fuse Bottle Neck 25A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

HRC Fuse Bottle Neck 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 10 | 90 |

Resistor Box Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Capacitor Box Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Mosfet, Transistor And Electronic Component Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

PILZ Safety Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Proximity Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 5 | 90 |

Allen Bradley Power Supply 1606-XLP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Flexible Coupling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-------------|------------------|---------------------------------|
|-------------------|---|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Passive High Volatage Probe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

170M6162 Fuse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

KTY2K-M4-800 Temp. Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

10 OHM 10 Percentage 200W GRI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

DC 1700V 1U0 10 Percentage FST Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

KTK 25 Fuse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

170M6811 Fuse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

KTY10-6-M4-400 Temp. Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

150W 10K 10 Precentage

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-------------|------------------|---------------------------------|
|-------------------|---|-------------|------------------|---------------------------------|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Pressure Switch 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|---|------------------|------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLOGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Pressure Switch 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

V Belt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Wedge Belt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Hydraulic Oil Filter 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Hydraulic Oil Filter 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 3 | 90 |

Pneumatic Solenoide SMC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 1 | 90 |

Bussmann Fuse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|--|------------------|---------------------------------|
| 1 | Girish Chander | 122051,INTERNATIONAL CENTRE FOR AUTOMOTIVE TECHNOLGY Plot No 26, Sector 3, HSIIDC, IMT-Manesar, Gurgaon 122050 | 2 | 90 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or

notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---