

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-02-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	16-02-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	100
वस्तु श्रेणी /Item Category	PRESSURE SWITCH BSS , PT 100 SENSOR BSS , PRESSURE GAUGES BSS , BALL VALVE BSS , ECG KEY PAD MODEL FLIGHT 1201 , HANDPIECE FOR DENTAL , PSU CARD FOR OCEAN , BATTERY ECG 14 POINT 8 VOLT 4400 MAH , PSU CARD FOR CONTEC , SWITCH ON OFF , FRONT SCREEN FOR MEDOXY PATIENT MONITOR , DATA BUS FLAT CABLE 20 PIN FOR COMEN CM 1200A , BP CUFF DIGITAL , SPO2 PROBE 5 PIN SINGLE NOTCH , SPO2 PROBE 6 PIN DOUBLE NOTCH , FILTE FOR SUCTION APRATERS , ELECTRODES FOR COMBINATION THERAPY , OXYGEN REGULATOR BRASS SLEEVED , GLASS TUBE FOR STERILIZER , FEVIKWICK LIQUID , THERMAL SLEEVE PKT , AIR ROTOR HAND PIECE WITH LED AND KEY , CONNECTOR FOR RESMED VENTILATOR , SPO2 PROBE 6 PIN SINGLE NOTCH , COMPRESSOR MOTOR FOR DENTAL , MICRO MOTOR HAND PIECE FOR DENTAL , POWER SUPPLY CARD MEDOXY MPM12 , ULTRASONIC HAND PIECE , POWER SUPPLY CARD

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

PRESSURE SWITCH BSS , PT 100 SENSOR BSS , PRESSURE GAUGES BSS, BALL VALVE BSS , ECG KEY PAD MODEL - FLIGHT 1201, HANDPIECE FOR DENTAL, PSU CARD FOR OCEAN, BATTERY ECG 14.8 VOLT 4400 MAH, PSU CARD FOR CONTEC, SWITCH ON/ OFF, FRONT SCREEN FOR MEDOXY PATIENT MONITOR, DATA BUS/ FLAT CABLE 20 PIN FOR COMEN CM 1200A, BP CUFF DIGITAL, SPO2 PROBE 5 PIN SINGLE NOTCH, SPO2 PROBE 6 PIN DOUBLE NOTCH, FILTE FOR SUCTION APRATERS, ELECTRODES FOR COMBINATION THERAPY, OXYGEN REGULATOR BRASS SLEEVED, GLASS TUBE FOR STERILIZER, FEVIKWICK LIQUID , THERMAL SLEEVE PKT, AIR ROTOR HAND PIECE WITH LED AND KEY, CONNECTOR FOR RESMED VENTILATOR , SPO2 PROBE 6 PIN SINGLE NOTCH, COMPRESSOR MOTOR FOR DENTAL, MICRO MOTOR HAND PIECE FOR DENTAL, POWER SUPPLY CARD MEDOXY MPM12, ULTRASONIC HAND PIECE, POWER SUPPLY CARD

Searched String: PRESSURE SWITCH BSS
 Digital Pressure Switch, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Differential Pressure Switch (BHEL), Isolator switch, blood pressure recording units, Limit Switch, Reed Switch, Autoclave (Horizontal), Rotary Switch, Laboratory Rotary cum Flat Bed Printing Machine

Searched String: PT 100 SENSOR BSS
 PT 100 DUPLEX RTD (Air Circuit) (BHEL), Pt 100 Duplex Rid For Stator Winding Core and Tooth (BHEL)

Searched String: PRESSURE GAUGES BSS
 Dial type indicating Pressure Gauges, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Pressure and Vacuum Gauges as per IS:3624, Plain Plug Gauges as per IS 6137, blood pressure recording units, Slip Gauges / Gauge Blocks, Dial Type Indicating Vacuum Gauges and Compound Gauges as per IS 3624, Autoclave (Horizontal), Vertical Staff Gauges - IS 4080, Blood Lancets

Searched String: BALL VALVE BSS
 CPVC Ball Valve, General Purpose Ball Valves (V2), Ball Valve as per GAIL (India) Limited, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Medicine Ball, Cricket Ball, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Tennis Ball, Squash Ball, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455

Searched String: ECG KEY PAD MODEL - FLIGHT 1201
 Category not available on GeM for the text string uploaded by the buyer

Searched String: HANDPIECE FOR DENTAL
 Dental handpieces, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Airotor Catridge For Airotor Handpiece- IS 1797, Dental Airotor Diamond Burs, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Lubricant For Dental use, Dental examination chairs, DENTAL ENDOMOTOR, LED

विड विवरण / Bid Details Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Dental Composites

Searched String: PSU CARD FOR OCEAN

Card Board Box for Bio - Medical Waste Collection, Add on Cards and Accessories for PABX System, Memory Card Reader (V2), Progressive Identification card forensic use, RP - 54 Acknowledgement Due Card, Ferrosilicon for Steel PSUs, Alphabet Flash Cards (Preschool Kit), Silicomanganese for Steel PSUs, Sensors for Continuous cardiac output monitor, Pullovers Or Cardigans For Adults-IS:3617, IS:4582

Searched String: BATTERY ECG 14.8 VOLT 4400 MAH

Battery Cell as per IS 9128, IS 8144, Secondary Sealed Cells and Batteries For Portable Application - Nickel Cadmium Conforming To IS 16048 (Part 1), AIIMS Neuropsychological Battery, Laptop Battery Pack (Rechargeable Battery) as per IS 16046

Searched String: PSU CARD FOR CONTEC

Card Board Box for Bio - Medical Waste Collection, Add on Cards and Accessories for PABX System, Memory Card Reader (V2), Progressive Identification card forensic use, RP - 54 Acknowledgement Due Card, Ferrosilicon for Steel PSUs, Alphabet Flash Cards (Preschool Kit), Silicomanganese for Steel PSUs, Sensors for Continuous cardiac output monitor, Pullovers Or Cardigans For Adults-IS:3617, IS:4582

Searched String: SWITCH ON/ OFF

Cut - off Wheel, Take Off Board, Arterial Line Catheters and Cannula (V2), PHPA for Water Shut off (Low Temperature) (ONGC), Isolator switch, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Limit Switch, Pole Umbrella (V2), Reed Switch, Rotary Switch

Searched String: FRONT SCREEN FOR MEDOXY PATIENT MONITOR

Category not available on GeM for the text string uploaded by the buyer

Searched String: DATA BUS/ FLAT CABLE 20 PIN FOR COMEN CM 1200A

Category not available on GeM for the text string uploaded by the buyer

Searched String: BP CUFF DIGITAL

BP cuffs and bladders, Digital Multimeter, Blood Pressure Monitor Cuff (V2), Whistle (V2), Digital Blood Pressure Monitor, Digital Medical Thermometer, Cuff links-Handicraft, Tissue embedding station, Cuff Links-Handicraft (Bamboo), blood pressure recording units

Searched String: SPO2 PROBE 5 PIN SINGLE NOTCH

PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Electrical Plug, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per

विड विवरण / Bid Details	IS 694, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Theft Proof Rifle Racks, modular electrical switches and accessories, Industrial Siren / Electrical Siren, Wet Grinder, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: SPO2 PROBE 6 PIN DOUBLE NOTCH</p> <p>modular electrical switches and accessories, Flameproof Switch Socket, Bi Double Distillation Water Unit (V2)</p> <p>Searched String: FILTE FOR SUCTION APRATERS</p> <p>Saliva Ejector Suction Tips for Dental Use, High Vacuum Suction Machine for medical purposes, Truck Mounted Suction Machine (Medium), Leukocyte Removal Filter for Red Blood Transfusion, Rubber Hoses and Hose Assemblies for Water Suction and Discharge Conforming to IS 3549, Cartridge Filter for Lean Amine Filtration (MRPL), Leukocyte Removal Filters for Red Blood Transfusion, Filter cum Pressure Regulator, Fume extraction unit for filtration of soldering fumes, C Band Pass Filter for POLNET Terminal (CRPF)</p> <p>Searched String: ELECTRODES FOR COMBINATION THERAPY</p> <p>Ultrasound Combination Therapy Machine, Medical Training kit with Human mannequins for medical education or training, Carry Oven for Welding Electrodes, Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Combination of Microwave and Traction Therapy with Couch, Heat Therapy Unit with Vibration and Magnetism, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Bean Bag or Body positioners for occupational therapy, Therapy Floor Mat for Exercise - RBSK, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)</p> <p>Searched String: OXYGEN REGULATOR BRASS SLEEVED</p> <p>Oxygen Gas Regulators (Version 2), Oxygen Flow Meter, Filter cum Pressure Regulator, Pressure Regulator For Gases</p> <p>Searched String: GLASS TUBE FOR STERILIZER</p> <p>FIBRE GLASS TUBE, nebulizer mask and accessories, Tubes, Glass for Pathological Work as per IS 3740, Fusion Tube, Atulya Microwave Sterilizer for (COVID - 19), Disposable Syringes as per IS 10258, Electric sterilizer for inoculation loop, Laboratory Vials (V2), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Safety Glass for Road Transport Marked to IS 2553 (Part 2)</p> <p>Searched String: FEVIKWICK LIQUID</p> <p>Antiseptic Liquid, AVS LIQUID, Alumino - Ferric (V2) Conforming to IS 299, Barium Chloride liquid, Liquid Offtake Valve, Liquid waste treatment or Digester for solid and liquid waste management, Electrostatic Liquid Cleaner, Liquid Density Meter, Liquid Particle Counter, Quarternary Ammonium Compound Based Surface Cleaner, Liquid</p> <p>Searched String: THERMAL SLEEVE PKT</p> <p>Protective Sleeve, Thermal Ribbon, Drill Sleeve, Medical</p>

बिड विवरण / Bid Details

Shoe Covers, Speedi sleeve, MEDICAL GOWNS - DISPOSABLE, thermal gloves, Thermal Grease, thermal imager, Wax Candle as per IS 11359

Searched String: AIR ROTOR HAND PIECE WITH LED AND KEY

Category not available on GeM for the text string uploaded by the buyer

Searched String: CONNECTOR FOR RESMED VENTILATOR

Ventilator for Adult and Paediatric Ventilation, Neonatal Ventilator, NIV Ventilator for Adult and Paediatric, Portable Ventilator, Male connector for arc welding machine(BHEL), Field Mountable (FM45) Connector for Telecommunication, Ventilator, Commercial CPVC Pipe Fittings, Portable Ventilators (V2)

Searched String: SPO2 PROBE 6 PIN SINGLE NOTCH

PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Flameproof Switch Socket, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, modular electrical switches and accessories, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694

Searched String: COMPRESSOR MOTOR FOR DENTAL

Dental Air Compressor, Endodontic Files, Dental Implant Motor (Physiodispenser), Dental examination chairs, Compressed Natural Gas (CNG) Compressor As per HPCL Specification (V2), E - Cart for Garbage (V2), CNG Compressor (HPCL), Lead Acid Storage Batteries for Motor Vehicles as per IS 7372, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Hopper Tipper Dumper for Garbage

Searched String: MICRO MOTOR HAND PIECE FOR DENTAL

Dental Applicator tips for bonding agent, Endodontic Files, DENTAL ENDOMOTOR, Dental examination chairs, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Twist Drill, Parallel Shank Stub Series for Right Hand Cutting - IS 5100

Searched String: POWER SUPPLY CARD MEDOXY MPM12

DC Regulated Power Supply, Cleaning Duster (V3), Portable Power Supply Unit, ECG Machine, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), high performance power supplies, Switching Power Supply for Wireless Application, General Studies Flash (Preschool Kit), Switch Mode Power Supply (SMPS) as per IS 14886:, Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1)

Searched String: ULTRASONIC HAND PIECE

Ultrasonic Cleaners, Nitrile Coated/Nitrile Hand Gloves (V2), Ultrasonic Sensor, DENTAL ENDOMOTOR, Ultrasonic Interferometer, Digital Multimeter, Ultrasonic Probe

बिड विवरण / Bid Details	Sonicator, Hand Held Search Light, Ultrasonic Thickness Gauge, true rms clamp meter
	Searched String: POWER SUPPLY CARD DC Regulated Power Supply, Power Generator - DG Set (up to 900 KVA), Portable Power Supply Unit, General Studies Flash (Preschool Kit), Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Cleaning Duster (V3), Switching Power Supply for Wireless Application, Box Strapping Machine, Switch Mode Power Supply (SMPS) as per IS 14886:, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Digital Pressure Switch • Dental Air Compressor
बीओक्यू शीर्षक /BOQ Title	PROCUREMENT OF SPARES FOR REPAIR OF MED EQPTS
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	PRESSURE SWITCH BSS
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

PRESSURE SWITCH BSS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document

[View File](#)

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

PT 100 SENSOR BSS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document

[View File](#)

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

PRESSURE GAUGES BSS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document

[View File](#)

BOQ Detail Document

[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

BALL VALVE BSS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

ECG KEY PAD MODEL FLIGHT 1201

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

HANDPIECE FOR DENTAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

PSU CARD FOR OCEAN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

BATTERY ECG 14 POINT 8 VOLT 4400 MAH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

PSU CARD FOR CONTEC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

SWITCH ON OFF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	11	15

FRONT SCREEN FOR MEDOXY PATIENT MONITOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

DATA BUS FLAT CABLE 20 PIN FOR COMEN CM 1200A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

BP CUFF DIGITAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	15	15

SPO2 PROBE 5 PIN SINGLE NOTCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	15

SPO2 PROBE 6 PIN DOUBLE NOTCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	8	15

FILTE FOR SUCTION APRATERS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

ELECTRODES FOR COMBINATION THERAPY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

OXYGEN REGULATOR BRASS SLEEVED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

GLASS TUBE FOR STERILIZER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	10	15

FEVIKWICK LIQUID

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	5	15

THERMAL SLEEVE PKT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

AIR ROTOR HAND PIECE WITH LED AND KEY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

CONNECTOR FOR RESMED VENTILATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	3	15

SPO2 PROBE 6 PIN SINGLE NOTCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	10	15

COMPRESSOR MOTOR FOR DENTAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

MICRO MOTOR HAND PIECE FOR DENTAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

POWER SUPPLY CARD MEDOXY MPM12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

ULTRASONIC HAND PIECE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	1	15

POWER SUPPLY CARD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****DIMAPUR	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

3 CORPS ZONE WORKSHOP
RANGAPAHAR MILITARY STATION
DIMAPUR
NAGALAND
PIN - 797112

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

-

Post Receipt Inspection at consignee site before acceptance of stores:
BOARD OF OFFICERS

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

7.1 100% payment after receipt of serviceable parts and successful completion of Acceptance Test Procedure (ATP) by BOOs.

7.2 Improper parts to be replaced by seller at his own cost.

7.3 Supply of stores at Unit Office location only i.e. Rangapahar Military Station.

7.4 Copy of purchase order of similar items to defence units.

7.5 LD charges as applicable.

7.6 All bidders will submit sample of item at the time of technical bid opening. Samples submitted will be analysed by BOO and ascertained to be of desired quality as per specifications. Bids uploaded in Gem portal without compliance of this clause will not be considered for technical evaluation.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working

Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---