

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	11-02-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-02-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Coal
विभाग का नाम/Department Name	Nlc Tamil Nadu Power Limited
संगठन का नाम/Organisation Name	Nlc Tamil Nadu Power Limited
कार्यालय का नाम/Office Name	Tuticorin 628004
कुल मात्रा/Total Quantity	90

बिड विवरण/Bid Details**वस्तु श्रेणी /Item Category**

SC050500001 SLOT type HT Current Transformer 11 KV,Ratio-2750-1 A , SC050500002 SLOT type HT Current Transformer 11 KV Ratio- 1000-1 A , SC050500003 SLOT type HT Current Transformer 11KV, Ratio-800-1 A , SC050500004 WOUND type HT Current Transformer 11 KV,Ratio-300-1 A , SC050500005 WOUND type HT Current Transformer 11 KV 250-1 A , SC050500007 WOUND type HT Current Transformer 11 KV 100-1 A , SC050500008 WOUND type HT Current Transformer 11 KV,Ratio-75-1 A , SC050500009 SLOT type HT Current Transformer 11 KV Ratio- 3150-1A , SC050500136 SLOT type HT Current Transformer Ratio 3150-1,10 VA , SC050500144 SLOT type HT Current Transformer 3150-1-1A core I-PS,core II-PS , SC050500020 SLOT type HT Current Transformer 11 KV,Ratio 2500-1A , SC050500145 SLOT type HT Current Transformer 2500-1A, 10VA CL- 0.2S , SC050500010 SLOT type HT Current Transformer 11 KV,Ratio 1600-1A , SC050500011 SLOT type HT Current Transformer 11 KV,1250-1A , SC050500013 WOUND type HT Current Transformer 11 KV Ratio,2750-1A , SC050500014 SLOT type HT Current Transformer 11 KV,Ratio 1000-1A , SC050500015 SLOT type HT Current Transformer 11 KV,Ratio 800-1A , SC050500016 WOUND type HT Current Transformer 11 KV Ratio,300-1A , SC050500017 WOUND type HT Current Transformer 11 KV,Ratio 250-1A , SC050500018 WOUND type HT Current Transformer 11 KV,Ratio 150-1A , SC050500146 SLOT type HT Current Transformer 1000-1-1A, 10VA Class-1, 10VA 5P10 , SC050500143 SLOT Type HT Current Transformer 500-1-1A 15VA,5P20 CL - PS 340Vleless than20ma-VK-2 , SC050500142 SLOT Type HT Current Transformer 500-1A 15VA,0.50 , SC050500141 SLOT Type HT Current Transformer 650-1A 15VA,5P20 , SC050500139 SLOT Type HT Current Transformer 650-1A 5VA,CL-0.5 , SC050500140 SLOT Type HT Current Transformer 650-1A 15VA,5P20 15VA,CL-1 , SC050500138 Slot Type HT current transformer Core-3- 1600 A-1 A , SC050500137 Wound Type HT current transformer Core -1- 100-1A,15VA,CL-0.5,Core-2- 100-1A,15VA,CL-5P20,STCequals 40KA-1Sec , SC050500147 CBCT, Ratio- 50-1A,Insulation Class -E, 1 VA-CL-1,HSV-IL-0.66-3-0 KV,MOPCless thanequals 2 A,

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

SLOT type HT Current Transformer-Ratio 2750/1-1A, SLOT type HT Current Transformer-Ratio 1000/1-1A, SLOT type HT Current Transformer-Ratio 800/1-1A, Wound type HT Current Transformer-Ratio 300/1-1A, Wound type HT Current Transformer-Ratio 250/1-1A, Wound type HT Current Transformer-Ratio 100/1-1A, Wound type HT Current Transformer-Ratio 75/1-1A, SLOT type HT Current Transformer-Ratio 3150/1-1A, SLOT type HT Current Transformer 3150/1-1A 10VA 5P20, SLOT type HT Current Transformer 3150/1-1A core I-PS,core II-PS, SLOT type HT Current Transformer-Ratio 2500/1-1A, SLOT type HT Current Transformer 2500/1A, 10VA, SLOT type HT Current Transformer-Ratio 1600/1-1A, SLOT type HT Current Transformer-Ratio 1250/1-1A, Wound type HT Current Transformer-Ratio 2750/1-1A, SLOT type HT Current Transformer-Ratio 1000/1-1A,HSV : 12KV, SLOT type HT Current Transformer-Ratio 800/1-1A,HSV : 12KV, Wound type HT Current Transformer-Ratio 300/1-1A,HSV:12KV, Wound type HT Current Transformer-Ratio 250/1-1A,HSV:12KV, Wound type HT Current Transformer-Ratio 150/1-1A,HSV:12KV, SLOT type HT Current Transformer 1000/1-1A, 10VA Class:1, 10VA 5P10, SLOT Type HT Current Transformer 500/1-1A 15VA, SLOT Type HT Current Transformer 500/1A 15VA,0.50, SLOT Type HT Current Transformer 650/1A 15VA,5P20, SLOT Type HT Current Transformer 650/1A 5VA,CL:0.5, SLOT Type HT Current Transformer 650/1A 15VA,5P20 15VA,CL:1, Slot Type HT current transformer Core-3: 1600 A/1 A,CL-PS VK>250V, Wound Type HT current transformer Core -1: 100/1A, CBCT, Ratio- 50/1A,Insulation Class -E, 1 VA/CL-1

Searched String: SLOT type HT Current Transformer-Ratio 2750/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: SLOT type HT Current Transformer-Ratio 1000/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: SLOT type HT Current Transformer-Ratio 800/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: Wound type HT Current Transformer-Ratio 300/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: Wound type HT Current Transformer-Ratio 250/1-1A

Core Balance Current Transformers (CBCT) (BHEL),

विड विवरण / Bid Details Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: Wound type HT Current Transformer-Ratio 100/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: Wound type HT Current Transformer-Ratio 75/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: SLOT type HT Current Transformer-Ratio 3150/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: SLOT type HT Current Transformer 3150/1-1A 10VA 5P20

PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Slot Drill with Parallel Shank - IS 6352, Studs-IS:1862, shoes school pvc boys girls, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Line Interactive UPS with AVR (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Theft Proof Rifle Racks

Searched String: SLOT type HT Current Transformer 3150/1-1A core I-PS,core II-PS

Core Balance Current Transformers (CBCT) (BHEL), computer kiosk, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), 66 kV Current Transformer for Sub-stations / Power Houses (PSPCL)), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1)

Searched String: SLOT type HT Current Transformer-Ratio 2500/1-1A

Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)

Searched String: SLOT type HT Current Transformer 2500/1A, 10VA

Core Balance Current Transformers (CBCT) (BHEL), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Slot Drill with Parallel Shank - IS 6352, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

बिड विवरण / Bid Details	Searched String: SLOT type HT Current Transformer-Ratio 1600/1-1A
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)</p>
	<p>Searched String: SLOT type HT Current Transformer-Ratio 1250/1-1A</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)</p>
	<p>Searched String: Wound type HT Current Transformer-Ratio 2750/1-1A</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)</p>
	<p>Searched String: SLOT type HT Current Transformer-Ratio 1000/1-1A,HSV : 12KV</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL)</p>
	<p>Searched String: SLOT type HT Current Transformer-Ratio 800/1-1A,HSV : 12KV</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL)</p>
	<p>Searched String: Wound type HT Current Transformer-Ratio 300/1-1A,HSV:12KV</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)</p>
	<p>Searched String: Wound type HT Current Transformer-Ratio 250/1-1A,HSV:12KV</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)</p>
	<p>Searched String: Wound type HT Current Transformer-Ratio 150/1-1A,HSV:12KV</p>
	<p>Core Balance Current Transformers (CBCT) (BHEL), Transformer Turn Ratio Meter, Transformer Turns Ratio Test Set (BHEL)</p>
<p>Searched String: SLOT type HT Current Transformer 1000/1-1A, 10VA Class:1, 10VA 5P10</p>	
<p>Line Interactive UPS with AVR (V2), Slot Drill with Parallel Shank - IS 6352, Studs-IS:1862, Isolation Transformer, Stereo Microscope (V1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Marking Cones, Automatic Fire Ball for Fire - Extinguishing, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p>	
<p>Searched String: SLOT Type HT Current Transformer 500/1-1A 15VA</p>	

बिड विवरण / Bid Details

Core Balance Current Transformers (CBCT) (BHEL), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Electrical connection Lugs or thimbles, Temperature Indicator for Transformers - Analog type

Searched String: SLOT Type HT Current Transformer 500/1A 15VA,0.50

Core Balance Current Transformers (CBCT) (BHEL), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Transformer Winding Resistance Meter, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Electronic Weighing Scales, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778

Searched String: SLOT Type HT Current Transformer 650/1A 15VA,5P20

Core Balance Current Transformers (CBCT) (BHEL), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Slot Drill with Parallel Shank - IS 6352, Correspondence Envelopes (V3) Conforming to IS 13892, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Electrical connection Lugs or thimbles, Plain Washer as per IS 2016

Searched String: SLOT Type HT Current Transformer 650/1A 5VA,CL:0.5

Core Balance Current Transformers (CBCT) (BHEL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Slot Drill with Parallel Shank - IS 6352, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Electronic Weighing Scales, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Correspondence Envelopes (V3) Conforming to IS 13892, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Electrical connection Lugs or thimbles

Searched String: SLOT Type HT Current Transformer 650/1A 15VA,5P20 15VA,CL:1

Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Slot Drill with Parallel Shank - IS 6352, Studs-IS:1862, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Correspondence Envelopes (V3) Conforming to IS 13892, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Leather Gauntlets and Mittens (V2)

बिड विवरण / Bid Details	Conforming to IS 2573, Electrical connection Lugs or thimbles
	<p>Searched String: Slot Type HT current transformer Core-3: 1600 A/1 A,CL-PS VK>250V</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wound Type HT current transformer Core -1: 100/1A</p> <p>Core Balance Current Transformers (CBCT) (BHEL), PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, WOODEN FLUSH DOOR SHUTTERS (SOLID CORE TYPE)</p> <p>Searched String: CBCT, Ratio- 50/1A,Insulation Class -E, 1 VA/CL-1</p> <p>Sucrose, 1-Heptanesulphonic acid sodium salt anhydrous, Transformer Turn Ratio Meter, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Digital E - Learning Software (V2), Resin Treated Compressed Wood Laminates (COMPREGS) for Electrical Purposes Marked to IS 3513 (Part 1), Chemical Splash Proof Goggle, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Electronic Weighing Scales, Health Supplements, Nutraceuticals and Food for Special Dietary Use</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Transformer Turn Ratio Meter
बीओक्यू शीर्षक /BOQ Title	SLOT type HT Current Transformer
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Certificate (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4

बिड विवरण/Bid Details

दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	SC050500001 SLOT type HT Current Transformer 11 KV,Ratio-2750-1 A
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	16

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CEO/NTPL
TUTICORIN 628004, NLC TAMIL NADU POWER Limited, NLC TAMIL NADU POWER Limited, Ministry of Coal
(Anantharamanujam K)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	100
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Sc050500001 Slot Type Ht Current Transformer 11 Kv,ratio-2750-1 A	3
Schedule 2	Sc050500002 Slot Type Ht Current Transformer 11 Kv Ratio- 1000-1 A	3
Schedule 3	Sc050500003 Slot Type Ht Current Transformer 11kv, Ratio-800-1 A	3
Schedule 4	Sc050500004 Wound Type Ht Current Transformer 11 Kv,ratio-300-1 A	3
Schedule 5	Sc050500005 Wound Type Ht Current Transformer 11 Kv 250-1 A	3
Schedule 6	Sc050500007 Wound Type Ht Current Transformer 11 Kv 100-1 A	6
Schedule 7	Sc050500008 Wound Type Ht Current Transformer 11 Kv,ratio-75-1 A	3
Schedule 8	Sc050500009 Slot Type Ht Current Transformer 11 Kv Ratio- 3150-1a	3
Schedule 9	Sc050500136 Slot Type Ht Current Transformer Ratio 3150-1,10 Va	3
Schedule 10	Sc050500144 Slot Type Ht Current Transformer 3150-1-1a Core I-ps,core li-ps	3
Schedule 11	Sc050500020 Slot Type Ht Current Transformer 11 Kv,ratio 2500-1a	3
Schedule 12	Sc050500145 Slot Type Ht Current Transformer 2500-1a, 10va CI- 0.2s	3
Schedule 13	Sc050500010 Slot Type Ht Current Transformer 11 Kv,ratio 1600-1a	3
Schedule 14	Sc050500011 Slot Type Ht Current Transformer 11 Kv,1250-1a	3

Schedule 15	Sc050500013 Wound Type Ht Current Transformer 11 Kv Ratio,2750-1a	3
Schedule 16	Sc050500014 Slot Type Ht Current Transformer 11 Kv,ratio 1000-1a	3
Schedule 17	Sc050500015 Slot Type Ht Current Transformer 11 Kv,ratio 800-1a	3
Schedule 18	Sc050500016 Wound Type Ht Current Transformer 11 Kv Ratio,300-1a	3
Schedule 19	Sc050500017 Wound Type Ht Current Transformer 11 Kv,ratio 250-1a	3
Schedule 20	Sc050500018 Wound Type Ht Current Transformer 11 Kv,ratio 150-1a	3
Schedule 21	Sc050500146 Slot Type Ht Current Transformer 1000-1-1a, 10va Class-1, 10va 5p10	3
Schedule 22	Sc050500143 Slot Type Ht Current Transformer 500-1-1a 15va,5p20 Cl - Ps 340viless Than20ma-vk-2	3
Schedule 23	Sc050500142 Slot Type Ht Current Transformer 500-1a 15va,0.50	3
Schedule 24	Sc050500141 Slot Type Ht Current Transformer 650-1a 15va,5p20	3
Schedule 25	Sc050500139 Slot Type Ht Current Transformer 650-1a 5va,cl-0.5	3
Schedule 26	Sc050500140 Slot Type Ht Current Transformer 650-1a 15va,5p20 15va,cl-1	3
Schedule 27	Sc050500138 Slot Type Ht Current Transformer Core-3- 1600 A-1 A	3
Schedule 28	Sc050500137 Wound Type Ht Current Transformer Core -1- 100-1a,15va,cl-0.5,core-2- 100-1a,15va,cl-5p20,stcequals 40ka-1sec	3
Schedule 29	Sc050500147 Cbct, Ratio- 50-1a,insulation Class -e, 1 Va-cl-1,hsv-il-0.66-3-0 Kv,mopclass Thanequals 2 A,	3

SC050500001 SLOT Type HT Current Transformer 11 KV,Ratio-2750-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500002 SLOT Type HT Current Transformer 11 KV Ratio- 1000-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500003 SLOT Type HT Current Transformer 11KV, Ratio-800-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500004 WOUND Type HT Current Transformer 11 KV,Ratio-300-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500005 WOUND Type HT Current Transformer 11 KV 250-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500007 WOUND Type HT Current Transformer 11 KV 100-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	6	60

SC050500008 WOUND Type HT Current Transformer 11 KV,Ratio-75-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500009 SLOT Type HT Current Transformer 11 KV Ratio- 3150-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500136 SLOT Type HT Current Transformer Ratio 3150-1,10 VA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500144 SLOT Type HT Current Transformer 3150-1-1A Core I-PS,core II-PS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500020 SLOT Type HT Current Transformer 11 KV,Ratio 2500-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500145 SLOT Type HT Current Transformer 2500-1A, 10VA CL- 0.2S

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500010 SLOT Type HT Current Transformer 11 KV,Ratio 1600-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500011 SLOT Type HT Current Transformer 11 KV,1250-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500013 WOUND Type HT Current Transformer 11 KV Ratio,2750-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500014 SLOT Type HT Current Transformer 11 KV,Ratio 1000-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500015 SLOT Type HT Current Transformer 11 KV,Ratio 800-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500016 WOUND Type HT Current Transformer 11 KV Ratio,300-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500017 WOUND Type HT Current Transformer 11 KV,Ratio 250-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500018 WOUND Type HT Current Transformer 11 KV,Ratio 150-1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500146 SLOT Type HT Current Transformer 1000-1-1A, 10VA Class-1, 10VA 5P10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500143 SLOT Type HT Current Transformer 500-1-1A 15VA,5P20 CL - PS 340Vleess Than20ma-VK-2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500142 SLOT Type HT Current Transformer 500-1A 15VA,0.50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500141 SLOT Type HT Current Transformer 650-1A 15VA,5P20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500139 SLOT Type HT Current Transformer 650-1A 5VA,CL-0.5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500140 SLOT Type HT Current Transformer 650-1A 15VA,5P20 15VA,CL-1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500138 Slot Type HT Current Transformer Core-3- 1600 A-1 A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500137 Wound Type HT Current Transformer Core -1- 100-1A,15VA,CL-0.5,Core-2- 100-1A,15VA,CL-5P20,STCeuals 40KA-1Sec

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

SC050500147 CBCT, Ratio- 50-1A,Insulation Class -E, 1 VA-CL-1,HSV-IL-0.66-3-0 KV,MOPCless Thanequals 2 A,

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Manivannan Selvaraj	628004,NLC TAMILNADU POWER LIMITED 2X500 MW THERMAL POWER PLANT HORBOUR ESTATE, TUTICORIN	3	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 7 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:
AT NTPL STORES BY NTPL EXECUTIVES

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Buyer Added text based ATC clauses

01. Interchangeability/ compatibility certificate is required to be furnished along with the supply of materials.

02. Routine test certificate is required to be furnished along with the supply.

03. Drawing has been attached in the buyer uploaded ATC for your reference.

.

9. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

NLC Tamil Nadu Power Ltd

Account No.

31037748056

IFSC Code

SBIN0003143

Bank Name

State Bank of India

Branch address

SPIC NAGAR TUTICORIN

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

10. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---