

बिड दस्तावेज़ / Bid Document

| बिड विवरण / Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय / Bid End Date/Time | 04-05-2026 13:00:00 |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time | 04-05-2026 13:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम / Ministry/State Name | Ministry Of Defence |
| विभाग का नाम / Department Name | Department Of Military Affairs |
| संगठन का नाम / Organisation Name | Indian Army |
| कार्यालय का नाम / Office Name | ***** |
| कुल मात्रा / Total Quantity | 2705 |
| वस्तु श्रेणी / Item Category | Aluminium anodised tubular towel rail 20mm dia D Type 60cm long between flanges , Anglo Indian Toilet Seat cover , Cabinet Mirror , CP 2 Way Angle Cock , CP Bib Cock Long body chromium plated , CP Chormium plated brass shower rose size 125mm , CP Fancy type chromium plated bib tap for 15mm bore pipe ISI marked , CP Fancy type chromium plated pillar taps 15mm bore , Hydraulic Door Closer , Kitchen Sink with out drain Board , Looking mirror selected quality glass 5mm thick size 600mm 400mm 6mm thick , PTMT 25mm bore ball valve high pressure of PTMT , PVC low level flushing cistern ISI marked valveless syphonic action , Swan Neck Pillar Tap , Tripple Lyre Water tank 1000L , Tripple Lyre Water tank 500 L , Aluminium alloy wire cloth 0.45mm nominal dia width of aperture 1.40mm , CP Basin Mixture CP , CP Fancy type chromium plated stop valve for 15mm 20mm bore pipe ISI , CP Wall Mixture CP 15mm hot and cold , Fancy curtain rod Brown Colour , Helical Door Spring , Kitchen sink Waste coupling , PTMT 20mm bore ball valve high pressure of PTMT , PTMT Angle Cock PTMT , PTMT Pillar tap 15mm size of PTMT any colour min wt 110gms , PVC Connection pipe high density 15mm bore pipe 60cm long , Stain Steel Plate Rack 3 shelf , Tripple Lyre Water tank 700 to 750 L Make Sintex or eqvl , Water tank cover capacity all size 500L 750L and 1000L , Aluminium alloy anodised curtain bracket suitable for 19mm dia curtain pipe , Aluminium alloy anodised sliding door bolt with hasp staple bolt type cast , Aluminium anodised barrel tower bolt of extruded section 150mm length , Aluminium door seal for suitable length for door , Aluminium handle cast type anodised of size 100 to150mm ISI marked , CP Angle Cock CP 15 mm , CP Health focet , CPVC pipe 20mm dia medium grade , CPVC pipe 25mm dia medium grade , Drawer Channel for PVC Kitchen cabinets 16 inch , Drawer Channel |

| बिड विवरण / Bid Details | for PVC Kitchen cabinets 18 inch , Drawer Channel for PVC Kitchen cabinets 20 inch , Fancy curtain rod Brackets Brown Colour , Floor door stopper of size 140mm alloy body , Flush ball valve 15mm.Make , GI Elbow 15mm medium grade , GI Elbow Reducer 25-20 mm Medium Grade , GI nipple Hex Nipple 15mm Make Jindal Tata or eqvl , GI Nipple 15mm Medium Grade 3 inch Length , GI Nipple 15mm Medium Grade 4 inch Length , GI Nipple 20mm Medium Grade 4 inch Length , GI Nipple 25mm Medium Grade 2 inch Length , GI Nipple 25mm Medium Grade 6 inch Length , GI Socket Reducer 25 to 20 mm Medium Gradeinch Length , GI Tee medium grade 15mm boreinch Length , Hasp and stapples SS of size 100mm safety type hinges pin bolt to hing plate , Looking mirror selected quality glass 5mm thick 1200mm x 400mm fixed 6mm thick , Mild Steel Knob of Mild Steel bright finishes best quality , Mild Steel Butt hinges medium weight cold rolled mild steel of size 75mm , Oil putty for glass panes , PTMT 15mm bore bib tap PTMT any colour high pressure screwed for iron pipe , PTMT 32mm dia waste coupling of PTMT half or full threaded min wt 45 gms , PTMT Grating doom 100mm dia of PTMT minimum weight 25 grams open closed type , PVC Connection pipe high density for 15mm bore pipe 45cm long , PVC waste pipe 32mm dia for WHB Urinal , S S Ajanta Polymers Bathroom Hand Shower Stainless Steel of Thickness 0.9 mm , M Seal Epoxy adhesive in 100 gram , Jet nozzle for EWC with CP nozzle SS fish plates PVC flexible pipe , Flushing Handle , Megnate caching , UPVC 15mm pipe , UPVC 20mm pipe , UPVC 25mm pipe , Tank connection 100mm , PVC 2 way Angle cock 15mm , Emery Paper No 60 , Emery Paper No 80 , Fevicol Make Pidilite , Tarpentine oil , Syntetic paint White , Syntetic paint OG , Syntetic paint Black , Syntetic paint Grey , Syntetic paint Blue , Wooden polish clear , Thinner , Paint Brush 50 mm , Paint Brush 100mm , Paint Brush 150mm Aluminium anodised tubular towel rail 20mm dia D Type 60cm long between flanges, Anglo Indian Toilet Seat cover , Cabinet Mirror, CP 2 Way Angle Cock, CP Bib Cock Long body chromium plated, CP Chormium plated brass shower rose size 125mm , CP Fancy type chromium plated bib tap for 15mm bore pipe ISI marked , CP Fancy type chromium plated pillar taps 15mm bore , Hydraulic Door Closer, Kitchen Sink with out drain Board, Looking mirror selected quality glass 5mm thick size 600mm 400mm 6mm thick , PTMT 25mm bore ball valve high pressure of PTMT , PVC low level flushing cistern ISI marked valveless syphonic action , Swan Neck Pillar Tap, Tripple Lyre Water tank 1000L , Tripple Lyre Water tank 500 L , Aluminium alloy wire cloth 0.45mm nominal dia width of aperture 1.40mm , CP Basin Mixture CP, CP Fancy type chromium plated stop valve for 15mm 20mm bore pipe ISI , CP Wall Mixture CP 15mm hot and cold, Fancy curtain rod Brown Colour, Helical Door Spring, Kitchen sink Waste coupling , PTMT 20mm bore ball valve high pressure of PTMT, PTMT Angle Cock PTMT, PTMT Pillar tap 15mm size of PTMT any colour min wt 110gms , PVC Connection pipe high density 15mm bore pipe 60cm long , Stain Steel Plate Rack 3 shelf, Tripple Lyre Water tank 700 to 750 L Make Sintex or eqvl, Water tank cover capacity all size 500L 750L and 1000L , Aluminium alloy anodised curtain bracket suitable for 19mm dia curtain pipe , Aluminium alloy anodised sliding door bolt with hasp staple bolt type cast , Aluminium anodised barrel tower bolt of extruded section 150mm length , Aluminium door seal for suitable length for door, Aluminium handle cast type anodised of size 100 to150mm ISI marked , CP Angle Cock CP 15 mm, CP Health focet, CPVC pipe 20mm dia medium |
|-------------------------|--|
| | |
| | |

| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS | बिड विवरण / Bid Details |
|---|---|
| | <p>grade, CPVC pipe 25mm dia medium grade , Drawer Channel for PVC Kitchen cabinets 16 inch, Drawer Channel for PVC Kitchen cabinets 18 inch, Drawer Channel for PVC Kitchen cabinets 20 inch, Fancy curtain rod Brackets Brown Colour, Floor door stopper of size 140mm alloy body, Flush ball valve 15mm.Make, GI Elbow 15mm medium grade, GI Elbow Reducer 25-20 mm Medium Grade, GI nipple Hex Nipple 15mm Make Jindal Tata or eqvl, GI Nipple 15mm Medium Grade 3 inch Length, GI Nipple 15mm Medium Grade 4 inch Length , GI Nipple 20mm Medium Grade 4 inch Length, GI Nipple 25mm Medium Grade 2 inch Length , GI Nipple 25mm Medium Grade 6 inch Length , GI Socket Reducer 25 to 20 mm Medium Gradeinch Length , GI Tee medium grade 15mm boreinch Length , Hasp and stapples SS of size 100mm safety type hinges pin bolt to hing plate, Looking mirror selected quality glass 5mm thick 1200mm x 400mm fixed 6mm thick , Mild Steel Knob of Mild Steel bright finishes best quality, Mild Steel Butt hinges medium weight cold rolled mild steel of size 75mm, Oil putty for glass panes, PTMT 15mm bore bib tap PTMT any colour high pressure screwed for iron pipe, PTMT 32mm dia waste coupling of PTMT half or full threaded min wt 45 gms , PTMT Grating doom 100mm dia of PTMT minimum weight 25 grams open closed type , PVC Connection pipe high density for 15mm bore pipe 45cm long , PVC waste pipe 32mm dia for WHB Urinal , S S Ajanta Polymers Bathroom Hand Shower Stainless Steel of Thickness 0.9 mm , M Seal Epoxy adhesive in 100 gram, Jet nozzle for EWC with CP nozzle SS fish plates & PVC flexible pipe, Flushing Handle, Megnate caching, UPVC 15mm pipe , UPVC 20mm pipe , UPVC 25mm pipe , Tank connection 100mm , PVC 2 way Angle cock 15mm , Emery Paper No 60, Emery Paper No 80, Fevicol Make Pidilite, Tarpentine oil , Syntetic paint White , Syntetic paint OG , Syntetic paint Black , Syntetic paint Grey , Syntetic paint Blue , Wooden polish clear, Thinner, Paint Brush 50 mm, Paint Brush 100mm, Paint Brush 150mm</p> |
| | <p>Searched String: Aluminium anodised tubular towel rail 20mm dia D Type 60cm long between flanges</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Anglo Indian Toilet Seat cover</p> <p>Disposable Toilet Seat Cover, Toilet Seat Covers (V2), Toilet Seat - Indian Style Squatting Pan, European Pattern Toilet Seat Vitreous China, Toilet Seat Band, Auditorium Chair (V2), Toilet Seat Disinfectant Spray, File/Folder (V3), Plastic Seats and Covers for Water - Closets as per IS 2548, Disposable Sheet Cover for Car Seat</p> <p>Searched String: Cabinet Mirror</p> <p>Gonioscopy Mirror, Steel Almirah / Cabinets (V4), Dental Mouth Mirror, Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Bathroom or Toilet Mirror (V3), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, Plane Mirror Strips, Modular Metal Drawer File Cabinet Pedestal, POSTURAL TRAINING MIRROR, Laminar air flow cabinets or stations</p> <p>Searched String: CP 2 Way Angle Cock</p> <p>Four way angle Head open Head wrench, PLASTIC BIB TAPS,</p> |

बिड विवरण / Bid Details

PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PTMT Tap Fitting, Y - Pieces and Angle Tees, Male, Equal conforming to IS 1239 (Part 2), Three Way Stopcocks, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Pressure Extension Tubes for Medical Purpose, Small Angle Grinders, Camera for CCTV System (V3)

Searched String: CP Bib Cock Long body chromium plated

PTMT Tap Fitting, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest)

Searched String: CP Chormium plated brass shower rose size 125mm

Category not available on GeM for the text string uploaded by the buyer

Searched String: CP Fancy type chromium plated bib tap for 15mm bore pipe ISI marked

Category not available on GeM for the text string uploaded by the buyer

Searched String: CP Fancy type chromium plated pillar taps 15mm bore

Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Pillar Taps for Water Supply Purpose conforming to IS 1795

Searched String: Hydraulic Door Closer

HYDRAULICALLY REGULATED DOOR CLOSERS, Metal Storage Cabinet, Hydraulically Regulated Door Closers conforming to IS 3564, Bag Closer Machine (Bag sealing tools or equipment), door mats, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Sliding door, Curtains (V2), Vault (Strong Room) Door as per IS 11188, Door Frame Metal Detector

Searched String: Kitchen Sink with out drain Board

Professional Large Format Display (V2), Flexible Drain Hoses for Wash Basins/ Sinks

Searched String: Looking mirror selected quality glass 5mm thick size 600mm 400mm 6mm thick

petri plates or dishes, Kabaddi Mat (V2), Ultrasonic Thickness Gauge, Microscopes Slide Coverslips as per IS 3099, Vertical Blinds (V2), Foot Rest, wooden flooring, traffic signs - bilinker light, Swing (Preschool Kit), Hot Rolled Strips Flats

Searched String: PTMT 25mm bore ball valve high pressure of PTMT

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, General Purpose Ball Valves conforming to IS 9890, Steel Tubes used for Water Wells (V2) as per IS 4270, Check Valve (V2) as per IS 778

Searched String: PVC low level flushing cistern ISI marked valveless syphonic action

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: Swan Neck Pillar Tap

PTMT Tap Fitting, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Pillar Taps (V2) as per IS 1795, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Pillar Taps for Water Supply Purpose conforming to IS 1795, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Laboratory Glass Adapters, Metal Alloy Casting Water Tap with Aerator (V2)

Searched String: Tripple Lyre Water tank 1000L

Canvas Water Tank, Environmental Chamber, water truck cabin truck with water tank, Water Bowser with Boom Tower for Fire Fighting, Engine Operated High Pressure Water Mist Fire Fighting Trolley, Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Truck with Water Tanker, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Customised Tanker on Truck

Searched String: Tripple Lyre Water tank 500 L

Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701, Engine Operated High Pressure Water Mist Fire Fighting Trolley, FRP Storage Tank (V2)

Searched String: Aluminium alloy wire cloth 0.45mm nominal dia width of aperture 1.40mm

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Wire Mesh Fabric or Cloth (V2) as per IS 1568, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Binder Clips (V3) Conforming to IS 8231

Searched String: CP Basin Mixture CP

Ankle CPM (V2), Pencil / Die Grinder (V2), Club Foot CPM (V2), LCR Meter, Shoulder CPM (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Computer Processors, Camera for CCTV System (V3), CPU Trolley / CPU Stand, Video Recorder for CCTV System (V2)

Searched String: CP Fancy type chromium plated stop valve for 15mm 20mm bore pipe ISI

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: CP Wall Mixture CP 15mm hot and cold

Hot / Cold Water Dispenser (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, LCR Meter, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution

बिड विवरण/Bid Details

Supplies (V3) conforming to IS 15778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Fancy curtain rod Brown Colour

Adjustable Shower Curtain Rods, Curtains (V2), Badminton Net as per IS 3345, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Canvas Bag (V2)

Searched String: Helical Door Spring

Helical Gear Box (V2), Metal Storage Cabinet, Spring post, Spring Balance, Spring Rider, door mats, Sliding door, Whistle (V2), Vault (Strong Room) Door as per IS 11188, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2)

Searched String: Kitchen sink Waste coupling

Waste Fittings for Washbasin and Sinks as per IS 2963, Cast Copper Alloy Traps

Searched String: PTMT 20mm bore ball valve high pressure of PTMT

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, General Purpose Ball Valves conforming to IS 9890, Steel Tubes used for Water Wells (V2) as per IS 4270, Check Valve (V2) as per IS 778

Searched String: PTMT Angle Cock PTMT

PTMT Tap Fitting, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest)

Searched String: PTMT Pillar tap 15mm size of PTMT any colour min wt 110gms

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC Connection pipe high density 15mm bore pipe 60cm long

Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818

Searched String: Stain Steel Plate Rack 3 shelf

Stainless Steel Shelf Rack, Stainless Steel Shoe Rack, Heavy Duty Storage Racks, Steel Plate/Thali, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Stainless Steel Wire Shelving Rack Or Pot Rack, Chapati Plate with Puffer (V2), Steel Bookcases conforming To Is 7761 (V2), Stainless Steel Name Plates, Monograms, Labels - BHEL, Instrument Trolley for Hospitals (V2)

Searched String: Tripple Lyre Water tank 700 to 750 L Make Sintex or eqvl

Category not available on GeM for the text string uploaded by the buyer

Searched String: Water tank cover capacity all size 500L

750L and 1000L
बिड विवरण/Bid Details

Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity, Tracksuit, Engine Operated High Pressure Water Mist Fire Fighting Trolley, Rain Suit, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, RO Water Plant for Hemodialysis

Searched String: Aluminium alloy anodised curtain bracket suitable for 19mm dia curtain pipe

Category not available on GeM for the text string uploaded by the buyer

Searched String: Aluminium alloy anodised sliding door bolt with hasp staple bolt type cast

Category not available on GeM for the text string uploaded by the buyer

Searched String: Aluminium anodised barrel tower bolt of extruded section 150mm length

Tower Bolts (Non-Ferrous Metals) V2 as per IS 204

Searched String: Aluminium door seal for suitable length for door

Sealing Bulb Beading Rubber for Door, Door Frame Metal Detector, EPDM Rubber Beading For Passenger Door, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), HYDRAULICALLY REGULATED DOOR CLOSERS, foot step for hospitals, Household Refrigerating Appliances as per IS 17550, Ultra Violet (UV) Cabinet for Sterilization, Towel Rail / Ring for Bathroom, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2)

Searched String: Aluminium handle cast type anodised of size 100 to150mm ISI marked

High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Door Handles (V2) ISI marked to IS 208, Industrial Safety Helmet (V3) ISI marked to IS 2925, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Drinking Water Coolers (V4) ISI Marked To IS 1475, Binder Clips (V3) Conforming to IS 8231, Welding Cable ISI Marked To IS 9857 (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)

Searched String: CP Angle Cock CP 15 mm

Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781,

बिड विवरण / Bid Details
Networking / Server Rack, Pencil / Die Grinder (V2), Small Angle Grinders

Searched String: CP Health focet

Health Kiosk, Health Faucet, General Purpose Ball Valves (V2), Health and Wellness, Customised Mobile Health Units, FPO - Millet Based Health Mix, Breast Health Screening Devices (V2), Flying Insect Control Traps - Fly Catcher, Breast Health Screening Device (V2), Animal Health Monitoring Device / Animal Tag

Searched String: CPVC pipe 20mm dia medium grade

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe Fittings, Schedule 80, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Commercial PPR Pipes Fittings as per IS 15801, Swing (Preschool Kit), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Padlocks (ताले) conforming To Is 15275, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778

Searched String: CPVC pipe 25mm dia medium grade

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes Fittings as per IS 15801, Swing (Preschool Kit), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Padlocks (ताले) conforming To Is 15275, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778

Searched String: Drawer Channel for PVC Kitchen cabinets 16 inch

Ultra Violet (UV) Cabinet for Sterilization

Searched String: Drawer Channel for PVC Kitchen cabinets 18 inch

Ultra Violet (UV) Cabinet for Sterilization

Searched String: Drawer Channel for PVC Kitchen cabinets 20 inch

Ultra Violet (UV) Cabinet for Sterilization

Searched String: Fancy curtain rod Brackets Brown Colour
Curtains (V2)

Searched String: Floor door stopper of size 140mm alloy body

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Iron Bench, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Bathroom Water Shower (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Door Handles (V2) ISI marked to

IS 208
बिड विवरण / Bid Details

Searched String: Flush ball valve 15mm.Make

CPVC Ball Valve, Roti Making Machine, General Purpose Ball Valves (V2), Check Valve (V2) as per IS 778, Flush Valves and Fitting for Water Closets and Urinals, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Ball Valve as per GAIL (India) Limited, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, General Purpose Ball Valves conforming to IS 9890, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: GI Elbow 15mm medium grade

Medium Density Fiber Boards (MDF Boards) Marked to IS 12406 (V2), Parallel Bar - Outdoor Gym Equipment, General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, CRUTCHES (REHABILITATION AIDS), Agar Media, Broth Media, Tactical Knee and Elbow Pad (V2), Corrugated Boxes, Ligation Clips, Grain Storage Bin (V2)

Searched String: GI Elbow Reducer 25-20 mm Medium Grade

Elbows Reducing confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

Searched String: GI nipple Hex Nipple 15mm Make Jindal Tata or eqvl

Category not available on GeM for the text string uploaded by the buyer

Searched String: GI Nipple 15mm Medium Grade 3 inch Length

Taflon Tape as per IS 14635

Searched String: GI Nipple 15mm Medium Grade 4 inch Length

Taflon Tape as per IS 14635, Sponge Holding Forcep, Carron Board and Accessories (V2), Lapi Patra (Putty Applicator), Registered Barcode Stickers (Single) of 'RD' Series

Searched String: GI Nipple 20mm Medium Grade 4 inch Length

Sponge Holding Forcep, Lapi Patra (Putty Applicator), Carron Board and Accessories (V2), Registered Barcode Stickers (Single) of 'RD' Series, Cricket Bat (V2) Conforming to IS 828, Taflon Tape as per IS 14635

Searched String: GI Nipple 25mm Medium Grade 2 inch Length

Taflon Tape as per IS 14635, Cartridge Filter for Lean Amine Filtration (MRPL), Lapi Patra (Putty Applicator), Cricket Bat (V2) Conforming to IS 828

Searched String: GI Nipple 25mm Medium Grade 6 inch Length

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण

Sponge Holding Forcep, Cricket Bat (V2) Conforming to IS 828, Sinus Forceps

Searched String: GI Socket Reducer 25 to 20 mm Medium Gradeinch Length

CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Socket Reducing confirming to IS 1239 (Part 2)

Searched String: GI Tee medium grade 15mm boreinch Length

Broth Media, Cricket Bat (V2) Conforming to IS 828, parat and lid as per cqa specification, Padlocks (ताले) conforming To Is 15275, Galvanized Steel Sheets (Plain and Corrugated) (V2) as per IS 277

Searched String: Hasp and stapples SS of size 100mm safety type hinges pin bolt to hing plate

Binder Clips (V3) Conforming to IS 8231

Searched String: Looking mirror selected quality glass 5mm thick 1200mm x 400mm fixed 6mm thick

Bunk Beds as per IS 17636, Kabaddi Mat (V2), Ultrasonic Thickness Gauge, Microscopes Slide Coverslips as per IS 3099, Vertical Blinds (V2), Foot Rest, wooden flooring, traffic signs - bilinker light, Swing (Preschool Kit), Theft Proof Rifle Racks

Searched String: Mild Steel Knob of Mild Steel bright finishes best quality

Mild Steel High quality Shots, Platform Trolley (V2), Mild Steel Sheet, Pipe Clamps (V2), Wheelbarrows (Two Wheels Type) as per IS 4184, Poker or AWL as per IS 10375, Shaker Incubator, Table Top Elevator Writing Desk, Extendable Road Barricade (V2), Tree Guard (V3)

Searched String: Mild Steel Butt hinges medium weight cold rolled mild steel of size 75mm

Mild Steel Sheet, Pipe Clamps (V2), Stainless Steel Butt Hinges as per IS 12817, Steel Butt Hinges as per IS 1341, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Steel Trunk confirming to IS 7257 (V3), Mild Steel Wire for General Engineering Purpose as per IS 280, Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Wheelbarrows (Two Wheels Type) as per IS 4184

Searched String: Oil putty for glass panes

Putty for use on Window Frames as per IS 419, Phototherapy Machine for (SNCU), Safety Glass for Road Transport Marked to IS 2553 (Part 2), Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), Glass Rods and Tubing for Laboratory Glassware confirming to IS 7374 (V3), Glass Rods and Tubing for Laboratory Glassware confirming to IS 7374 (V2), Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, DARK GLASS FOR

विड विवरण / Bid Details

WELDER'S SCREEN, Silicone Oil, Optical Glass Slab for Science Labs in Schools

Searched String: PTMT 15mm bore bib tap PTMT any colour high pressure screwed for iron pipe

Category not available on GeM for the text string uploaded by the buyer

Searched String: PTMT 32mm dia waste coupling of PTMT half or full threaded min wt 45 gms

Category not available on GeM for the text string uploaded by the buyer

Searched String: PTMT Grating doom 100mm dia of PTMT minimum weight 25 grams open closed type

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC Connection pipe high density for 15mm bore pipe 45cm long

Polyethylene Pipes for Water Supply, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Connector Pipes for Washbasins/ Sinks/ Geyser

Searched String: PVC waste pipe 32mm dia for WHB Urinal

Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Swing (Preschool Kit), Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Connector Pipes for Washbasins/ Sinks/ Geyser

Searched String: S S Ajanta Polymers Bathroom Hand Shower Stainless Steel of Thickness 0.9 mm

Category not available on GeM for the text string uploaded by the buyer

Searched String: M Seal Epoxy adhesive in 100 gram

Refilling Ink for Toner, Epoxy Adhesive 9323-2, Sambhar Masala as per IS 1797, L-Ascorbic Acid

Searched String: Jet nozzle for EWC with CP nozzle SS fish plates & PVC flexible pipe

Category not available on GeM for the text string uploaded by the buyer

Searched String: Flushing Handle

Flushing Cistern, Lifting Handle (BHEL), Insulated T-Handle, Door Handles as per IS 208, Long Handle Drainage Cleaner, ICU Bed, T-Handle-IS:7975, Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Access Controlled Handle Door

विड विवरण/Bid Details

Lock, platform brush

Searched String: Megnate caching

Servers (V2)

Searched String: UPVC 15mm pipe

Commercial UPVC Fittings, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Commercial UPVC Pipes, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, UPVC (Unplasticized Polyvinyl Chloride) Window, Two way UPVC Outlet Valve, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Dry Erase Writing Boards (V3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Clamps (V2)

Searched String: UPVC 20mm pipe

Commercial UPVC Fittings, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Commercial UPVC Pipes, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, UPVC (Unplasticized Polyvinyl Chloride) Window, Two way UPVC Outlet Valve, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Cleaning Duster (V3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Clamps (V2)

Searched String: UPVC 25mm pipe

Commercial UPVC Fittings, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Commercial UPVC Pipes, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, UPVC (Unplasticized Polyvinyl Chloride) Window, Two way UPVC Outlet Valve, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Dry Erase Writing Boards (V3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Clamps (V2)

Searched String: Tank connection 100mm

RCB Connection Box for Telecommunication, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electrical connection Lugs or thimbles, Vacuum Pump, Pigtailed for Fiber Cable Connection, Accelerated Curing Tank, Modular Toilet, CADAVER STORAGE TANK, Dry Erase Writing Boards (V3), Canvas Water Tank

Searched String: PVC 2 way Angle cock 15mm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Three Way Stopcocks, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Two Way Valve, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PVC Single Core

बिड विवरण / Bid Details

and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: Emery Paper No 60

Fast Green FCF, Food Grade - IS 6022, Notesheet (Azure Laid) (V2), Emery Cloth Plain Weave Roll, Computer Paper (V3) Conforming to IS 12766, Computer Paper (V3) Conforming to IS 12766 (In Packet), Writing and Printing Papers Conforming to IS 1848 (Part 1), Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Deposit Safe (Non Tool Resistant), Thermal Paper (V2) Conforming to IS 17568, RP - 54 Acknowledgement Due Card

Searched String: Emery Paper No 80

Ferrosilicon for Bulk Supply (V2) as per IS 1110, Notesheet (Azure Laid) (V2), Emery Cloth Plain Weave Roll, Cloth, Disruptive Pattern, Uniform for VIP Security, Medical Monitoring or Recording or Tracing Paper as per IS 1848, Computer Paper (V3) Conforming to IS 12766 (In Packet), Computer Paper (V3) Conforming to IS 12766, Plain Copier Paper (V3) ISI Marked to IS 14490, Note Sheet Pad (Azure Laid) (V3), Cartridge (Drawing) Paper as per IS 1848 (Part 2)

Searched String: Fevicol Make Pidilite

DARK GLASS FOR WELDER'S SCREEN, Roti Making Machine, Sodium Hypochlorite Solution for Water Maker - ONGC, Chapati Plate with Puffer (V2), Ice Flake Making Machine, POLYELECTROLYTE FOR WATER MAKER - ONGC, Industrial composite color 3D Printer, Toaster, Face Wash, Role and Pretend Play Toys (V2)

Searched String: Tarpentine oil

Almond oil, 15w - 40 Diesel Engine Oil, Paraffin Oil, Oil Deflector, Transformer Oil BDV Test Kit, Silicone Oil, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Oilve Oil, Light Diesel Oil-IS:15770, Cutting oil

Searched String: Syntetic paint White

PAINT READY MIXED AIR DRYING WHITE, Dry Erase Writing Boards (V3), Fabric Paint, White Yam Seeds, Calcofluor white stain, Permanent Paint Markers (V2), Electrical Insulating Paint, Register (V2), Fire Retardant paint, Permanent Paint Marker (V3)

Searched String: Syntetic paint OG

Fabric Paint, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Electrical Insulating Paint, Fire Retardant paint, Paint spray gun, Spotting Fluid (Weighted) - ONGC, Enamel paint remover, Permanent Paint Markers (V2), Epoxide Finishing Paint (BHEL), Thermoplastic Road Marking Paint

Searched String: Syntetic paint Black

Black Salt, Steel Almirah / Cabinets (V4), Paint Coal Tar Epoxy, Two Pack, Black And Brown (Base And Hardner)

| बिड विवरण / Bid Details | Conforming to IS 14948, Permanent Paint Markers (V2), Fabric Paint, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Eriochrome Black T, Permanent Paint Marker (V3), BLACK GRAM Seeds, Metal Beds (V3) |
|-------------------------|--|
| | <p>Searched String: Syntetic paint Grey</p> <p>Fabric Paint, Steel Almirah / Cabinets (V4), Grey Scale for Assessing Staining, Electrical Insulating Paint, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Fire Retardant paint, Paint spray gun, Enamel paint remover, Permanent Paint Markers (V2), Epoxide Finishing Paint (BHEL)</p> <p>Searched String: Syntetic paint Blue</p> <p>Bromophenol Blue, Steel Almirah / Cabinets (V4), Bromothymol Blue, Permanent Paint Markers (V2), Prussian Blue, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Hydroxynaphthol Blue, Permanent Paint Marker (V3), Fabric Paint, Blue Pottery - ODOP</p> <p>Searched String: Wooden polish clear</p> <p>Polish, Paste for Floor and wooden Furniture (V2) conforming to IS 8541, Modular Table / Meeting Table / Centre Table (V2), Wooden Furniture from Alipurduar - ODOP, Wooden Furniture from Hoshiarpur - ODOP, Standard obstacle Clear Jump, Wooden Podium, Shoe Polish Paste as per IS 1746, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Shoe Polish Liquid as per IS 12010, Wooden Almirah / Wardrobe (V2)</p> <p>Searched String: Thinner</p> <p>Thinner for Synthetic Paint and Varnishes Conforming to IS 14314, THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, Conformal Coating Compound and Thinner, Thinner For Epoxy Paints (BHEL)</p> <p>Searched String: Paint Brush 50 mm</p> <p>Artist & Calligraphy Paint Brush (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Ready Mixed Paint, Brushing, Acid Resisting, modular electrical enclosure switch board boxes for modular type accessories, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Ready Mixed Paint, Brushing, Bituminous, Black, Lead - Free, Acid, Alkali, Water and Chlorine Resisting as per IS 9862, Cast Iron Bench, Ready Mixed Paint, Brushing, Bituminous, Black, Lead Free, Acid, Alkali and Heat Resisting as per IS 158</p> <p>Searched String: Paint Brush 100mm</p> <p>Artist & Calligraphy Paint Brush (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), Ready Mixed Paint, Brushing, Acid Resisting, Antistatic Brush, Dry Erase Writing Boards (V3), Boot brush, cobweb brush, Pin Up Notice Board (V2), platform brush</p> |

| | |
|--|---|
| | Searched String: Paint Brush 150mm |
| बिड विवरण / Bid Details | Artist & Calligraphy Paint Brush (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), Laboratory Vials (V2), Ready Mixed Paint, Brushing, Acid Resisting, Antistatic Brush, Boot brush, Dry Erase Writing Boards (V3), cobweb brush, platform brush |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> Plane Mirror Strips |
| बीओक्यू शीर्षक / BOQ Title | BOQ BOQ |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service | 2 Year (s) |
| टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover | Yes Complete |
| टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़ / Document required from seller | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है / Number of Auto Extension count | 1 |
| विगत प्रदर्शन / Past Performance | 40 % |
| बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम / RA Qualification Rule | H1-Highest Priced Bid Elimination |
| बिड का प्रकार / Type of Bid | Two Packet Bid |

| बिड विवरण/Bid Details | |
|--|--|
| प्राथमिक उत्पाद श्रेणी/Primary product category | Aluminium anodised tubular towel rail 20mm dia D Type 60cm long between flanges |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount | 79000 |

ईपीबीजी विवरण /ePBG Detail

| | |
|---|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%) | 3.00 |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 3 |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

GARRISON ENGR AF PF BHUJ

Commander Works Engineers Air Force Bhuj, Department of Military Affairs, Indian Army, Ministry of Defence, Bhuj-370001

(Garrison Engr Af Pf Bhuj)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

| | |
|---|---|
| एमआईआई खरीद वरीयता / MII Purchase Preference | Yes |
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X% | 20 |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference | 50 |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the

Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Aluminium Anodised Tubular Towel Rail 20mm Dia D Type 60cm Long Between Flanges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document

[View File](#)

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Anglo Indian Toilet Seat Cover

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Cabinet Mirror

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 11 | 30 |

CP 2 Way Angle Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

CP Bib Cock Long Body Chromium Plated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 35 | 30 |

CP Chormium Plated Brass Shower Rose Size 125mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

CP Fancy Type Chromium Plated Bib Tap For 15mm Bore Pipe ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 30 | 30 |

CP Fancy Type Chromium Plated Pillar Taps 15mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

Hydrolic Door Closer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 15 | 30 |

Kitchen Sink With Out Drain Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 4 | 30 |

Looking Mirror Selected Quality Glass 5mm Thick Size 600mm 400mm 6mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 35 | 30 |

PTMT 25mm Bore Ball Valve High Pressure Of PTMT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 80 | 30 |

PVC Low Level Flushing Cistern ISI Marked Valveless Syphonic Action

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

Swan Neck Pillar Tap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Tripple Lyre Water Tank 1000L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Tripple Lyre Water Tank 500 L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Aluminium Alloy Wire Cloth 0.45mm Nominal Dia Width Of Aperture 1.40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 115 | 30 |

CP Basin Mixture CP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 2 | 30 |

CP Fancy Type Chromium Plated Stop Valve For 15mm 20mm Bore Pipe ISI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

CP Wall Mixture CP 15mm Hot And Cold

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 7 | 30 |

Fancy Curtain Rod Brown Colour

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 100 | 30 |

Helical Door Spring

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 19 | 30 |

Kitchen Sink Waste Coupling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

PTMT 20mm Bore Ball Valve High Pressure Of PTMT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 95 | 30 |

PTMT Angle Cock PTMT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 50 | 30 |

PTMT Pillar Tap 15mm Size Of PTMT Any Colour Min Wt 110gms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 48 | 30 |

PVC Connection Pipe High Density 15mm Bore Pipe 60cm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 40 | 30 |

Stain Steel Plate Rack 3 Shelf

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 7 | 30 |

Tripple Lyre Water Tank 700 To 750 L Make Sintex Or Eqvl

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 8 | 30 |

Water Tank Cover Capacity All Size 500L 750L And 1000L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 70 | 30 |

Aluminium Alloy Anodised Curtain Bracket Suitable For 19mm Dia Curtain Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 100 | 30 |

Aluminium Alloy Anodised Sliding Door Bolt With Hasp Staple Bolt Type Cast

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 17 | 30 |

Aluminium Anodised Barrel Tower Bolt Of Extruded Section 150mm Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 75 | 30 |

Aluminium Door Seal For Suitable Length For Door

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 45 | 30 |

Aluminium Handle Cast Type Anodised Of Size 100 To150mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 70 | 30 |

CP Angle Cock CP 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 14 | 30 |

CP Health Focet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 38 | 30 |

CPVC Pipe 20mm Dia Medium Grade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 150 | 30 |

CPVC Pipe 25mm Dia Medium Grade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 120 | 30 |

Drawer Channel For PVC Kitchen Cabinets 16 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Drawer Channel For PVC Kitchen Cabinets 18 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Drawer Channel For PVC Kitchen Cabinets 20 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Fancy Curtain Rod Brackets Brown Colour

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 70 | 30 |

Floor Door Stopper Of Size 140mm Alloy Body

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 70 | 30 |

Flush Ball Valve 15mm.Make

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 35 | 30 |

GI Elbow 15mm Medium Grade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

GI Elbow Reducer 25-20 Mm Medium Grade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

GI Nipple Hex Nipple 15mm Make Jindal Tata Or Eqvl

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

GI Nipple 15mm Medium Grade 3 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 35 | 30 |

GI Nipple 15mm Medium Grade 4 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

GI Nipple 20mm Medium Grade 4 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

GI Nipple 25mm Medium Grade 2 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 18 | 30 |

GI Nipple 25mm Medium Grade 6 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 9 | 30 |

GI Socket Reducer 25 To 20 Mm Medium Gradeinch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 14 | 30 |

GI Tee Medium Grade 15mm Boreinch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 30 | 30 |

Hasp And Stapples SS Of Size 100mm Safety Type Hinges Pin Bolt To Hing Plate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Looking Mirror Selected Quality Glass 5mm Thick 1200mm X 400mm Fixed 6mm Thick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 4 | 30 |

Mild Steel Knob Of Mild Steel Bright Finishes Best Quality

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 25 | 30 |

Mild Steel Butt Hinges Medium Weight Cold Rolled Mild Steel Of Size 75mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 30 | 30 |

Oil Putty For Glass Panes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 50 | 30 |

PTMT 15mm Bore Bib Tap PTMT Any Colour High Pressure Screwed For Iron Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 145 | 30 |

PTMT 32mm Dia Waste Coupling Of PTMT Half Or Full Threaded Min Wt 45 Gms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 30 | 30 |

PTMT Grating Doom 100mm Dia Of PTMT Minimum Weight 25 Grams Open Closed Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 50 | 30 |

PVC Connection Pipe High Density For 15mm Bore Pipe 45cm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 15 | 30 |

PVC Waste Pipe 32mm Dia For WHB Urinal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 115 | 30 |

S S Ajanta Polymers Bathroom Hand Shower Stainless Steel Of Thickness 0.9 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

M Seal Epoxy Adhesive In 100 Gram

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 13 | 30 |

Jet Nozzle For EWC With CP Nozzle SS Fish Plates PVC Flexible Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

Flushing Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

Megnate Caching

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

UPVC 15mm Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

UPVC 20mm Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

UPVC 25mm Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 20 | 30 |

Tank Connection 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

PVC 2 Way Angle Cock 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Emery Paper No 60

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Emery Paper No 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Fevicol Make Pidilite

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 2 | 30 |

Tarpetine Oil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Syntetic Paint White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Syntetic Paint OG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Syntetic Paint Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 10 | 30 |

Syntetic Paint Grey

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Syntetic Paint Blue

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Wooden Polish Clear

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Thinner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Paint Brush 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Paint Brush 100mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

Paint Brush 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|------------------|------------------|---------------------------------|
| 1 | ***** | *****KUTCHH/BHUJ | 5 | 30 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.

11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---
