

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-05-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-05-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	1157
वस्तु श्रेणी /Item Category	RJ 45 connector throughout , OTE , Crimping Tool Throughout , HDMI Cable 05 Mtr , HDMI Cable 20 Mtr Optical , USB Extension cable 20 mtr , 24V DC Power Adaptor , 12V DC Power Adaptor , UPS 1 KVA , PoE Switch 8 Port , Drill Machine , Drill Bit size 18 inch Length 18 inch Width 18mm , Engineering Hammer 500g , Engineering Hammer 250g , Power Cable 2 Core 2 point 5 mm , Flexible Wire , Power board with 5 Amp and 15 Amp Switch with socket , Power Strip with 05 mtr wire , Screw Driver Set , Cutting plier size 8 inch , Nose plier , Insulation Tape , Tape 1 inch Transparent , Tape 2 inch Transparent , U Clip for electric wiring , Conduit Pipe 1 inch and 2 inch , AA cell , AAA cell , Patch Cord 5 mtr type SC to SC , Digital Clamp Meter , Double Side Tape , Hand Gloves for electric work , Distilled water in 10 ltr packing
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	RJ 45 Connector Throughout, OTE D LINK, Crimping Tool Throughout, HDMI Cable 05 Mtr, HDMI Cable 20 Mtr , USB Extension cable 20 mtr, 24V DC Power Adaptor, 12V DC Power Adaptor, UPS 1 KVA , PoE Switch 8 Port, Drill Machine , Drill Bit 18 inch Length 18inch and W 18mm, Engineering Hammer 500g , Engineering Hammer 250g , Power Cable 2 Core 2 point 5mm, Flexible Wire, Power Board with 5 Amp and 15 Amp Switch with socket, Power Strip with 05mtr wire, Screw Driver Set , Cutting plier size 8inch, Nose plier , Insulation Tape, Cello Tape 1inch Transparent , Cello Tape 2inch Transparent , U Clip for electric wiring, Conduit Pipe 1inch and 2inch, AA cell , AAA cell , Patch Cord 5mtr SC to SC, Digital Clamp Meter, Double Side Tape, Hand Gloves for electric work , Distilled water in 10 ltr pack
	Searched String: RJ 45 Connector Throughout Ethernet Information Outlet, CAT 6 Information outlet, Field

बिड विवरण / Bid Details

Mountable (FM45) Connector for Telecommunication, Laboratory Vials (V2), RJ45 Network Surge Protection Device

(SPD), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Fibre Media Converters (V2), Plug-In Protection Guard for RJ45 Ports, Cables, Converters and Adapters, Ethernet Cables

Searched String: OTE D LINK

Battery Link Terminal, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, D-Biotin, D-Mannitol, D (+) Xylose, D-Fructose, Laboratory Incubators, Pull, Stack and Link, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Solid Link Watch Straps

Searched String: Crimping Tool Throughout

Battery powered crimping tool, Cutting Tools, Crimping Tools (V3), Crimping Tools, Tool bag, Multipurpose Knife / Tool, Pneumatic tool oils, Cantilever Tool Box, Tool Box - BHEL, Ground High Speedsteel Tool Bits as per IS 11143

Searched String: HDMI Cable 05 Mtr

Cables, Converters and Adapters, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2), HDMI 8 x 8 Switcher, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: HDMI Cable 20 Mtr

HDMI Switcher, Cables, Converters and Adapters, HDMI Splitter, Freight Containers - High Security Cable Seal as per IS 17381:2021, HDMI 8 x 8 Switcher, Pipe for Gardening Purpose, Air Hoses as per IS 446:1987, telecommunication cable, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309

Searched String: USB Extension cable 20 mtr

Handset Charging Adapter, Cables, Converters and Adapters, Freight Containers - High Security Cable Seal as per IS 17381:2021, Pressure Calibrator, Memory Card Reader (V2), Touchless Soap Dispenser (V3), Pipe for Gardening Purpose, Air Hoses as per IS 446:1987, telecommunication cable, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309

Searched String: 24V DC Power Adaptor

DC ADAPTOR FOR CDSC (OFB), Small Angle Grinders, Plug In Relay, 24V DC (BHEL-SCR), Solid State Potentiometer, DC Regulated Power Supply As Per MHA QRs, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Electrical Power Connector, Solenoid Valve (V3), Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, Power Factor Meter - Digital

Searched String: 12V DC Power Adaptor

DC ADAPTOR FOR CDSC (OFB), Small Angle Grinders, DC

विड विवरण / Bid Details

Regulated Power Supply As Per MHA QRs, Electrical Power Connector, Portable Single Operated Rectifier Type DC Arc

Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, Power Factor Meter - Digital, Inductive Proximity Sensor, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

Searched String: UPS 1 KVA

Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Nitrile Coated/Nitrile Hand Gloves (V2), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (> 10 KVA) With Battery, Multipara Monitor - Low End, Online UPS (> 10 KVA) Without Battery, Online UPS (V2), BOD Incubator, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Line Interactive UPS with AVR (V2)

Searched String: PoE Switch 8 Port

Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Layer 2 Access Switch (V2), Unmanaged L2 Ethernet Switch (PoE), Unmanaged L2 Ethernet Switch (Non-PoE), Layer 3 - Access Switch, HDMI 8 x 8 Switcher, KVM Switch, KVM Switches (V2), Layer - 3 Distribution Switch, Director-Class Storage Area Network (SAN) Switch

Searched String: Drill Machine

Portable Drill Machine, Seed Drill, Blacksmith Tool Kit (YSSY UP Govt.), Seed cum Fertilizer Drill, High Vacuum Suction Machine (V2), Drill Sleeve, Rail Drilling Machine-IS:9474, Electric Drill, Sanitary Napkins Vending Machines, Radial Drilling Machine

Searched String: Drill Bit 18 inch Length 18inch and W 18mm

Cleaning Duster (V3), Wire Mesh Tray, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Flange type industrial air filters, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Gym Foam Roller (V2), Cleanroom Sticky Mat, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Laboratory Hot plate

Searched String: Engineering Hammer 500g

Concrete Test Hammer (Rebound Hammer), Modular Table / Meeting Table / Centre Table (V2), Hammer Unions, Knee Hammer, Reflex hammer, Safranin O (Basic red 2), Claw hammer, Ultra low temperature laboratory deep freezer, Hammer Unions (V2), Naphthalene (V3) Conforming to IS 539

Searched String: Engineering Hammer 250g

Concrete Test Hammer (Rebound Hammer), Modular Table / Meeting Table / Centre Table (V2), Hammer Unions, Naphthalene (V3) Conforming to IS 539, Knee Hammer, Dak Pad (V2), Reflex hammer, GI Grating (in Number), Claw

विड विवरण/Bid Details hammer, Hammer Unions (V2)

Searched String: Power Cable 2 Core 2 point 5mm

Cable Cross Over (Version 2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Squats Rack (Version 2), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Radio Frequency Coaxial Cable, Cable Trunking and Wiring Duct System For Electrical Installations Marked To IS 14927 (Part 2), XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2)

Searched String: Flexible Wire

Flexible Cystoscope, Muffle Furnace, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Cryogenic Flexible Hose, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flexible Jaw Coupling, Flexible Heating Element, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Shaft Grinder, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: Power Board with 5 Amp and 15 Amp Switch with socket

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Audio Amplifier (V3) (under BIS Scheme - II), Audio Amplifier (V3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, modular electrical enclosure switch board boxes for modular type accessories, Electrical Extension Box (V4), HDMI Switcher, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Computer Monitor (V2)

Searched String: Power Strip with 05mtr wire

Electronic Clock with Mains Power, Wheel Chairs (V2), Insulated wire stripper, Portable Mobile Lab with power backup, Power Tiller, Tapered Bearings as per IS 12102, Electrical Power Connector, Computer Monitor (V2), Electrician Scissor, Online UPS (>10 KVA) With Battery

Searched String: Screw Driver Set

Bit Driver Set with Screw driver Bits, Sofa (V3), Miniature Screwdriver Set, Screw driver Bits, Diesel Power Generator (up to 900 KVA), Cordless screw driver, Power Screw Driver (V2), Desk and Bench Set for Classroom/Training Area, Non-Sparking Screw Driver-IS:4595, Pole Umbrella (V2)

Searched String: Cutting plier size 8inch

Non Sparking Diagonal Cutting Plier as per IS 4595,

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

File/Folder (V3), Pliers, Pincers and Nippers as per IS 2615, IS 11526, Orthopaedic Wire Cutter (V2), Laboratory Hot

plate, Automatic Fire Ball for Fire - Extinguishing, General Purpose Ball Valves (V2), Work Benches, Medical Centrifuge, CPVC Ball Valve

Searched String: Nose plier

Orthopedic Instruments - Nose Pliers, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Insulated water pump plier, Groove Joint Pliers, Nose Rings & Pins-Handicraft, Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Orthodontic Pliers, Solid carbide end mill, Multiple Slip Joint Pliers - IS 6118, ENT (Ear nose throat) Workstation

Searched String: Insulation Tape

Glass Mica Tape-IS :7809, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Polyimide Tapes, HT Tape, Environmental Chamber, Insulation Tester, Acoustical insulation, Tape Cartridge / Tape Media, Measuring Tape, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)

Searched String: Cello Tape 1inch Transparent

Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Elastic Surgical Adhesive Tapes (V2), Taflon Tape as per IS 14635, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, HT Tape, Double sided tape, Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Vinyl Tape, Laboratory Vials (V2), Automative Vehicle - Retroreflective Sheets and Tape (V2) conforming to IS 14221

Searched String: Cello Tape 2inch Transparent

Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Taflon Tape as per IS 14635, Elastic Surgical Adhesive Tapes (V2), Laboratory Vials (V2), Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Double sided tape, Vinyl Tape, Automative Vehicle - Retroreflective Sheets and Tape (V2) conforming to IS 14221

Searched String: U Clip for electric wiring

Flexible Steel Conduits For Electrical Wiring Conforming To IS 3480, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Trunking and Wiring Duct System For Electrical Installations Marked To IS 14927 (Part 2), Cable Nail Clip (V2), Designation Clip for Disconnection Telecommunication Voice Module, E - Cart for Garbage (V2), Electrical Junction Box for Lighting, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Electric Trap for insects (UV based Electric Zappers), Electrical Safety Devices And Accessories (Insulating Mats For Electrical Purposes) ISI Marked to IS 15652

Searched String: Conduit Pipe 1inch and 2inch

Steel Pipes for Water and Sewage as per IS 3589, Interactive Panels with CPU, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Hydraulic Hose, Blow Pipe for Welding and Cutting as per IS 7653 (V2), Hand Operated

बिड विवरण / Bid Details

Hydraulic Pipe Bender, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Curtain Pipe, Sider and mounting bracket, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204

Searched String: AA cell

Cell Scraper, Cell cleaner, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Automated Cell Counter, Breath Analyser, Jameson Flotation Cell, S type load Cell, Flame Photometer, Shear Beam Load cell, Electronic Weigh Bridge (Without Civil Work)

Searched String: AAA cell

Authentication, Authorization and Accounting (AAA) Server, Cell Scraper, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Cell cleaner, Breath Analyser, Automated Cell Counter, Jameson Flotation Cell, Touchless Soap Dispenser (V3), S type load Cell, Flame Photometer

Searched String: Patch Cord 5mtr SC to SC

Hexaconazole 5% Suspension Concentrate (SC) Conforming to IS 15692 (V2), Fiber Optic Patch Cord, Fipronil 5% Suspension Concentrate (Sc) Conforming To Is 16145 (V3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Topramezone 10g/l + Atrazine 300g/l SC (Suspension Concentrate), Net Camouflage Shrimp Type as per Defence Specifications, Topramezone 10g/l +Atrazine 300g/l SC (Suspension Concentrate), Chlorantraniliprole 18.5% SC, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, Fiber Optic Patch Panels, Rack Mountable

Searched String: Digital Clamp Meter

true rms clamp meter, Digital Multimeter, digital conductivity meter, Digital pH Meter, pH Meter, Digital Light Meter, Digital Medical Thermometer, Digital Moisture Meter (Textile), Thermal Ribbon, Portable Digital Alcohol Meter

Searched String: Double Side Tape

Double sided tape, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Double Side Lapping and Polishing Machine, Tape Cartridge / Tape Media, Sofa (V3), Die Cast Grill Pan, foot step for hospitals, Measuring Tape, Polyester Webbing Slings, Aluminum Tape

Searched String: Hand Gloves for electric work

Work Gloves(BHEL), Nitrile Coated/Nitrile Hand Gloves (V2), Hand Gloves (MHA), General Purpose Hand Gloves (V2), Cotton Canvas Hand Gloves (SAIL), Tool Kit for Plastic Product - ODOP UP Gov. (Kanpur Village), Electric Hand Shear, Notesheet (Azure Laid) (V2), Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

Searched String: Distilled water in 10 ltr pack

Acephate 50%+ Bifenthrin 10% Water Dispersible Granules

	बिड विवरण / Bid Details (WDG), Environmental Chamber, Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065
	(Part 1), Reagent Grade water as per IS:1070, Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Stable Bleaching Powder for Treatment of Water Intended for Drinking (V3) conforming to IS 1065 (Part 2), Reagent Grade Distilled water, Multilayered Cross Laminated Sheets/Tarpaulins/Covers/ Agricultural Films conforming to 14611, Bio Culture for wastewater treatment
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Bi Double Distillation Water Unit (V2)
बीओक्यू शीर्षक /BOQ Title	Procurement of technical items
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	1 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Crimping Tool Throughout
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
---	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

RJ 45 Connector Throughout

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	500	30

OTE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	5	30

Crimping Tool Throughout

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	2	30

HDMI Cable 05 Mtr

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	5	30

HDMI Cable 20 Mtr Optical

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	5	30

USB Extension Cable 20 Mtr

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	2	30

24V DC Power Adaptor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	5	30

12V DC Power Adaptor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	10	30

UPS 1 KVA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	3	30

PoE Switch 8 Port

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	2	30

Drill Machine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	1	30

Drill Bit Size 18 Inch Length 18 Inch Width 18mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	1	30

Engineering Hammer 500g

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	1	30

Engineering Hammer 250g

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	1	30

Power Cable 2 Core 2 Point 5 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	300	30

Flexible Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	100	30

Power Board With 5 Amp And 15 Amp Switch With Socket

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	5	30

Power Strip With 05 Mtr Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	5	30

Screw Driver Set

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	2	30

Cutting Plier Size 8 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	4	30

Nose Plier

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	4	30

Insulation Tape

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	50	30

Tape 1 Inch Transparent

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	10	30

Tape 2 Inch Transparent

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	3	30

U Clip For Electric Wiring

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	10	30

Conduit Pipe 1 Inch And 2 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	3	30

AA Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	30	30

AAA Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	20	30

Patch Cord 5 Mtr Type SC To SC**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	10	30

Digital Clamp Meter**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	2	30

Double Side Tape

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	2	30

Hand Gloves For Electric Work

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	4	30

Distilled Water In 10 Ltr Packing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BARAMULLA	50	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3. Generic

NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:

1. I M/s.

(Name of Firm)

hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

4. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

5. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

6. Rate Contract

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

7. Rate Contract

Materials shall be guaranteed for 12 months from the date of commissioning or 18 months from the date of supply whichever is earlier.

8. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

9. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---