

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	17-03-2026 19:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	17-03-2026 19:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	30 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम/Organisation Name</b>	Indian Army
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	171
<b>वस्तु श्रेणी /Item Category</b>	Exhaust Fan , Ceiling Fan , Geyser 5 ltrs , Tube Light , LED Bulb , Holder Wall , MCB Box , MCB 32 amp , MCB 10 amp , MCB 6 amp , Electric board of 6 socket and 6 switch , Electric board with 6 switch , 1.5 mm wire red and black , 2.5 mm wire red and black , 1 mm wire yellow , Fan regulator , 5 amp switch , 5 amp socket , Cassing Patti of 6 fit , Wall gitti , Screw , Insulation tape , Internal bend , Squire box , T joint , Doctor joint , 16 amp combine switch and socket
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	Exhaust fan, Ceiling Fan, Geyser 5 ltrs, Tube light, LED bulb, Holdar Wall, MCB box, MCB 32 amp, MCB 10 amp, MCB 6 amp, Electric board of 6 socket and 6 switch, Electric board with 6 socket, 1.5 mm wire red and black, 2.5 mm wire red and black, 1 mm wire yellow, Fan regulator, 5 amp switch, 5 amp socket, Casing patti of 6 fit, Wall gitti, Screw, Insulation tape, Internal bend, Square box, T joint, Doctor Joint, 16 amp combine switch and socket
	<p><b>Searched String:</b> Exhaust fan</p> <p>PULLEY FOR EXHAUST FAN, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, Positive Pressure Ventilation Fan Blower, Flameproof Propeller Type AC Ventilating Fans (Exhaust Fan) (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Fan Bearing, Crossfit Fan, Fume Exhaust System with Scrubber or Fume Hood with Scrubber, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Centrifugal Fan Blower</p> <p><b>Searched String:</b> Ceiling Fan</p> <p>Ceiling rose - IS 371, Ceiling OT Light (V2), Chandeliers-Handicraft, Submersible Sewerage Pump, Transmission</p>

विड विवरण/Bid Details Fluid F-10 - Defence(V2), Desk and Bench Set for Classroom/Training Area, Split Air Conditioner, Ceiling Mount

Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Chandeliers-Handicraft (Bamboo), Auditorium Chair (V2), Standalone Ceiling Mounted Fire Suppression System

**Searched String:** Geysers 5 ltrs

Connector Pipes for Washbasins/ Sinks/ Geysers, Rucksack (30 Ltrs Capacity) (V2) (MHA), Stationary Storage Type Electric Water Heaters (Geysers) (V3) ISI Marked to IS 2082, All in One PC (V2), Rucksack 90 Ltrs with HDPE Board (Defence), File/Folder (V3), 5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), High End Desktop Computer

**Searched String:** Tube light

LED Batten Light (LED Tube Light) (V2), LED Tube Light (Retrofit Type), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Fusion Tube, Suction Tube, Hand Held Search Light, Fitness Tube, Blood Collection Tube, Resistance Tube, Endotracheal Tube - Sterile (Single Use)

**Searched String:** LED bulb

Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Flower Bulb/Seeds, Laboratory Incubators, ECG Bulb Electrode, LED Curbstone, Muffle Furnace, LED Batten Light (LED Tube Light) (V2), Sealing Bulb Beading Rubber for Door, LED Marine Lanterns

**Searched String:** Holdar Wall

Wall Bars, Wall Mounting Cabinet, Soft Play Wall, Kitchen Wall Shelves, Wall clocks-Handicraft, Wall Mount Thermometer, Metal Storage Cabinet, data wall display, Data Wall Controller, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931

**Searched String:** MCB box

Tissue box, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Resistance Box, Box Spanner, Circuit Breakers for DC Operation, Lunch Box (V3), File/Folder (V3), HIT BOX (MHA), Muffle/Box Furnace (V2), Telephone Junction Box

**Searched String:** MCB 32 amp

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Bromocresol green, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Audio Amplifier (V3), Audio Amplifier (V3) (under BIS Scheme - II), AMPICILLIN INJECTION, Amphotericin B Injection (V2), Glass Ampoule Breaker, rubber bands

**Searched String:** MCB 10 amp

Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, Circuit Breakers for DC Operation, Bifenthrin 10% Emulsifiable Concentrate (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Chlorpyrifos 10% GR (Granules) (V2), Electrical Extension Box (V4), Foldable Jerri

बिड विवरण / Bid Details

Can (10 ltr), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Cypermethrin 10% + Indoxacarb 10% SC (Suspension Concentrate)

**Searched String:** MCB 6 amp

6-Benzylaminopurine, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), CAT 6 Information outlet, 6 - Mercaptopurine Tablets (V2), water baths, Circuit Breakers for DC Operation, Electrical Extension Box (V4), Protective PX- 6 -Defence (V2), 6 Part Automated Hematology Analyzer, Bensulfuronmethyl 0.6% + Pretilachlor 6% GR (Granular)

**Searched String:** Electric board of 6 socket and 6 switch

Pouch for Ammunition and Grenades Made of Disruptive Pattern Nylon 6 6 ISI Marked to IS 16726, Electrical Extension Box (V4), Modular Toilet, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Laser Range Finder, Non Sparking Double Ended Ring Spanner (V2), Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2), FPGA Development and Evaluation Board

**Searched String:** Electric board with 6 socket

Plug and Socket Distribution Board, Modular Table / Meeting Table / Centre Table (V2), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), CAT 6 Information outlet, Computer Table (V3), Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Board Games Or Magic Board With Bands (V2)-Toys, Pin Up Notice Board (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

**Searched String:** 1.5 mm wire red and black

Ready Mixed Paint, Brushing, Bituminous, Black, Lead Free, Acid, Alkali and Heat Resisting as per IS 158, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Wire rope slings and sling legs (V3) conforming to IS 2762, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Markers and Highlighters, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Portable Toilet, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

**Searched String:** 2.5 mm wire red and black

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Weightlifting Discs, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Portable Toilet, High

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

विड विवरण/Bid Details	Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Markers and Highlighters
	<p><b>Searched String:</b> 1 mm wire yellow</p> <p>Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Kirschner Wire (V2), Calcined Magnesia Carbon Grog - SAIL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Non-reversible wire twister, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Tapered Bearings as per IS 12102, rubber bands</p> <p><b>Searched String:</b> Fan regulator</p> <p>Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, modular electrical enclosure switch board boxes for modular type accessories, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Pedestal Type Fan and Regulator as per IS 1169, Acetylene Pressure Regulator as per IS 6901, Filter Regulator Lubricator, Fan Bearing, Pressure Regulator For Gases</p> <p><b>Searched String:</b> 5 amp switch</p> <p>Isolator switch, Limit Switch, Electrical Extension Box (V4), Reed Switch, All in One PC (V2), Rotary Switch, File/Folder (V3), Time Switch, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Industrial Switch</p> <p><b>Searched String:</b> 5 amp socket</p> <p>Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, Insulated socket, Electrical Extension Box (V4), IC SOCKET, All in One PC (V2), Impact socket, File/Folder (V3), Insulated socket wrench, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flameproof Switch Socket</p> <p><b>Searched String:</b> Casing patti of 6 fit</p> <p>Casing of Different Sizes with Coupling (CMPDI), Dry Erase Writing Boards (V3), Diamond Casing Bit and Shoe Bits of Different Sizes (CMPDI), Pouch for Ammunition and Grenades Made of Disruptive Pattern Nylon 6 6 ISI Marked to IS 16726, Package No. 6 Atal Tinkering Lab of Niti Aayog - Learning Management System, Fall Arrestor, Pipe Fitting of Wrought Carbon Steel for Low- Temperature Service, Screwed Ends of Fittings confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Muffle/Box Furnace (V2)</p> <p><b>Searched String:</b> Wall gitti</p>

विड विवरण

PVC gitti, Wall Mounting Cabinet, Wall Bars, Soft Play Wall, Kitchen Wall Shelves, Metal Storage Cabinet, Wall clocks-

Handicraft, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Wall Mount Thermometer, data wall display

**Searched String:** Screw

Screw Compressor, Compression Screw, Karabiners Screw Type MK - 2 (Defence), Self Drilling Screw, Screw Cap Vial, Locking Compression Plates (V2), Bone Screw (V2), Pedicle Screw (V2), Plain Washer as per IS 2016, Screw driver Bits

**Searched String:** Insulation tape

Glass Mica Tape-IS :7809, Environmental Chamber, Polyimide Tapes, HT Tape, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Insulation Tester, Acoustical insulation, Tape Cartridge / Tape Media, Aluminum Tape, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)

**Searched String:** Internal bend

Internal Dial Caliper Gauge, HoleTest Micrometer(BHEL), Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Internal Micrometer as per IS 2966, Internal Storage Device (SSD/HDD) (V2), Laboratory Glass Adapters, Walk in Cooler, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, (Bender-Gestalt II) Bender Visual-Motor Gestalt Test, Second Edition, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1)

**Searched String:** Square box

Square Baler, Try Square, Square Head Bolts, Classroom Stools, Square Washer(BHEL), modular electrical enclosure switch board boxes for modular type accessories, Carpenter Squares, File/Folder (V3), Bamboo Square Stick Making Machines, Corrugated Boxes

**Searched String:** T joint

Redundant Joint Apparatus, Groove Joint Pliers, Recycled T - Shirt, All in One PC (V2), T-Shirt (V3), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), T Shirt (HPCL), Eriochrome Black T, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Oxide Inhibiting Electrical Joint Compound

**Searched String:** Doctor Joint

Doctor Set (Preschool Kit) (V2)-Toys, Laboratory Glass Adapters, Redundant Joint Apparatus, Groove Joint Pliers, Scrub Suit, Oxide Inhibiting Electrical Joint Compound, Multiple Slip Joint Pliers - IS 6118, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Clinical Apron, Role and Pretend Play Toys (V2)

**Searched String:** 16 amp combine switch and socket

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electrical Extension Box (V4)

<b>बिड विवरण/Bid Details</b>	
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	• Electric Ceiling Fan (V4) ISI Marked to IS 374
<b>बीओक्यू शीर्षक /BOQ Title</b>	Troops Requirement
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</b>	No
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b>	No
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No
<b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b>	1
<b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b>	3
<b>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</b>	1
<b>विगत प्रदर्शन /Past Performance</b>	50 %
<b>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</b>	No
<b>बिड का प्रकार/Type of Bid</b>	Single Packet Bid
<b>प्राथमिक उत्पाद श्रेणी/Primary product category</b>	Exhaust Fan
<b>तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
<b>निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No

**बिड विवरण/Bid Details**

मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid

for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### Pre Bid Detail(s)

<b>मूल्य भिन्नता खंड दस्तावेज/Pre-Bid Date and Time</b>	<b>प्री-बिड स्थान/Pre-Bid Venue</b>
09-03-2026 18:00:00	Pre bid meeting will be held on 09 Mar 2026 at Saaj, Rajouri, J & K. All vendors are mandatory to participate the meeting

#### Exhaust Fan

##### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

##### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajouri	1	180

#### Ceiling Fan

##### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

**Geysers 5 Ltrs**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

**Tube Light**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	6	180

**LED Bulb**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	5	180

**Holder Wall**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	5	180

### MCB Box

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

### MCB 32 Amp

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

## MCB 10 Amp

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

## MCB 6 Amp

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	3	180

## Electric Board Of 6 Socket And 6 Switch

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	2	180

**Electric Board With 6 Switch****तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	3	180

**1.5 Mm Wire Red And Black****तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	4	180

**2.5 Mm Wire Red And Black**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	2	180

**1 Mm Wire Yellow**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

## Fan Regulator

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	1	180

## 5 Amp Switch

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	20	180

## 5 Amp Socket

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	10	180

## Cassing Patti Of 6 Fit

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	54	180

## Wall Gitti

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	2	180

**Screw****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	2	180

**Insulation Tape****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	10	180

**Internal Bend**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	10	180

**Squre Box**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	5	180

## T Joint

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	12	180

## Doctor Joint

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	4	180

## 16 Amp Combine Switch And Socket

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Rajauri	4	180

### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any

Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला

सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---