

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 17-03-2026 21:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 17-03-2026 21:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 60 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Defence |
| विभाग का नाम/Department Name | Department Of Military Affairs |
| संगठन का नाम/Organisation Name | Indian Army |
| कार्यालय का नाम/Office Name | ***** |
| कुल मात्रा/Total Quantity | 3707 |
| वस्तु श्रेणी /Item Category | Wrought Aluminium and Aluminium Alloys Sheet and Strip (General Engineering Purposes) as per IS 737 (Q3) , Metal Alloy Casting Water Tap with Aerator (V2) (Q3) , MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) , XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) (Q2) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Curtain Pipe, Sider and mounting bracket (Q4) , Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 (Q2) , Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (Q2) , Steel Pipes for Water and Sewage as per IS 3589 (Q3) , LED Garden Light (V2) (Q2) , Putty for use on Window Frames as per IS 419 (Q3) |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 3 Lakh (s) |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) | 10 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 3 Year (s) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |

बिड विवरण/Bid Details

| | |
|---|---|
| विक्रेता से मांगे गए दस्तावेज़/ Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 3 |
| विगत प्रदर्शन / Past Performance | 50 % |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule | 50% Lowest Priced Technically Qualified Bidders |
| बिड का प्रकार/ Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/ Primary product category | Wrought Aluminium and Aluminium Alloys Sheet and Strip (General Engineering Purposes) as per IS 737 |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/ Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/ Arbitration Clause | No |
| सुलह खंड/ Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
|-----------------------------|---------------------|

| | |
|-----------------------|-------|
| ईएमडी राशि/EMD Amount | 72000 |
|-----------------------|-------|

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SBSO

HQ CWE BINNAGURI, Department of Military Affairs, Indian Army, Ministry of Defence
(Hq Cwe Binnaguri)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

| | |
|---|---|
| एमआईआई खरीद वरीयता / MII Purchase Preference | Yes |
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X% | 20 |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference | 50 |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|---|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
|---|-----|

| | |
|--|----|
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for

compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

7. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Wrought Aluminium And Aluminium Alloys Sheet And Strip (General Engineering Purposes) As Per IS 737 (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|----------------------------|--|--|
| Material | Material | Aluminium Alloy |
| Shape, Design | Designation of Aluminium And Aluminium Alloys | 19600 |
| | Condition of Aluminium And Aluminium Alloys | HX8 |
| | Heat-Treatable Aluminium / Aluminium Alloys | No |
| Dimension As per IS 2646 | Thickness of Sheet and Strip (In MM) | 0.19 |
| | Length of Sheet (In MM) | 2000 |
| | Width of Sheet (in MM) | 1500 |
| | Width of Strip (In MM) | 1200 |
| | Length of Strip in one Coil (In Metre) | 900 |

Additional Specification Parameters - Wrought Aluminium And Aluminium Alloys Sheet And Strip (General Engineering Purposes) As Per IS 737 (10 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Aluminium sheet | Aluminium sheet 8'x4'x0.56 mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 10 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (107 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| ITEM | Tap Mounting Type | Bib tap |
| Material | Material | Brass |
| Description | Type of Faucet | Half Turn |
| | Aerator Material | Plastic |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 107 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (15 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| ITEM | Tap Mounting Type | Mixers tap |
| Material | Material | Stainless Steel |
| Description | Type of Faucet | Half Turn |
| | Aerator Material | Metal |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

Additional Specification Parameters - Metal Alloy Casting Water Tap With Aerator (V2) (15 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Stainless Steel Mixers tap | CP Concealed stop cock 15 mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 15 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (25 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| ITEM | Tap Mounting Type | Wall Mount tap |
| Material | Material | Stainless Steel |
| Description | Type of Faucet | Half Turn |
| | Aerator Material | Metal |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

Additional Specification Parameters - Metal Alloy Casting Water Tap With Aerator (V2) (25 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--------------------------------|----------------------------------|
| Stainless Steel Wall Mount tap | CP 2 way angle cock 15mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 25 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| ITEM | Tap Mounting Type | Bib tap |
| Material | Material | Brass |
| Description | Type of Faucet | Multi Turn |
| | Aerator Material | Metal |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

Additional Specification Parameters - Metal Alloy Casting Water Tap With Aerator (V2) (20 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Brass Bib tap | CP Bib cock 2 in 1 |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (17 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| ITEM | Tap Mounting Type | Mixers tap |
| Material | Material | Brass |
| Description | Type of Faucet | Half Turn |
| | Aerator Material | Metal |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

Additional Specification Parameters - Metal Alloy Casting Water Tap With Aerator (V2) (17 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Brass Mixers tap | CP Centre Hole Basin Mixture |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-------------|------------------|---------------------------------|
|-------------------|---|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 17 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (58 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| ITEM | Tap Mounting Type | Pillar tap |
| Material | Material | Brass |
| Description | Type of Faucet | Multi Turn |
| | Aerator Material | Metal |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 58 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| ITEM | Tap Mounting Type | Pillar tap |
| Material | Material | Brass |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Description | Type of Faucet | Quarter Turn |
| | Aerator Material | Plastic |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

Additional Specification Parameters - Metal Alloy Casting Water Tap With Aerator (V2) (10 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Brass Pillar tap | CP Swan Neck 15mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 10 | 15 |

Metal Alloy Casting Water Tap With Aerator (V2) (25 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| ITEM | Tap Mounting Type | Wall Mount tap |
| Material | Material | Brass |
| Description | Type of Faucet | Multi Turn |
| | Aerator Material | Plastic |
| Dimension | Nominal Thread Size of Tap (mm) | 15 |

Additional Specification Parameters - Metal Alloy Casting Water Tap With Aerator (V2) (25 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| Wall Mount tap | CP Wall Mixer |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 25 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 2 P with 2 PP |
| | Rated voltage (in Volts) | 240 V, AC |
| | Rated Current (in Ampere) | 40 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 2 P with 2 PP |
| | Rated voltage (in Volts) | 240 V, AC |
| | Rated Current (in Ampere) | 32 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Yes with 1.2 mm thick |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (50 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 1 P |
| | Rated voltage (in Volts) | 230 / 415 V, AC |
| | Rated Current (in Ampere) | 40 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 50 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (50 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 1 P |
| | Rated voltage (in Volts) | 240 / 415 V, AC |
| | Rated Current (in Ampere) | 16 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 50 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (30 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 1 P |
| | Rated voltage (in Volts) | 240 / 415 V, AC |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Rated Current (in Ampere) | 20 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 30 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 1 P |
| | Rated voltage (in Volts) | 240 V, AC |
| | Rated Current (in Ampere) | 32 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (60 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 1 P |
| | Rated voltage (in Volts) | 240 V, AC |
| | Rated Current (in Ampere) | 10 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 60 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 2 P with 1 PP |
| | Rated voltage (in Volts) | 240 V, AC |
| | Rated Current (in Ampere) | 63 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 3 P with 3 PP |
| | Rated voltage (in Volts) | 240 V, AC |
| | Rated Current (in Ampere) | 63 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N O. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP |
| | Rated voltage (in Volts) | 240 / 415 V, AC |
| | Rated Current (in Ampere) | 63 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Yes with 1.2 mm thick |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| STANDARDS | Conformity of the specification | as per IS/IEC 60898 : PART 1:2015 latest |
| RATING | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP |
| | Rated voltage (in Volts) | 415 V, AC |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Rated Current (in Ampere) | 40 |
| | Instantaneous tripping current type | C |
| | Rated Short circuit capacity (in Ampere) | 10000 |
| CONSTRUCTION | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (400 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| STANDARDS | Conformity of the specification for XLPE cable | as per IS:7098 (Part 1): 1988 latest |
| | Cables suitable for use in mines | No |
| | Cables suitable for use in low temperature applications | No |
| GENERIC | Classification of cables for improved fire performance category | C2 - FR-LSH |
| | Nominal Area of Conductor (in Sq mm) | 10 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Number of core (in Nos) | 2 |
| CONSTRUCTION | Material of conductor | Aluminium |
| | Type of inner sheath | Un-vulcanized rubber |
| ARMOURING | Type of cable | Armoured cable |
| | Material of armouring | Galvanized round steel wire |
| | Type of armouring | Double strip |
| CERTIFICATION | Availability of Optional Test Reports | Cold bend test for outer sheath, Not applicable |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 400 | 15 |

Waste Fittings For Washbasin And Sinks As Per IS 2963 (81 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| RAW MATERIAL | Material of Waste Fitting | Leaded Tin Bronze conforming to Grade 2 of IS 318/1962 |
| DIMENSION | Nominal Size | 50 mm for sink |
| WARANTEE | WARANTEE PERIOD IN NUMBER OF YEARS | 4 |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 81 | 15 |

Waste Fittings For Washbasin And Sinks As Per IS 2963 (50 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| RAW MATERIAL | Material of Waste Fitting | Brass conforming to Grade 3 of IS 292/1961 |
| DIMENSION | Nominal Size | 32 mm for washbasin |
| WARANTEE | WARANTEE PERIOD IN NUMBER OF YEARS | 5 |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 50 | 15 |

Curtain Pipe, Sider And Mounting Bracket (300 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------|---|--|
| ITEM | ITEM | Hanging Bracket |
| OTHER REQUIREMENTS | Sider(one pair per pipe) | Without |
| DIMENSON | Outside Diameter of curtain pipe (in mm) | 19mm |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Length of curtain pipe(In Meter) | 1 |
| | Minimum Wall thickness of pipe (In MM) | 1, 2, 3, 4, 5 Or higher |
| | Minimum thickness of Curtain pipe hanging bracket (in mm) | 2, 3 Or higher |

Additional Specification Parameters - Curtain Pipe, Sider And Mounting Bracket (300 meter)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|----------------------------------|
| Curtain Pipe, Sider and mounting bracket | curtain bracket for 20mm in Nos |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 300 | 15 |

Curtain Pipe, Sider And Mounting Bracket (111 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| ITEM | ITEM | Curtain Pipe |
| OTHER REQUIREMENTS | Sider(one pair per pipe) | Without |
| DIMENSON | Outside Diameter of curtain pipe (in mm) | 19mm |
| | Length of curtain pipe(In Meter) | 3 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| | Minimum Wall thickness of pipe (In MM) | 1, 2, 3, 4, 5 Or higher |
| | Minimum thickness of Curtain pipe hanging bracket (in mm) | 2, 3 Or higher |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N O. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 111 | 15 |

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 (200 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|---------------------------------------|---|
| Performance Parameters | Rated Current | 16.0 (Ampère) |
| | Number of Pins | 3, 6 Or higher |
| | Provision of Safety Shutter in Socket | Without Shutter |
| Generic | Current Carrying Material | Copper |
| | Type of Terminal Connection | Screw Type Terminal |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 200 | 15 |

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 (200 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------------|--|--|
| Performance Parameters | Rated Current | 6.0 (Ampère) |
| | Number of Pins | 3, 6 Or higher |
| | Provision of Safety Shutter in Socket | Without Shutter |
| Generic | Current Carrying Material | Brass |
| | Type of Terminal Connection | Screw Type Terminal |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 200 | 15 |

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (800 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------|-------------------------------------|---|
| Generic | Rated Current | 6A |
| | Nature of Switch | 1 way switch |
| Switch Classification | Type of Terminal Connection | Screw type terminal |
| Construction | Current Carrying Contact Material | Brass |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 800 | 15 |

Steel Pipes For Water And Sewage As Per IS 3589 (200 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------------------|--|---|
| Specification | Conformity to Indian Standard IS 3589:latest | Yes |
| | ISI Marked | No |
| Manufacture, Material and Coating | Method of Manufacturing | Seamless |
| | Grade of Steel | Fe330 |
| | Type of Coating | Zinc Coating |
| Dimension | Outside Diameter of Pipe (mm) | 168.3 |
| | Thickness of Pipe (mm) | 14.2 |
| | Mass of Pipe per meter in Kg(s) | 10.6 |
| | Length of Pipe (Metres) | 6.5 |
| Type of Joint | Pipe Ends for Joint | Plain Ends |

Additional Specification Parameters - Steel Pipes For Water And Sewage As Per IS 3589 (200 meter)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| GI Tubing | Tubing GI Medium Grade15mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 200 | 15 |

Steel Pipes For Water And Sewage As Per IS 3589 (130 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|---|--|
| Specification | Conformity to Indian Standard IS 3589:latest | Yes |
| | ISI Marked | No |
| Manufacture, Material and Coating | Method of Manufacturing | Seamless |
| | Grade of Steel | Fe330 |
| | Type of Coating | Fusion Bonded Epoxy Coating |
| Dimension | Outside Diameter of Pipe (mm) | 168 3 |
| | Thickness of Pipe (mm) | 2 6 |
| | Mass of Pipe per meter in Kg(s) | 10.6 |
| | Length of Pipe (Metres) | 6.0 |
| Type of Joint | Pipe Ends for Joint | Bewelled Ends |

Additional Specification Parameters - Steel Pipes For Water And Sewage As Per IS 3589 (130 meter)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| GI Tubing | GI Tubing Medium Grade 20 mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 130 | 15 |

Steel Pipes For Water And Sewage As Per IS 3589 (60 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------------------|---|---|
| Specification | Conformity to Indian Standard IS 3589:latest | Yes |
| | ISI Marked | No |
| Manufacture, Material and Coating | Method of Manufacturing | Seamless |
| | Grade of Steel | Fe450 |
| | Type of Coating | Without Coating |
| Dimension | Outside Diameter of Pipe (mm) | 168.3 |
| | Thickness of Pipe (mm) | 4.5 |
| | Mass of Pipe per meter in Kg(s) | 18.2 |
| | Length of Pipe (Metres) | 6.0 |
| Type of Joint | Pipe Ends for Joint | Sleeve Joints |

Additional Specification Parameters - Steel Pipes For Water And Sewage As Per IS 3589 (60 meter)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| GI Tubing | GI Tubing Medium Grade 25 mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 60 | 15 |

Steel Pipes For Water And Sewage As Per IS 3589 (60 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|---|--|
| Specification | Conformity to Indian Standard IS 3589:latest | Yes |
| | ISI Marked | No |
| Manufacture, Material and Coating | Method of Manufacturing | ERW |
| | Grade of Steel | Fe330 |
| | Type of Coating | Zinc Coating |
| Dimension | Outside Diameter of Pipe (mm) | 168.3 |
| | Thickness of Pipe (mm) | 3.6 |
| | Mass of Pipe per meter in Kg(s) | 41.1 |
| | Length of Pipe (Metres) | 6.0 |
| Type of Joint | Pipe Ends for Joint | Plain Ends |

Additional Specification Parameters - Steel Pipes For Water And Sewage As Per IS 3589 (60 meter)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|----------------------------------|
| GI Tubing | GI Tubing Medium Grade 40 mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 60 | 15 |

Steel Pipes For Water And Sewage As Per IS 3589 (60 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|---|--|
| Specification | Conformity to Indian Standard IS 3589:latest | No |
| | ISI Marked | No |
| Manufacture, Material and Coating | Method of Manufacturing | Seamless |
| | Grade of Steel | Fe410 |
| | Type of Coating | Zinc Coating |
| Dimension | Outside Diameter of Pipe (mm) | 323 9 |
| | Thickness of Pipe (mm) | 3 2 |
| | Mass of Pipe per meter in Kg(s) | 18.2 |
| | Length of Pipe (Metres) | 6 |
| Type of Joint | Pipe Ends for Joint | Plain Ends |

Additional Specification Parameters - Steel Pipes For Water And Sewage As Per IS 3589 (60 meter)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|---------------------------------|----------------------------------|
| GI Tubing | GI Tubing Medium Grade 50 mm |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 60 | 15 |

LED Garden Light (V2) (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|----------------------------------|---|---|
| GENERIC | Type of Garden Light | Bollard type with Pole and LED lantern/luminaire |
| | Material of Garden Lighting pole including lighting system (lantern/luminaire) (Note: Wherever GI, MS, CI materials used, materials shall be ISI Marked) | Aluminium casting |
| | Pole height including lantern/luminaire (in m) | 0.5 |
| | No.of lantern/luminaire with each pole (in m) | 1 |
| LIGHT SOURCE | Type of light source - BEE star rating of LED Bulb | SMD LED Chip |
| | LED Rating in each lantern/luminaire/lighting system (in Watts) | 10.0 |
| | LED Lamp/System efficacy in each lantern / luminaire (in lumen / watt) | ? 105 and < 120 |
| | In case of LED bulb - Cap designation of each lamp and holder in each lantern / luminaire | Not applicable (for SMP LED Chip) |
| PROTECTION | Automatic Lower / Higher Cut off voltage | Yes. Lower cut off 120 V, Higher cut off 300 V |
| | Protection against surges and transients - External | > / = 10 KV Or higher |
| THERMAL MANAGEMENT | Minimum Operating Temperature (in deg. C) | -10 |
| | Maximum Operating Temperature (in deg. C) | 50 |
| LANTERN/LUMINAIRE - CONSTRUCTION | Impact resistance on diffuser material (in IK) | 7 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Protection of the entire housing (in IP) Protection of the entire housing as per IS:10322 (Part 1):1982 latest | 65 |
| | Length of ISI marked three core connecting wire (Provided along with each lantern/luminiare) - (in m) | 0.5 |
| CERTIFICATIONS | Warranty for free replacement of lighting systems including lightsource (in years) | 1 |
| ADVANCE SAMPLE | Agreed to provide Advance Sample(s) for buyer's approval before commencement of supply. (hint: Applicable in case of orders placed against bid and not applicable in case of Direct Buying) | Yes |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 20 | 15 |

Putty For Use On Window Frames As Per IS 419 (148 kilogram)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| Packing | Packing size (in kg) | 25 |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|-----------------|------------------|------------------------------|
| 1 | ***** | *****Jalpaiguri | 148 | 15 |

XLPE Cable For Working Voltages Up To And Including 1.1 KV As Per IS 7098 (Part 1) (270 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

| | |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| STANDARDS | Conformity of the specification for XLPE cable | as per IS:7098 (Part 1): 1988 latest |
| | Cables suitable for use in mines | No |
| | Cables suitable for use in low temperature applications | No |
| GENERIC | Classification of cables for improved fire performance category | 01 |
| | Nominal Area of Conductor (in Sq mm) | 25 |
| | Number of core (in Nos) | 4 |
| CONSTRUCTION | Material of conductor | Aluminium |
| | Type of inner sheath | Thermoplastic |
| ARMOURING | Type of cable | Armoured cable |
| | Material of armouring | Galvanized steel formed wire |
| | Type of armouring | Single strip |
| CERTIFICATION | Availability of Optional Test Reports | Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|-----------------|------------------|---------------------------------|
| 1 | ***** | *****Jalpaiguri | 270 | 15 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

4. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

HQ CWE BINNAGURI
payable at
STATE BANK OF INDIA

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Upload undertaking certificate duly attested stating that their firm is not debarred/ blacklisted by any organization function under Central/ State/ Semi Government/ Public Sector undertaking of any central/ State Government or Union Territories.

2 Bidder must offer their rates for the fwg make which is approved by the Stn Cdr, failing which bidder will be disqualified:-

For CP items : Shakti/ Prima/ Jaynam/ Pryag/ Any Brand Approved By E-in-C and Command.

For MCB : Legrand/ Indoasian/ ABB/ Benlo / Any Brand Approved By E-in-C and Command.

For PVC/CP items : Shakti/ Prima/ Jaynam/ Pryag/ Any Brand Approved By E-in-C and Command.

For XLPE Cable : Polycab/ KEI/ Havells,/RR Kabel / Any Brand Approved By E-in-C and Command.

For Switch/Socket : Kinjal/ Adhunik/ Anchor/ Any Brand Approved By E-in-C and Command.

3 **Bidder must quote their rates alongwith Make and Model Number failing which bidder will be disqualified from bidding.**

4. Bidder must upload OEM Auth Certificate with specific Bid Number against which rates are offered.

5. EMD must reach this office on or before opening of the Bid, failing which bidder will be disqualified.

.

10. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

11. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

12. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---