

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	23-05-2026 15:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	23-05-2026 15:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	180 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Power
<b>विभाग का नाम/Department Name</b>	Ntpc Sail Power Company Ltd
<b>संगठन का नाम/Organisation Name</b>	Ntpc Sail Power Company Ltd
<b>कार्यालय का नाम/Office Name</b>	Contracts And Materials
<b>कुल मात्रा/Total Quantity</b>	107
<b>वस्तु श्रेणी /Item Category</b>	GV IS 778 BRONZE LTB2 BSP 1MPA 25MM , BALL VV FLANGED A216 WCB 150 50MM , GV IS 778 BRONZE LTB2 BSP 1MPA 15MM , GV IS 778 BRONZE B 52 BSP 1MPA 20MM , GV IS 778 BRONZE B 52 BSP 1MPA 32MM , GV IS 778 BRONZE LTB2 NPT 1MPA 40MM , GV IS 778 BRONZE B 62 NPT 1MPA 50MM , BALL VALVE BSP A216 WCB 150 15MM , GV IS 778 BRONZE LTB2 FLNG 1MPA 50MM , GV IS 778 BRONZE LTB2 FLNG 1MPA 40MM , GLV IS 778 ESP BRNZ IS 318 LTB CLV 1MPA
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	GV-IS 778 BRONZE-LTB2-BSP 1MPA 25MM, BALL VV FLANGED A216 WCB 150 50MM, GV-IS 778 BRONZE-LTB2-BSP 1MPA 15MM, GV-IS 778 BRONZE B-52-BSP 1MPA 20MM, GV-IS 778 BRONZE B-52-BSP 1MPA 32MM, GV-IS 778 BRONZE-LTB2-NPT 1MPA 40MM, GV-IS 778 BRONZE B-62-NPT 1MPA 50MM, BALL VALVE BSP A216 WCB 150 15MM, GV-IS 778 BRONZE-LTB2-FLNG 1MPA 50MM, GV-IS 778 BRONZE-LTB2-FLNG 1MPA 40MM, GLV-IS 778 ESP BRNZ IS 318 LTB CLV 1MPA, GV-IS 778 BRONZE-LTB2-BSP 1MPA 25MM, GV-IS 778 BRONZE-LTB2-BSP 1MPA 15MM, GV-IS 778 BRONZE-LTB2-NPT 1MPA 40MM, BALL VALVE-BSP A216 WCB 150 15MM, GV-IS 778 BRONZE-LTB2-FLNG 1MPA 50MM, GV-IS 778 BRONZE-LTB2-FLNG 1MPA 40MM
	<b>Searched String:</b> GV-IS 778 BRONZE-LTB2-BSP 1MPA 25MM  PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS

बिड विवरण

778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES

Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

**Searched String:** BALL VV FLANGED A216 WCB 150 50MM

Safety Relief Valves- Spring Loaded, General Purpose Ball Valves (V2), General Purpose Ball Valves conforming to IS 9890, Laboratory Desiccator (V2)

**Searched String:** GV-IS 778 BRONZE-LTB2-BSP 1MPA 15MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

**Searched String:** GV-IS 778 BRONZE B-52-BSP 1MPA 20MM

Non Sparking Ring Slugging Spanners (V2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Correspondence Envelopes (V3) Conforming to IS 13892, Wire rope slings and sling legs (V3) conforming to IS 2762, Globe Valve as per IS 778, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778

**Searched String:** GV-IS 778 BRONZE B-52-BSP 1MPA 32MM

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Non Sparking Ring Slugging Spanners (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Correspondence Envelopes (V3) Conforming to IS 13892, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778

विड विवरण / Bid Details  
**Searched String:** GV-IS 778 BRONZE-LTB2-NPT 1MPA 40MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

**Searched String:** GV-IS 778 BRONZE B-62-NPT 1MPA 50MM

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Correspondence Envelopes (V3) Conforming to IS 13892, Globe Valve as per IS 778, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778

**Searched String:** BALL VALVE BSP A216 WCB 150 15MM

Safety Relief Valves- Spring Loaded, Check Valve (V2) as per IS 778, General Purpose Ball Valves conforming to IS 9890, General Purpose Ball Valves (V2), Laboratory Desiccator (V2), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Temperature Indicator for Transformers - Analog type, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Commercial PPR Pipes Fittings as per IS 15801

**Searched String:** GV-IS 778 BRONZE-LTB2-FLNG 1MPA 50MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

<b>GeMARPTS में खोजा गया विकल्प / Searched Result generated in GeMARPTS</b>	<b>विड विवरण / Bid Details</b>
	<p><b>Searched String:</b> GV-IS 778 BRONZE-LTB2-FLNG 1MPA 40MM</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &amp; STOP VALVES FOR HOT &amp; COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778</p> <p><b>Searched String:</b> GLV-IS 778 ESP BRNZ IS 318 LTB CLV 1MPA</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> GV-IS 778 BRONZE-LTB2-BSP 1MPA 25MM</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &amp; STOP VALVES FOR HOT &amp; COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778</p> <p><b>Searched String:</b> GV-IS 778 BRONZE-LTB2-BSP 1MPA 15MM</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &amp; STOP VALVES FOR HOT &amp; COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather</p>

विड विवरण / Bid Details Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

**Searched String:** GV-IS 778 BRONZE-LTB2-NPT 1MPA 40MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

**Searched String:** BALL VALVE-BSP A216 WCB 150 15MM

Safety Relief Valves- Spring Loaded, Check Valve (V2) as per IS 778, General Purpose Ball Valves conforming to IS 9890, General Purpose Ball Valves (V2), Laboratory Desiccator (V2), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Temperature Indicator for Transformers - Analog type, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Commercial PPR Pipes Fittings as per IS 15801

**Searched String:** GV-IS 778 BRONZE-LTB2-FLNG 1MPA 50MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778

**Searched String:** GV-IS 778 BRONZE-LTB2-FLNG 1MPA 40MM

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694,

<p style="text-align: right;"><b>बिड विवरण / Bid Details</b></p>	<p>Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &amp; STOP VALVES FOR HOT &amp; COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Globe Valve as per IS 778</p>
<p><b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>• Gun Metal Gate Valves - BHEL</li> </ul>
<p><b>बीओक्यू शीर्षक /BOQ Title</b></p>	<p>PROCUREMENT OF BRONZE GUN METAL VALVES FOR NSPCL Rourkela</p>
<p><b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover</b></p>	<p>No</p>
<p><b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b></p>	<p>No</p>
<p><b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b></p>	<p>3</p>
<p><b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b></p>	<p>5</p>
<p><b>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</b></p>	<p>3</p>
<p><b>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</b></p>	<p>No</p>
<p><b>बिड का प्रकार/Type of Bid</b></p>	<p>Two Packet Bid</p>
<p><b>प्राथमिक उत्पाद श्रेणी/Primary product category</b></p>	<p>GV IS 778 BRONZE LTB2 BSP 1MPA 25MM</p>
<p><b>तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation</b></p>	<p>3 Days</p>
<p><b>निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b></p>	<p>No</p>
<p><b>Payment Timelines</b></p>	<p>Payments shall be made to the Seller within <b>30</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)</p>
<p><b>मूल्यांकन पद्धति/Evaluation Method</b></p>	<p>Item wise evaluation</p>
<p><b>मध्यस्थता खंड/Arbitration Clause</b></p>	<p>No</p>

**बिड विवरण/Bid Details****सुलह खंड/Mediation Clause**

No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required

No

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required

No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference

No

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference

Yes

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%

15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference

25

**ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details**

**This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.**

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is

not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / <b>Evaluation Schedules</b>	वस्तु/श्रेणी / <b>Item/Category</b>	मात्रा / <b>Quantity</b>
Schedule 1	Gv Is 778 Bronze Ltb2 Bsp 1mpa 25mm	10
Schedule 2	Ball Vv Flanged A216 Wcb 150 50mm	4
Schedule 3	Gv Is 778 Bronze Ltb2 Bsp 1mpa 15mm	10
Schedule 4	Gv Is 778 Bronze B 52 Bsp 1mpa 20mm	14
Schedule 5	Gv Is 778 Bronze B 52 Bsp 1mpa 32mm	8
Schedule 6	Gv Is 778 Bronze Ltb2 Npt 1mpa 40mm	4
Schedule 7	Gv Is 778 Bronze B 62 Npt 1mpa 50mm	6
Schedule 8	Ball Valve Bsp A216 Wcb 150 15mm	10
Schedule 9	Gv Is 778 Bronze Ltb2 Flng 1mpa 50mm	1
Schedule 10	Gv Is 778 Bronze Ltb2 Flng 1mpa 40mm	1
Schedule 11	Glv Is 778 Esp Brnz Is 318 Ltb Clv 1mpa	10
Schedule 12	Gv Is 778 Bronze Ltb2 Bsp 1mpa 25mm	10
Schedule 13	Gv Is 778 Bronze Ltb2 Bsp 1mpa 15mm	3
Schedule 14	Gv Is 778 Bronze Ltb2 Npt 1mpa 40mm	4
Schedule 15	Ball Valve Bsp A216 Wcb 150 15mm	10
Schedule 16	Gv Is 778 Bronze Ltb2 Flng 1mpa 50mm	1
Schedule 17	Gv Is 778 Bronze Ltb2 Flng 1mpa 40mm	1

#### **GV IS 778 BRONZE LTB2 BSP 1MPA 25MM**

#### तकनीकी विशिष्टियाँ / **Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	10	90

**BALL VV FLANGED A216 WCB 150 50MM**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	4	90

**GV IS 778 BRONZE LTB2 BSP 1MPA 15MM**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	10	90

**GV IS 778 BRONZE B 52 BSP 1MPA 20MM**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	14	90

**GV IS 778 BRONZE B 52 BSP 1MPA 32MM**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	8	90

### GV IS 778 BRONZE LTB2 NPT 1MPA 40MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	4	90

### GV IS 778 BRONZE B 62 NPT 1MPA 50MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	6	90

### BALL VALVE BSP A216 WCB 150 15MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	10	90

### GV IS 778 BRONZE LTB2 FLNG 1MPA 50MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	1	90

### GV IS 778 BRONZE LTB2 FLNG 1MPA 40MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	1	90

### GLV IS 778 ESP BRNZ IS 318 LTB CLV 1MPA

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	10	90

### GV IS 778 BRONZE LTB2 BSP 1MPA 25MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	10	90

### GV IS 778 BRONZE LTB2 BSP 1MPA 15MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	3	90

### GV IS 778 BRONZE LTB2 NPT 1MPA 40MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	4	90

### BALL VALVE BSP A216 WCB 150 15MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	10	90

### GV IS 778 BRONZE LTB2 FLNG 1MPA 50MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	1	90

### GV IS 778 BRONZE LTB2 FLNG 1MPA 40MM

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	1	90

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

#### **Bidders Participation Criteria:-**

Note:- Only Offers Received From The NTPC-Enlisted Vendors Shall be Accepted. Offers Submitted by any other Bidder(S) Will Not be Considered.

**Vendors list added in ATC Document.**

#### Materials:-

M1802025020: GV-IS:778:BRONZE-LTB2-BSP:1MPA:25MM

Material PO Text :

"GATE VALVE 25MM BRONZE-LTB2-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET & DISC : IS 318 Gr LTB2 (BRONZE)
2. DISC NUT, GLAND & GLAND NUT : IS 318 Gr LTB2 (BRONZE) / IS 6912 Gr FLB (BRASS)
3. STEM : IS 6912 Gr FLB (BRASS)
4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554.

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1867183032: BALL VV:FLANGED A216 WCB:150:50MM

Material PO Text :

"BALL VALVE:50 MM MFG. STD.: EN ISO 17292/BS:5351 CLASS: 150# BODY

& SP MATERIAL: ASTM A216 GR.WCB, 2/3PC DESIGN BALL: CF8 (SS304) STEM:SS410 SEAT & SEAL: PTFE

LEVER OPERATED, FLANGED END DRILLED

ANSI B16.5 RF TESTING STD: EN ISO 12266-1."

M1802025012: GV-IS:778:BRONZE-LTB2-BSP:1MPA:15MM

Material PO Text :

"IS:778 GATE VALVE:BODY MATERIAL & END CONN.-BRONZE-IS:318LTB2-BSP:PR.

RATING-CL.1/1MPA:NOM. SIZE-15MM

Standard: IS: 778 Body

Material Cum Standard: GM(IS:318 LTB2)

Pressure/Class Rating: Class-1 Product

1. Handwheel: C.I./Steel IS 210 FG 200 (CI) / IS 4030

2. Packing: Asbestos

3. STEM : IS 6912 Gr FLB (BRASS)

4. End connection Details:

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, Screwed female threads to IS:55 4 Class-

1(Parallel)

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1802005016N: GV-IS:778:BRONZE:B-52-BSP:1MPA:20MM

Material PO Text :

"GATE VALVE 20MM BRONZE-B52-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET <(>&<)> DISC : IS 318 B-52 (BRONZE)

2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 B-52 (BRONZE) / IS 6912 Gr FLB (BRASS)

3. STEM : IS 6912 Gr FLB (BRASS)

4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030 SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM,

INTEGRAL SEAT, SOLID

WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554."

M1802005024: GV-IS:778:BRONZE:B-52-BSP:1MPA:32MM

Material PO Text :

"GATE VALVE 32 MM BRONZE-B52-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET <(>&<)> DISC : IS 318 B-52 (BRONZE)

2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 B-52 (BRONZE) / IS 6912 Gr FLB (BRASS)

3. STEM : IS 6912 Gr FLB (BRASS)

4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554."

M1802026028: GV-IS:778:BRONZE-LTB2-NPT:1MPA:40MM

Material PO Text :

"IS:778 GATE VALVE:BODY MATERIAL & END CONN.-BRONZE-IS:318LTB2-BSP:PR. RATING-CL.1/1MPA:NOM. SIZE-40MM

Material Cum Standard: GM(IS:318 LTB2)

Pressure/Class Rating: Class-1 Product

1. Handwheel: C.I./Steel IS 210 FG 200 (CI) / IS 4030

2. Packing: Asbestos

3. STEM : IS 6912 Gr FLB (BRASS)

4. End connection Details:

Screwed female threads to IS:554 Class-1(Parallel)

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1802011032: GV-IS:778:BRONZE:B-62-NPT:1MPA:50MM

Material PO Text :

"GATE VALVE 50 MM BRONZE-B62-NPT 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET <(>&<)> DISC : IS 318 B-62 (BRONZE)
2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 B-62 (BRONZE) / IS 6912 Gr FLB (BRASS)
3. STEM : IS 6912 Gr FLB (BRASS)
4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554.

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1867181012: BALL VALVE:BSP A216 WCB:150:15MM

Material PO Text :

"IS:11792/BS:5351/ ISO 17292/ ASME: B16.34 BALL VALVE (STEEL):NOMINAL DIA-15MM TYPE- SINGLE PIECE CONFIGURATION PRESSURE RATING-150 BODY MATERIAL- A216 WCB/ A105 BALL MATERIAL- AISI 316/SS ASTM A351 Gr. CF8M STEM MATERIAL-AISI 316 GLAND MATERIAL- AISI 316 END CONNECTION- BSP (FEMALE THREAD) TESTING AS PER BS EN 12266-1/ ISO 5208"

M1802027032: GV-IS:778:BRONZE-LTB2-FLNG:1MPA:50MM

Material PO Text :

"GATE VALVE 50MM BRONZE-LTB2-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET, WEDGE, STUFFING BOX, DISC : IS 318 Gr LTB2 (BRONZE)
2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 Gr LTB2 (BRONZE) / IS 6912 Gr FLB (BRASS)
3. STEM : IS 6912 Gr FLB (BRASS)
4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030
5. PACKING: ASBESTOS (IS 4687)
6. Handwheel: CI/Steel IS 210 Gr FG 200

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, Flanged as per IS 778

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1802027028: GV-IS:778:BRONZE-LTB2-FLNG:1MPA:40MM

Material PO Text :

"GATE VALVE 40MM BRONZE-LTB2-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET, STUFFING BOX, WAGE,DISC : IS 318 Gr LTB2 (BRONZE)
2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 Gr LTB2 (BRONZE)
3. STEM : IS 6912 Gr FLB (BRASS)
4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030
5. End connection: Flanged as per IS 778

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554.

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1805025012: GLV-IS:778:BSP BRNZ IS-318LTB2:CL.1/1MPA

Material PO Text :

IS:778 GLOBE VALVE:END CONNECTION & BODY MATERIAL-BSP BRONZE IS- 318LTB2:PR. R ATINGCL.

1/1MPA:NOM. SIZE-15MM

M1802025020: GV-IS:778:BRONZE-LTB2-BSP:1MPA:25MM

Material PO Text :

"GATE VALVE 25MM BRONZE-LTB2-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET & DISC : IS 318 Gr LTB2 (BRONZE)
2. DISC NUT, GLAND & GLAND NUT : IS 318 Gr LTB2 (BRONZE) / IS 6912 Gr FLB (BRASS)
3. STEM : IS 6912 Gr FLB (BRASS)
4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554.

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1802025012: GV-IS:778:BRONZE-LTB2-BSP:1MPA:15MM

Material PO Text :

"IS:778 GATE VALVE:BODY MATERIAL & END CONN.-BRONZE-IS:318LTB2-BSP:PR.  
RATING-CL.1/1MPA:NOM. SIZE-15MM

Standard: IS: 778 Body

Material Cum Standard: GM(IS:318 LTB2)

Pressure/Class Rating: Class-1 Product

1. Handwheel: C.I./Steel IS 210 FG 200 (CI) / IS 4030

2. Packing: Asbestos

3. STEM : IS 6912 Gr FLB (BRASS)

4. End connection Details:

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, Screwed female threads to IS:55  
4 Class-

1(Parallel)

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1802026028: GV-IS:778:BRONZE-LTB2-NPT:1MPA:40MM

Material PO Text :

"IS:778 GATE VALVE:BODY MATERIAL & END CONN.-BRONZE-IS:318LTB2-BSP:PR.  
RATING-CL.1/1MPA:NOM. SIZE-40MM

Material Cum Standard: GM(IS:318 LTB2)

Pressure/Class Rating: Class-1 Product

1. Handwheel: C.I./Steel IS 210 FG 200 (CI) / IS 4030

2. Packing: Asbestos

3. STEM : IS 6912 Gr FLB (BRASS)

4. End connection Details:

Screwed female threads to IS:554 Class-1(Parallel)

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1867181012: BALL VALVE:BSP A216 WCB:150:15MM

Material PO Text :

"IS:11792/BS:5351/ ISO 17292/ ASME: B16.34 BALL VALVE (STEEL):NOMINAL DIA-15MM TYPE- SINGLE PIECE CONFIGURATION PRESSURE RATING-150 BODY MATERIAL- A216 WCB/ A105 BALL MATERIAL- AISI 316/SS ASTM A351 Gr. CF8M STEM MATERIAL-AISI 316 GLAND MATERIAL- AISI 316 END CONNECTION- BSP (FEMALE THREAD) TESTING AS PER BS EN 12266-1/ ISO 5208"

M1802027032: GV-IS:778:BRONZE-LTB2-FLNG:1MPA:50MM

Material PO Text :

"GATE VALVE 50MM BRONZE-LTB2-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET, WEDGE, STUFFING BOX, DISC : IS 318 Gr LTB2 (BRONZE)
2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 Gr LTB2 (BRONZE) / IS 6912 Gr FLB (BRASS)

3. STEM : IS 6912 Gr FLB (BRASS)

4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030

5. PACKING: ASBESTOS (IS 4687)

6. Handwheel: CI/Steel IS 210 Gr FG 200

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, Flanged as per IS 778

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

M1802027028: GV-IS:778:BRONZE-LTB2-FLNG:1MPA:40MM

Material PO Text :

"GATE VALVE 40MM BRONZE-LTB2-BSP 1MPA AS PER IS:778 CL-1.

IS 778 CLASS-1 BRONZE GATE VALVES MATERIALS SHOULD BE AS FOLLOWS:

1. BODY, BONNET, STUFFING BOX, WAGE,DISC : IS 318 Gr LTB2 (BRONZE)

2. DISC NUT, GLAND <(>&<)> GLAND NUT : IS 318 Gr LTB2 (BRONZE)

3. STEM : IS 6912 Gr FLB (BRASS)

4. HANDWHEEL : IS 210 FG 200 (CI) / IS 4030

5. End connection: Flanged as per IS 778

SCREWED IN BONNET, INSIDE SCREW, NON-RISING STEM, INTEGRAL SEAT, SOLID WEDGE, SCREWED FEMALE PARALLEL THREADS TO IS 554.

Test Pressure: B.T.P-1.5 MPa

Hyd, Back seat and seat test pressure.-1.0 MPa Hyd."

**Terms and Conditions:-**

1. Inspection clause: Visual Inspection shall be done at respective NSPCL Stores, upon receipt of material based on documents submitted by vendor.
2. Guarantee/ warranty Clause: All items should be guaranteed against poor workmanship/ manufacturing defect for a period of 18/12 months from the date of supply/ use of material.
3. PBG Clause: Not Applicable
4. Fitment Guarantee: NA
5. Documents required with Bid for Bid evaluation: Vendors are requested to submit Technical-commercial offer along with endorsed "Nil-Deviation certificate, tender document and SP C".
6. Documents required:
  - a. Guarantee/ warranty certificate.
  - b. MATERIAL TEST CERTIFICATE FROM A GOVT LAB OR NABL CERTIFIED LAB AS PER THE SPECIFICATION OF MATERIAL.
  - c. PRESSURE TEST CERTIFICATE.
7. Drawing and QP Approval: Not Applicable
8. Payment Terms: 100% payment within 30 days after receipt and acceptance of the material at NSPCL Site Stores.
9. Delivery period and Schedule: Delivery to be completed within 3 months from award
10. Bid Evaluation Criteria: Bid Evaluation shall be done item wise.
11. Special Instructions:
  - a) Items to quoted strictly, as per Item long text.
  - b) Any deviations in material specifications have to be clarified prior to bid submission, any clarifications post bid opening will not be acceptable.
  - c) Vendors have to mention the Make & model/CAT NO. against respective item in GEM.

**The Guarantee/ Warranty Terms and Conditions shall be applicable to the material supplied against the PO. No separate Guarantee/ Warranty Certificate is required to be submitted by the Supplier along with the material. The Guarantee/Warranty terms and conditions, as well as interchangeability/fitment conditions (wherever applicable), shall be binding on the Supplier".**

**May Please submit seal sign copy of TECHNICAL SPECIFICATION & TERMS & CONDITION , No deviation Certificate, NSPCL BANNING POLICY, NSPCL FRAUD PREVENTION POLICY L1 bidder at the time of supply must mentioned GST no. of NSPCL, Rourkela in the invoice.**

**3. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**अस्वीकरण/Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such

representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**