

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 23-05-2026 18:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 23-05-2026 18:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Chhattisgarh |
| विभाग का नाम/Department Name | Home Department Chhattisgarh |
| संगठन का नाम/Organisation Name | Jail Department |
| कार्यालय का नाम/Office Name | Bilaspur |
| कुल मात्रा/Total Quantity | 8000 |
| वस्तु श्रेणी /Item Category | Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808 (Q3) |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 3 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 3 Year (s) |
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover | Yes Complete |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |

| बिड विवरण/Bid Details | |
|--|--|
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन / Past Performance | 50 % |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | No |
| बिड का प्रकार/ Type of Bid | Two Packet Bid |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| अनुमानित बिड मूल्य / Estimated Bid Value | 800000 |
| Payment Timelines | Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount | 40000 |

ईपीबीजी विवरण /ePBG Detail

| | |
|--|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%)/ePBG Percentage(%) | 5.00 |

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Jail Superintendent
BILASPUR, Home Department Chhattisgarh, Jail Department,
(Khomesh Mandavi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|---|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|---|----|

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or

similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Hot Rolled Steel Beam, Column, Channel And Angle Sections (V2) Conforming To IS 808 (8000 metric tonne)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| Specification | Material ISI marked to IS 2062 and ISI certificate available | Yes |
| Classification | Type of Section | Beams, Columns/Heavy Weight Beams, Channels, Angles, Bearing Piles |
| | Classification | Indian standard junior beams(ISJB), Indian standard light weight beams(ISLB), Indian standard medium weight beams(ISMB), Indian standard wide flange beams(ISWB), Indian standard narrow parallel flange beams(ISNPB), Indian standard wide parallel flange beams(ISWPB), Indian standard column sections(ISSC), Indian standard heavy weight beam(ISHB), Indian standard junior channels(ISJC), Indian standard light weight channels (ISLC), Indian standard medium weight channels (ISMC), Indian standard medium weight parallel flange channels (ISMPC), Indian standard equal equal leg angles(ISA), Indian standard unequal leg angles(ISA), Indian standard parallel flange bearing piles(ISBPB) |
| Designation | Designation | JB150, JB175, JB200, JB225, LB75, LB100, LB(P)100, LB125, LB150, LB175, LB(P)175, LB200, LB(P)200, LB225, LB250, LB275, LB300, LB(P)300, LB325, LB350, LB400, LB450, LB500, LB550, LB600, MB100, MB125, MB150, MB175, MB200, MB225, MB250, MB300, MB350, MB400, MB450, MB500, MB550, MB600, WB150, WB175, WB200(mass 28.80kg/m), WB200(mass 52.09kg/m), WB225, WB250, WB 300, WB350, WB400, WB 450, WB500, WB550, WB600(mass 133.70kg/m), WB600(mass 145.06kg/m), NPB 100x55x(mass 8.10 kg/m), NPB 120x60x(mass 10.37 kg/m), NPB 140x70x(mass 12.89 kg/m), NPB 160x80x(mass 15.77 kg/m), NPB |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मान्य / Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| | | <p>180x90x(mass 15.37 kg/m), NPB 180x90x(mass 18.80 kg/m), NPB 180x90x(mass 21.27 kg/m), NPB 200x100x(mass 16.44 kg/m), NPB 200x100x(mass 22.36 kg/m), NPB 200x100x(mass 25.09 kg/m), NPB 200x130x(mass 27.37 kg/m), NPB 200x130x(mass 31.56 kg/m), NPB 200x150x(mass 30.46 kg/m), NPB 200x165x(mass 35.69 kg/m), NPB 200x165x(mass 42.48 kg/m), NPB 200x165x(mass 48.00 kg/m), NPB 220x110x(mass 22.18 kg/m), NPB 220x110x(mass 26.20 kg/m), NPB 220x110x(mass 29.35 kg/m), NPB 240x120x(mass 26.15 kg/m), NPB 240x120x(mass 30.71 kg/m), NPB 240x120x(mass 34.32 kg/m), NPB 250x125x(mass 30.11 kg/m), NPB 250x150x(mass 34.08 kg/m), NPB 250x150x(mass 39.78 kg/m), NPB 250x150x(mass 46.48 kg/m), NPB 250x175x(mass 43.94 kg/m), NPB 270x135x(mass 30.73 kg/m), NPB 270x135x(mass 36.07 kg/m), NPB 270x135x(mass 42.26 kg/m), NPB 300x150x(mass 36.53 kg/m), NPB 300x150x(mass 42.24 kg/m), NPB 300x150x(mass 49.32 kg/m), NPB 300x165x(mass 39.88 kg/m), NPB 300x165x(mass 45.76 kg/m), NPB 300x165x(mass 53.46 kg/m), NPB 300x200x(mass 59.57 kg/m), NPB 300x200x(mass 66.75 kg/m), NPB 300x200x(mass 75.37 kg/m), NPB 330x160x(mass 42.97 kg/m), NPB 330x160x(mass 49.15 kg/m), NPB 330x160x(mass 57.01 kg/m), NPB 350x170x(mass 50.22 kg/m), NPB 350x170x(mass 57.10 kg/m), NPB 350x170x(mass 66.05 kg/m), NPB 350x250x(mass 79.18 kg/m), NPB 400x180x(mass 57.38 kg/m), NPB 400x180x(mass 66.31 kg/m), NPB 400x180x(mass 75.67 kg/m), NPB 400x200x(mass 67.28 kg/m), NPB 450x190x(mass 67.16 kg/m), NPB 450x190x(mass 77.58 kg/m), NPB 450x190x(mass 92.37 kg/m), NPB 500x200x(mass 79.36 kg/m), NPB 500x200x(mass 90.69 kg/m), NPB 500x200x(mass 107.32 kg/m), NPB 550x210x(mass 92.08 kg/m), NPB 550x210x(mass 105.52 kg/m), NPB 550x210x(mass 122.52 kg/m), NPB 600x220x(mass 107.57 kg/m), NPB 600x220x(mass 122.45 kg/m), NPB 600x220x(mass 154.47 kg/m), NPB 700x250x(mass 113.46 kg/m), NPB 700x250x(mass 128.41 kg/m), NPB 700x250x(mass 143.42 kg/m), NPB 700x250x(mass 153.87 kg/m), NPB 700x250x(mass 171.48 kg/m), NPB 750x270x(mass 145.29 kg/m), NPB 750x270x(mass 174.54 kg/m), NPB 750x270x(mass 202.49 kg/m), WPB 100x100x(mass 12.24 kg/m), WPB 100x100x(mass 16.67 kg/m), WPB 100x100x(mass 20.44 kg/m), WPB 100x100x(mass 41.79 kg/m), WPB 120x120x(mass 14.56 kg/m), WPB 120x120x(mass 19.89 kg/m), WPB 120x120x(mass 26.70 kg/m), WPB 120x120x(mass 52.13 kg/m), WPB 140x140x(mass 18.08 kg/m), WPB 140x140x(mass 24.66 kg/m), WPB 140x140x(mass 33.72 kg/m), WPB 140x140x(mass 63.24 kg/m), WPB 150x150x(mass 23.50 kg/m), WPB 150x150x(mass 30.11 kg/m), WPB 150x150x(mass 36.97 kg/m), WPB 160x160x(mass 22.75 kg/m), WPB 160x160x(mass 30.44 kg/m), WPB 160x160x(mass 42.59 kg/m), WPB 160x160x(mass 76.19 kg/m), WPB 180x180x(mass 28.68 kg/m), WPB 180x180x(mass 35.52 kg/m), WPB 180x180x(mass 51.22 kg/m), WPB 180x180x(mass 88.90 kg/m), WPB 200x200x(mass 34.65 kg/m), WPB 200x200x(mass 37.34 kg/m), WPB 200x200x(mass 42.26 kg/m), WPB 200x200x(mass 50.92 kg/m), WPB 200x200x(mass 61.30 kg/m), WPB 200x200x(mass</p> |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | 74.01 kg/m), WPB 200x200x(mass 83.52 kg/m), WPB 200x200x(mass 103.06 kg/m), WPB 220x220x(mass 40.40 kg/m), WPB 220x220x(mass 71.47 kg/m), WPB 220x220x(mass 115.61 kg/m), WPB 240x240x(mass 47.40 kg/m), WPB 240x240x(mass 60.32 kg/m), WPB 240x240x(mass 83.20 kg/m), WPB 240x240x(mass 156.68 kg/m), WPB 250x250x(mass 67.22 kg/m), WPB 250x250x(mass 73.15 kg/m), WPB 250x250x(mass 85.04 kg/m), WPB 250x250x(mass 97.04 kg/m), WPB 250x250x(mass 103.97 kg/m), WPB 250x250x(mass 117.58 kg/m), WPB 250x250x(mass 133.92 kg/m), WPB 250x250x(mass 148.38 kg/m), WPB 260x260x(mass 54.15 kg/m), WPB 260x260x(mass 68.16 kg/m), WPB 260x260x(mass 92.99 kg/m), WPB 260x260x(mass 114.40 kg/m), WPB 260x260x(mass 141.52 kg/m), WPB 260x260x(mass 172.43 kg/m), WPB 280x280x(mass 61.26 kg/m), WPB 280x280x(mass 76.36 kg/m), WPB 280x280x(mass 188.54 kg/m), WPB 280x280x(mass 284.13 kg/m), WPB 300x300x(mass 69.80 kg/m), WPB 300x300x(mass 88.34 kg/m), WPB 300x300x(mass 100.85 kg/m), WPB 300x300x(mass 117.03 kg/m), WPB 300x300x(mass 237.92 kg/m), WPB 320x300x(mass 74.25 kg/m), WPB 320x300x(mass 97.64 kg/m), WPB 320x300x(mass 126.66 kg/m), WPB 320x300x(mass 244.97 kg/m), WPB 340x300x(mass 78.90 kg/m), WPB 340x300x(mass 104.78 kg/m), WPB 340x300x(mass 134.16 kg/m), WPB 340x300x(mass 290.64 kg/m), WPB 360x300x(mass 91.04 kg/m), WPB 360x300x(mass 125.81 kg/m), WPB 360x300x(mass 163.00 kg/m), WPB 360x300x(mass 250.27 kg/m), WPB 360x370x(mass 136.21 kg/m), WPB 360x370x(mass 150.87 kg/m), WPB 360x370x(mass 165.35 kg/m), WPB 360x370x(mass 182.02 kg/m), WPB 360x370x(mass 197.66 kg/m), WPB 400x300x(mass 92.40 kg/m), WPB 400x300x(mass 124.81 kg/m), WPB 400x300x(mass 155.26 kg/m), WPB 400x300x(mass 255.74 kg/m), WPB 400x400x(mass 191.11 kg/m), WPB 400x400x(mass 219.67 kg/m), WPB 400x400x(mass 239.62 kg/m), WPB 450x300x(mass 99.75 kg/m), WPB 450x300x(mass 139.76 kg/m), WPB 450x300x(mass 171.12 kg/m), WPB 450x300x(mass 263.33 kg/m), WPB 500x300x(mass 107.46 kg/m), WPB 500x300x(mass 129.78 kg/m), WPB 500x300x(mass 155.08 kg/m), WPB 500x300x(mass 187.34 kg/m), WPB 500x300x(mass 270.28 kg/m), WPB 550x300x(mass 119.99 kg/m), WPB 550x300x(mass 166.24 kg/m), WPB 550x300x(mass 199.44 kg/m), WPB 550x300x(mass 278.19 kg/m), WPB 600x300x(mass 128.79 kg/m), WPB 600x300x(mass 177.78 kg/m), WPB 600x300x(mass 211.92 kg/m), WPB 600x300x(mass 285.48 kg/m), WPB 650x300x(mass 137.98 kg/m), WPB 650x300x(mass 189.69 kg/m), WPB 650x300x(mass 224.78 kg/m), WPB 650x300x(mass 293.39 kg/m), WPB 700x300x(mass 149.89 kg/m), WPB 700x300x(mass 204.48 kg/m), WPB 700x300x(mass 240.51 kg/m), WPB 700x300x(mass 300.68 kg/m), WPB 800x300x(mass 171.52 kg/m), WPB 800x300x(mass 224.38 kg/m), WPB 800x300x(mass 262.34 kg/m), WPB 800x300x(mass 317.36 kg/m), |
|---------------------|-------------------------------------|---|
| | | <p>बिड के लिए आवश्यक अनुमत मान्य / Bid Requirement (Allowed Values)</p> |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | WPB 800x300x(mass 179.90 kg/m), WPB 850x300x(mass 195.74 kg/m), WPB 850x500x(mass 214.25 kg/m), WPB 900x300x(mass 230.56 kg/m), (Allowed Values) |
|---------------------|-------------------------------------|--|
| | | WPB 850x300x(mass 253.69 kg/m), WPB 900x300x(mass 198.01 kg/m), WPB 900x300x(mass 251.62 kg/m), WPB 900x300x(mass 291.46 kg/m), SC100, SC120, SC140, SC150*, SC160, SC180, SC200, SC220, SC250, HB150, HB150*(mass 30.15 kg/m), HB150*(mass 33.66 kg/m), HB200, HB200*, HB225, HB225*, HB250, HB250*, HB300, HB300*, HB350, HB350*, HB400, HB400*, HB450, HB450*, JC100, JC125, JC150, JC175, JC200, LC75, LC100, LC125, LC(P)125, LC150, LC(P)150, LC175, LC200, LC(P)200, LC225, LC250, LC300, LC(P)300, LC350, LC400, MC75, MC100, MC125, MC125*, MC150, MC150*, MC175, MC175*, MC200, MC200*, MC225, MC225*, MC250, MC250*(mass 34.2 kg/m), MC250*(mass 38.1 kg/m), MC300, MC300*(mass 41.5 kg/m), MC300* (mass 46.2 kg/m), MC350, MC400, MPC75, MPC100, MPC125, MPC125*, MPC150, MPC150*, MPC175, MPC175*, MPC200, MPC200*, MPC225, MPC225*, MPC250, MPC250*(mass 34.2 kg/m), MPC250*(mass 38.1 kg/m), MPC300, MPC300*(mass 41.5 kg/m), MPC300*(mass 46.2 kg/m), MPC350, MPC400, L20X20X3, L20X20X4, L25X25X3, L25X25X4, L25X25X5, L30X30X3, L30X30X4, L30X30X5, L35X35X3, L35X35X4, L35X35X5, L35X35X6, L40X40X3, L40X40X4, L40X40X5, L40X40X6, L45X45X3, L45X45X4, L45X45X5, L45X45X6, L50X50X3, L50X50X4, L50X50X5, L50X50X6, L55X55X4, L55X55X5, L55X55X6, L55X55X8, L60X60X4, L60X60X5, L60X60X6, L60X60X8, L65X65X4, L65X65X5, L65X65X6, L65X65X8, L70X70X5, L70X70X6, L70X70X8, L70X70X10, L75x75x5, L75x75x6, L75x75x8, L75x75x10, L80x80x6, L80x80x8, L80x80x10, L80x80x12, L90x90x6, L90x90x8, L90x90x10, L90x90x12, L100x100x6, L100x100x8, L100x100x10, L100x100x12, L110x110x8, L110x110x10, L110x110x12, L110x110x16, L130x130x8, L130x130x10, L130x130x12, L130x130x16, L150x150x10, L150x150x12, L150x150x16, L150x150x20, L200x200x12, L200x200x16, L200x200x20, L200x200x25, L50X50X7, L50X50X8, 55X55X10, L60X60X10, L65X65X10, L70X70X7, L100X100X7, L100X100X15, L120X120X8, L120X120X10, L120X120X12, L120X120X15, L130X130X9, L150X150X15, L150X150X18, L180X180X15, L180X180X18, L180X180X20, L200X200X24, L125X95X6, L125X95X8, L125X95X10, L125X95X12, L150X115X8, L150X115X10, L150X115X12, L150X115X16, L200X100X10, L200X100X12, L200X100X16, L200X150X10, L200X150X12, L200X150X16, L200X150X20, L30X20X3, L30X20X4, L30X20X5, L40X25X3, L40X25X4, L40X25X5, L40X25X6, L45X30X3, L45X30X4, L45X30X5, L45X30X6, L50X30X3, L50X30X4, L50X30X5, L50X30X6, L60X40X5, L60X40X6, L60X40X8, L65X45X5, L65X45X6, L65X45X8, L70X45X5, L70X45X6, L70X45X8, L70X45X10, L75X50X5, L75X50X6, L75X50X8, L75X50X10, L80X50X5, L80X50X6, L80X50X8, L80X50X10, L90X60X6, L90X60X8, L90X60X10, L90X60X12, L100X65X6, L100X65X8, L100X65X10, |

| विवरण/Specification | विशिष्ट का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मान /Bid Requirement (Allowed Values) |
|---------------------|------------------------------------|--|
| | | L100X75X6, L100X75X8, L100X75X10, L100X75X12, L125X75X6, L125X75X8, L125X75X10, L125X75X12, L40X20X4, L40X20X6, L40X20X8, L40X30X6, L60X40X7, L65X50X5, L65X50X6, L65X50X7, L65X50X8, L70X50X5, L70X50X6, L70X50X7, L70X50X8, L75X50X7, L80X40X5, L80X40X6, L80X40X7, L80X40X8, L80X60X6, L80X60X7, L80X60X8, L90X65X6, L90X65X7, L90X65X8, L90X65X10, L100X50X6, L100X50X7, L100X50X8, L100X50X10, L100X65X7, L120X80X8, L120X80X10, L120X80X12, L125X75X12, L135X65X8, L135X65X10, L135X65X12, L150X75X9, L150X75X15, L150X90X10, L150X90X12, L150X90X15, L200X100X15, L200X150X15, L200X150X18, PBP 200 x (mass 43.85 kg/m), PBP 200 x (mass 53.49 kg/m), PBP 220 x (mass 57.28 kg/m), PBP 260 x (mass 75.01 kg/m), PBP 260 x (mass 87.30 kg/m), PBP 300 x (mass 76.92 kg/m), PBP 300 x (mass 88.46 kg/m), PBP 300 x (mass 95.00 kg/m), PBP 300 x (mass 109.54 kg/m), PBP 300 x (mass 124.20 kg/m), PBP 300 x (mass 150.01 kg/m), PBP 300 x (mass 180.12 kg/m), PBP 300 x (mass 184.12 kg/m), PBP 300 x (mass 222.58 kg/m), PBP 320 x (mass 88.48 kg/m), PBP 320 x (mass 102.84 kg/m), PBP 320 x (mass 117.33 kg/m), PBP 320 x (mass 146.69 kg/m), PBP 320 x (mass 184.10 kg/m), PBP 360 x (mass 152.2 kg/m), PBP 360 x (mass 174.2 kg/m), PBP 360 x (mass 178.4 kg/m), PBP 400 x (mass 122.4 kg/m), PBP 400 x (mass 140.2 kg/m), PBP 400 x (mass 158.1 kg/m), PBP 400 x (mass 176.1 kg/m), PBP 400 x (mass 194.3 kg/m), PBP 400 x (mass 212.5 kg/m), PBP 400 x (mass 230.9 kg/m) |

Additional Specification Parameters - Hot Rolled Steel Beam, Column, Channel And Angle Sections (V2) Conforming To IS 808 (8000 metric tonne)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|--|
| Item Specification (1) | Iron Angle 1.5" x 1.5" x 3mm Quantity Required - 5000 Kg |
| Item Specification (2) | Iron Square Pipe 1" x 1" 16 Gage Quantity Required - 2000 Kg |
| Item Specification (3) | MS Flat Bar / Iron Plate ¾" 16/20 Gage Quantity Required - 1000 Kg |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--------------------------------|------------------|------------------------------|
| 1 | Khomesh Mandavi | 495001,rajendra nagar bilaspur | 8000 | 365 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope

of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---