

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-05-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-05-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Odisha
विभाग का नाम/Department Name	Agriculture And Farmers Empowerment Department Odisha
संगठन का नाम/Organisation Name	Odisha University Of Agriculture And Technology (ouat)
कार्यालय का नाम/Office Name	Directorate Of Pme Ouat Bbsr 751003
कुल मात्रा/Total Quantity	1852
वस्तु श्रेणी /Item Category	Steel Almirah / Cabinets (V4) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Chair for General Purpose (Q2) , Stainless Steel Dining Table With Fixed Chair (Q2) , Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2) (Q2) , Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2) (Q2) , Executive Table (V4) (Q2) , Revolving Chair (V5) (Q2) , Sofa (V3) (Q2) , Metal Beds (V3) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	132 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	1058 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Modular Table / Meeting Table / Centre Table (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	529150

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	62

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

DPP OUAT, Bhubaneswar

Directorate of PME OUAT BBSR 751003, Agriculture and Farmers Empowerment Department Odisha, Odisha

University of Agriculture and Technology (OUAT),

(Dpp Ouat Bhubaneswar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	10
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 10% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Steel Almira / Cabinets (V4) (416 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312, NA
GENERIC	Types of Almira (Dimensions are without pedestal height)	Small (1150 mm X 760 mm X 430 mm), Large (1855 mm X 910 mm X 480 mm)
	Availability of Drawers	Yes, No
	Availability of Lockers	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	416	45

Modular Table / Meeting Table / Centre Table (V2) (416 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	416	45

Chair For General Purpose (416 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	416	45

Stainless Steel Dining Table With Fixed Chair (42 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL AND MATERIAL THICKNESS	Table top / Chair seat / bench seat material	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized
	Table top / Chair seat / bench seat thickness	0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm
	Leg material for Table and Chair/bench	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, MS ERW tubes conforming to IS : 7138 - latest
	Wall thickness of Leg material (for Table and Chair/bench)	0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.6 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Support material for Table and Chair/bench	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, MS ERW tubes conforming to IS : 7138 - latest
	Backrest material for Chair/bench	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, No backrest
	Table - Chair/bench attaching material	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, MS ERW tubes conforming to IS : 7138 - latest, N.A
Generic	Product Configuration	Provision for 4 - persons, Provision for 6 - persons, Provision for 8 - persons, Provision for 10 - persons, Provision for 6 - persons using table with 2 attached benches, Provision for 6 - persons using table with 2 free standing benches
	Mode of supply	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	Table Foot rest	Only two sides - along the width., Only two sides - along the depth., All four sides along the width and depth both., No foot rest in table.
	Chair/bench back rest	With, Without
	Support for Table top	Widthwise support, Depthwise support, Cross support, No support
	Number of support for Table top	1 no., 2 no., 3 no., 4 no., 5 no., 6 no., NA
	Support for chair/bench seat	Widthwise support, Depthwise support, Cross support, No support
Dimensions	Width of table ± 10 mm	1120 for 4-seater, 1180 for 4-seater, 1220 for 4-seater, 1830 for 6-seater, 1880 for 6-seater, 2130 for 8-seater, 2150 for 8-seater, 2360 for 8-seater, 2430 for 10-seater, 2450 for 10-seater, 1800 for 6-seater
	Chair/bench Leg size ± 2 mm	15 mm x 15 mm, 20 mm x 20 mm, 25 mm x 25 mm, 15 mm x 20 mm, 15 mm x 25 mm, 20 mm x 25 mm, 15 mm Dia, 20 mm Dia, 25 mm Dia, 40 mm x 40 mm, 40 mm x 40 mm attached with plate of size 95 mm x 95 mm x 5 mm (thick)
	Size of support pipes/square sections (for table)	20 mm x 20 mm, 25 mm x 25 mm, 20 mm x 25 mm, 25 mm x 30 mm, 20 mm (dia), 25 mm (dia)
	Size of support pipes/square sections (for chair/bench)	15 mm x 15 mm, 20 mm x 20 mm, 15 mm x 20 mm, 15 mm Dia, 20 mm Dia, 40 mm x 40 mm, 25 mm x 25 mm, 25mm x 03mm
WARRANTY	Warranty Period	1 - year, 2 - year, 3 - year

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	42	45

Waiting Area / Airport Terminal / Public Place / Reception Area Chair Or Seat (V2) (50 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Chair Configuration	Seat only, Seats with table
	Number of Seats	2, 3, 4, 5
	Availability of Armrest	Yes, No
	Availability of Backrest	Yes, No
	Availability of table with chair	Yes, No
MAIN FRAME	Material of chair mainframe	Extruded Aluminium, Mild steel, M S ERW tube, SS 202, SS 304
	Finish of Support for Chair Mainframe (Base/Legs)	Powder coated (70 microns), Powder coated (50 microns), Powder coated (60 microns)
CHAIR SEAT	Material of Chair Seat	Mild Steel, SS 202, SS 304, Extruded Aluminium, Poly propylene, PU foam without inserts integrated in frame, PU with inserts of wire mesh integrated in frame, PU with steel strips integrated in frame, PU with steel springs integrated in frame
	Availability of Separate Cushion/Foam on Chair Seat	Yes, No
	Material of Separate Cushion/Foam on Chair Seat	Plyback with PU foam, Upholstered PU Foam, NA
	Density of separate cushion / foam in Chair Seat	NA, 15 - 20, 20 - 25, 25 - 30, 30 - 35, 35 - 40, 40 - 45, 45 - 50
	Density of integrated cushion / foam in Chair Seat	NA, 300 - 350, 350 - 400, 400 - 450, 450 - 500

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	50	45

Waiting Area / Airport Terminal / Public Place / Reception Area Chair Or Seat (V2) (50 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Chair Configuration	Seat only, Seats with table
	Number of Seats	2, 3, 4, 5
	Availability of Armrest	Yes, No
	Availability of Backrest	Yes, No
	Availability of table with chair	Yes, No
MAIN FRAME	Material of chair mainframe	Extruded Aluminium, Mild steel, M S ERW tube, SS 202, SS 304
	Finish of Support for Chair Mainframe (Base/Legs)	Powder coated (70 microns), Powder coated (50 microns), Powder coated (60 microns)
CHAIR SEAT	Material of Chair Seat	Mild Steel, SS 202, SS 304, Extruded Aluminium, Poly propylene, PU foam without inserts integrated in frame, PU with inserts of wire mesh integrated in frame, PU with steel strips integrated in frame, PU with steel springs integrated in frame
	Availability of Separate Cushion/Foam on Chair Seat	Yes, No
	Material of Separate Cushion/Foam on Chair Seat	Plyback with PU foam, Upholstered PU Foam, NA
	Density of separate cushion / foam in Chair Seat	NA, 15 - 20, 20 - 25, 25 - 30, 30 - 35, 35 - 40, 40 - 45, 45 - 50
	Density of integrated cushion / foam in Chair Seat	NA, 300 - 350, 350 - 400, 400 - 450, 450 - 500

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	50	45

Metal Shelving Racks (Adjustable Type) Conforming To Is 1883 (V2) (6 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 1883
GENERIC	Types of Shelving Racks	Open-type (No side and back sheets), Semi-Open Type (with sides only and no back), Semi-Open Type (with back only and no sides, Closed Type (with side and back sheets)
DIMENSIONS AND TOLERANCES	Overall Height of Shelving Racks (Tolerance: ± 50 mm)	975 mm, 1275 mm, 1575 mm, 1875 mm, 2175 mm, 2475 mm, 2775 mm, 3075 mm, 3375 mm, 3675 mm, 3975 mm, 4275 mm, 4575 mm, 4875 mm
	Overall Depth of Shelving Racks (Tolerance: ± 10 mm)	300 mm, 400 mm, 500 mm, 600 mm
MATERIAL REQUIREMENTS	Type of material for rack shelves	Metal, Wooden-based
	Material of rack shelves	Steel Sheet - Grade HR1 of IS 1079, Steel Sheet - Grade CR1 of IS 513 (Part 1), Wooden Particle Board confirming to IS 3087 - FPS type, Wooden Particle Board confirming to IS 3087- FPT-1 type, Veneered Particle Boards confirming to IS 3097 - Grade-1, Veneered Particle Boards confirming to IS 3097 - Grade-2, Plywood confirming to IS 303 - BWR Grade, Plywood confirming to IS 303 - MR Grade
	Finish of Wooden Rack Shelves	Polished, Painted, NA
	Type of material for rack sides	Metal, Wooden-based, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of rack Sides	Steel Sheet - Grade HR1 of IS 1079, Steel Sheet - Grade CR1 of IS 513 (Part 1), Wooden Particle Board confirming to IS 3087 - FPS type, Wooden Particle Board confirming to IS 3087- FPT-1 type, Veneered Particle Boards confirming to IS 3097 - Grade-1, Veneered Particle Boards confirming to IS 3097 - Grade-2, Plywood confirming to IS 303 - BWR Grade, Plywood confirming to IS 303 - MR Grade, NA
	Finish of Wooden rack sides	NA, Polished, Painted
	Type of material for rack panel	Metal, Wooden-based
	Material of rack panel	Steel Sheet - Grade HR1 of IS 1079, Steel Sheet - Grade CR1 of IS 513 (Part 1), Wooden Particle Board confirming to IS 3087 - FPS type, Wooden Particle Board confirming to IS 3087- FPT-1 type, Veneered Particle Boards confirming to IS 3097 - Grade-1, Veneered Particle Boards confirming to IS 3097 - Grade-2, Plywood confirming to IS 303 - BWR Grade, Plywood confirming to IS 303 - MR Grade
	Finish of Wooden rack panel	Polished, Painted, NA
	Availability of Strips	Yes, No
	Availability of Binstrips	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	6	45

Steel Almira / Cabinets (V4) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312, NA
GENERIC	Types of Almira (Dimensions are without pedestal height)	Small (1150 mm X 760 mm X 430 mm), Large (1855 mm X 910 mm X 480 mm)
	Availability of Drawers	Yes, No
	Availability of Lockers	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Chair For General Purpose (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Executive Table (V4) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ± 20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned, Right Aligned
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	450 mm, 600 mm, 750 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Revolving Chair (V5) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Chair For General Purpose (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	2	45

Sofa (V3) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* [जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	Count of Seats in Primary Unit of Sofa Set	2 - seater, 3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery Material of Primary Unit in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	Chaise included with Sofa Set	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Metal Beds (V3) (416 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Metal bed	Metal bed, Metal bed with Headboard only, Metal bed with Footboard only, Metal bed with Headboard and Footboard, Metal Bed with Headboard, Footboard and Canopy
	Size Category of Metal Bed	Single, Double, Queen Size, King Size, Super King Size
	Overall length of Bed (in mm)	1800 - 1850 mm, 1850 - 1900 mm, 1900 - 1950 mm, 1950 - 2000 mm
	Overall width of Bed (in mm)	750 - 900 mm (2.5 to 3 ft), 900 - 1050 mm (3 to 3.5 ft), 1050 - 1200 mm (3.5 to 4 ft), 1200 - 1350 mm (4 to 4.5 ft), 1350 - 1500 mm (4.5 to 5 ft), 1500 - 1650 mm (5 to 5.4 ft), 1650 - 1800 mm (5.4 to 6 ft), 1800 - 1950 mm (6 to 6.4 ft), 1950 - 2100 mm (6.4 to 6.9 ft)
	Overall Height of Bed from installation level (in mm)	150 - 200 mm, 200 - 250 mm, 250 - 300 mm, 300 - 350 mm, 350 - 400 mm, 400 - 450 mm, 450 - 500 mm, 500 - 550 mm, 550 - 600 mm
	Availability of Headboard	Yes, No
	Availability of Footboard	Yes, No
METAL BED FRAME	Material of Bed frame (including legs)	Mild Steel, Aluminium, Wrought Iron
METAL BED MATTRESS SUPPORT PANEL	Type of Bed Mattress Support	Horizontal beams Only, Vertical Beams only, Cross beams - Horizontal & vertical combo
	Material of Bed Mattress Support Panel	Mild Steel, Aluminium, Wrought Iron
METAL BED HEADBOARD	Material of Bed Headboard Frame	Mild Steel, Aluminium, Wrought Iron, NA
METAL BED FOOTBOARD	Material of Bed Footboard Frame	Mild Steel, Aluminium, Wrought Iron, NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	416	45

Modular Table / Meeting Table / Centre Table (V2) (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	30	45

Metal Beds (V3) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Metal bed	Metal bed, Metal bed with Headboard only, Metal bed with Footboard only, Metal bed with Headboard and Footboard, Metal Bed with Headboard, Footboard and Canopy
	Size Category of Metal Bed	Single, Double, Queen Size, King Size, Super King Size
	Overall length of Bed (in mm)	1800 - 1850 mm, 1850 - 1900 mm, 1900 - 1950 mm, 1950 - 2000 mm
	Overall width of Bed (in mm)	750 - 900 mm (2.5 to 3 ft), 900 - 1050 mm (3 to 3.5 ft), 1050 - 1200 mm (3.5 to 4 ft), 1200 - 1350 mm (4 to 4.5 ft), 1350 - 1500 mm (4.5 to 5 ft), 1500 - 1650 mm (5 to 5.4 ft), 1650 - 1800 mm (5.4 to 6 ft), 1800 - 1950 mm (6 to 6.4 ft), 1950 - 2100 mm (6.4 to 6.9 ft)
	Overall Height of Bed from installation level (in mm)	150 - 200 mm, 200 - 250 mm, 250 - 300 mm, 300 - 350 mm, 350 - 400 mm, 400 - 450 mm, 450 - 500 mm, 500 - 550 mm, 550 - 600 mm
	Availability of Headboard	Yes, No
	Availability of Footboard	Yes, No
METAL BED FRAME	Material of Bed frame (including legs)	Mild Steel, Aluminium, Wrought Iron

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
METAL BED MATTRESS SUPPORT PANEL	Type of Bed Mattress Support	Horizontal beams Only, Vertical Beams only, Cross beams - Horizontal & vertical combo
	Material of Bed Mattress Support Panel	Mild Steel, Aluminium, Wrought Iron
METAL BED HEADBOARD	Material of Bed Headboard Frame	Mild Steel, Aluminium, Wrought Iron, NA
METAL BED FOOTBOARD	Material of Bed Footboard Frame	Mild Steel, Aluminium, Wrought Iron, NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ±50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of Table Top Adjustable	Yes, No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pratik Nayak	751003,DIRECTOR PHYSICAL PLANTS, ORISSA UNIVERSITY OF AGRICULTURE AND TECHNOLOGY, BHUBANESWAR-751003	1	45

Special terms and conditions-Version:1 effective from 06-12-2024 for category Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2)

1. For chairs with charging unit / wiring provisions, such provisions are required to be detailed out by buyer.
2. "Color family" is indicative in nature and to be considered for representative purposes. Seller to

select the closest representative color from the given options.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

BOYS HOSTEL
OUAT
BHUBANESWAR
ODISHA
PIN- 751003
.

3. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

7. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

9. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

10. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

12. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

13. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

14. Warranty

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

15. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

16. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

17. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

DPP, OUAT
payable at
BHUBANESWAR

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

18. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

DPP, OUAT, BHUBANESWAR
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

19. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

20. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

a) The bidder should be OEM of the offered products, or an Authorized Dealer by the OEM. If the bidder is an Authorized Dealer, a valid Authorization Letter from the OEM must be submitted. The letter must be issued on OEM's letterhead.

b) The bidder or its OEM shall possess a valid Factory License and Trademark Certificate. Copy of both documents shall be enclosed as proof of compliance.

c) The bidder must have a Service Centre or Authorized Dealer in Odisha for after sales and service support. Undertaking on OEM letterhead, with valid copies of GST/PAN to be submitted.

d) A minimum Five (5) years comprehensive standard warranty covering manufacturing defects, parts replacement, repair, and labour must be provided

for all supplied products. Undertaking warranty on OEM letterhead must be submitted.

- e) The Bidder or its OEM must hold and maintain valid ISO certifications, such as ISO 9001, ISO 14001, ISO 45001, and ISO 50001. All certifications must be issued by NABCB-accredited certification agencies only.
- f) The Bidder or its OEM must have compliance certificate from IGBC/GRIHA. The same has to be submitted with the bid.
- g) The Bidder or its OEM must be a registered member of BIFMA. The name of the bidder or OEM must be listed on the official BIFMA website (bifma.org) as proof of active membership since last 5 years/more.
- h) The Bidder or its OEM must possess a valid AIOTA certificate (Education furniture range/storage system range/ office furniture including seating range). The same will be verified from AIOTA website.
- i) The Bidder or its OEM must possess and submit a valid IDM Certificate, issued by the India Design Council, Government of India.
- j) A self-attested copy of the bidder's PAN Card must be submitted.
- k) Copies of valid GST Registration along with GSTR-1 and GSTR-3B returns April 2025 to March 2026 must be submitted.
- l) The bidder or its OEM must provide a dedicated toll-free number for service support and an escalation matrix containing contact names, designations, telephone numbers, and email addresses for service support escalation.
- m) The bidder or its OEM must submit a detailed technical data sheet for each item offered along with a technical compliance statement indicating conformity with the tender specifications.
- n) The bidder or its OEM must submit BIS License copy for IS 17631:2022, IS 17632:2022, IS 17633:2022, IS 17634:2022, IS 17635:2022 as applicable as per order of Department for Promotion of Industry And Internal Trade dated:- 13/02/2025.
- o) A Notarized affidavit by the bidder that it has never been blacklisted by any Govt Department & funded autonomous bodies must be uploaded along with the technical bid, failing which the bid shall be rejected. The original bid specific affidavit shall be submitted before the award of the bid by the lowest evaluated successful OEM/bidder.
- p) Rates per unit of furniture must be quoted inclusive of supply & installation, transportation / delivery at site.
- q) This is a bunch bid so the bidder must quote for all the items, single item quotation will not be acceptable.
- r) Non-compliance of tender terms, non-uploading of required documents, lack of clarity of the specifications, contradiction & supporting literature etc. and

submission of forged information may lead to rejection.

s) The buyer reserves the right to accept/reject any/all bids without assigning any reasons there over.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code

on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---