

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-03-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-03-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	3314
	Bathroom Water Shower (V2) (Q3) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Bathroom or Toilet Mirror (V3) (Q4) , Stainless Steel Shelf Rack (Q3) , Waste coupling of CP half or full threaded 32 mm dia , PVC water tank 1000 Ltr capacity , Seat cover Plastic water closet for EWC and white , Door closer hydrolically regulated weight between 61 to 80 kgs , Towel Rod Brass chromium plated tubular 600 mm long , Plate rack Stainless steel of size 600mm into 600mm , PVC Float Valve 15 mm bore pipe , Gate Valve Brass internal thread 15 mm bore , Sink made of size 495 mm into 420 mm , Waste pipe PVC 32 mm into 750 mm corrugated type , Sink with size 915 mm into 460mm , Stainless steel Soap dish , Patch Mate for road repair of 50 kgs packing , Gate Valve Brass internal thread 20 mm bore , PVC connection with PTMT bolt and nut 15mm dia 450 mm length , Waste coupling of CP ink 100 mm mm dia , Stainless Steel grating plate 125mm dia with or without hole , PVC Internal Kit for 10 ltr PVC Flushing Cistern , Vitreous China wash basin size 550 into 400 mm , GI Union 15mm , Aluminium door stopper alloy body , Lock Mortice 65 mm for Doors , PVC Stop cock 20 mm Ext Threading , PVC Angle cock 15 mm , GI Union 20mm , Brass spindle half round for CP Bib Cock 15 mm bore , CP Brass phase Head for bib cock pillar cock and concealed stopcock , GI Tee 20 mm , GI socket 20mm , Brass spindle for CP pillar cock 15mm bore , PVC Stop cock 15 mm Ext Threading , Aluminium alloy handles fabricated type 125 mm long , GI Tee 15 mm , GI Reducer elbow 20 mm into 15mm , Mild steel sliding bolts 300 mm long , PVC Water tank cover for 500 ltr , GI elbow 20 mm , GI elbow 15 mm , Mild steel barrel tower bolt 150 mm long , Mild steel Helical door springs including roller and roller plate , Oil putty , GI Reducer socket 20mm into 15 mm , Aluminium anodised barrel tower bolts of extruded

विड विवरण / Bid Details	section 150 mm long , Brass spindle half round for Cp Concealed stop cock 15 mm bore , Mild steel pressed handles oval shape 150 mm long , Mild steel sliding bolts 250 mm long , GI Nipple 20mm into 125 mm , Galvanised wire cloth mesh 0 Point 56 mm nominal dia width of aperture 1 Point 18 mm , GI Nipple 20mm into 150 mm , GI Tank Nipple 20 mm , Stainless steel wire cloth mesh 0 Point 56 mm width of aperture 1 Point 18 mm , GI Nipple 15mm into 150 mm , Synthetic Enamel Paint white of 1 ltr pack , GI Nipple 15 mm into 100 mm , Plywood commercial 8 into 4 into 12 mm thick grade BWR , GI Reducer Tee 20 mm into 15mm , Curtain rod SS pipe 25 mm bore , Curtain rail mild steel chromium plated 20 mm dia bore , GI Nipple 20mm into 100 mm , GI Nipple 20mm into 50 mm , GI Nipple 15mm into 125 mm , GI Nipple 20mm into 75 mm , GI nipple 15mm into 50mm , GI Tank Nipple 15 mm , Synthetic Enamel Paint Green of 1 ltr pack , Towel Ring Brass chromium plated , GI nipple 15 mm into 75 mm , Washer for Syphone sets internal or external dia of washer , Aluminium alloy anodised sliding door bolt with hasp staple bolt type 250 mm long , Plywood commercial 8 into 4 into 9 mm thick grade BWR , Mild steel barrel tower bolt 200 mm long , Teflon Tape Roll plumbing , PVC urinal pipe 40 mm dia 750 mm long flexible pipe , GI Pipe 20 mm dia medium grade ISI Mark , Mild steel wire nails with head for wiremesh Black size n exc 20mm , Plywood commercial 8 into 4 into 6 mm thick grade BWR , Butt hinges medium weight cold rolled mild steel 75 mm long , Brass spindle for concealed stop cock , GI Plug 20mm Dia , Butt hinges medium weight cold rolled mild steel 100 mm long , GI Plug 25mm dia , PVC Bend pipe for superflow of flushing cistern , Hex Nipple 15 mm , GI Plug 15 mm , Plywood commercial 8 into 4 into 4 mm thick grade BWR , Mild steel mortice lock vertical type 2 levers 75 mm long , Vitrous China water closet seat EWC white , GI Pipe 15 mm dia medium grade ISI Mark , Paint Enamel red of 1 ltrs pack , Butt hinges medium weight cold rolled mild steel 50 mm long , Aluminium alloy handles fabricated type anodised 150 mm long , Door seal with Nylon brush Snake Guard at lower side to fit at the bottom of door shutter upto 1Mtr width , Synthetic Enamel Paint yellow of 1 ltr pack , Thread roll Good quality , Mild steel CP coated hasp and staple 100 mm long , Statinless steel desginer end Laatu for curtain rod 25mm dia. , Tower bolt 125 mm long , Mild steel wood screws bright finished 75 into 10 pack of 100 Nos , Mild steel wood screws bright finished with Size 35 into 8 , Mild steel powder coated hat and coat hook 6 nos of hook , Statinless steel bracket for curtain rod 25mm dia , Statinless steel holder for curtain rod 25mm dia , Mild steel wood screws bright finished Size19 into 10 , Mild steel full length threaded screws size n exc 15mm , Mild steel CP coated hasp and staple 75 mm long , M Seal , Mild steel Nut and bolts size not exc 50 mm , Aluminium anodised barrel tower bolts 200 mm long , PVC hinges 100 mm long , PVC plugs for fixing screws to drill holes pack of 100 Nos , PVC Handle oval shape 125 mm long , Mild steel wood screws bright finished Size 30 into 7 pack , Mild steel wood screws bright finished Size19 into 8 pack , Mild steel wire nails 25mm and 17 Nos , Mild steel wire nails 50mm 10 Nos , Mild steel wire nails with 25mm 14 Nos , Mild steel wire nails 100 mm 10 Nos , Mild steel wire nails 50 mm 12 Nos , Mild steel wire nails with head 100 mm 8 Nos , Sheet glass pin headed 4 mm thick 4 Feet into 4 Feet , Plywood commercial 8 ft into 4 ft into 19 mm grade BWR , Plastic desginer ends Laatu for curtain road of 25mm
वस्तु श्रेणी /Item Category	

बिड विवरण / Bid Details	bore, Paint Brush 100 mm , Mild steel machine screws bright finished 50mm Black , Paint Brush 50 mm , White cement , Sheet Glass Ordinary quality 5mm thick 4ft into 4ft Waste coupling of CP (half or full threaded) 432 into 432 suitable for WHB, PVC water tank 1000 Ltr capacity , Seat cover Plastic water closet for EWC white , Door closer hydrolically regulated, designation no 3, Towel Rod Brass chromium plated, tubular, 20 mm dia, 'D' type 600 mm long, Plate rack Stainless steel of size 600mm x 600mm of thickness 1 mm , Ball valves, high pressure, of PTMT with epoxy coated aluminum rod and high, Gate Valve Brass internal thread 15mm bore, Sink made of stainless steel 1mm thick kitchen with plugs, washer, Waste pipe PVC 32 mm x 750 mm corrugated type, Sink with drainage board made of stainless steel 1mm thick kitchen with plug, Stainless steel Soap dish, Patch Mate for road repair of 50 kgs packing, Gate Valve Brass internal thread 20mm bore, PVC connection with PTMT bolt and nut 15mm dia 450 mm length. , Waste cupling of CP coated (half or full threaded) suitable for , Stainless Steel grating plate 125mm dia with or without hole , PVC Internal Kit for 10 ltr PVC Flushing Cistern. , Vitreous China wash basin, white, flat back, size 550 x 400 mm includin, GI Union 15mm., Aluminium door stopper alloy body , Lock Mortice 65 mm for Doors, PVC Stop cock 20 mm Ext Threading, PVC Angle cock 15 mm, GI Union 20mm. , Brass spindle half round for CP Bib Cock . (15mm bore). , CP Brass phase Head for bib cock, pillar cock & concealed stopcock, GI Tee 20 mm. , GI socket 20mm. , Brass spindle for CP pillar cock. (15mm bore). , PVC Stop cock 15 mm Ext Threading, Aluminium alloy handles, fabricated type, anodised, GI Tee 15 mm. , GI Reducer elbow 20 mm x 15mm. , Mild steel sliding bolts, 300 mm long, plate type, stove enamel, PVC Water tank cover for 500 ltr , GI elbow 20 mm., GI elbow 15 mm., Mild steel barrel tower bolt 150 mm long, Mild steel Helical door springs, including roller and roller plate, Oil putty. , GI Reducer socket 20mm x 15 mm. , Aluminium anodised, barrel tower bolts of extruded section 150 mm long. , Brass spindle half round for Cp Concealed stop cock .(15mm bore). , Mild steel pressed handles, oval shape, stove enamelled black, Mild steel sliding bolts, 250 mm long, plate type, stove enamelled bla, GI Nipple 20mm x 125 mm., Galvanised wire cloth mesh, 0.56 mm nominal dia of wire and ave, GI Nipple 20mm x 150 mm. , GI Tank Nipple 20 mm. , Stainless steel wire cloth mesh, 0.56 mm nominal dia of wire and , GI Nipple 15mm x 150 mm. , Synthetic Enamel Paint white of 1 ltr pack, GI Nipple 15mm x 100 mm., Plywood commercial 8'x4' x12 mm thick grade BWR., GI Reducer Tee 20 mm x 15mm. , Curtain rod SS pipe 25 mm bore , Curtain rail, mild steel, chromium plated 20 mm dia bore., GI Nipple 20mm x 100 mm. , GI Nipple 20mm x 50 mm. , GI Nipple 15mm x 125 mm., GI Nipple 20mm x 75 mm., GI nipple 15mm x 50mm., GI Tank Nipple 15 mm. , Synthetic Enamel Paint Green of 1 ltr pack, Towel Ring Brass chromium plated , GI nipple 15mm x 75mm. , Washer for Syphone sets internal/external dia of washer, Aluminium alloy, anodised, sliding door bolt with hasp, staple , Plywood commercial 8'x4' x 9 mm thick grade BWR., Mild steel barrel tower bolt 200 mm long, Teflon Tape Roll plumbing, PVC urinal pipe 40 mm dia , 750 mm long flexible pipe., GI Pipe 20 mm dia, medium grade. ISI Mark, Mild steel wire nails with head for wiremesh (Black) size-n exc 20mm. , Plywood commercial 8'x4' x 6 mm thick grade BWR., Butt hinges, medium weight, cold rolled mild steel 75 mm long. , Brass
<p>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</p>	

विड विवरण / Bid Details	<p>spindle for concealed stop cock. , GI Plug 20mm. Dia, Butt hinges, medium weight, cold rolled mild steel 100 mm long. , GI Plug 25mm dia, PVC Bend pipe for superflow of flushing cistern, Hex Nipple 15 mm, GI Plug 15mm. , Plywood commercial 8'x4' x 4 mm thick grade BWR,, Mild steel mortice lock, vertical type, 2 - levers, 75 mm , Vitrous China water closet seat EWC, white, , GI Pipe , 15 mm dia, medium grade.ISI Mark , Paint Enamel red of 1 ltrs pack, Butt hinges, medium weight, cold rolled mild steel 50 mm long. , Aluminium alloy handles, fabricated type, anodised, 150 mm long. , Door seal with Nylon brush (Snake Guard) at lower side to fit , Synthetic Enamel Paint yellow of 1 ltr pack, Thread roll, Good quality , Mild steel CP coated hasp and staple 100 mm long. , Statinless steel desginer end (Laatu) for curtain rod 25mm dia. , Tower bolt 125 mm long., Mild steel wood screws, bright finished, with slotted countersun, Mild steel wood screws, bright finished, with slotted countersunk, Mild steel powder coated hat and coat hook (6 nos of hook) (Peg Set)., Statinless steel bracket for curtain rod 25mm dia. , Statinless steel holder for curtain rod 25mm dia. , Mild steel wood screws, bright finished, , Mild steel full length threaded screws for iron window size n exc 15mm. , Mild steel CP coated hasp and staple 75 mm long. , M-Seal. Liquid, Mild steel Nut & bolts size not exc 50mm. Make-As per Sample pack, Aluminium anodised, barrel tower bolts of extruded section 200 mm long. , PVC hinges 100 mm long., PVC plugs for fixing screws to drill holes. (pack of 100 Nos), PVC Handle oval shape 125 mm long. , Mild steel wood screws, bright finished, with slotted , Mild steel wood screws, threaded.Size-19x8, Mild steel wire nails with head for wiremesh not exc 25mm, Mild steel wire nails with head for size not exc 50mm (10 Nos), Mild steel wire nails with head for size not exc 25mm (14 Nos). , Mild steel wire nails with head for size not exc 100mm (10 Nos). , Mild steel wire nails with head for door repairs size not exc 50mm (12 Nos). , Mild steel wire nails with head for size not exc 100mm (8 Nos). , Sheet glass pin headed 4 mm thick. 4' x4', Plywood commercial 8'x4' x 19 mm thick grade BWR,, Plastic desginer ends (Laatu) for curtain road of 25mm bore. , Paint Brush 100 mm, Mild steel machine screws , Paint Brush 50 mm, White cement , Sheet Glass Ordinary quality 5mm thick. 4'x4', Sheet glass ordinary quality 4 mm thick. (4' x 4' size)</p>
	<p>Searched String: Waste cupling of CP (half or full threaded) 32 mm dia suitable for WHB</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC water tank 1000 Ltr capacity</p> <p>EXTINGUISHER FIRE DEFENCE WATER STORED AIR PRESSURE TYPE OF 9 LTRS CAPACITY (STAINLESS STEEL BODY), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Truck Mounted Jetting Machine, RO Water Plant for Hemodialysis, FRP Storage Tank (V2), Solar Water Heating System as per IS 12976:1990, Hamam Water Heating Device (Defense), Water Tender Type B for Fire Brigade Use conforming to IS 950, Canvas Water Tank</p> <p>Searched String: Seat cover Plastic water closet for EWC white</p>

विड विवरण / Bid Details Plastic Seats and Covers for Water - Closets as per IS 2548, Bottle Water Plastic with Cover (DEFENCE)

Searched String: Door closer hydrolically regulated, designation no 3

HYDRAULICALLY REGULATED DOOR CLOSERS, Hydraulically Regulated Door Closers conforming to IS 3564

Searched String: Towel Rod Brass chromium plated, tubular, 20 mm dia, 'D' type 600 mm long

Category not available on GeM for the text string uploaded by the buyer

Searched String: Plate rack Stainless steel of size 600mm x 600mm of thickness 1 mm

Mild Steel Sheet, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Sports Mats (V2), Pipe Clamps (V2), Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Bathroom Water Shower (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Cast Iron Bench

Searched String: Ball valves, high pressure, of PTMT with epoxy coated aluminum rod and high

High Pressure Fire Fighting Hose - IS 14933, Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Triple Quadrupole LCMS System for contaminant analysis in Food and Dairy Products

Searched String: Gate Valve Brass internal thread 15mm bore

Commercial CPVC Pipe Fittings, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, General Purpose Ball Valves conforming to IS 9890, Globe Valve as per IS 778, Two Way Valve, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Commercial PPR Pipes Fittings as per IS 15801

Searched String: Sink made of stainless steel 1mm thick kitchen with plugs, washer

Auditorium Chair (V2), Picket Steel as per DGS&D Drawing, Waste Container (V3), Grossing Station, Steel Scrap

Searched String: Waste pipe PVC 32 mm x 750 mm corrugated type

Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

Searched String: Sink with drainage board made of stainless steel 1mm thick kitchen with plug

Picket Steel as per DGS&D Drawing, Waste Container (V3), Auditorium Chair (V2), Grossing Station, Steel Scrap

Searched String: Stainless steel Soap dish

विड विवरण

Soap Dish - Case, Pole Mounted Stainless Steel Dustbin (V2), Soap Dish/ Case (V2), Stainless Steel Utensil as per IS

14756, Instrument Trolley for Hospitals (V2), Stainless Steel Bucket (Defence), medical stools or chairs, Stainless Steel Shoe Rack, Stainless Steel Bain Marie, Stainless Steel Shelf Rack

Searched String: Patch Mate for road repair of 50 kgs packing

Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Water proof HDPE/PP Woven Sack (for packing) - OFB, Wooden Packing Cases

Searched String: Gate Valve Brass internal thread 20mm bore

Commercial CPVC Pipe Fittings, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, General Purpose Ball Valves conforming to IS 9890, Globe Valve as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Commercial PPR Pipes Fittings as per IS 15801

Searched String: PVC connection with PTMT bolt and nut 15mm dia 450 mm length.

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: Waste coupling of CP coated (half or full threaded) suitable for

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stainless Steel grating plate 125mm dia with or without hole

medical stools or chairs

Searched String: PVC Internal Kit for 10 ltr PVC Flushing Cistern.

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Flushing Cistern, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

Searched String: Vitreous China wash basin, white, flat back, size 550 x 400 mm includin

Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Wash Basins - Vitreous Sanitary Appliances (Vitreous China)

conforming to IS 2556 (Part 4)
बिड विवरण/Bid Details

Searched String: GI Union 15mm.

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in Number), Commercial CPVC Pipe Fittings, GI Grating (in MT), Union Bends conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans

Searched String: Aluminium door stopper alloy body

tin mesh aluminium alloy, Table Tennis - Table, Wrought Aluminium and Aluminium alloy Bars, Rods and Sections conforming to IS 733, Laboratory Vials (V2), Aluminium Alloy Milk Can as per IS 1825, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, Lock Stopper key, Wrought Aluminium and Aluminium Alloys Sheet and Strip (General Engineering Purposes) as per IS 737, Javelins as per IS 4613, Water Container, 20 Litres Aluminium Alloy as per Defence specification

Searched String: Lock Mortice 65 mm for Doors

Theft Proof Rifle Racks, Padlocks (ताले) conforming To Is 15275, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Hydraulically Regulated Door Closers conforming to IS 3564, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846

Searched String: PVC Stop cock 20 mm Ext Threading

Memory Card Reader (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PTMT Tap Fitting, Commercial CPVC Pipe Fittings, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Flexible Drain Hoses for Wash Basins/ Sinks

Searched String: PVC Angle cock 15 mm

PTMT Tap Fitting, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

बिड विवरण/Bid Details **Searched String:** GI Union 20mm.

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in Number), Commercial CPVC Pipe Fittings, GI Grating (in MT), Cleaning Duster (V3), Union Bends confirming to IS 1239 (Part 2), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Dry Erase Writing Boards (V3), dust pans

Searched String: Brass spindle half round for CP Bib Cock . (15mm bore).

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: CP Brass phase Head for bib cock, pillar cock & concealed stopcock

PTMT Tap Fitting

Searched String: GI Tee 20 mm.

Broth Media, Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Geographic Information System (GIS) Software (V2), LED Batten, Memory Card Reader (V2), Commercial CPVC Pipe Fittings, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

Searched String: GI socket 20mm.

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in Number), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), GI Grating (in MT), Cleaning Duster (V3), Impact socket, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Deep Socket, Insulated socket

Searched String: Brass spindle for CP pillar cock. (15mm bore).

Plug Cock for Water Supply Purpose as per IS 3004, Pillar Taps for Water Supply Purpose conforming to IS 1795

Searched String: PVC Stop cock 15 mm Ext Threading

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PTMT Tap Fitting, Commercial CPVC Pipe Fittings, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: Aluminium alloy handles, fabricated type, anodised

बिड विवरण / Bid Details

Parliament Hinges-IS:362, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Door Handles (V2) ISI marked to IS 208

Searched String: GI Tee 15 mm.

Commercial CPVC Pipe Fittings, Broth Media, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands

Searched String: GI Reducer elbow 20 mm x 15mm.

Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2)

Searched String: Mild steel sliding bolts, 300 mm long, plate type, stove enamel

Hasps and Staples as per IS 363

Searched String: PVC Water tank cover for 500 ltr

Water Bowser with Boom Tower for Fire Fighting, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank, Portable Toilet, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Coated Nylon Fabric for Awning and Gun Covers

Searched String: GI elbow 20 mm.

Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Geographic Information System (GIS) Software (V2), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Memory Card Reader (V2), LED Batten, Commercial CPVC Pipe Fittings, Endotracheal Tube - Sterile (Single Use), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: GI elbow 15 mm.

Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with

बिड विवरण / Bid Details

Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: Mild steel barrel tower bolt 150 mm long
Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Tower Bolts (Ferrous Metals) as per IS 204, Foot Steps For Hospital/Clinic and Domestic Purposes, U Bolt

Searched String: Mild steel Helical door springs, including roller and roller plate

Fruit and Vegetable Washing Machine (V2)

Searched String: Oil putty.

Metal Putty, 15w - 40 Diesel Engine Oil, Titanium Putty, Putty for use on Window Frames as per IS 419, Lapi Patra (Putty Applicator), Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, White Cement Based Polymeric Putty as per IS 17545, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Almond oil, Paraffin Oil

Searched String: GI Reducer socket 20mm x 15 mm.

Commercial PPR Pipes Fittings as per IS 15801, Dry Erase Writing Boards (V3), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Bunk Beds as per IS 17636

Searched String: Aluminium anodised, barrel tower bolts of extruded section 150 mm long.

Tower Bolts (Non-Ferrous Metals) V2 as per IS 204

Searched String: Brass spindle half round for Cp Concealed stop cock .(15mm bore).

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Mild steel pressed handles, oval shape, stove enamelled black

SPADE, Hasps and Staples as per IS 363

Searched String: Mild steel sliding bolts, 250 mm long, plate type, stove enamelled bla

Category not available on GeM for the text string uploaded by the buyer

Searched String: GI Nipple 20mm x 125 mm.

Floor Drain Traps (V2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table

बिड विवरण / Bid Details	Searched String: Galvanised wire cloth mesh, 0.56 mm nominal dia of wire and ave
	<p>High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Wild - Life Cages, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Hot Dip Galvanized Stay Strand (V2) Conforming to IS 2141</p> <p>Searched String: GI Nipple 20mm x 150 mm.</p> <p>Steel Tubes, Tubulars as per IS 1239, Dry Erase Writing Boards (V3), Work Benches, Pin Up Notice Board (V2), Floor Drain Traps (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: GI Tank Nipple 20 mm.</p> <p>Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Mild Steel Sheet, Geographic Information System (GIS) Software (V2), LED Batten, Memory Card Reader (V2), Portable Toilet, Endotracheal Tube - Sterile (Single Use), Modular Toilet, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778</p> <p>Searched String: Stainless steel wire cloth mesh, 0.56 mm nominal dia of wire and</p> <p>Wire Mesh Fabric or Cloth (V2) as per IS 1568, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Weld Mesh Febric as per IS 4948, Mild Steel Wire for General Engineering Purpose as per IS 280</p> <p>Searched String: GI Nipple 15mm x 150 mm.</p> <p>Steel Tubes, Tubulars as per IS 1239, Dry Erase Writing Boards (V3), Work Benches, Pin Up Notice Board (V2), Floor Drain Traps (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: Synthetic Enamel Paint white of 1 ltr pack</p> <p>Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932</p> <p>Searched String: GI Nipple 15mm x 100 mm.</p> <p>Steel Tubes, Tubulars as per IS 1239, Dry Erase Writing Boards (V3), Work Benches, Pin Up Notice Board (V2), Floor Drain Traps (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636,</p>

बिड विवरण / Bid Details

rubber bands

Searched String: Plywood commercial 8'x4' x12 mm thick grade BWR,

Work Benches, Sinks, Prelaminated MDF Board, Foot Rest, Sterile Hypodermic Needles for Single use (V2), Granite Surface Plate as per IS 7327, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Multipurpose or General Test Tubes (V2) as per IS 2618, tray mess compartmented ss army pattern, Polyurethane Tube (V2)

Searched String: GI Reducer Tee 20 mm x 15mm.

Commercial CPVC Pipe Fittings, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table

Searched String: Curtain rod SS pipe 25 mm bore

Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Commercial CPVC Pipe Fittings, Swing (Preschool Kit), Air Hoses as per IS 446:1987, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Rubber Steam Hose (V2) as per IS 10655, Commercial PPR Pipes Fittings as per IS 15801, Polyethylene Pipes for Water Supply, Pipe Clamps (V2)

Searched String: Curtain rail, mild steel, chromium plated 20 mm dia bore.

Category not available on GeM for the text string uploaded by the buyer

Searched String: GI Nipple 20mm x 100 mm.

Steel Tubes, Tubulars as per IS 1239, Dry Erase Writing Boards (V3), Work Benches, Pin Up Notice Board (V2), Floor Drain Traps (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands

Searched String: GI Nipple 20mm x 50 mm.

Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Dry Erase Writing Boards (V3), Commercial CPVC Pipe Fittings, Pin Up Notice Board (V2), Work Benches, Dak Pad (V2), Steel Tubes, Tubulars as per IS 1239, Wild - Life Cages, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment

Searched String: GI Nipple 15mm x 125 mm.

Floor Drain Traps (V2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table

Searched String: GI Nipple 20mm x 75 mm.

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

विड विवरण / Bid Details

Floor Drain Traps (V2), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table

Searched String: GI nipple 15mm x 50mm.

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Tubes, Tubulars as per IS 1239, Labels Stickers (V3), Dry Erase Writing Boards (V3), Copper Bus Bar (Bhel)-IS:1897, IS:8130, Work Benches, Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Tank Nipple 15 mm.

Commercial CPVC Pipe Fittings, Mild Steel Sheet, Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: Synthetic Enamel Paint Green of 1 Itr pack

Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932

Searched String: Towel Ring Brass chromium plated

Towel Ring, Towel Rail / Ring for Bathroom, Retort Ring with Boss Head, Towel Rail / Ring / Rack / Hooks for Bathroom, Kadhai, Weightlifting Bar and Collars, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Rubberized Weight Plates, Basketball Ring, Two Way Valve

Searched String: GI nipple 15mm x 75mm.

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Portable Toilet, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pipe Clamps (V2)

Searched String: Washer for Syphone sets internal/external dia of washer

Pillow for Head and Knee For Panchakarma, Kitchen Set (Preschool Kit)

Searched String: Aluminium alloy, anodised, sliding door bolt with hasp, staple

Hasps and Staples as per IS 363

बिड विवरण/Bid Details

Searched String: Plywood commercial 8'x4' x 9 mm thick grade BWR,

Lapi Patra (Putty Applicator), Sinks, Compostable Carry Bags, parat and lid as per cqa specification

Searched String: Mild steel barrel tower bolt 200 mm long

Mild Steel Sheet, Foot Steps For Hospital/Clinic and Domestic Purposes, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Tower Bolts (Ferrous Metals) as per IS 204, U Bolt

Searched String: Teflon Tape Roll plumbing

Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), HT Tape, Correction Tape, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, Tapered Bearings as per IS 12102, Aluminum Tape, Ceramic Fiber Tape, Empire Tape

Searched String: PVC urinal pipe 40 mm dia , 750 mm long flexible pipe.

Commercial CPVC Pipe Fittings, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, Swing (Preschool Kit), Polyethylene Pipes for Water Supply, Black Flexible Rubber Hose Pipe, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984

Searched String: GI Pipe 20 mm dia, medium grade. ISI Mark

Commercial CPVC Pipe Fittings, Steel Tubes, Tubulars as per IS 1239, Swing (Preschool Kit), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801

Searched String: Mild steel wire nails with head for wiremesh (Black) size-n exc 20mm.

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Thimbles For Wire Ropes-IS:2315

Searched String: Plywood commercial 8'x4' x 6 mm thick grade BWR,

Lapi Patra (Putty Applicator), Polyurethane Tube (V2)

Searched String: Butt hinges, medium weight, cold rolled mild steel 75 mm long.

Stainless Steel Butt Hinges as per IS 12817, Steel Butt Hinges as per IS 1341, Mild Steel Sheet

Searched String: Brass spindle for concealed stop cock.

PTMT Tap Fitting, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plug Cock for Water Supply Purpose as per IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781

बिड विवरण/Bid Details **Searched String:** GI Plug 20mm. Dia

Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, HEDGE TRIMMER or HEDGE CUTTER, Swing (Preschool Kit), Grain Storage Bin (V2), Cable Tray (BHEL), Plug Cock for Water Supply Purpose as per IS 3004, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest)

Searched String: Butt hinges, medium weight, cold rolled mild steel 100 mm long.

Stainless Steel Butt Hinges as per IS 12817, Steel Butt Hinges as per IS 1341, Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Mild Steel Sheet

Searched String: GI Plug 25mm dia

Parallel Bar - Outdoor Gym Equipment, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, HEDGE TRIMMER or HEDGE CUTTER, Swing (Preschool Kit), Grain Storage Bin (V2), Cable Tray (BHEL), Plug Cock for Water Supply Purpose as per IS 3004, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest)

Searched String: PVC Bend pipe for superflow of flushing cistern

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

Searched String: Hex Nipple 15 mm

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Hexaconazole 5% Suspension Concentrate (SC) Conforming to IS 15692 (V2), Imidacloprid 18.50% + Hexaconazole 1.50% FS (Flowable Suspension), Imidacloprid 18.5% + Hexaconazole 1.5% FS (Flowable Solution), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Mild Steel Sheet

Searched String: GI Plug 15mm.

Rigid GI Pipe (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in Number), GI Grating (in MT), Plug Gauge, Check Valve (V2) as per IS 778, Rubber Plug, Dry Erase Writing Boards (V3), Electrical Plugs (V2) ISI Marked to IS 1293, Plain Plug Gauges as per IS 6137

Searched String: Plywood commercial 8'x4' x 4 mm thick grade BWR,

Lapi Patra (Putty Applicator)

Searched String: Mild steel mortice lock, vertical type, 2 -

levers, 75 mm
बिड विवरण/Bid Details

Pad Lock Various (As Per Defence Specification), Parliament Hinges-IS:362

Searched String: Vitreous China water closet seat EWC, white,

(Vitreous China) - Washdown Water Closets as per IS 2556, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Plastic Seats and Covers for Water - Closets as per IS 2548

Searched String: GI Pipe , 15 mm dia, medium grade.ISI Mark

Commercial CPVC Pipe Fittings, Steel Tubes, Tubulars as per IS 1239, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2

Searched String: Paint Enamel red of 1 ltrs pack

Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Nitrile Coated/Nitrile Hand Gloves (V2), Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Mild Steel Sheet, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Cotton Bandage Cloth Conforming to IS 863, Absorbent Cotton Gauze Conforming to IS 758, Household Insecticides (V2), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468

Searched String: Butt hinges, medium weight, cold rolled mild steel 50 mm long.

Stainless Steel Butt Hinges as per IS 12817, Steel Butt Hinges as per IS 1341, Mild Steel Sheet

Searched String: Aluminium alloy handles, fabricated type, anodised, 150 mm long.

Parliament Hinges-IS:362, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398

Searched String: Door seal with Nylon brush (Snake Guard) at lower side to fit

Category not available on GeM for the text string uploaded by the buyer

Searched String: Synthetic Enamel Paint yellow of 1 ltr pack

Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932

Searched String: Thread roll, Good quality

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, domestic spoons, Decorative Mats - Mat Door Coir, Disposable Paper Cup, Bamboo, Tent Pole as per IS 7344, rubber bands, Domestic Mugs - Bathroom, Table Top Elevator Writing Desk, Water Jugs

Searched String: Mild steel CP coated hasp and staple 100

बिड विवरण / Bid Details

mm Long

Mild Steel Sheet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Foot Steps For Hospital/Clinic and Domestic Purposes, Hasps and Staples as per IS 363

Searched String: Stainless steel desginer end (Laatu) for curtain rod 25mm dia.

Category not available on GeM for the text string uploaded by the buyer

Searched String: Tower bolt 125 mm long.

Tower Bolts (Ferrous Metals) as per IS 204, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Plastic Grip Seal, Roti Making Machine, Compostable Nursery Bags, Toilet Seat - Indian Style Squatting Pan, Bolt Cutters as per IS 5200, U Bolt, scissors, Polyethylene Pipes for Water Supply

Searched String: Mild steel wood screws, bright finished, with slotted countersun

Wood screws, medical stools or chairs, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Metal Storage Cabinet

Searched String: Mild steel wood screws, bright finished, with slotted countersunk

Wood screws, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa

Searched String: Mild steel powder coated hat and coat hook (6 nos of hook) (Peg Set).

Category not available on GeM for the text string uploaded by the buyer

Searched String: Stainless steel bracket for curtain rod 25mm dia.

Steel Rod 30.1mm Diameter (OFB (Defence)), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Stainless steel holder for curtain rod 25mm dia.

Steel Rod 30.1mm Diameter (OFB (Defence)), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Mild steel wood screws, bright finished,

Wood screws, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Plain Washer as per IS 2016

Searched String: Mild steel full length threaded screws for iron window size n exc 15mm.

Category not available on GeM for the text string uploaded by the buyer

Searched String: Mild steel CP coated hasp and staple 75

बिड विवरण / Bid Details

mm long

Mild Steel Sheet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Hasps and Staples as per IS 363

Searched String: M-Seal. Liquid

M - Seal as per IS 9197, Puf Seal, Snorkel with Mask for coastal Application, Bolt / Bullet Seal, water baths, Plastic Grip Seal, Air Freshener liquid (V3), D Seal (Rubber), Ultra low temperature laboratory deep freezer, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal)

Searched String: Mild steel Nut & bolts size not exc 50mm. Make-As per Sample pack

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Span Bolt and Nut, Bolt Cutters as per IS 5200

Searched String: Aluminium anodised, barrel tower bolts of extruded section 200 mm long.

Tower Bolts (Non-Ferrous Metals) V2 as per IS 204

Searched String: PVC hinges 100 mm long.

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Parliament Hinges-IS:362, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Floor Drain Traps (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply, Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: PVC plugs for fixing screws to drill holes. (pack of 100 Nos)

Category not available on GeM for the text string uploaded by the buyer

Searched String: PVC Handle oval shape 125 mm long.

Bathroom Water Shower (V2), Toilet Seat Covers (V2), Cricket Bat (V2) Conforming to IS 828, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: Mild steel wood screws, bright finished, with slotted

Wood screws, medical stools or chairs, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Metal Storage Cabinet

Searched String: Mild steel wood screws, threaded. Size- 19x8

Wood screws, General Purpose Ball Valves (V2), Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Shaker Incubator, Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Mild Steel Sheet, Laboratory Hot plate, Foot pedal Operated Sanitizer

बिड विवरण / Bid Details

dispenser stand, Endodontic Files, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Mild steel wire nails with head for wiremesh not exc 25mm

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Steel Countersunk Head Wire Nails Conforming To IS 723, Mild Steel Wire for General Engineering Purpose as per IS 280, Retort Ring with Boss Head

Searched String: Mild steel wire nails with head for size not exc 50mm (10 Nos)

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Mild steel wire nails with head for size not exc 25mm (14 Nos).

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Thimbles For Wire Ropes-IS:2315

Searched String: Mild steel wire nails with head for size not exc 100mm (10 Nos).

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Mild steel wire nails with head for door repairs size not exc 50mm (12 Nos).

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Mild steel wire nails with head for size not exc 100mm (8 Nos).

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Sheet glass pin headed 4 mm thick. 4' x4'

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Lapi Patra (Putty Applicator), Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steinmann Pin, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Double Headed Fire Hydrant Stand Post, Pad Lock Various (As Per Defence Specification), Wall Mounting Cabinet

Searched String: Plywood commercial 8'x4' x 19 mm thick grade BWR,

बिड विवरण / Bid Details

Foot Rest, Scalp Vein (Winged Needle) Infusion Set
Conforming to IS 16097, parat and lid as per cqa
specification

Searched String: Plastic desginer ends (Laatu) for curtain
road of 25mm bore.

Unplasticized PVC Pipes for Potable Water Supplies as per IS
4985

Searched String: Paint Brush 100 mm

Flat Brushes for Paints and Varnishes for Heavy Duty (V2)
conforming to IS 384 (Part 1), Ready Mixed Paint, Brushing,
Acid Resisting, Flat Brushes for Paints and Varnishes for
Heavy Duty as per IS 384 (Part 1), Ready Mixed Paint,
Brushing, Bituminous, Black, Lead - Free, Acid, Alkali, Water
and Chlorine Resisting as per IS 9862, Polyethylene Pipes
for Water Supply, Ready Mixed Paint, Brushing, Bituminous,
Black, Lead Free, Acid, Alkali and Heat Resisting as per IS
158, Classroom Stools, Wooden Lab Stools, Bitumen Primer
for use in Waterproofing and Damp - Proofing as per IS
3384, Electronic Baby Weighing Scale - RBSK

Searched String: Mild steel machine screws

Mild Steel Sheet, Metal Storage Cabinet, Mild Steel High
quality Shots, Wood screws, foot step for hospitals,
Sanitizing Machine (V2), ATM Universal testing machine,
Mild Steel Wire for General Engineering Purpose as per IS
280, Platform Trolley (V2), Fruit and Vegetable Washing
Machine (V2)

Searched String: Paint Brush 50 mm

Flat Brushes for Paints and Varnishes for Heavy Duty (V2)
conforming to IS 384 (Part 1), XLPE Cable for Working
Voltages up to and Including 1.1 KV as per IS 7098 (Part 1),
Ready Mixed Paint, Brushing, Acid Resisting, Flat Brushes
for Paints and Varnishes for Heavy Duty as per IS 384 (Part
1), Sluice Valve For Water Works Purposes (50 To 1200 Mm
Size) (V2) As Per Is 14846, modular electrical enclosure
switch board boxes for modular type accessories, Ready
Mixed Paint, Brushing, Bituminous, Black, Lead - Free, Acid,
Alkali, Water and Chlorine Resisting as per IS 9862, Ready
Mixed Paint, Brushing, Bituminous, Black, Lead Free, Acid,
Alkali and Heat Resisting as per IS 158, Cast Iron Bench,
Bitumen Primer for use in Waterproofing and Damp -
Proofing as per IS 3384

Searched String: White cement

White Cement Based Polymeric Putty as per IS 17545, Dry
Erase Writing Boards (V3), White Yam Seeds, Calcofluor
white stain, Trousers Drill White Bleached, WHITE CLOVER
(SHAFTAL) Seeds, Register (V2), Cement Capsule, T - Shirt
(V2), Solvent Cement

Searched String: Sheet Glass Ordinary quality 5mm thick.
4'x4'

Staplers (V2), Polystyrene sheet, Wire rope slings and sling
legs (V3) conforming to IS 2762, Steel Tubes used for Water
Wells (V2) as per IS 4270, 4.5mm Broad D.C. Plate with
corresponding screws, Steel Tubes for Idlers for Belt
Conveyors as per IS 9295, Computer Paper (V3) Conforming
to IS 12766 (In Packet), Polymethyl Methacrylate (PMMA)

	<p>(Acrylic) Sheets (V2) as per IS 14753 (Latest), Polypropylene Sheet, galvanized steel sheets as per IS 277</p>
	<p>Searched String: Sheet glass ordinary quality 4 mm thick. (4' x 4' size)</p> <p>Plastic Sheet (4 x 50 m) for NDRF, File/Folder (V3), Wild - Life Cages, Parallel Bar - Outdoor Gym Equipment, Lapi Patra (Putty Applicator), Endotracheal Tube - Sterile (Single Use), Information Boards or Illustration Board (V2), Staplers (V2), Plain Copier Paper (V3) ISI Marked to IS 14490, Handloom Cotton Pillow Covers (V3)</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • Bathroom or Toilet Mirror (V3)
<p>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</p>	<p>3 Year (s)</p>
<p>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</p>	<p>No</p>
<p>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</p>	<p>No</p>
<p>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</p>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<p>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</p>	<p>Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)</p>
<p>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</p>	<p>3</p>
<p>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</p>	<p>7</p>
<p>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</p>	<p>2</p>
<p>विगत प्रदर्शन /Past Performance</p>	<p>80 %</p>
<p>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</p>	<p>Yes</p>

बिड विवरण/Bid Details	
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Bathroom or Toilet Mirror (V3)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	48000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SBSO
CWE Amritsar, Department of Military Affairs, Indian Army, Ministry of Defence
(Ravi Kumar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are

not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Bathroom Water Shower (V2) (56 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	Stainless Steel

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	120 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	200
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	56	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (97 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	97	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (37 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	37	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (23 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with internal thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	23	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (17 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with external thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	17	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Forged brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (26 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	26	15

Bathroom Or Toilet Mirror (V3) (16 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Aluminium
	Frame Color	Silver
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>5.1 to ?7.5
	Height/Diameter of Mirror (inch)	>15 to ?20
	Thickness of Mirror (mm)	>4.5 to ?5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	16	15

Bathroom Or Toilet Mirror (V3) (16 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Stainless Steel
	Frame Color	Silver
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>5.1 to ?7.5
	Height/Diameter of Mirror (inch)	>10 to ?12.5
	Thickness of Mirror (mm)	>4.5 to ?5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	16	15

Bathroom Or Toilet Mirror (V3) (15 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	With
	Frame Material	Plastic
	Frame Color	Cream
	Mirror Mounting / Fixing System	Clamp Support
Dimensions	Width/Diameter of Mirror (inch)	>15 to ?20
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	15	15

Bathroom Water Shower (V2) (26 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1
	Diameter of Hand Shower Tube (in mm)	8
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	26	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	42	15

Bathroom Water Shower (V2) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Shower Panel
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	12	15

Bathroom Water Shower (V2) (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Rainflow

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Shape of Shower	Rectangular
Dimensions	Size of Shower	65x 95 mm
	Overall length of Hand Shower (in mm)	205
	Length of Hand Shower Tube (in mt)	1.5
	Diameter of Hand Shower Tube (in mm)	8
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Concealed stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Forged brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Plastic
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	36

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	8	15

Stainless Steel Shelf Rack (13 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Shape of support structure	Rectangular hollow type

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Ground clearance (mm)	25 mm
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL & MATERIAL THICKNESS	Shelf material	Stainless Steel Grade 202 galvanized
	Shelf material thickness	1.0 mm
	Support structure material	Stainless Steel Grade 304 galvanized
	Support structure material thickness	1.0 mm
DIMENSION	Width of shelf rack ± 10 mm	915 mm
	Depth of shelf rack ± 10 mm	405 mm
	Height of shelf rack ± 10 mm	1220 mm
	Height of support structure ± 10 mm	1245 mm
	Size of support structure	30 mm x 30 mm
WARRANTY	Warranty period	1 - Year
CERTIFICATION	Test report to be furnished to buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	13	15

Waste Cupling Of CP Half Or Full Threaded 32 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	46	15

PVC Water Tank 1000 Ltr Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Seat Cover Plastic Water Closet For EWC And White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	13	15

Door Closer Hydrolically Regulated Weight Between 61 To 80 Kgs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	35	15

Towel Rod Brass Chromium Plated Tubular 600 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	25	15

Plate Rack Stainless Steel Of Size 600mm Into 600mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

PVC Float Valve 15 Mm Bore Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	130	15

Gate Valve Brass Internal Thread 15 Mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	11	15

Sink Made Of Size 495 Mm Into 420 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Waste Pipe PVC 32 Mm Into 750 Mm Corrugated Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	191	15

Sink With Size 915 Mm Into 460mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Stainless Steel Soap Dish

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	28	15

Patch Mate For Road Repair Of 50 Kgs Packing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	9	15

Gate Valve Brass Internal Thread 20 Mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	7	15

PVC Connection With PTMT Bolt And Nut 15mm Dia 450 Mm Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	196	15

Waste Cupling Of CP Ink 100 Mm Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	22	15

Stainless Steel Grating Plate 125mm Dia With Or Without Hole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	65	15

PVC Internal Kit For 10 Ltr PVC Flushing Cistern

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	21	15

Vitreous China Wash Basin Size 550 Into 400 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

GI Union 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	97	15

Aluminium Door Stopper Alloy Body

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	22	15

Lock Mortice 65 Mm For Doors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	8	15

PVC Stop Cock 20 Mm Ext Threading

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	38	15

PVC Angle Cock 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	49	15

GI Union 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	43	15

Brass Spindle Half Round For CP Bib Cock 15 Mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	37	15

CP Brass Phase Head For Bib Cock Pillar Cock And Concealed Stopcock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	33	15

GI Tee 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	70	15

GI Socket 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	101	15

Brass Spindle For CP Pillar Cock 15mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	19	15

PVC Stop Cock 15 Mm Ext Threading

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	33	15

Aluminium Alloy Handles Fabricated Type 125 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	49	15

GI Tee 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	90	15

GI Reducer Elbow 20 Mm Into 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	62	15

Mild Steel Sliding Bolts 300 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	9	15

PVC Water Tank Cover For 500 Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	13	15

GI Elbow 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	58	15

GI Elbow 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	97	15

Mild Steel Barrel Tower Bolt 150 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	30	15

Mild Steel Helical Door Springs Including Roller And Roller Plate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	17	15

Oil Putty

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	33	15

GI Reducer Socket 20mm Into 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	62	15

Aluminium Anodised Barrel Tower Bolts Of Extruded Section 150 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	24	15

Brass Spindle Half Round For Cp Concealed Stop Cock 15 Mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	11	15

Mild Steel Pressed Handles Oval Shape 150 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	40	15

Mild Steel Sliding Bolts 250 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	7	15

GI Nipple 20mm Into 125 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	38	15

Galvanised Wire Cloth Mesh 0 Point 56 Mm Nominal Dia Width Of Aperture 1 Point 18 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	16	15

GI Nipple 20mm Into 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	38	15

GI Tank Nipple 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	19	15

Stainless Steel Wire Cloth Mesh 0 Point 56 Mm Width Of Apreture 1 Point 18 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

GI Nipple 15mm Into 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	36	15

Synthetic Enamel Paint White Of 1 Ltr Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

GI Nipple 15 Mm Into 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	43	15

Plywood Commercial 8 Into 4 Into 12 Mm Thick Grade BWR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

GI Reducer Tee 20 Mm Into 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	16	15

Curtain Rod SS Pipe 25 Mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Curtain Rail Mild Steel Chromium Plated 20 Mm Dia Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

GI Nipple 20mm Into 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	31	15

GI Nipple 20mm Into 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	41	15

GI Nipple 15mm Into 125 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	14	15

GI Nipple 20mm Into 75 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	34	15

GI Nipple 15mm Into 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	42	15

GI Tank Nipple 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	16	15

Synthetic Enamel Paint Green Of 1 Ltr Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Towel Ring Brass Chromium Plated

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

GI Nipple 15 Mm Into 75 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	34	15

Washer For Syphone Sets Internal Or External Dia Of Washer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	109	15

Aluminium Alloy Anodised Sliding Door Bolt With Hasp Staple Bolt Type 250 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	3	15

Plywood Commercial 8 Into 4 Into 9 Mm Thick Grade BWR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Barrel Tower Bolt 200 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Teflon Tape Roll Plumbing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	19	15

PVC Urinal Pipe 40 Mm Dia 750 Mm Long Flexible Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	8	15

GI Pipe 20 Mm Dia Medium Grade ISI Mark

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Mild Steel Wire Nails With Head For Wiremesh Black Size N Exc 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	9	15

Plywood Commercial 8 Inot 4 Into 6 Mm Thick Grade BWR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Butt Hinges Medium Weight Cold Rolled Mild Steel 75 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	15	15

Brass Spindle For Concealed Stop Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

GI Plug 20mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	27	15

Butt Hinges Medium Weight Cold Rolled Mild Steel 100 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	13	15

GI Plug 25mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	19	15

PVC Bend Pipe For Superflow Of Flushing Cistern

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Hex Nipple 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	12	15

GI Plug 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	33	15

Plywood Commercial 8 Into 4 Inot 4 Mm Thick Grade BWR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Mortice Lock Vertical Type 2 Levers 75 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Vitrous China Water Closet Seat EWC White

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

GI Pipe 15 Mm Dia Medium Grade ISI Mark

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

Paint Enamel Red Of 1 Ltrs Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Butt Hinges Medium Weight Cold Rolled Mild Steel 50 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	11	15

Aluminium Alloy Handles Fabricated Type Anodised 150 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	8	15

Door Seal With Nylon Brush Snake Guard At Lower Side To Fit At The Bottom Of Door Shutter Upto 1Mtr Width

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Synthetic Enamel Paint Yellow Of 1 Ltr Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Thread Roll Good Quality

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	37	15

Mild Steel CP Coated Hasp And Staple 100 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

Stainless Steel Desginer End Laatu For Curtain Rod 25mm Dia.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

Tower Bolt 125 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	3	15

Mild Steel Wood Screws Bright Finished 75 Into 10 Pack Of 100 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Wood Screws Bright Finished With Size 35 Into 8

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Powder Coated Hat And Coat Hook 6 Nos Of Hook

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Stainless Steel Bracket For Curtain Rod 25mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

Stainless Steel Holder For Curtain Rod 25mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	7	15

Mild Steel Wood Screws Bright Finished Size19 Into 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Full Length Threaded Screws Size N Exc 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Mild Steel CP Coated Hasp And Staple 75 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

M Seal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Mild Steel Nut And Bolts Size Not Exc 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	7	15

Aluminium Anodised Barrel Tower Bolts 200 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

PVC Hinges 100 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

PVC Plugs For Fixing Screws To Drill Holes Pack Of 100 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

PVC Handle Oval Shape 125 Mm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Wood Screws Bright Finished Size 30 Into 7 Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

Mild Steel Wood Screws Bright Finished Size19 Into 8 Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	4	15

Mild Steel Wire Nails 25mm And 17 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	6	15

Mild Steel Wire Nails 50mm 10 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Mild Steel Wire Nails With 25mm 14 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	3	15

Mild Steel Wire Nails 100 Mm 10 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	3	15

Mild Steel Wire Nails 50 Mm 12 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	7	15

Mild Steel Wire Nails With Head 100 Mm 8 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Sheet Glass Pin Headed 4 Mm Thick 4 Feet Into 4 Feet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Plywood Commercial 8 Ft Into 4 Ft Into 19 Mm Grade BWR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Plastic Desginer Ends Laatu For Curtain Road Of 25mm Bore

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Paint Brush 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Mild Steel Machine Screws Bright Finished 50mm Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Paint Brush 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

White Cement

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Sheet Glass Ordinary Quality 5mm Thick 4ft Into 4ft

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

Sheet Glass Ordinary Quality 4 Mm Thick 4 Ft Into 4ft

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	16	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

4. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

5. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bidder will be disqualified if participation will be done from the same IP address.
2. Bidder will be disqualified if the registered mobile No and address of two or more firms found same.
3. Bidder must upload OEM authorisation certificate with specific Bid No alongwith approval letter in respect of Zone/Command/E-in-C's Br falling which bidder will be disqualified from the bidding.
4. EMD must reach this office on or before opening of bid falling which bidder will be disqualified from the bidding.

7. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---