



बिड संख्या/Bid Number: GEM/2026/B/7550259

दिनांक /Dated: 21-05-2026

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	01-06-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-06-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Ntpc Sail Power Company Ltd
संगठन का नाम/Organisation Name	Ntpc Sail Power Company Ltd
कार्यालय का नाम/Office Name	Nspcl Ssc Bhilai
कुल मात्रा/Total Quantity	11950
वस्तु श्रेणी /Item Category	M3589150002 , M8275100067 , M8275300089 , M8275300098 , M8275430065 , M8275260110 , M8275320111 , M8276380011 , M8255469104 , M8255269456 , M8272430118 , M8272430109 , M8272430020 , M8272430154 , M8272430011 , M8270760271 , M8190300067 , M8275100119 , M8276140011 , M8275311382 , M8276650015 , M8270783065

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

GEN ELECTRONIC REGULATOR, PNO TYP S W IS 3854 WHITE IVORY, PLUG TOP IS 1293 220 250V 6A 3PIN, PLUG TOP IS 1293 220 250V 16A 3PIN, 2 IN 1 2 3 PIN SOCKT, PLG TYP SOCKT, S W SOCKT PLUG COMBINED UNIT , PLUG SCKET BOARD 20A WITH MCB 240 V AC, LMP HLDR BAYONET ANGLR 100W INCAND BC22, LMP HLDR BC 100W INCAND LAMP PIN TYPE, S W SOCKT PVC BOX 16A 2WAY, S W SOCKT PVC BOX 6A 6WAY, S W SOCKT PVC BOX 2WAY, S W SOCKT PVC BOX 10 WAY SOCKET, S W SOCKT PVC BOX 4WAY, GEN ELECTRONIC REGULATOR, PLUG TOP IS 1293 220 250V 6A 3PIN, PLUG TOP IS 1293 220 250V 16A 3PIN, 2 IN 1 2 3 PIN SOCKT, PLG TYP SOCKT, S W SOCKT PLUG COMBINED UNIT , PLUG SCKET BOARD 20A WITH MCB 240 V AC, LMP HLDR BAYONET ANGLR 100W INCAND BC22, LMP HLDR BC 100W INCAND LAMP PIN TYPE, S W SOCKT PVC BOX 2WAY, S W SOCKT PVC BOX 10 WAY SOCKET, S W SOCKT PVC BOX 4WAY, PNO TYP S W IS 3854 WHITE IVORY, PLUG TOP IS 1293 220 250V 16A 3PIN, PVC CASNG CAPNG 3 2 INCH WIDTH, CBLE TIE NYLN 250MM LONG, LMP HLDR BAYONET ANGLR 100W INCAND BC22, LMP HLDR BC 100W INCAND LAMP PIN TYPE, S W SOCKT PVC BOX 6A 6WAY, S W SOCKT PVC BOX 4WAY, PNO TYP S W IS 3854 WHITE IVORY, 2 IN 1 2 3 PIN SOCKT, PLUG TOP IS 1293 220 250V 6A 3PIN, PLUG TOP IS 1293 220 250V 16A 3PIN, BELL PUSH FLUSH SWITCH 240V 5 6A, METAL CLAD 20APLUG SKT MCB, PLUG SCKET BOARD 20A WITH MCB 240 V AC, S W SOCKT PVC BOX 6A 6WAY, S W SOCKT PVC BOX 2WAY, S W SOCKT PVC BOX 4WAY, S W SOCKT PVC BOX 10 WAY SOCKET, GEN ELECTRONIC REGULATOR, MOD POWER SOCKET 5 PIN 230V 15AMP, FLX PVC CNDUT 23MM

**Searched String:** GEN ELECTRONIC REGULATOR

Acetylene Pressure Regulator as per IS 6901, Air Curtain, Electronic Weighing Scales, Filter Regulator Lubricator, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Pressure Regulator For Gases, Natural Gas Pressure Regulator, Electronic Lectern, Electronic Theodolite, Electronic Baby Weighing Scale - RBSK

**Searched String:** PNO TYP S W IS 3854 WHITE IVORY

Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Writing and Printing Papers Conforming to IS 1848 (Part 1), Silica Gel (V2) Conforming to IS 3401

**Searched String:** PLUG TOP IS 1293 220 250V 6A 3PIN

Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Thread Plug Gauge, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked to IS 1293, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

**Searched String:** PLUG TOP IS 1293 220 250V 16A 3PIN

बिड विवरण / Bid Details

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Reverse Osmosis based Point of Use

Water Treatment System for Drinking Purposes (V3) as per IS 16240, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

**Searched String:** 2 IN 1 2 3 PIN SOCKT

Combination Board (V2), Laminar air flow cabinets or stations, BCAA 2:1:1 Powder, Fume Hood (FSSAI), 2-Naphthol, 3 in 1 Exercise Notebook, Lat Pull Down (Version 2), Line Interactive UPS with AVR (V2), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Interceptor Vehicle (2 Wheeler)

**Searched String:** PLG TYP SOCKT

CR Type Surge Suppressor Upto 33 kV (BHEL), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Black Japan, Type A, Type B, Type C as per IS 341, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Electrode Holder as per IS 2641, Thermocouple Standards Platinum / Platinum Rhodium, Parliament Hinges-IS:362, Steel Butt Hinges as per IS 1341, Elastomer Insulated, Unkinkable Flexible Cords (Domestic Type) Marked To IS 9968 (Part 1)

**Searched String:** S W SOCKT PLUG COMBINED UNIT

MS Structural Plate as per IS 2062 (Unit - Quantity), M S Sheet as per IS 1079 (Unit - Mass)

**Searched String:** PLUG SCKET BOARD 20A WITH MCB 240 V AC

Mobile Containers For Solid Waste Conforming to IS 12402, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), D.C. Earth Fault Locator

**Searched String:** LMP HLDR BAYONET ANGLR 100W INCAND BC22

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** LMP HLDR BC 100W INCAND LAMP PIN TYPE

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** S W SOCKT PVC BOX 16A 2WAY

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Floor Tiles (With Or Without Asbestos) - IS 3461, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To

बिड विवरण

IS 694, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Flat Cable, Copper Conductor with PVC Insulation

and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Facial Tissue Papers(V3)

**Searched String:** S W SOCKET PVC BOX 6A 6WAY

Muffle/Box Furnace (V2), Electrical Extension Box (V4), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Floor Tiles (With Or Without Asbestos) - IS 3461, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Suction Catheters (V2), shoes school pvc boys girls, General Purpose Hand Gloves (V2)

**Searched String:** S W SOCKET PVC BOX 2WAY

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694

**Searched String:** S W SOCKET PVC BOX 10 WAY SOCKET

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** S W SOCKET PVC BOX 4WAY

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** GEN ELECTRONIC REGULATOR

Acetylene Pressure Regulator as per IS 6901, Air Curtain, Electronic Weighing Scales, Filter Regulator Lubricator, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Pressure Regulator For Gases, Natural Gas Pressure Regulator, Electronic Lactern, Electronic Theodolite, Electronic Baby Weighing Scale - RBSK

**Searched String:** PLUG TOP IS 1293 220 250V 6A 3PIN

Portable Fire Extinguishers (V3) ISI Marked to IS 15683,

विड विवरण

Thread Plug Gauge, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type

Domestic Electrical Sockets ISI Marked To IS 1293, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked to IS 1293, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

**Searched String:** PLUG TOP IS 1293 220 250V 16A 3PIN

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked to IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

**Searched String:** 2 IN 1 2 3 PIN SOCKT

Combination Board (V2), Laminar air flow cabinets or stations, BCAA 2:1:1 Powder, Fume Hood (FSSAI), 2-Naphthol, 3 in 1 Exercise Notebook, Lat Pull Down (Version 2), Line Interactive UPS with AVR (V2), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Interceptor Vehicle (2 Wheeler)

**Searched String:** PLG TYP SOCKT

CR Type Surge Suppressor Upto 33 kV (BHEL), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Black Japan, Type A, Type B, Type C as per IS 341, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Electrode Holder as per IS 2641, Thermocouple Standards Platinum / Platinum Rhodium, Parliament Hinges-IS:362, Steel Butt Hinges as per IS 1341, Elastomer Insulated, Unkinkable Flexible Cords (Domestic Type) Marked To IS 9968 (Part 1)

**Searched String:** S W SOCKT PLUG COMBINED UNIT

MS Structural Plate as per IS 2062 (Unit - Quantity), M S Sheet as per IS 1079 (Unit - Mass)

**Searched String:** PLUG SCKET BOARD 20A WITH MCB 240 V AC

Mobile Containers For Solid Waste Conforming to IS 12402, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), D.C. Earth Fault Locator

**Searched String:** LMP HLDR BAYONET ANGLR 100W INCAND BC22

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** LMP HLDR BC 100W INCAND LAMP PIN TYPE

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: S W SOCKT PVC BOX 2WAY
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694</p> <p><b>Searched String:</b> S W SOCKT PVC BOX 10 WAY SOCKET</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> S W SOCKT PVC BOX 4WAY</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> PNO TYP S W IS 3854 WHITE IVORY</p> <p>Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Writing and Printing Papers Conforming to IS 1848 (Part 1), Silica Gel (V2) Conforming to IS 3401</p> <p><b>Searched String:</b> PLUG TOP IS 1293 220 250V 16A 3PIN</p> <p>Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked to IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445</p> <p><b>Searched String:</b> PVC CASNG CAPNG 3 2 INCH WIDTH</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC gitti, Taflon Tape as per IS 14635, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To</p>

बिड विवरण / Bid Details

IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Inflatable Tent, VHF Handheld Air

Band Transceiver

**Searched String:** CBLE TIE NYLN 250MM LONG

Cable Tie (V2), Plastic Grip Seal, Toilet Seat - Indian Style Squatting Pan, Crematoria bed, Cricket Bat (V2) Conforming to IS 828, post fence metal angle, Locking Compression Plates (V2)

**Searched String:** LMP HLDR BAYONET ANGLR 100W INCAND BC22

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** LMP HLDR BC 100W INCAND LAMP PIN TYPE

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** S W SOCKT PVC BOX 6A 6WAY

Muffle/Box Furnace (V2), Electrical Extension Box (V4), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Floor Tiles (With Or Without Asbestos) - IS 3461, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Suction Catheters (V2), shoes school pvc boys girls, General Purpose Hand Gloves (V2)

**Searched String:** S W SOCKT PVC BOX 4WAY

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

**Searched String:** PNO TYP S W IS 3854 WHITE IVORY

Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Writing and Printing Papers Conforming to IS 1848 (Part 1), Silica Gel (V2) Conforming to IS 3401

**Searched String:** 2 IN 1 2 3 PIN SOCKT

Combination Board (V2), Laminar air flow cabinets or stations, BCAA 2:1:1 Powder, Fume Hood (FSSAI), 2-Naphthol, 3 in 1 Exercise Notebook, Lat Pull Down (Version 2), Line Interactive UPS with AVR (V2), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Interceptor Vehicle (2 Wheeler)

**Searched String:** PLUG TOP IS 1293 220 250V 6A 3PIN

बिड विवरण / Bid Details

Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Thread Plug Gauge, Non Modular Piano Type Domestic

Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked to IS 1293, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

**Searched String:** PLUG TOP IS 1293 220 250V 16A 3PIN

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), Electrical Plugs (V2) ISI Marked to IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445

**Searched String:** BELL PUSH FLUSH SWITCH 240V 5 6A

Flushing Cistern, Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1)

**Searched String:** METAL CLAD 20APLUG SKT MCB

Metal Jacketed Gasket, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Cleaning Duster (V3), Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Circuit Breakers for DC Operation, Weightlifting Discs

**Searched String:** PLUG SCKET BOARD 20A WITH MCB 240 V AC

Mobile Containers For Solid Waste Conforming to IS 12402, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), D.C. Earth Fault Locator

**Searched String:** S W SOCKT PVC BOX 6A 6WAY

Muffle/Box Furnace (V2), Electrical Extension Box (V4), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Floor Tiles (With Or Without Asbestos) - IS 3461, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Suction Catheters (V2), shoes school pvc boys girls, General Purpose Hand Gloves (V2)

**Searched String:** S W SOCKT PVC BOX 2WAY

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical Extension Box (V4), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions,

विड विवरण / Bid Details

Revet Mattresses and Rock Fall Netting as per IS 16014,  
PVC Insulated Unsheathed Cable with Flexible Conductor ISI  
Marked To IS 694, Flat Cable, Copper Conductor with PVC  
Insulation and Sheathed ISI Marked To IS 694, PVC Single  
Core and Multi Core Circular Sheathed Aluminium Cable with  
Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium  
Conductor with PVC Insulation and Sheathed ISI Marked To  
IS 694, PVC Insulated Aluminium Cable Single Core and  
Multi Core Circular Sheathed with Rigid Conductor ISI  
Marked To IS 694

**Searched String:** S W SOCKT PVC BOX 4WAY

PVC Insulated Copper Cable Single Core and Multi Core  
Circular Sheathed with Flexible Conductor (V2) ISI Marked To  
IS 694, PVC Insulated Copper Cable Single Core and Multi  
Core Circular Sheathed with Rigid Conductor (V2) ISI Marked  
To IS 694, PVC Insulated Unsheathed Cable with Flexible  
Conductor ISI Marked To IS 694, PVC Insulated Copper Cord  
Single Core and Multi Core Circular Sheathed with Flexible  
Conductor (V2) ISI Marked To IS 694

**Searched String:** S W SOCKT PVC BOX 10 WAY SOCKET

Category not available on GeM for the text string uploaded  
by the buyer

**Searched String:** GEN ELECTRONIC REGULATOR

Acetylene Pressure Regulator as per IS 6901, Air Curtain,  
Electronic Weighing Scales, Filter Regulator Lubricator,  
Modular Piano Type Domestic Fan Regulator Conforming To  
IS 11037, Pressure Regulator For Gases, Natural Gas  
Pressure Regulator, Electronic Lectern, Electronic  
Theodolite, Electronic Baby Weighing Scale - RBSK

**Searched String:** MOD POWER SOCKET 5 PIN 230V 15AMP

Electrical Power Connector, Analog-Digital Circuits  
Development Platform, Porcelain Insulators For Overhead  
Power Lines with Nominal Voltage up to and Including 1000  
V Conforming To IS 1445, Meat Mincer, PVC Insulated  
Copper Cable Single Core and Multi Core Circular Sheathed  
with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable  
for Working Voltage up to and Including 1.1 KV Marked To IS  
7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible  
Conductor ISI Marked To IS 694

**Searched String:** FLX PVC CNDUT 23MM

PVC Insulated Copper Cable Single Core and Multi Core  
Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS  
694, Flat Cable, Copper Conductor with PVC Insulation and  
Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable  
Single Core and Multi Core Circular Sheathed with Flexible  
Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper  
Cord Single Core and Multi Core Circular Sheathed with  
Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated  
(Heavy Duty) Electric Cables Marked To IS 1554 (Part 1)  
(V2), Unplasticized PVC Pipes for Potable Water Supplies as  
per IS 4985, PVC Insulated Unsheathed Cable with Rigid  
Conductor (V2) ISI Marked To IS 694, PVC Single Core and  
Multi Core Circular Sheathed Aluminium Cable with Rigid  
Conductor (V2) as per IS 694, Unplasticized PVC Pipes for  
Water Supply conforming to IS 4985, PVC Insulated  
Unsheathed Cable with Flexible Conductor ISI Marked To IS

	694 Bid Details Type Domestic Fan Regulator Conforming To IS 11037
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854</li> <li>• modular electrical enclosure switch board boxes for modular type accessories</li> </ul>
बीओक्यू शीर्षक / <b>BOQ Title</b>	ELECTRICAL LIGHTING GENERAL SPARES
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ <b>MSE Relaxation for Years of Experience and Turnover</b>	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years of Experience and Turnover</b>	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	3
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	M3589150002
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Payment Timelines</b>	Payments shall be made to the Seller within <b>30</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Group wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / <b>Financial Document Required</b>	Yes
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

#### ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

**This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is**

**registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.**

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### **Evaluation Method ( Group Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Item/Cat egory</b>	<b>Consignee/Report ing Officer</b>	<b>Consignee Address</b>	<b>Quan tity</b>
	M358915 0002	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	50
	M827510 0067	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	250
	M827530 0089	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	100

Bhilai PP-III	M827530 0098	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	100
	M827543 0065	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	100
	M827526 0110	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	100
	M827532 0111	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	50
	M827638 0011	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	20
	M825546 9104	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	200
	M825526 9456	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	200
	M827243 0118	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	150
	M827243 0109	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	150
	M827243 0020	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	200
	M827243 0154	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	100
	M827243 0011	GAJENDRA NATH CHAUHAN	NSPCL Expansion Site PP3 Near Purena Village Bhilai (East) 490021	200
Bhilai PP-II	M358915 0002	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	50
	M827530 0089	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	100
	M827530 0098	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	100
	M827543 0065	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	100
	M827526 0110	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	100
	M827532 0111	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	20
	M827638 0011	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	10
	M825546 9104	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	100
	M825526 9456	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	100
	M827243 0020	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	50
	M827243 0154	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	50

	M827243 0011	Sunil Kumar Barnwal	NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai 490021	50
Rourkela PP-II	M827510 0067	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	500
	M827530 0098	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	500
	M827076 0271	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	500
	M819030 0067	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	5000
	M825546 9104	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	200
	M825526 9456	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	200
	M827243 0109	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	200
	M827243 0011	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	100
	M827510 0119	Kiran Munda	NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha 769011	250
Durgapur PP-II	M827543 0065	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	150
	M827530 0089	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	125
	M827530 0098	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M827614 0011	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M827531 1382	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M827638 0011	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	50
	M827243 0109	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M827243 0020	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M827243 0011	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	125
	M827243 0154	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M358915 0002	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	100
	M827665 0015	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	50
	M827078 3065	Sk Jawed Iqbal	NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal 713203	500

**M3589150002**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	50	90

**M8275100067**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	250	90

### M8275300089

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	90

### M8275300098

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	90

**M8275430065**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	90

**M8275260110**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	90

**M8275320111**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	50	90

**M8276380011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	20	90

**M8255469104**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	200	90

**M8255269456**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	200	90

**M8272430118**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	150	90

**M8272430109**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	150	90

**M8272430020**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	200	90

**M8272430154**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	100	90

**M8272430011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	GAJENDRA NATH CHAUHAN	490021,NSPCL Expansion Site PP3 Near Purena Village Bhilai (East)	200	90

**M3589150002**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	50	90

**M8275300089**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	90

**M8275300098**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	90

**M8275430065**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	90

**M8275260110**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	90

**M8275320111**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	20	90

**M8276380011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	10	90

**M8255469104**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	90

**M8255269456**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	100	90

**M8272430020**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	50	90

**M8272430154**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	50	90

**M8272430011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sunil Kumar Barnwal	490021,NSPCL PP-II, Inside Bhilai Steel Plant, P. O. Bhilai (East) Bhilai	50	90

## M8275100067

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	500	90

## M8275300098

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	--	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	500	90

### M8270760271

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	500	90

### M8190300067

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	5000	90

**M8255469104**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	200	90

**M8255269456**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिष्ठी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिष्ठी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	200	90

**M8272430109**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिष्ठी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिष्ठी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	200	90

**M8272430011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	100	90

**M8275100119**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiran Munda	769011,NSPCL Store CPP II Rourkela Steel Plant Rourkela Odisha	250	90

**M8275430065**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	150	90

**M8275300089**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	125	90

**M8275300098**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M8276140011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M8275311382**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M8276380011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	50	90

**M8272430109**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M8272430020**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M8272430011**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	125	90

**M8272430154**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M3589150002**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	100	90

**M8276650015**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	50	90

**M8270783065**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

## तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sk Jawed Iqbal	713203,NSPCL Store CPP II Durgapur Steel Plant Complex Durgapur West Bengal	500	90

### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

#### 3. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Inspection clause: INSPECTION SHALL BE DONE AT Respective NSPCL stores.
2. Guarantee/ warranty Clause: Item should be guaranteed against poor workmanship/ manufacturing defect for a period of 18/12 months from the date of supply/ use of material, whichever is earlier.
3. Interchangeability/ Fitment Guarantee Clause: Not Applicable
4. Documents required with Bid for Bid evaluation: Vendors are requested to submit Techno-commercial offer along with endorsed "tender document, Nil deviation certificate, SPC"
5. Documents required along with material Supply:
  - a. Guarantee/warranty certificate
6. Payment Terms: 100% payment within 30 days after receipt & acceptance of material at respective site.
7. Delivery period and Schedule: Delivery to be completed preferably within 04 months from receipt of PO. However, the vendor must endeavour to supply material at the earliest.
8. Bid Evaluation Criteria: Group wise evaluation
9. Additional information:
  - a) Item is to be quoted strictly as per Item long text.
  - b) Any deviations in material specifications have to be clarified prior to bid submission, any clarifications post bid opening will not be acceptable.

#### 5. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in

accordance with the laws.

---धन्यवाद/Thank You---