

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	02-03-2026 11:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	02-03-2026 11:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	30 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम/Organisation Name</b>	Indian Army
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	1017
<b>वस्तु श्रेणी /Item Category</b>	Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) (Q3) , Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701 (Q3) , Bathroom or Toilet Mirror (V3) (Q4) , LED Street Light 60W , LED Street Light 70W , LED Street Light 90W , LED Street Light 110W , LED Flood Light 50W , LED Flood Light 110W , LED Flood Light 150W , Switch Socket Comb 16 Amps , Switch Socket Comb 6 Amps , Sink , Sink with drain board , PVC Connection Pipe 15x600mm , PVC Connection Pipe 15x450mm , Waste Pipe 32 mm , Waste Pipe 40 mm , Uinal Waste Pipe , Toilet Seat Cover , Ply Wood 8x4 18mm , Ply Wood 8x4 12mm , Ply Wood 8x4 8mm , Ply Wood 8x4 25mm , Ply Wood 8x4 6mm , Ply Wood 8x4 4mm , EWC , IWC , Wash Basin , SS wiremesh 50m x 1.2m
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	LED Street Light 60W, LED Street Light 70W, LED Street Light 90W, LED Street Light 110W, LED Flood Light 50W, LED Flood Light 110W, LED Flood Light 150W, Switch Socket Comb 16 Amps, Switch Socket Comb 6 Amps, Sink , Sink with drain board , PVC Connection Pipe 15x600mm, PVC Connection Pipe 15x450mm, Waste Pipe 32 mm, Waste Pipe 40 mm, Uinal Waste Pipe , Toilet Seat Cover , Ply Wood 8x4 18mm, Ply Wood 8x4 12mm, Ply Wood 8x4 8mm, Ply Wood 8x4 25mm, Ply Wood 8x4 6mm, Ply Wood 8x4 4mm, EWC, IWC , Wash Basin , SS wiremesh( 50m x 1.2m)
	<b>Searched String:</b> LED Street Light 60W  Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light,

बिड विवरण / Bid Details

High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), 7 Watt White-LED Based Solar Street

Lighting System As Per MNRE Specification, LED Garden Light (V2), LED Batten Light (LED Tube Light) (V2), Television (TV) (V2)

**Searched String:** LED Street Light 70W

Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Garden Light (V2), LED Batten Light (LED Tube Light) (V2), Television (TV) (V2)

**Searched String:** LED Street Light 90W

Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Garden Light (V2), LED Batten Light (LED Tube Light) (V2), Television (TV) (V2)

**Searched String:** LED Street Light 110W

Inverter Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Garden Light (V2), LED Batten Light (LED Tube Light) (V2), Television (TV) (V2)

**Searched String:** LED Flood Light 50W

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), LED Batten Light (LED Tube Light) (V2), Trolley Mounted AC Supply lighting tower with LED Flood Light, Hand Held Search Light, LED Flash Light, LED Bulkhead Light, LED Garden Light (V2)

**Searched String:** LED Flood Light 110W

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part

विड विवरण/Bid Details 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), LED Batten Light (LED Tube

Light) (V2), Trolley Mounted AC Supply lighting tower with LED Flood Light, Hand Held Search Light, LED Flash Light, LED Bulkhead Light, LED Garden Light (V2)

**Searched String:** LED Flood Light 150W

LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Flood Light, Flame Proof (V2), LED Batten Light (LED Tube Light) (V2), Trolley Mounted AC Supply lighting tower with LED Flood Light, Hand Held Search Light, LED Flash Light, LED Bulkhead Light, LED Garden Light (V2)

**Searched String:** Switch Socket Comb 16 Amps

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electrical Extension Box (V4), Flameproof Switch Socket, Fume Hood (FSSAI), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

**Searched String:** Switch Socket Comb 6 Amps

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electrical Extension Box (V4), Flameproof Switch Socket, Fume Hood (FSSAI), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

**Searched String:** Sink

Extruded Heat Sink, Sinks, Liquid Cooled Heat Sink(BHEL), Stainless Steel Sinks for Domestic Purposes (V3) as per IS 13983, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), (Vitreous China) - Laboratory Sinks-IS:2556, Waste Fittings for Washbasin and Sinks as per IS 2963, Cast Copper Alloy Traps, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Connector Pipes for Washbasins/ Sinks/ Geyser

**Searched String:** Sink with drain board

Chess Board, Modular Table / Meeting Table / Centre Table (V2), Flexible Drain Hoses for Wash Basins/ Sinks, Board Games Or Magic Board With Bands (V2)-Toys, Computer Table (V3), Glow Sign Board (V2), Laboratory Steel Furniture, Rucksack 90 Ltrs with HDPE Board (Defence), Pin Up Notice Board (V2), Interactive Panels with CPU

बिड विवरण / Bid Details	Searched String: PVC Connection Pipe 15x600mm
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe Cutter, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Pipe Clamps (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cast Iron Saddle Pieces for Service Connection from Asbestos Cement Pressure Pipes conforming to IS 10299, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Water Supply conforming to IS 4985</p>
	<p><b>Searched String:</b> PVC Connection Pipe 15x450mm</p> <p>Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pipe Cutter, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Pipe Clamps (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cast Iron Saddle Pieces for Service Connection from Asbestos Cement Pressure Pipes conforming to IS 10299, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Water Supply conforming to IS 4985</p>
	<p><b>Searched String:</b> Waste Pipe 32 mm</p> <p>Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Pipe Clamps (V2), Polyethylene Pipes for Water Supply, Pipe Unions conforming to IS 1239 (Part 2), Waste Fittings for Washbasin and Sinks as per IS 2963, Parallel Bar - Outdoor Gym Equipment, Bio - Medical Waste Collection Bags (Biohazard Bags), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, rubber bands, Polyethylene Pipes for Water Supply conforming to IS 4984</p>
	<p><b>Searched String:</b> Waste Pipe 40 mm</p> <p>General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Pipe Clamps (V2), Heavy Duty Pipe Wrench as per IS 4003, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Bio - Medical Waste Collection Bags (Biohazard Bags), Pipe Unions conforming to IS 1239 (Part 2), Polyethylene Pipes for Water Supply, KITCHEN STORAGE RACKS (various type), Parallel Bar - Outdoor Gym Equipment</p>
	<p><b>Searched String:</b> Uinal Waste Pipe</p> <p>Waste Container (V3), Bio - Medical Waste Collection Bags (Biohazard Bags), Medical Waste Incinerator, Steel Pipes for Water and Sewage as per IS 3589, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Pipe saddles, Cotton Yarn Waste (V2) as per IS 5485, Pipe Clips, Pipe Clamps (V2), Pipe Cutter</p>

**बिड विवरण/Bid Details** Searched String: Toilet Seat Cover

Disposable Toilet Seat Cover, Toilet Seat Covers (V2), Toilet Seat Band, Toilet Seat Disinfectant Spray, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Toilet Seat - Indian Style Squatting Pan, Pin Up Notice Board (V2), European Pattern Toilet Seat Vitreous China, Disposable Sheet Cover for Car Seat, Wheel Chairs (V2)

**Searched String:** Ply Wood 8x4 18mm

Plywood for General Purposes Marked to IS 303 (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Resin Treated Compressed Wood Laminates (COMPREGS) for General Purposes Marked to IS 3513 (Part 3), Foot Rest, Wooden Furniture from Hoshiarpur - ODOP, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Cleaning Duster (V3), Parallel Bar - Outdoor Gym Equipment

**Searched String:** Ply Wood 8x4 12mm

Plywood for General Purposes Marked to IS 303 (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Resin Treated Compressed Wood Laminates (COMPREGS) for General Purposes Marked to IS 3513 (Part 3), Auditorium Chair (V2), Wooden Furniture from Hoshiarpur - ODOP, Modular Extendable Conference Table (V2), Cleaning Duster (V3), Foot Rest, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2)

**Searched String:** Ply Wood 8x4 8mm

Plywood for General Purposes Marked to IS 303 (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Resin Treated Compressed Wood Laminates (COMPREGS) for General Purposes Marked to IS 3513 (Part 3), Modular Extendable Conference Table (V2), Wooden Furniture from Hoshiarpur - ODOP, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Inoculation Chamber, water baths

**Searched String:** Ply Wood 8x4 25mm

Plywood for General Purposes Marked to IS 303 (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Resin Treated Compressed Wood Laminates (COMPREGS) for General Purposes Marked to IS 3513 (Part 3), Modular Extendable Conference Table (V2), Wooden Furniture from Hoshiarpur - ODOP, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Inoculation Chamber, Parallel Bar - Outdoor Gym Equipment

**Searched String:** Ply Wood 8x4 6mm

Plywood for General Purposes Marked to IS 303 (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Resin Treated Compressed Wood Laminates (COMPREGS) for General Purposes Marked to IS 3513 (Part 3), Modular Extendable Conference Table (V2), Wooden Furniture from Hoshiarpur - ODOP, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Inoculation Chamber, water baths

**Searched String:** Ply Wood 8x4 4mm

<p style="text-align: center;"><b>बिड विवरण / Bid Details</b></p>	<p>Plywood for General Purposes Marked to IS 303 (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Resin Treated Compressed Wood Laminates (COMPREGS) for General Purposes Marked to IS 3513 (Part 3), Modular Extendable Conference Table (V2), Wooden Furniture from Hoshiarpur - ODOP, Dry Erase Writing Boards (V3), water baths, Pin Up Notice Board (V2), Inoculation Chamber, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947</p> <p><b>Searched String:</b> EWC</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> IWC</p> <p>Cloth Dryer Stand</p> <p><b>Searched String:</b> Wash Basin</p> <p>Flexible Drain Hoses for Wash Basins/ Sinks, Face Wash, Shampoo Station, Wash Oil (V2), Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), Plastic Wash Bottle, Surgical Wash Bowl, Antimicrobial Hand Wash (V2), Washing Machine - Domestic Purpose, Liquid Lab Wash Detergent</p> <p><b>Searched String:</b> SS wiremesh( 50m x 1.2m)</p> <p>Parallel Bar - Outdoor Gym Equipment, Modular Tensile Structure, Cleaning Duster (V3), Dental Impression Trays - RBSK, Shaker Incubator, Screw Drivers as per IS 844, Aerial Bunched Cables as per IS 14255, ETO Sterilizer, Portable Toilet, Plaster of Paris Bandage Conforming to IS 4738</p>
<p><b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>Ferric Chloride - ONGC</li> </ul>
<p><b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /MSE Relaxation for Years of Experience and Turnover</b></p>	<p>No</p>
<p><b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b></p>	<p>No</p>
<p><b>विक्रेता से मांगे गए दस्तावेज़ /Document required from seller</b></p>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<p><b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है /Do you want to show documents uploaded by bidders to all bidders participated in bid?</b></p>	<p>Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)</p>

**बिड विवरण/Bid Details**

बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid

for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### **Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 4 set )**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

<b>विवरण/Specification</b>	<b>विशिष्टि का नाम /Specification Name</b>	<b>बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)</b>
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	120
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	4	30

**Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 4 set )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	95
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	4	30

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 6 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	<b>Type of joint kit</b>	Non Rigid - Transition Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	185
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	6	30

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 3 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV
	<b>Type of joint kit</b>	Non Rigid - Transition Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	35
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	3	30

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 3 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	240
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	3	30

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 3 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV
	<b>Type of joint kit</b>	Non Rigid - Transition Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	150
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxitape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	3	30

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 3 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 1) Working Voltages from 1.1 kV up to and including 3.3 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	120
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	3	30

### Cable Joint Kit Suitable For Cables Up To And Including 33 KV (V2) ( 3 set )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	<b>Conformity of the specification</b>	As per IS 13573 (Part 2 and Part 3) Working Voltages from 3.3 kV up to and including 33 kV
	<b>Type of joint kit</b>	Non Rigid - Straight Joint - Heat Shrink
GENERIC	<b>Applicable conductors for using the joint kits</b>	Aluminium
	<b>The appropriate cable insulation for using the joint kits [Ref. Cl. Table 2 of IS 13573 Part 1]</b>	XLPE (Range of approval: XLPE, EPR, HEPR, PVC)
	<b>Applicable cable core for using the joint kits (in Nos)</b>	3.5
	<b>Applicable cable size for using the joint kits (in sq mm)</b>	400
	<b>Joint kit contains (Hint: According to the type of cable, the cross sectional area of the cable and number of cores)</b>	Heat Shrink Stress Control Tubing, Heat Shrink Insulating Tubing, Heat Shrink Co-extruded Dual Wall Tubing, Heat Shrink Outer Jacket Tubing, G. I. Mesh Type Metallic Cannister, Tinned Copper Earthing Braid, Jubilee Clamp, Backup Ring, Mastic Tapes, Tinned Copper Binding Wire, Core Cleaning Solvent, Nylon String, Aloxite Tape, PVC (A) Tape, Silicon Grease, Tinned Copper Mesh for screen continuity, Solder, Flux, Mopping Cloth, Connector (ferrules), Instruction Sheet

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	3	30

### Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 12 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	--	--

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

### Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 8 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Single Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	1000 Liter

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	8	30

**Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	<b>Type (Based on Shape of Tank)</b>	Cylindrical Vertical Tank with Lid
	<b>Layer of Tank</b>	Single Layered
Dimensions	<b>Minimum Net Capacity (In Liter)</b>	2000 Liter

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	2	30

**Bathroom Or Toilet Mirror (V3) ( 12 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Decorative Mirror

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Silver Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Plastic
	<b>Frame Color</b>	White
	<b>Mirror Mounting / Fixing System</b>	Wall Hanging System (Hook/Hanger)
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>15 to ?20
	<b>Height/Diameter of Mirror (inch)</b>	>20 to ?25
	<b>Thickness of Mirror (mm)</b>	>4 to ?4.5

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

**Bathroom Or Toilet Mirror (V3) ( 20 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Type of Mirror</b>	Plain Mirror
	<b>Mirror Shape</b>	Rectangular
	<b>Type of Mirror Coating</b>	Silver Coated
	<b>Frame</b>	With
	<b>Frame Material</b>	Stainless Steel
	<b>Frame Color</b>	Silver

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Mirror Mounting / Fixing System</b>	Clamp Support
Dimensions	<b>Width/Diameter of Mirror (inch)</b>	>15 to ?20
	<b>Height/Diameter of Mirror (inch)</b>	>20 to ?25
	<b>Thickness of Mirror (mm)</b>	>4 to ?4.5

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	20	30

**LED Street Light 60W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	6	30

**LED Street Light 70W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

**Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	6	30

**LED Street Light 90W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	15	30

**LED Street Light 110W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	1	30

**LED Flood Light 50W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	15	30

**LED Flood Light 110W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	6	30

**LED Flood Light 150W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	15	30

**Switch Socket Comb 16 Amps**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	150	30

**Switch Socket Comb 6 Amps**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	150	30

**Sink**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	10	30

### Sink With Drain Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	6	30

### PVC Connection Pipe 15x600mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	100	30

**PVC Connection Pipe 15x450mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	100	30

**Waste Pipe 32 Mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	60	30

**Waste Pipe 40 Mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	40	30

**Uinal Waste Pipe**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	20	30

**Toilet Seat Cover**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	60	30

**Ply Wood 8x4 18mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

**Ply Wood 8x4 12mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

**Ply Wood 8x4 8mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

**Ply Wood 8x4 25mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

**Ply Wood 8x4 6mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

### Ply Wood 8x4 4mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

### EWC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	12	30

## IWC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	50	30

## Wash Basin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	20	30

### SS Wiremesh 50m X 1.2m

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****HYDERABAD	20	30

#### Special terms and conditions-Version:1 effective from 17-10-2025 for category Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701

- These tanks are not meant for underground applications. It does not cover mobile water tanks and horizontal cylindrical water tanks. Nominal service temperature from +1 degree Celsius to +50 degree Celsius.

The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such, Buyers may also opt for ISI marked products while creating BID by mentioning their requirement in Bid ATC. Availability of License to vendors in this category needs to be checked by Buyer at their end, in case they add any such conditions in Bid ATC. Further, in such cases, buyer shall verify a valid BIS License for the same at the time of evaluation of the BID and check the ISI marking at the time of receipt of the material before issuing CRAC.

#### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

##### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## 2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

## 3. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

## 4. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 5. **Turnover**

**Bidder Turn Over Criteria:** The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## 6. **Turnover**

**OEM Turn Over Criteria:** The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## 7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**UPLOAD DECLARATION/ CERTIFICATES/ UNDERTAKINGS ON IP ADDRESS, CARTEL BIDDING,**

SISTER CONCERN FIRMS, M.I.I. UNDERTAKING, BIDDER FINANCIAL STANDING etc:-

“(1) We **accept** all the terms & conditions of the bid.”

“(2) We declare that we have utilised our own resources of electronic media for the bid process. We have utilised outside sources of friends / relatives / cyber café when our resources failed/ malfunctioned. As such, we are not involved in any cartel bidding with other bidders if any participated.”

“(3) We confirm that any of our sister concern firms have not participated in the bid” (i.e. Same business partner shall not be repeated in more than one firm.)

“(4) We confirm that our firm will supply only the products having local content adhering to existing M.I.I. policies of Govt of India.”

“(5) We are not under liquidation, court receivership or similar proceedings and not bankrupt.”

“(6) It is declared that we are of Class-I / Class-II Local Supplier to participate in the bid” (Please strike-off either Class-I or Class-II as applicable).”

BIDDER SHALL UPLOAD & ALSO SUBMIT TO CONSIGNEE THE FOLLOWING DOCUMENTS ALONG WITH THEIR BID FOR VENDOR CODE CREATION WHICH OTHERWISE RESULT DELAYS IN PAYMENTS:-

- A). Copy of PAN Card.
- B). Copy of GSTIN.
- C). Copy of Cancelled Cheque.
- D). Copy of EFT Mandate Duly Certified By Bank.

**UPLOAD** M.I.I. CERTIFICATE FROM OEMs OF MAKES QUOTED OUT OF THE MAKES MENTIONED, DULY SHOWN OF CLASS & PERCENTAGE OF LOCAL CONTENT IN THE LIGHT OF GOVERNMENT PUBLIC PROCUREMENT (REFERENCE TO MAKE IN INDIA), ORDER DATED 2017, CONSEQUENT ORDER NO. P-45021/2/2017-PP (BE-II) DATED 04.06.2020 & 16.09.2020 AND SUBSEQUENT CLARIFICATION NO P-45021/102/2019-BE-II-PART (1) (E-50310) DATED 04.03.2021 INCLUDING OM NO. F.1/4/2021-PPD DATED 18 MAY 2023.

THE MATERIALS SUPPLIED SHALL BE INSPECTED BY A BOARD OF OFFICERS BY THE DEPARTMENT AT CONSIGNEE END WITH RESPECT TO THE SPECIFICATIONS AND IS CODES. WHEREVER MENTIONED AS “ISI MARKED”, THE STORES SHALL BE SUPPLIED ACCORDINGLY. THE GENERAL ENGINEERING PRACTICE SHALL BE APPLIED FOR ITEMS HAVING SHORT FALL OF SPECIFICATIONS. THE MATERIAL WILL BE REJECTED IN FULL IF SPECIFICATIONS ARE NOT CONFORMING OR NOT AS PER IS CODES OR BID SPECIFICATIONS.

WARRANTY CERTIFICATES FOR SPECIFIED PERIODS AS PER THE BID ITEMS ON BIDDER LETTER HEAD, VALID TEST CERTIFICATES FROM GOVT LABS OR ANY GOVT ACCREDITED LABS AT THE DISCRETION OF OEM OR IN-HOUSE LABS ETC AS PER GeM NORMS, BIS LICENCE FOR THE QUOTED ITEMS, OUT OF MAKES MENTIONED IN ATC, TO BE SUBMITTED TO THE CONSIGNEE ON DEMAND ALONGWITH THE MATERIALS AS APPLICABLE WHEREVER “ISI MARKED” IS SPECIFIED SO AS TO REVERT TO OEM IN CASE OF NON COMPLIANCE BY BIDDER OR OTHERWISE WITH ANY DISCREPANCY ON GeM PORTAL OR CLAIM BY ANY OTHER BIDDER BEFORE/ AFTER SUPPLY BY REFERRING CASE TO OEM BASED ON BID AUTHORISATION ISSUED BY OEM. THE MINOR ERRORS, IF ANY PUBLISHED IN THE CATALOGUES ON GeM PORTAL FOR NON SELECTABLE PARAMETERS/ SPECIFICATIONS, IF FOUND AT PAR COMMONLY WITH ALL BIDDER PARTICIPANTS, WILL BE IGNORED WHILE ASCERTAINING FOR QUALIFICATION CRITERION. IN SUCH CASES, IF ANY BIDDER CLAIMS/ REPRESENTS, OEMs OF QUOTED PRODUCTS WILL BE APPROACHED FOR CLARIFICATION & ASSUANCE OF SUPPLY FROM OEMs FOR ENSURING PROPER PRODUCTS AS PER GOLDEN & GREY SPECIFICATIONS/ PARAMETERS.

**UPLOAD** PAST PERFORMANCE/ EXPERIENCE DOCUMENTS IN THE FORM OF ANY GOVT PURCHASE ORDERS OR RESPECTIVE GeM CRACs OR GOVT COMPLETION REPORTS OR GOVT WORK COMPLETION CERTIFICATES ALONG WITH THE WORK ORDERS FOR THE PRIMARY CATEGORY GOODS AS MENTIONED IN THE BID AND ALSO IN THE SIMILAR MATERIAL CUM TECHNICAL FUNCTIONAL GOODS OF REPETITIVE CATEGORY NATURE UNDER VARIOUS QUADRANTS ON GeM PORTAL AS SELECTED IN THE BIDS.

**UPLOAD** C.A. AUDITED ANNUAL TURNOVER OF OEM(S) & ALSO OF BIDDER FOR 03 LATEST CONSECUTIVE FINANCIAL YEARS AS SOUGHT.

**UPLOAD** OEM'S BID SPECIFIC AUTHORIZATION ON OEM'S LETTER HEAD OF QUOTED MAKES OUT OF MAKES MENTIONED IN THE INSTANT BID SO AS TO CONTACT & ALSO TO ENTWINE OEMs IN CASE OF NON RESPONSE BY BIDDER AFTER SUPPLY BEFORE EXPIRY OF WARRANTY PERIODS AND ALSO SEEK ANY SORT OF CLARIFICATIONS OF PRODUCTS SUPPLIED.

WHEREVER MAKES NOT SPECIFIED, BIDDER MUST QUOTE FOR ITEMS CONFORMING TO THE SPECIFICATION S/ ISI NORMS ETC. AS MENTIONED IN THE BID. WHILE QUOTING THE PRODUCTS, BIDDER SHALL MENTION SINGLE MAKE & MODEL IN THE GIVEN FIELDS AVAILABLE IN THE BOQ. QUOTING ABOVE MULTIPLE MAKES OR MENTIONING WORDS LIKE "EQUIVALENT OR SIMILAR" WILL FORM BASIS DISQUALIFICATION OF THE BIDDER

IN CASE ABOVE SIMILAR PROVISION MENTIONED AT ANY LOCATION OF THE BID, ABOVE PROVISIONS WILL SUPERSEDE EXCLUDING CERTAIN GTC CONDITIONS WHICH ARE MANDATORY IN NATURE IN THE LIGHT OF MANUAL FOR PROCUREMENT OF GOODS-2024.

MAKES REQUIRED TO BE QUOTED ARE:-

WATER TANK ; PRAYAG,SINTEX ,PLASTO,ASTREL

WATER FITTING; PRAYAG, PRIMA,SHAKTI, CERA

PLYWOOD ; KITPLY,GREENPLY, CENTURY

LED; SURYA,BAJAJ, HAVELLS, ORIENT

ELEC ACC ; HAVELLS,LEGRAND, ANCHOR

.

#### 8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 9. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 10. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 11. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

### अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of

bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate**

**action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**