

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-06-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	05-06-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Mines
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Geological Survey Of India (gsi)
कार्यालय का नाम/Office Name	Northern Region, Lucknow (up)
वस्तु श्रेणी /Item Category	Mines/Minerals Drilling - Surface Drilling; Non-Energy Minerals; Rotary Core Drilling
अनुबंध अवधि /Contract Period	6 Month(s) 3 Day(s)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	34 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	5 Year (s)
इसी तरह की सेवाओं का पिछला आवश्यक अनुभव है/Past Experience of Similar Services required	Yes
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

**बिड विवरण/Bid Details**

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
अनुमानित निविदा मूल्य (सभी करों सहित) भारतीय रुपये में / Estimated Bid Value in INR (Inclusive of all taxes)	8392650
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	167853

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	9

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

ADG AND HOD  
GSI, Northern Region, Lucknow  
(Adg And Hod)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई अनुपालन/MII Compliance**

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in

the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Years of Past Experience required: The bidder must have experience for number of years as indicated above in bid document (ending month of March prior to the bid opening) of providing similar type of services to any Central / State Govt Organization / PSU. Copies of relevant contracts / orders to be uploaded along with bid in support of having provided services during each of the Financial year.

7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. The buyers are advised to refer to the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if the credentials of the service provider are validated on-line in GeM profile as well as validated and approved by the Buyer after evaluation of submitted documents.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Experience of Similar Services: The bidder must have successfully executed/completed similar Services over the last three years i.e. the current financial year and the last three financial years(ending month of March prior to the bid opening): -

1. Three similar completed services costing not less than the amount equal to 40% (forty percent) of the estimated cost; or
2. Two similar completed services costing not less than the amount equal to 50% (fifty percent) of the estimated cost; or
3. One similar completed service costing not less than the amount equal to 80% (eighty percent) of the estimated cost.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### **अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required**

**Minimum turnover of service provider:**As per the bid.

**Buyer to specify prior technical experience required:**As per buyer uploaded ATC document.

**Details of Borehole to be drilled:**[1778754890.pdf](#)

#### **Mines/Minerals Drilling - Surface Drilling; Non-Energy Minerals; Rotary Core Drilling ( 550 )**

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
<b>कोर / Core</b>	
Type of Drilling	Surface Drilling
Type of Minerals	Non-Energy Minerals
Drilling Type	Rotary Core Drilling
<b>एडऑन /Addon(s)</b>	
<b>अतिरिक्त विवरण /Additional Details</b>	
Latitude of Drilling area (From: XX.XXXX To: XX.XXXX)	77°32'28"E to 77°33'16.1"E
Longitude of Drilling area (From: XX.XXXX To: XX.XXXX)	30°36'49.8"N to 30°37'29.2"N
Mineral Commodity	VANADIUM
Rock Lithology	Micaceous siltstone, Carbonaceous shale-siltstone, Intercalated black chert-shale-siltstone, Brown shale-siltstone. Depth of overburden 5 to 10 m. Indicated depth of mineralized zone: 5 to approx.110 m.
Borehole drilling depth tolerance (+/- in %)	20
Total Boreholes(From: XX To: XX)	5 to 6 boreholes. Approx. 110m (+ or - 20% each)
Load Carrying Capacity of Underground mine	NOT APPLICABLE
Borehole Angle (In Degree) (From: XX To: XX)	inclined (45° to 70°)
Borehole Spacing	approx. 100m
Maximum time frame for completion of first borehole operation	31-07-2026

विवरण/ Specification	मूल्य/ Values
Minimum Core Size (in MM)	Core diameter not less than 56mm, upto the bottom of borehole.
Level of Investigation (G1, G2, G3, G4, RMT, Uncover, NA)	G2
Upto what depth for PQ	AS PER ATC ATTACHED WITH THIS BID
Upto what depth for NQ	NOT APPLICABLE
Upto what depth for BQ	NOT APPLICABLE
Upto what depth for HQ	AS PER ATC ATTACHED WITH THIS BID
Core Requirement in Mineralised Zone (in %) (Maximum upto 90%)	90 to 95 %. In case of recovery between 70% to 90%, then penalty of 10% of unit rate of drilling for the under recovery meterage will be levied. Recovery below 70% will not be accepted and not be considered for payment.
Core Requirement in Non-Mineralised Zone (in %) (Maximum upto 80%)	70 to 80 %
Permissible Deviation (in degree in meter)	1° to 1.5° per 100m
Description of Core Box	HQ Virgin PP UV stabilized Core box having core capacity of 4m (each row holds 1m of core, with recess for ease of access to remove the core), Overall length of core tray upto 1200mm, Width upto 400mm, minimum Inner height 70mm. Drainage holes (at suitable locations) with plug (compatible with drain holes), PP core separators, Preprinted ID tag, 02 Nos. of ergonomic and robust lifting handles on all sides of tray. Core box should not have sharp edges, should be non-magnetic and chemically inert, impervious to sulfides, UV stable, non-corroding. Separate PP lids with proper locking arrangement with core tray. Wall thickness should be sufficient enough to avoid sagging/ bending/failure of the core tray (fully loaded with HQ size core in different formations). The height of the core boxes should be sufficient enough to fit the complete core with proper clearance, so that the core does not get damaged while in transit. The core obtained in each run shall be accordingly arranged and marked with appropriate markers with an arrangement to indicate the length of the run.
Is Site Preparation Required	Yes

विवरण/ Specification	मूल्य/ Values
Bore Hole Coverage Area	PRIVATE LAND/ LOCAL PANCHAYAT LAND (AGRICULTURAL/ GRASS LAND)
Status of Forest Permission	Not-Applicable
Working Window for Cultivated Land (From XX month to XX month)	AS PER ATC ATTACHED WITH THIS BID
Status of Revenue Land Permission	Not-Available
Is Borehole to Borehole shifting required	Yes
Is headload shifting required for borehole to borehole shifting	Yes
Details of Levels of Boreholes (Format - Level Number, Number of Borehole under this borehole, Depth of borehole under the specified borehole, Borehole drilling depth tolerance)	AS PER ATC ATTACHED WITH THIS BID
Responsibility, Number of Boreholes and parameters for Geophysical Logging.	AS PER ATC ATTACHED WITH THIS BID

**क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer**

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents****परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Estimated depth of drilling (In M)	अतिरिक्त आवश्यकता /Additional Requirement
1	Saumya Ranjan Mohapatra	173001,STATE UNIT PUNJAB HARYANA HIMACHAL PRADESH SIRMAUR	550	N/A

**Mines/Minerals Drilling - Surface Drilling; Non-Energy Minerals; Rotary Core Drilling ( 500 )****तकनीकी विशिष्टियाँ /Technical Specifications**

विवरण/ Specification	मूल्य/ Values
<b>कोर / Core</b>	
Type of Drilling	Surface Drilling
Type of Minerals	Non-Energy Minerals
Drilling Type	Rotary Core Drilling
<b>एडऑन /Addon(s)</b>	
<b>अतिरिक्त विवरण /Additional Details</b>	
Latitude of Drilling area (From: XX.XXXX To: XX.XXXX)	77°26'55.57"E to 77°27'50.54"E
Longitude of Drilling area (From: XX.XXXX To: XX.XXXX)	30°39'53.16"N to 30°40'40.5"N
Mineral Commodity	VANADIUM

विवरण/ Specification	मूल्य/ Values
Rock Lithology	Micaceous siltstone, Carbonaceous shale-siltstone, Intercalated black chert-shale-siltstone, Brown shale-siltstone. Depth of overburden 5 to 10 m. Indicated depth of mineralized zone: 5 to approx.110 m.
Borehole drilling depth tolerance (+/- in %)	20
Total Boreholes(From: XX To: XX)	4 to 5 boreholes. Approx. 125m (+ or - 20% each)
Load Carrying Capacity of Underground mine	NOT APPLICABLE
Borehole Angle (In Degree) (From: XX To: XX)	inclined (45° to 70°)
Borehole Spacing	approx. 100m
Maximum time frame for completion of first borehole operation	31-07-2026
Minimum Core Size (in MM)	Core diameter not less than 56mm, upto the bottom of borehole.
Level of Investigation (G1, G2, G3, G4, RMT, Uncover, NA)	G2
Upto what depth for PQ	AS PER ATC ATTACHED WITH THIS BID
Upto what depth for NQ	NOT APPLICABLE
Upto what depth for BQ	NOT APPLICABLE
Upto what depth for HQ	AS PER ATC ATTACHED WITH THIS BID
Core Requirement in Mineralised Zone (in %) (Maximum upto 90%)	90 to 95 %. In case of recovery between 70% to 90%, then penalty of 10% of unit rate of drilling for the under recovery meterage will be levied. Recovery below 70% will not be accepted and not be considered for payment.

विवरण/ Specification	मूल्य/ Values
Core Requirement in Non-Mineralised Zone (in %) (Maximum upto 80%)	70 to 80 %
Permissible Deviation (in degree in meter)	1° to 1.5° per 100m
Description of Core Box	<p>HQ Virgin PP UV stabilized Core box having core capacity of 4m (each row holds 1m of core, with recess for ease of access to remove the core), Overall length of core tray upto 1200mm, Width upto 400mm, minimum Inner height 70mm. Drainage holes (at suitable locations) with plug (compatible with drain holes), PP core separators, Preprinted ID tag, 02 Nos. of ergonomic and robust lifting handles on all sides of tray. Core box should not have sharp edges, should be non-magnetic and chemically inert, impervious to sulfides, UV stable, non-corroding. Separate PP lids with proper locking arrangement with core tray. Wall thickness should be sufficient enough to avoid sagging/ bending/failure of the core tray (fully loaded with HQ size core in different formations). The height of the core boxes should be sufficient enough to fit the complete core with proper clearance, so that the core does not get damaged while in transit. The core obtained in each run shall be accordingly arranged and marked with appropriate markers with an arrangement to indicate the length of the run.</p>
Is Site Preparation Required	Yes
Bore Hole Coverage Area	PRIVATE LAND (AGRICULTURAL/ GRASS LAND)
Status of Forest Permission	Not-Applicable
Working Window for Cultivated Land (From XX month to XX month)	AS PER ATC ATTACHED WITH THIS BID
Status of Revenue Land Permission	Not-Available
Is Borehole to Borehole shifting required	Yes
Is headload shifting required for borehole to borehole shifting	Yes

विवरण/ Specification	मूल्य/ Values
Details of Levels of Boreholes (Format - Level Number, Number of Borehole under this borehole, Depth of borehole under the specified borehole, Borehole drilling depth tolerance)	AS PER ATC ATTACHED WITH THIS BID
Responsibility, Number of Boreholes and parameters for Geophysical Logging.	AS PER ATC ATTACHED WITH THIS BID

**क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer**

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

**अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents**

**परेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Estimated depth of drilling (In M)	अतिरिक्त आवश्यकता /Additional Requirement
1	Saumya Ranjan Mohapatra	173001,STATE UNIT PUNJAB HARYANA HIMACHAL PRADESH SIRMAUR	500	N/A

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

1. Generic

OPTION CLAUSE 25% : The buyer can increase or decrease the contract quantity or contract duration up to 25 percent at the time of issue of the contract. However, once the contract is issued, the contract quantity or contract duration can only be increased up to 25 percent. Bidders are bound to accept the revised quantity or duration.

For lumpsum-based service contracts, the buyer may increase the scope of work and contract value up to 25 percent with the consent of the service provider

## 2. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

ADG AND HOD, GSI, NORTHERN REGION, LUCKNOW

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

## 3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder are advised to go through complete bid(**including BUYER UPLOADED ATC DOCUMENT**) carefully and thoroughly and **must upload following documents MANDATORILY required for technical evaluation of bids (CHECK LIST, Buyer uploaded ATC document, MII etc. given under 'BUYER UPLOADED ATC DOCUMENT')**:

**(a) Details (including number, type, make, model, capacity, year of procurement etc.) of drilling Rigs to be deployed. Minimum 2 Nos. Drilling Rig of appropriate capacity must be deployed in EACH drilling project 'A' and 'B' as mentioned in 'Buyer Uploaded ATC document'.** The firm should provide the list of operational machines, and their present status as per following table. Copy of invoice / delivery challan as a proof of purchase is to be uploaded with the technical bid:

S. No.	Make & Model	Drilling capacity in H and N size (m)	Type (Mechanical/ Hydraulic/ Hydrostatic)	Year of Purchase	Annual drilling production capacity (m) in each mineral commodity	Remarks

**NOTE:** (i) Age of rigs likely to be deployed should not be more than 8- 10 years. Certain manufacturers e.g. Voltas / Greaves / L&T etc. have discontinued manufacture of rigs long back. These rigs, if included in the list of available rigs, shall not be counted for consideration. Rigs purchased through auction / reconditioned rigs are not allowed.  
(ii) The firm should also provide the availability of number of drilling operators along with their past experience in type of minerals.

**(b) Work Plan/ Schedule of Work starting from Mobilization till completion of project mentioned above:**

<b>No. of drilling Rigs to be deployed</b>	TO BE FILLED BY FIRM
<b>Model of Rig (should not be older than 10 years)</b>	TO BE FILLED BY FIRM
<b>Mobilization of Drilling rig from the date of issue of this Contract (Maximum 3 weeks)</b>	TO BE FILLED BY FIRM
<b>Progress during first month excluding mobilization period</b>	TO BE FILLED BY FIRM
<b>Monthly Progress for subsequent months</b>	TO BE FILLED BY FIRM

Ø The firm must mention the total duration of completion of work (for Base drilling target) including mobilization period very clearly in foot note of above table.

**NOTE:** The bidder should submit work plan with assured monthly progress along with its bid.

(c) **Last five years' experience work order details in area/commodity:**

S. No.	Name and address of client	Brief description of Work awarded	W.O. No. / Ref No. and date	Quantum of Work with completion time and value of work	Start date and completion date	No. of rigs deployed	Mineral and average depth of the Borehole

(d) **Physical site visit certificate for project by the firm.**

(e) **MSE/NSIC** (of required services only).

(f) **Average Annual Turnover** during last 3 years of bidder (min. turnover should be as sought in the bid). Bidder is exempted from submitting Avg. annual turnover, if bidder is MSE for required services as per bid. Bidder is exempted from submitting Experience, if bidder is MSE for required services as per bid.

(g) **Make In India (MII) certificate** (format enclosed as in page No. 11 of 'Buyer Uploaded ATC document').

(h) Duly signed and stamped **'BUYER ADDED ATC DOCUMENT'** (uploaded as per page Nos. 2 to 10 of 'Buyer Uploaded ATC document').

(i) **EMD** to be uploaded with bid and submitted in hard copy as per bid (if not MSE of required services). Bidder is exempted from submitting EMD, if bidder is MSE for required services as per bid.

(j) Any other certificates/documents sought in the bid document, ATC and corrigendum, if any.

Any representation/clarification in respect of above points i.e.(a),(b),(c) & (d) , if submitted from the side of firm, unless sought, may not be considered.

2. In case of variation above 550meters (in Project No. 199912) and variation above 500meters (in Project No. 199988) and non-processing of bill through GeM portal of additional meterage over 550meters (in Project No. 199912) and 500meters (in Project No. 199988), the same may be carried out via Offline mode with approval of competent authority.

3. Cost for Site Visit shall be borne by the firm.

4. Maximum time frame for completion of first Borehole operation is relaxable, considering procedural delay in execution of issuance of contract.

5. **It is mandatory to deploy specified number of drilling rigs in project **Simultaneously** within approved mobilization time as per contract.**

5. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

6. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

ADG AND HOD, GSI, NORTHERN REGION, LUCKNOW

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of

Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is**

**contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**