

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	15-06-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-06-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Energy And Petro Chemicals Department Gujarat
संगठन का नाम/Organisation Name	Gujarat State Electricity Corporation Limited (gsecl) Vadodara
कार्यालय का नाम/Office Name	Gsecl Corpotate Office
कुल मात्रा/Total Quantity	64
वस्तु श्रेणी /Item Category	PRESSURE SWITCH1 FOR BOILER FURNACE , PRESSURE SWITCH2 FOR BOILER FURNACE , BFP LUB OIL AOP , PRESSURE SWITCH1 , PRESSURE SWITCH2 , BFP LUB OIL PRESSURE ADEQUATE DW1 PRESSURE SWITCH , PRESSURE SWITCH3 , PRESSURE SWITCH4 , TEMPERATURE SWITCH1 , TEMPERATURE SWITCH2 , PRESSURE SWITCH5
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	PRESSURE SWITCH1 FOR BOILER FURNACE , PRESSURE SWITCH2 FOR BOILER FURNACE , BFP LUB OIL AOP, PRESSURE SWITCH1, PRESSURE SWITCH2, BFP LUB OIL PRESSURE ADEQUATE DW1 PRESSURE SWITCH, PRESSURE SWITCH3, PRESSURE SWITCH4, TEMPERATURE SWITCH1, TEMPERATURE SWITCH2, PRESSURE SWITCH5
	<p>Searched String: PRESSURE SWITCH1 FOR BOILER FURNACE</p> <p>Steam Cooking System, Muffle Furnace, Graphite Electrodes for Electric Arc Furnace, Pressure Extension Tubes for Medical Purpose, Pressure Regulator For Gases, Filter cum Pressure Regulator, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Alumina Beam type Brick for Sinter Machine Furnace, Desk and Chair Set for Classroom/Training Area</p> <p>Searched String: PRESSURE SWITCH2 FOR BOILER FURNACE</p> <p>Steam Cooking System, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Graphite Electrodes for Electric Arc Furnace, Pressure Extension Tubes for Medical Purpose, Pressure Regulator For Gases,</p>

बिड विवरण / Bid Details

Desk and Bench Set for Classroom/Training Area, Filter cum Pressure Regulator, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Bunk Beds conforming to IS 17636, Alumina Beam type Brick for Sinter Machine Furnace

Searched String: BFP LUB OIL AOP

Weapon Lubricating Oil, Silicone Oil, Turbine mobil lubricating oil, Vacuum Pump Oil, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Turbine Lubricating Oil as per IS 1012, Flow Switch of Mill Lube Oil System, Narrow Mouth HDPE Drum for Lubricating Oil, Lubricating Oil for Refrigeration Machinery (V2) Conforming to IS 4578

Searched String: PRESSURE SWITCH1

Pressure Sensor, Nitrile Coated/Nitrile Hand Gloves (V2), Pressure Calibrator, Digital Pressure Switch, Pressure Transducers, Multipara Monitor - Low End, Pressure Plate, BOD Incubator, High Pressure Washer, Pressure reducing valve

Searched String: PRESSURE SWITCH2

Pressure Sensor, Sofa (V3), Pressure Calibrator, Digital Pressure Switch, Pressure Transducers, Laminar air flow cabinets or stations, Pressure Plate, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), High Pressure Washer, blood pressure recording units

Searched String: BFP LUB OIL PRESSURE ADEQUATE DW1 PRESSURE SWITCH

Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Extreme Pressure Gear Oil as per IS 1118

Searched String: PRESSURE SWITCH3

Pressure Sensor, High End Desktop Computer, Pressure Calibrator, Digital Pressure Switch, Pressure Transducers, Entry and Mid Level Desktop Computer, Pressure Plate, Sofa (V3), High Pressure Washer, Interactive Panels with CPU

Searched String: PRESSURE SWITCH4

Pressure Sensor, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Pressure Calibrator, Digital Pressure Switch, Pressure Transducers, water baths, Pressure Plate, blood pressure recording units, High Pressure Washer, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2)

Searched String: TEMPERATURE SWITCH1

Temperature calibrator, Nitrile Coated/Nitrile Hand Gloves (V2), Temperature sensor, Temperature Transmitter, Temperature Controller, Ultra low temperature laboratory deep freezer, Multipara Monitor - Low End, Low temperature suit, BOD Incubator, Low temperature Gloves

Searched String: TEMPERATURE SWITCH2

Temperature calibrator, Ultra low temperature laboratory

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण/Bid Details	deep freezer, Temperature sensor, Live Remote Temperature and Humidity Monitoring and Alert System, Temperature Controller, Sofa (V3), Temperature Transmitter, Low temperature suit, Laminar air flow cabinets or stations, Low temperature Gloves Searched String: PRESSURE SWITCH5 Pressure Sensor, All in One PC (V2), Pressure Calibrator, Digital Pressure Switch, Pressure Transducers, File/Folder (V3), Pressure Plate, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), High Pressure Washer, High End Desktop Computer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Digital Pressure Switch • Flow Switch of Mill Lube Oil System • Dial Type Gas Expansion Temperature Gauge / Thermometer
बीओक्यू शीर्षक / BOQ Title	Various types of Pressure and Temperature Switches
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	PRESSURE SWITCH1 FOR BOILER FURNACE

बिड विवरण/Bid Details

तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	5

(a). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Chief Engineer
Ukai Thermal Power Station, Ukai Dam, Taluka: Ukai, Dist.- Tapi, Gujarat - 394680
(Gsecl Ukai Thermal Power Station)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price breakup - [1777288158.xlsx](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Pressure Switch1 For Boiler Furnace	6
Schedule 2	Pressure Switch2 For Boiler Furnace	6
Schedule 3	Bfp Lub Oil Aop	5
Schedule 4	Pressure Switch1	4
Schedule 5	Pressure Switch2	15
Schedule 6	Bfp Lub Oil Pressure Adequate Dw1 Pressure Switch	5
Schedule 7	Pressure Switch3	8
Schedule 8	Pressure Switch4	8
Schedule 9	Temperature Switch1	2
Schedule 10	Temperature Switch2	2
Schedule 11	Pressure Switch5	3

PRESSURE SWITCH1 FOR BOILER FURNACE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	6	84

PRESSURE SWITCH2 FOR BOILER FURNACE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	6	84

BFP LUB OIL AOP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	5	84

PRESSURE SWITCH1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	4	84

PRESSURE SWITCH2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	15	84

BFP LUB OIL PRESSURE ADEQUATE DW1 PRESSURE SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	5	84

PRESSURE SWITCH3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	8	84

PRESSURE SWITCH4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	8	84

TEMPERATURE SWITCH1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	2	84

TEMPERATURE SWITCH2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	2	84

PRESSURE SWITCH5

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	3	84

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Material must be supply as per Schedule-B and Technical specification mentioned in buyer added ATC, further Buyer (GSECL) Added ATC shall be final in all Tender Terms & condition.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.

6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---