

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-03-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-03-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Ntpc Sail Power Company Ltd
संगठन का नाम/Organisation Name	Ntpc Sail Power Company Ltd
कार्यालय का नाम/Office Name	Contracts And Materials
कुल मात्रा/Total Quantity	6
वस्तु श्रेणी /Item Category	Electronic Weigh Bridge (Without Civil Work) (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
-------------------------------------------	----

एमएसई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MSE

सक्षम प्राधिकारी का नाम/Name of Competent Authority	AGM
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	AGM
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	C&M
सीए अनुमोदन संख्या/CA Approval Number	2025420443
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	21-02-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण//Brief Description of the Approval Granted by Competent Authority	The Approval Granted by Competent Authority The Approval Granted by Competent Authority The Approval Granted by Competent Authority The Approval Granted by Competent Authority The Approval Granted by Competent Authority The Approval Granted by Competent Authority The Approval Granted by Competent Authority

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--------------------------------------------	----

Single Tender

Single Tender Applicable	Yes
Reason	It will not be in public interest to procure the goods through advertised tender enquiry. Sufficient reasons for the same have been recorded in writing by the competent authority.
List of Seller Organization for participation	MAXTECH SOLUTIONS

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
2. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Electronic Weigh Bridge (Without Civil Work) (6 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Providing Required test load	No(Seller not providing and buyer to arrange same)
	The test load requirements Provided	NA(in case seller not providing)
	Type of Weigh Bridge	Pit Mounted
	Maximum Capacity of weigh Bridge in Tonnes	40, 60
	Graduation of weigh bridge in KG	10
	Warranty Period in Years	2
CONSTRUCTION FEATURES	The type of Construction of Weigh Bridge Plat form	Modular enabling easy Assembly ,Transportation and adjustment of Size
	Length of the Platform required for weighing in meters	7.5 m
	Width of the Plat form in meters	3m
	Ramp length in mm	NA (For surface Mounted and Pit mounted)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
load Cell	Capacity of Load Cell in Tonnes	30Ton, 40 Ton
	No of Load Cell in the weigh bridge system	4
	Type of Load Cell	Double ended Shear Beam Load Cell
	Load cell technology	Digital
	Material of Body of Load Cell	Nickel plated Alloy steel
	Protection class for load cell	IP67
	Certification required for for load cell	OIML
	Auto rotation lock	NA(For double ended shear beam load cell)
	LENGTH of cable Provided for load cell in meters	9
	shall be provided with automatic diagnostics	Yes
	shall be unaffected by off center loads	Yes
	Rated ouput Repeatability in terms of FS	0.01%
	Overload rating SAFE	150%
Weigh Bridge Controller	Housing Protection for Digital Controller	IP 65
	Details of Printer type	dot matrix 80 col
	Printer Make	tvse
	USB port provided	Yes
	No of digits of led display for weight	6
	Minimum character size of LCD Display	32x2
	Provision for remote Display port	Yes
	Protection class for junction box for connection	IP 67
	Surge protection for junction box	Yes
	Material of construction for junction box	ABS
	Back up time in hours	2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Additional parameters	Number of additional load cell to be supplied	2
	UPS to be provided with the system	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	ALOK KUMAR BISWAL	769011,NTPC-SAIL Power Company Limited Rourkela PP2	6	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

M9447010012 :- LOAD CELL FOR 60MT ROAD WEIGH BRIDGE

Material PO Text :-

TYPE OF LOAD CELL : digital load cell:-

1. Make :apallto
2. Cap . 40t
3. Model acb d40 desb (cup and ball type).
4. Type: digital with assembly/mounting and insulation pad

DIGITIZER:-

1. Make:appalto (comtible with appalto digital load cells)
2. Model:iit
3. Type: digital with memory card inside, com port, 2 nos usb port

JUNCTION BOX:-

1. Type: digital 8 way channels smart jib compatible with digital loadcells

Terms and Conditions:-

1. Agency has to give guarantee /warranty certificate of load cell of 12 months from date of use or 18 month from date of supply.
2. Agency has to give fitment certificate to our existing weigh bridge load cell of make apall to.
3. One no of load cell is to be supplied as for dimensional matching with our existing weigh bridge with technical parameters as mentioned in po text.
4. Agency has to supply a free span indicator for every six load cell

SCOPE OF WORK:-

- DIGITAL LOAD CELL FOR 60MT WEIGH BRIDGE
- Agency has to supply 6 no of load cells with one (01) no of Digitizer and one (01) no of Junction box.
- BUY-BACK of old 06 nos load cell are to be taken by the vendor on their own responsibility. Buy back value of load cells shall be rs6000/- (including gst @ 18%) to be deducted from the vendor's bill at the time of payment.

The Guarantee/ Warranty Terms and Conditions shall be applicable to the material supplied against the PO. No separate Guarantee/ Warranty Certificate is required to be submitted by the Supplier along with the material. The Guarantee/Warranty terms and conditions, as well as interchangeability/fitment conditions (wherever applicable), shall be binding on the Supplier”.

May Please submit seal sign copy of TECHNICAL SPECIFICATION & TERMS & CONDITION , No deviation Certificate, NSPCL BANNING POLICY, NSPCL FRAUD PREVENTION POLICY L1 bidder at the time of supply must mentioned GST no . of NSPCL, Rourkela in the invoice.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---