

**बिड दस्तावेज़ / Bid Document**

| <b>बिड विवरण/Bid Details</b>   |   |
|--|---|
| <b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>                              | 11-04-2026 12:00:00   |
| <b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>                             | 11-04-2026 12:30:00   |
| <b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b> | 90 (Days)   |
| <b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>                                 | Ministry Of Defence   |
| <b>विभाग का नाम/Department Name</b>  | Department Of Defence   |
| <b>संगठन का नाम/Organisation Name</b>  | Border Road Organisation  |
| <b>कार्यालय का नाम/Office Name</b>   | *****   |
| <b>कुल मात्रा/Total Quantity</b>   | 128   |
| <b>वस्तु श्रेणी /Item Category</b>   | Providing and fixing of 16 meters High Mast Lighting Tower for large area with 08 LED FLOOD LIGHT LUMINAIRES , Providing and fixing of 10 meters High Mast Lighting Tower for large area with 12 LED FLOOD LIGHT LUMINAIRES , LED Bulb 9W , Copper Chemical Earthing with complete wire and materials , Rubber adhesive   |
|  | Providing and fixing of 16 meters High Mast Lighting Tower for large area with 08 LED FLOOD LIGHT LUMINAIRES, Octagonal Pole Construction with Metal protection treatment of fabricated mast section, Hot dip Galvanised as per IS:4759 latest, Octagonal pole sheet thickness 3 mm, Material of Octagonal Pole High Tensile Steel, 01 Nos of longitudinal welds, Type of welding is Submerged arc welding process, Internal distance between parallel faces at the base of pole 175, 01 No of section, Internal distance between parallel faces at the top of pole 70, Grades of High Tensile Steel ISH430LA as per IS:5986 (Grade 355), Cross section of Octagonal pole (no of sides) Octagonal, with no Door Opening, Width of Base Plate 300 mm, Number of Nuts for each pole 1, Foundation Bolt type J Type EN 8 Grade, Bolts and Nuts are conforming to specification as per IS:1363 - Grade A, Base Plate Material Mild steel FE 410 conforming to IS : 2062, Necessary accessories on each pole Foundation Bolts, Nuts, Washers, Instruction manuals, Bolt Size M24x750, Thickness of Base Plate 16 mm, Number of washer per bolt for each pole 2, Number of Bolts for each pole 4, Foundation bolts and nuts and octagonal pole shall be Galvanized As Per IS:4759 (Latest), Length of Base Plate 300 mm, Earthing terminals on the base of the pole, for lightning and electrical protection, Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s) 47, The designed Life of the Pole shall be 25 years, Terminal Box |

| बिड विवरण / Bid Details   | with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each  |
|---|---|
| <p><b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b></p> | <p>pole MCB, 6A,1P,240V,AC Astronomical automatic street light timer switch 6 kiloWatt, Junction box on the Carriage Assembly as required, from which the interconnections for the designed number of the light xtures on the carriages, Material of Junction Box Cast Aluminium, Ingress protection class of Junction Box, Providing and fixing of 10 meters High Mast Lighting Tower for large area with 12 LED FLOOD LIGHT LUMINAIRES,Octagonal Pole Construction with Metal protection treatment of fabricated mast section, Hot dip Galvanised as per IS:4759 latest, Octagonal pole sheet thickness 3 mm, Material of Octagonal Pole High Tensile Steel, 01 Nos of longitudinal welds, Type of welding is Submerged arc welding process, Internal distance between parallel faces at the base of pole 175, 01 No of section,Internal distance between parallel faces at the top of pole 70, Grades of High Tensile Steel ISH430LA as per IS:5986 (Grade 355), Cross section of Octagonal pole (no of sides) Octagonal, with no Door Opening, Width of Base Plate 300 mm, Number of Nuts for each pole 1, Foundation Bolt type J Type EN 8 Grade, Bolts and Nuts are conforming to specification as per IS:1363 - Grade A, Base Plate Material Mild steel FE 410 conforming to IS : 2062, Necessary accessories on each pole Foundation Bolts,Nuts, Washers, Instruction manuals, Bolt Size M24x750, Thickness of Base Plate 16 mm, Number of washer per bolt for each pole 2, Number of Bolts for each pole 4, Foundation bolts and nuts and octagonal pole shall be Galvanized As Per IS:4759 (Latest), Length of Base Plate 300 mm, Earthing terminals on the base of the pole, for lightning and electrical protection, Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s) 47, The designed Life of the Pole shall be 25 years, Terminal Box with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each pole MCB, 6A,1P,240V,AC Astronomical automatic street light timer Carriage Assembly as required, from which the interconnections for the designed number of the light xtures on the carriages, Material of Junction Box Cast Aluminium, Ingress protection class of Junction Box(As per IS/IEC60529:2001 latest), LED Bulb 9W Confirming to IS 16102 (Part 2) : 2017, Copper Chemical Earthing with complete wire and materials, Chemical Earth Pit Complete Set, Material of Construction High tensile-low carbon steel rod molecularly bonded by Copper Wire on outer,Copper plate , Peak Current 80KA or more, Min short circuit current carrying capacity 30 KA (RMS) for 1 sec, Diameter 25 millimeter, Length 3100 millimeter, Minimum coating thickness 250 micron or more,Accessories Included in scope of supply Universal clamp,Suitable nut bolts and washers / separators for connecting earth rod with existing 75mm X 10mm Copper earth flats, All acceries including nut &amp; bolt with 90 Mtr copper wire 6 Sqmm single stand single core, Confirming to IEC 62561-2, CPRI / UL/ NABL Laboratories, Electrical resistivity test report as per IEC 62561-2,Bend &amp; adhesion test report for coated conductors,Test report for corrosion, The electrode shall have manufacturer's name or trade mark, Identifying symbol on it, Rubber adhesive SR 998, (Dendrite) 500 gram pack, for wood and water resistant Confirming to IS 848: 2006</p> |
|   | <p><b>Searched String:</b> Providing and fixing of 16 meters High</p>   |

बिड विवरण / Bid Details

Mast Lighting Tower for large area with 08 LED FLOOD LIGHT LUMINAIRES, Octagonal Pole Construction with Metal protection treatment of fabricated mast section, Hot dip Galvanised as per IS:4759 latest, Octagonal pole sheet thickness 3 mm, Material of Octagonal Pole High Tensile Steel, 01 Nos of longitudinal welds, Type of welding is Submerged arc welding process, Internal distance between parallel faces at the base of pole 175, 01 No of section, Internal distance between parallel faces at the top of pole 70, Grades of High Tensile Steel ISH430LA as per IS:5986 (Grade 355), Cross section of Octagonal pole (no of sides) Octagonal, with no Door Opening, Width of Base Plate 300 mm, Number of Nuts for each pole 1, Foundation Bolt type J Type EN 8 Grade, Bolts and Nuts are conforming to specification as per IS:1363 - Grade A, Base Plate Material Mild steel FE 410 conforming to IS : 2062, Necessary accessories on each pole Foundation Bolts, Nuts, Washers, Instruction manuals, Bolt Size M24x750, Thickness of Base Plate 16 mm, Number of washer per bolt for each pole 2, Number of Bolts for each pole 4, Foundation bolts and nuts and octagonal pole shall be Galvanized As Per IS:4759 (Latest), Length of Base Plate 300 mm, Earthing terminals on the base of the pole, for lightning and electrical protection, Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s) 47, The designed Life of the Pole shall be 25 years, Terminal Box with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each pole MCB, 6A, 1P, 240V, AC Astronomical automatic street light timer switch 6 kiloWatt, Junction box on the Carriage Assembly as required, from which the interconnections for the designed number of the light fixtures on the carriages, Material of Junction Box Cast Aluminium, Ingress protection class of Junction Box

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Providing and fixing of 10 meters High Mast Lighting Tower for large area with 12 LED FLOOD LIGHT LUMINAIRES, Octagonal Pole Construction with Metal protection treatment of fabricated mast section, Hot dip Galvanised as per IS:4759 latest, Octagonal pole sheet thickness 3 mm, Material of Octagonal Pole High Tensile Steel, 01 Nos of longitudinal welds, Type of welding is Submerged arc welding process, Internal distance between parallel faces at the base of pole 175, 01 No of section, Internal distance between parallel faces at the top of pole 70, Grades of High Tensile Steel ISH430LA as per IS:5986 (Grade 355), Cross section of Octagonal pole (no of sides) Octagonal, with no Door Opening, Width of Base Plate 300 mm, Number of Nuts for each pole 1, Foundation Bolt type J Type EN 8 Grade, Bolts and Nuts are conforming to specification as per IS:1363 - Grade A, Base Plate Material Mild steel FE 410 conforming to IS : 2062, Necessary accessories on each pole Foundation Bolts, Nuts, Washers, Instruction manuals, Bolt Size M24x750, Thickness of Base Plate 16 mm, Number of washer per bolt for each pole 2, Number of Bolts for each pole 4, Foundation bolts and nuts and octagonal pole shall be Galvanized As Per IS:4759 (Latest), Length of Base Plate 300 mm, Earthing terminals on the base of the pole, for lightning and electrical protection, Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s) 47, The designed Life of the Pole shall be 25 years, Terminal Box

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

|  |   |
|--|---|
| बिड विवरण / Bid Details  | with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each pole MCB, 6A,1P,240V,AC Astronomical automatic street light timer switch 6 kiloWatt, Junction box on the Carriage Assembly as required, from which the interconnections for the designed number of the light xtures on the carriages, Material of Junction Box Cast Aluminium, Ingress protection class of Junction Box(As per IS/IEC60529:2001 latest)  |
|  | <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> LED Bulb 9W Confirming to IS 16102 (Part 2) : 2017</p> <p>Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Caps confirming to IS 1239 (Part 2), Scythe (Manual Harvesting Tool), Longscrews confirming to IS 1239 (Part 2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Pieces confirming to IS 1239 (Part 2), Steel Sockets confirming to IS 1239 (Part 2), Plug confirming to IS 1239 (Part 2), Elbows Reducing confirming to IS 1239 (Part 2), Hexagon Bushes confirming to IS 1239 (Part 2)</p> <p><b>Searched String:</b> Copper Chemical Earthing with complete wire and materials, Chemical Earth Pit Complete Set, Material of Construction High tensile-low carbon steel rod molecularly bonded by Copper Wire on outer,Copper plate , Peak Current 80KA or more, Min short circuit current carrying capacity 30 KA (RMS) for 1 sec, Diameter 25 millimeter, Length 3100 millimeter, Minimum coating thickness 250 micron or more,Accessories Included in scope of supply Universal clamp,Suitable nut bolts and washers / separators for connecting earth rod with existing 75mm X 10mm Copper earth flats, All acceries including nut &amp; bolt with 90 Mtr copper wire 6 Sqmm single stand single core, Confirming to IEC 62561-2, CPRI / UL/ NABL Laboratories, Electrical resistivity test report as per IEC 62561-2,Bend &amp; adhesion test report for coated conductors,Test report for corrosion, The electrode shall have manufacturer's name or trade mark, Identifying symbol on it</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Rubber adhesive SR 998,(Dendrite) 500 gram pack, for wood and water resistant Confirming to IS 848: 2006</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification                      | <ul style="list-style-type: none"> <li>High Mast Lighting Tower for large area with LED Flood Lighting System</li> </ul>  |
| बीओक्यू शीर्षक /BOQ Title  | High mast light and misc items  |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 6 Lakh (s)  |

| <b>बिड विवरण/Bid Details</b>  |   |
|---|---|
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)  | 50 Lakh (s)   |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service  | 3 Year (s)  |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover  | No  |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover   | No  |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller  | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)  |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension   | 3   |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended   | 7   |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count   | 1   |
| विगत प्रदर्शन /Past Performance   | 50 %  |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled  | Yes   |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule  | 50% Lowest Priced Technically Qualified Bidders   |
| बिड का प्रकार/Type of Bid   | Two Packet Bid  |
| प्राथमिक उत्पाद श्रेणी/Primary product category   | Providing and fixing of 10 meters High Mast Lighting Tower for large area with 12 LED FLOOD LIGHT LUMINAIRES  |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation   | 3 Days  |

**बिड विवरण/Bid Details**

|  |                             |
|--|-----------------------------|
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No                          |
| अनुमानित बिड मूल्य / Estimated Bid Value   | 1261843                     |
| मूल्यांकन पद्धति/Evaluation Method   | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause   | No                          |
| सुलह खंड/Mediation Clause  | No                          |

**ईएमडी विवरण/EMD Detail**

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount       | 63000               |

**ईपीबीजी विवरण /ePBG Detail**

|   |                     |
|---|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)                            | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 4                   |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

Chief Engineer  
HQ Chief Engineer Project Vartak, Department of Defence, Border Road Organisation, Ministry of Defence  
(Brig Sanjeet Singh)

**UIN Number NCTGC2415P**

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

|  |     |
|--|-----|
| एमआईआई खरीद वरीयता / MII Purchase Preference | Yes |
|--|-----|

|   |   |
|---|---|
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%  | 20  |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference   | 50  |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |

#### एमएसई खरीद वरीयता/MSE Purchase Preference

|  |     |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference  | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15  |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference                          | 25  |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum

local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## **Providing And Fixing Of 16 Meters High Mast Lighting Tower For Large Area With 08 LED FLOOD LIGHT LUMINAIRES**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|-------------|------------------|---------------------------------|
| 1                 | *****   | *****Kamrup | 2                | 45                              |

**Providing And Fixing Of 10 Meters High Mast Lighting Tower For Large Area With 12 LED FLOOD LIGHT LUMINAIRES**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|-------------|------------------|---------------------------------|
| 1                 | *****   | *****Kamrup | 3                | 45                              |

**LED Bulb 9W**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|-------------|------------------|---------------------------------|
| 1                 | *****   | *****Kamrup | 60               | 45                              |

**Copper Chemical Earthing With Complete Wire And Materials**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|-------------|------------------|---------------------------------|
| 1                 | *****   | *****Kamrup | 4                | 45                              |

**Rubber Adhesive**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
|-------------------------------|---------------------------|

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---|-------------|------------------|---------------------------------|
| 1                 | *****   | *****Kamrup | 59               | 45                              |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**2. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

**3. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

**4. Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

**5. Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

**6. Generic**

**NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:**

1. I M/s.

\_\_\_\_\_ hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

**7. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**8. Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

**9. Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

**10. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**11. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**12. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**13. Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's

Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

**14. Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Chief Engineer (P) Vartak  
payable at  
SBI, Mission Chariali, Tezpur, Dist - Sonitpur, Assam

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

**15. Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

Chief Engineer (P) Vartak  
. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

**16. Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Chief Engineer (P) Vartak  
payable at  
SBI, Mission Chariali, Tezpur, Dist - Sonitpur, Assam

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

**17. Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Chief Engineer (P) Vartak  
payable at  
SBI, Mission Chariali, Tezpur, Dist - Sonitpur, Assam

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

**18. Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Chief Engineer (P) Vartak  
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

**19. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Phone Number / E-Mail ID / Membership Number / Firm Registration Number and Address of CA is mandatory on the Bidder Turnover / OEM Turnover being submitted.

2. **Cancellation of Bid** Competent authority will have the right to cancel the bid at any stage of procurement process including after opening of financial bid and Reverse Auction without assigning any reasons to Seller. No representation will be entertained in this regard.

20. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**