

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-02-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-02-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Madhya Pradesh
विभाग का नाम/Department Name	Urban Development And Environment Department
संगठन का नाम/Organisation Name	E-nagar Palika Government Of Madhya Pradesh
कार्यालय का नाम/Office Name	Nagar Parishad Bhanpura
कुल मात्रा/Total Quantity	10
वस्तु श्रेणी /Item Category	Portable Toilet (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3

**बिड विवरण/Bid Details**

ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Portable Toilet
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/ <b>Advisory Bank</b>	State Bank of India
ईएमडी राशि/ <b>EMD Amount</b>	14000

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/ <b>Required</b>	No
---------------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

CHIEF MUNICIPAL OFFICER

Nagar Parishad Bhanpura, Urban Development and Environment Department, e-Nagar Palika Government of

Madhya Pradesh,  
(Jitendra Singh Rana)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	No
-------------------------------------------	----

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--------------------------------------------	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Portable Toilet ( 6 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of Supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Number of Compartments</b>	1 - seater portable toilet
	<b>Type of WC</b>	Indian with FRP
	<b>Number of WC</b>	1
	<b>Number of Urinals ( For Gents and Ladies to be mentioned separately )</b>	1
	<b>Number of Bathrooms</b>	1
	<b>Water facility</b>	By mean of overhead tank(Capacity 200Ltrs)
	<b>Sewage facility</b>	Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater)
	<b>ventilation</b>	One No.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Lifting hook</b>	one number heavy lifting hook provided
	<b>Projection of Roof</b>	100mm projection from front and 50mm projection on other sides
	<b>Installation and commissioning</b>	To be done by seller
	<b>Plumbing and Sanitary fitting connection</b>	To be done by seller
	<b>Electrical connection</b>	To be done by Consignee himself
	<b>Waste extraction fittings</b>	To be done by Consignee himself
	<b>Civil foundation</b>	Required - To be done by consignee himself
FRAME MATERIAL	<b>Bottom frame material</b>	35mm X 35mm X 5mm(thick) SS angle for one seater
	<b>Bottom frame support material</b>	25mm X 25mm X 3mm(thick) SS angle
	<b>Side panel frame material</b>	35mm X 35mm X 5mm(thick) SS angle
	<b>Top(roof) frame material</b>	35mm X 35mm X 5mm(thick) SS angle
	<b>Top(roof) support frame structure</b>	25mm X 25mm X 3mm(thick) SS angle
	<b>Partition frame material</b>	35mm X 35mm X 5mm(thick) SS angle
	<b>Ventilation frame material</b>	25mm X 25mm X 3mm(thick) flat SS
	<b>Door frame material</b>	50mm X 25mm of 14-16gauge rectangular SS hollow pipe
	<b>Support material for Door panel fixing</b>	SS U-channel of 18gauge
	<b>Door hinges(two numbers)</b>	75mm size with 0.6-0.8mm thickness SS
	<b>Tank holder frame material</b>	25mm X 3mm(thick) SS flat
	<b>Unit understructure</b>	Supported by 4-legs of size 35mm X 35mm X 5mm SS angle with corner support of 25mm x 25mm X 3mm SS angle for 1-seater
	<b>Stairs frame material</b>	25mm x 25mm X 3mm SS angle
	<b>Stairs material</b>	25mm X 3mm SS flat
	PANEL MATERIAL	<b>Side panel material</b>
<b>Top(Roof) panel material</b>		Single layer 3mm thick FRP
<b>Door panel material</b>		Single layer 3mm thick FRP
<b>partition panel material</b>		Single layer 3mm thick FRP
<b>Floor material</b>		5mm thick FRP material
DIMENSION	<b>Cabin size(LXWXH) ± 25mm</b>	890mm X 840mm X 1980mm (for 1- seater)
	<b>Door size(WxH) ± 20mm</b>	585mm x 1830mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Single pan size $\pm$ 10mm	As per buyer's choice
	Stairs size $\pm$ 10mm	NO stairs
	Leg height $\pm$ 10mm	455mm
MISC	Door locking bolts	Size 100mm SS
	Towerbolt locking	Towerbolt of SS size 75mm
	Overhead tank material	made of double layer HDPE sheet
	Wash basin material	made of FRP(fiber reinforced plastic)
	WC material	made of SS 304
	Towel rail/ring	made of SS 304
	P-trap material	made of HDPE(75mm)
	Footrest(WC) material	made of FRP integrated with Indian WC and floor
	Sewage tank material	made of FRP 4mm thick(for 2-seater & 3- seater)
	Dia of lifting hook	20mm
	Size of Mirror	455mm X 305mm
	Electric provision	By mean of connection from main line
	Base floor surface	N.A
	Movement facility for 2-seater and 3-seater	N.A
WARRANTY	Warranty period in number of years	1

**परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jitendra Singh Rana	458775,Nagar Parishad Bhanpura	6	60

**Portable Toilet ( 4 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Mode of Supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Number of Compartments</b>	2 - seater portable toilet
	<b>Type of WC</b>	Indian with ceramic base
	<b>Number of WC</b>	2
	<b>Number of Urinals ( For Gents and Ladies to be mentioned separately )</b>	0
	<b>Number of Bathrooms</b>	0
	<b>Water facility</b>	Direct connection from external supply
	<b>Sewage facility</b>	No sewage facility
	<b>ventilation</b>	One No.
	<b>Lifting hook</b>	no lifting hook
	<b>Projection of Roof</b>	NO projection
	<b>Installation and commissioning</b>	To be done by seller
	<b>Plumbing and Sanitary fitting connection</b>	To be done by seller
	<b>Electrical connection</b>	To be done by seller
	<b>Waste extraction fittings</b>	To be done by seller
<b>Civil foundation</b>	Required - To be done by seller	
FRAME MATERIAL	<b>Bottom frame material</b>	25mm X 25mm X 16 gauge MS Sq. pipe and MS angle
	<b>Bottom frame support material</b>	25mm X 25mm X 3mm(thick) MS angle (for 1-seater, 2-seater & 3-seater)
	<b>Side panel frame material</b>	No side frame structure
	<b>Top(roof) frame material</b>	No roof frame structure
	<b>Top(roof) support frame structure</b>	No support structure
	<b>Partition frame material</b>	No partition frame structure
	<b>Ventilation frame material</b>	No ventilation frame material
	<b>Door frame material</b>	No door frame material
	<b>Support material for Door panel fixing</b>	No support material
	<b>Door hinges(two numbers)</b>	75mm size with 0.6-0.8mm thickness SS
	<b>Tank holder frame material</b>	No Support
	<b>Unit understructure</b>	Supported by 4-legs of size 35mm X 35mm X 5mm MS angle with corner support of 25mm x 25mm X 3mm MS angle for 1-seater

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Stairs frame material</b>	No stairs
	<b>Stairs material</b>	No stair material
	<b>Door Tee material</b>	No door Tee material
PANEL MATERIAL	<b>Side panel material</b>	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM $\pm 2$ kg/CUM
	<b>Top(Roof) panel material</b>	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM $\pm 2$ kg/CUM
	<b>Door panel material</b>	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM $\pm 2$ kg/CUM
	<b>partition panel material</b>	Insulated walls to be made of continue line sandwich panels with 0.35mm thick pre-coated steel sheet(PPGI SHEET) having 120 GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat min 15 microns on both sides of PUF with polyurethane foam(PUF) thickenss-38mm having density 40kg/CUM $\pm 2$ kg/CUM
	<b>Floor material</b>	2-3mm thick SS material
DIMENSION	<b>Cabin size(LXWXH) <math>\pm 25</math>mm</b>	1220mm X 1220mm X 1980mm
	<b>Door size(WxH) <math>\pm 20</math>mm</b>	1790mm X 655mm(Steel sheet thickness - 0.6mm 275MPA)
	<b>Single pan size <math>\pm 10</math>mm</b>	As per buyer's choice
	<b>Stairs size <math>\pm 10</math>mm</b>	NO stairs
	<b>Leg height <math>\pm 10</math>mm</b>	NO legs
MISC	<b>Door locking bolts</b>	Size 100mm SS
	<b>Towerbolt locking</b>	Towerbolt of MS size 75mm
	<b>Overhead tank material</b>	NO tank
	<b>Wash basin material</b>	made of FRP(fiber reinforced plastic)
	<b>WC material</b>	made of SS 304
	<b>Towel rail/ring</b>	made of plastic
	<b>P-trap material</b>	made of PVC(75mm)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Footrest(WC) material	N.A
	Sewage tank material	NO sewage tank
	Dia of lifting hook	NO lifting hook
	Size of Mirror	NO mirror
	Electric provision	By mean of connection from main line
	Base floor surface	N.A
	Movement facility for 2-seater and 3-seater	N.A
WARRANTY	Warranty period in number of years	1

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jitendra Singh Rana	458775,Nagar Parishad Bhanpura	4	60

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**3. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 4. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code**

on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**