

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण / Bid Details</b>	
<b>बिड बंद होने की तारीख/समय / Bid End Date/Time</b>	02-03-2026 18:00:00
<b>बिड खुलने की तारीख/समय / Bid Opening Date/Time</b>	02-03-2026 18:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)</b>	180 (Days)
<b>मंत्रालय/राज्य का नाम / Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम / Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम / Organisation Name</b>	Indian Army
<b>कार्यालय का नाम / Office Name</b>	*****
<b>कुल मात्रा / Total Quantity</b>	330
<b>वस्तु श्रेणी / Item Category</b>	Motor Bhatti , Pannel Conceal Light forty five Watt , HDMI Cable twenty mtr , Display Port to HDMI converter , Four port VGA splitter , VGA to HDMI converter , Four port HDMI splitter one in and three out , Power Cable ten mm , PVC wire two and half mm , PVC wire one and half mm , PVC wire one mm , MCB sixty three AMP , MCB thirty two AMP , MCB Box ten way , Power Board six Module , Insulation tape , PVC Pipe twenty five mm , MCB six Amp , PVC bend pipe , Patch , Screw one and half inch , Switch Box , Switch Board
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	Motor Bhatti, Pannel Conceal Light 45 Watt, HDMI Cable 20 mtr, Display Port to HDMI converter, 4 port VGA splitter, VGA to HDMI converter (input-VGA output HDMI) , 04 port HDMI splitter (one in & 3 out), Power Cable (10mm), PVC wire 2.5mm, PVC wire 1.5mm, PVC wire 1.mm, MCB 63 AMP, MCB 32 AMP, MCB Box 10 way, Power Board 6 Module, Insulation tape, PVC Pipe 25mm, MCB 06 AP, PVC bend pipe, Patch, Screw 1.5", Switch Box, Switch Board
	<p><b>Searched String:</b> Motor Bhatti</p> <p>Starter Motor Assembly, ICU Bed, Synchronous servo motor, Vehicle Wiper Motor, vortex mixers, DC WINCH MOTOR, E - Cart for Garbage (V2), A.C. Motor Capacitors ISI Marked to IS 2993 ( Part 1), Induction Motor Fan Cover, Sieve Shaker</p> <p><b>Searched String:</b> Pannel Conceal Light 45 Watt</p> <p>12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Gypsy horn - loud speakers, Hand Held Search Light, LED Tube Light (Retrofit Type), Hot air oven,</p>

बिड विवरण

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Garden Light (V2), Emergency Light Unit (V2)

**Searched String:** HDMI Cable 20 mtr

Freight Containers - High Security Cable Seal as per IS 17381:2021, Cables, Converters and Adapters, Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, Cable Trunking and Ducting system for Electrical Installations (Wiring duct), HDMI 8 x 8 Switcher, Air Hoses as per IS 446:1987, Pipe for Gardening Purpose, telecommunication cable

**Searched String:** Display Port to HDMI converter

Token Display System, Humidity Chamber, Interactive Panels without CPU, Interactive Panels with CPU, Cables, Converters and Adapters, Serial Device Server (V2), Soldering and Desoldering Station with digital display, Portable Ramps Conforming to IS 18560, Electronic Clock with Mains Power, Spectrum Analyzers and Vector Network Analyzers

**Searched String:** 4 port VGA splitter

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Add on GATEWAYS and Accessories for PABX System, KVM Switch, Spectrum Analyzers and Vector Network Analyzers

**Searched String:** VGA to HDMI converter (input-VGA output HDMI)

Cables, Converters and Adapters

**Searched String:** 04 port HDMI splitter (one in & 3 out)

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Power Cable (10mm)

Power Cable Fault Locator, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable tray Systems and Cable ladder systems (Overhead power Cable tray), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Power cable for direct burial xlpe ugac cable for DMRC, ADSS Optical Fibre Cable For laying along Power line alignments, Power Tiller, Power Generator - DG Set (up to 900 KVA), Power sprayer, Power Harrow

**Searched String:** PVC wire 2.5mm

PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, LT Spacer, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Level Transmitter Radar Type, PVC Insulated Copper Cord Single Core and Multi Core Circular

**बिड विवरण / Bid Details**

Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC wire 1.5mm

Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), LT Spacer, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1)

**Searched String:** PVC wire 1.mm

Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), LT Spacer, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1)

**GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS**

**Searched String:** MCB 63 AMP

Carbendazim 12% + Mancozeb 63% WS (Water Soluble), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Sulphanilamide, Circuit Breakers for DC Operation, trolleys or accessories, Polyethylene Pipes for Water Supply conforming to IS 4984, Isopropyl Alcohol (2 - Propanol), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Audio Amplifier (V3), Audio Amplifier (V3) (under BIS Scheme - II)

**Searched String:** MCB 32 AMP

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Bromocresol green, Football, Audio Amplifier (V3), Audio Amplifier (V3) (under BIS Scheme - II), Bio - Medical Waste Collection Bags (Biohazard Bags), AMPICILLIN INJECTION, Amphotericin B Injection (V2), trolleys or accessories

**Searched String:** MCB Box 10 way

MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), modular electrical enclosure switch board boxes for modular type accessories, Stapler Pin / Staples (V2), Black Lead Pencils (V3) Conforming to IS 1375,

बिड विवरण / Bid Details

Circuit Breakers for DC Operation, Helical Gear Box (V2), Card Board Box for Bio - Medical Waste Collection, Sports

Abdominal Guard

**Searched String:** Power Board 6 Module

Printed Circuit Board, Electrical Extension Box (V4), Interface module, External branding signage boards, Handheld Electric Blower, Miniature Circuit Breakers Distribution Boards as per IS 13032, Online UPS ( $\leq 10$  KVA) With Battery Conforming To IS 16242 (Part 1), FPGA Development and Evaluation Board, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Air operated pneumatic power cylinder

**Searched String:** Insulation tape

Glass Mica Tape-IS :7809, Environmental Chamber, HT Tape, Polyimide Tapes, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Insulation Tester, Acoustical insulation, Tape Cartridge / Tape Media, Measuring Tape, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** PVC Pipe 25mm

Pipe for Gardening Purpose, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe Cutter, Pipe Clamps (V2), PVC gitti, Steel Pipes for Water and Sewage as per IS 3589, Pipe saddles, Dry Erase Writing Boards (V3), Pipe Clips, Cross - Over Pipe for Line Pipe Casing Pipe (Petroleum Industry)

**Searched String:** MCB 06 AP

Fire Arms Training Simulator(FATS)(06 lanes) (Delhi Police), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers for DC Operation, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Socks, Men's Wool (Defence), Line Interactive UPS with AVR (V2), Web Belt Black (Nylon) for Digital Camouflage, ICG, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Bensulfuronmethyl 0.6% + Pretilachlor 6% GR (Granular), Fenoxaprop p ethyl 5% + Chlorimuron ethyl 0.6% + Pretilachlor 50% ME (Microemulsion)

**Searched String:** PVC bend pipe

Pipe for Gardening Purpose, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Pipe Cutter, Hand Operated Hydraulic Pipe Bender, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, Pipe Clamps (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Steel Pipes for Water and Sewage as per IS 3589

**Searched String:** Patch

Fibre Patch Panel, Fiber Optic Patch Cord, Copper Patch Cord, Cat 6 Patch cord, Cardiovascular Patch (V2), Fiber Optic Patch Cord (V2), Rivastigmine Patch (V2), Handcrafted

बिड विवरण / Bid Details	Hand Bags and Sling Bags, Copper (Ethernet) Patch Panel, Fiber Optic Patch Panels, Rack Mountable
	<p><b>Searched String:</b> Screw 1.5"</p> <p>Screw Compressor, Nitrile Coated/Nitrile Hand Gloves (V2), Compression Screw, Bone Screw (V2), Self Drilling Screw, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Screw Cap Vial, High End Desktop Computer, Pedicle Screw (V2), Screw driver Bits</p> <p><b>Searched String:</b> Switch Box</p> <p>Pull Cord Switch with Terminal Box &amp; Lamp, Isolator switch, modular electrical enclosure switch board boxes for modular type accessories, Limit Switch, File/Folder (V3), Reed Switch, Electrical Extension Box (V4), Rotary Switch, Layer 2 Access Switch (V2), Time Switch</p> <p><b>Searched String:</b> Switch Board</p> <p>Isolator switch, Modular Table / Meeting Table / Centre Table (V2), Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch, Dry Erase Writing Boards (V3), Rotary Switch, Time Switch, Computer Table (V3), Industrial Switch</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1)</li> <li>• Isolator switch</li> <li>• Molybdenum Wire</li> </ul>
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>MSE Relaxation for Years of Experience and Turnover</b>	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years of Experience and Turnover</b>	No
विक्रेता से मांगे गए दस्तावेज़ / <b>Document required from seller</b>	<p>Experience Criteria, Bidder Turnover</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	3

**बिड विवरण/Bid Details**

बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Motor Bhatti
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--------------------------------------------	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## Motor Bhatti

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	1	15

## Pannel Conceal Light Forty Five Watt

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	6	15

**HDMI Cable Twenty Mtr**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

**Display Port To HDMI Converter**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

**Four Port VGA Splitter**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

**VGA To HDMI Converter**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

### Four Port HDMI Splitter One In And Three Out

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

### Power Cable Ten Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	1	15

## PVC Wire Two And Half Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

## PVC Wire One And Half Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	3	15

## PVC Wire One Mm

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

**MCB Sixty Three AMP**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	1	15

**MCB Thirty Two AMP**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	1	15

**MCB Box Ten Way**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	6	15

**Power Board Six Module**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	6	15

### Insulation Tape

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	10	15

### PVC Pipe Twenty Five Mm

#### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	50	15

## MCB Six Amp

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	6	15

## PVC Bend Pipe

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	20	15

## Patch

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	200	15

**Screw One And Half Inch****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	1	15

**Switch Box****तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

**Switch Board**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****KUPWARA	2	15

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Sample Clause**

After award of contract - Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

5

samples for Buyer's approval, within 7 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample - the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

### 3. **Sample Clause**

For clothing and allied items, if pre-dispatch Inspection clause has been selected in the Bid, the Inspection Agency shall forward sample from the accepted lot duly identified/ sealed by it, as Reference Sample to each consignee (one reference sample per consignee) for comparing the lot received at consignee end with such reference sample. Such reference samples will be treated as part of supplied quantity from the lot and cost shall be borne by the Buyer.

### 4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 5. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

### 6. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

### 7. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

### 8. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

5

.

## **अस्वीकरण/Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---