

**बिड दस्तावेज़ / Bid Document**

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-03-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-03-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Power Grid Corporation Of India Limited
संगठन का नाम/Organisation Name	Power Grid Corporation Of India Limited
कार्यालय का नाम/Office Name	Corporate Office Gurgaon
कुल मात्रा/Total Quantity	30
वस्तु श्रेणी /Item Category	Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 (Q2)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन्ू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	12000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	17

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

Power Grid Corporation of India Limited  
D.NO. 6-6-8/32 & 39/E, Kavadiguda Main Road, Secunderabad, Telangana - 500080  
(Power Grid Corporation Of India Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई के लिए आरक्षित / Reserved for Make In India products**

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
-------------------------------------------------------------	-----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

**Reverse Osmosis Based Point Of Use Water Treatment System For Drinking Purposes (V3) As Per IS 16240 ( 30 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

Bis Required	Yes
--------------	-----

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Governing Specification</b>	As per IS 16240
	<b>ISI Marked to the governing specification</b>	Yes
	<b>Construction</b>	Aesthetically designed, self contained RO water purification system having all the necessary components such as pressure pump, filters, water tank, suitable hot / cold / normal water dispensing arrangement, control system etc as applicable to provide safe drinking water as per IS 10500
Features and Performance	<b>Method of Mounting</b>	Countertop/Wall Mount
	<b>Filtration capacity (In LPH)</b>	20 and above
	Additional Water Purification Stages over and above RO (Reverse Osmosis)	Ultraviolet disinfection (UV)+Ultrafiltration (UF)
	<b>Guaranteed output water quality</b>	As per IS 10500 or better with adjustable pH value from 6.5 to 8.5 using Ionizer
	Additional Water Conditioning and Other Features	Sand Filter, Sediment Filter, Carbon Filter, Flushing Mechanism
	<b>Storage Tank</b>	Yes
	<b>Storage Tank Material</b>	ABS/PP Food Grade
	<b>Storage Tank Capacity (in Ltr)</b>	8 Liters and above
	<b>Feed Water TDS (ppm) at which the machine LPH and Guaranteed output water quality is ensured</b>	upto 1500
Controller and Display	Controller	Auto cut-off
Service, Warranty, Installation and Commissioning	<b>Comprehensive warranty for complete unit</b>	1 year from the date of satisfactory commissioning of the machine
	<b>Minimum Free Services during Comprehensive warranty / CMC / for complete unit</b>	2 nos. per year
	<b>Installation and Commissioning inclusive in the scope of supply</b>	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Training and Demonstration</b>	The installation and demonstration of the machine at the consignee place shall be carried out as part of installation and commissioning
Certification / Test Report	Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification	Govt. Lab, NABL Accredited Lab

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	VELLA NARAYANA MURTHY	521212,Power Grid Corporaton of India Limited, Vijayawada 400KV Substation, Nunna-Post, Nuzvid Road, Vijayawada, Andhra Pradesh- 521212	1	60
2	SETTY SIVA KOTIAH	522426,Power Grid Corporation of India Limited, Nagarjunasagar 400KV SS, Tallapalli village, Macherla Mandal, Guntur Dist, Andhra Pradesh- 522426	1	60
3	Maddala Pramodh Kumar	516003,M/s.Power Grid Corporation of India Ltd., Chinnakampalli-vil.&post, CK Dinne mandal, Kadapa, Andhra Prades	4	60
4	Pendyala Joel	501509,765/400kv PowerGrid Maheshwaram GIS Substation, Meerkhanpet village, Kandukur Mandal, R.R dist, TELANGANA	1	60
5	Venkata Rajesh Sangana	583228,POWERGRID CORPORATION OF INDIA LIMITED, 400 KV Sub-station, Guladahalli village,Via Ginigira, Koppal District.PIN-583228	2	60
6	Angadala Nagaveera Venkata Durga Manikanta	515521,POWER GRID CORPORATION OF INDIA LIMITED, 400/220kv N P KUNTA SUB STATION, At 38km on SH34 (Kadiri Rayachoti Road, N P Kunta Village & Mandal, Ananthpuram, Andhra Pradesh	2	60

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
7	Kuna Sekhar	532243,Srikakulam 765KV(GIS) Substation, POWER GRID CORPORATION OF INDIA (A Government of India Enterprises), Ramakrishnapuram(V) Neelavathi (PO) Haripuram(Via), Srikakulam (Dist)-532243	2	60
8	Chandra Shekar Reddy Mareddy	501301,Power Grid Corporation of India Limited, Post Box No.2, Hyderabad 400 kV substation, Ghanapur Village, Ghakesar-Post, R.R District Hydraba-501301	1	60
9	Joriga Syamsundar	506006,Power Grid Corporation of India Limited, Warangal 400/220KV Substation Oglapur (Village), Damera (PO), Atmakur Mandal, Warangal Rural dist, Telangana-506006	2	60
10	Sabbavarapu Naveen	533437,765/400 VEMAGIRI GIS STATION, SURAMPALEM(VILL),BIKKAVOLU -KATREVULAPALLI ROAD, RAMESAMPETA POST,GANDEPALLI MANDAL,EAST GODAVAI(DIST)-533 437,ANDHRA PRADESH	2	60
11	Illendula Chandra Mouli	503164,POWERGRID CORPORATION OF INDIA LIMITED, 765/400KV GIS SUBSTATION, MITTAPALLY(VILLAGE) INDALWAI (POST), DICHPALLY(MANDAL), NIZAMABAD(DIST.) -503164	1	60
12	Tamminaina Sudhir	515402,Power Grid Corporation of India Limited, Gooty 400KV Substation, Gooty-Kurnool Road, Village Vannedoddi, Anantapur District, Gooty, Andhra Pradesh - 515402	3	60
13	Kamireddy Purushotham	524405,Power Grid Corporation of India Limited, Nellore 765KV Substation, Jetlakonduru, Bandepalle-Post, Manubolu (Mandal), PO Pidur, Kagithalapur Road, Nellore, Andhra Pradesh-524405	1	60

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
14	Uppuluri Meher Priyatam	522617,Power Grid Corporation of India Limited, Powergrid Chilakaluripet Sub Station, Annavaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh-522617	2	60
15	RAJU PEKA	530032,POWERGRID CORPORATION OF INDIA LIMITED, VIZAG HVDC SUB-STATION AND 400KV SUB STATION , SECTOR-10 UKKUNAGARAM,VISAKHAPATNAM	2	60
16	Ankam Pavan Kumar	507182,Power Grid Corporation of India Limited, Khammam 400 kv Substation, Budidampadu Village, Komminepalli-Post, Kammam-District, Telangana-507182	3	60

**Special terms and conditions-Version:1 effective from 12-12-2024 for category Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240**

**1. Standard Terms and Conditions for Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 / Machine**

**Scope of standard installation and commissioning for Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 / Machine**

**1. Sellers Responsibility:**

1. All the required tools and machinery as required for installation and commissioning of machine.
2. Suitable hardware including brackets / screws washers etc., for mounting and fitting of machine at the respective locations.
3. All the water connections / fittings piping shall be laid neatly, tidily and securely as per best industry practices.
4. They provide necessary piping and connections from inlet and outlet of the machine within 2~3 meters.
5. All electrical wiring / connection to ensure proper functioning of the machine.
6. All parts of the machine should be suitably earthed, and all electric wiring should be suitably insulated to avoid electric shock during usage.
7. During Service visits with a Comprehensive Warranty / CMC the following shall be applicable.
  - Changing of Pre-Filter during each visit free of cost.
  - Cleaning of the complete water purifications system along with the water tank (if applicable).
  - Changing of Complete Filters once a year free of cost which may include but not limited to Sand Filter, Sediment Filter, Carbon Filter, Mineral Filter, Micron Filter, Anti-Scaling, Alkaline Filter, Mineralizer/Taste Enhancer Media, Activated Carbon Media, etc. (as applicable).
8. Seller shall ensure that the "Actual Filtration capacity (In LPH)" specified by them shall be in line with "Filtration capacity (In LPH)".In case any contradiction is observed the superior value out of two shall reveal.

**2. Buyers Responsibility:**

1. To provide all gate passes for the installation team to access the area where installation to be carried out.
2. To provide suitable location for installation of machine which having required and easy access

- during installation and post installation maintenance. Any civil work shall be responsible of buyer.
3. To ensure inlet water supply within 1~2 meter of machine input and machine output.
  4. To provide suitable power sockets within 1~2 meters of the machine.
  5. To provide potable water of reasonable quality without having muddy appearance, solids and wastes etc. The input water is usually supplied from local municipalities or PHED supplies.
  6. The Input water Head (pressure) shall be 0.3 kg (3-meter head).

### 3. Note to Sellers:

1. Seller may refer to GTC and ensure strict compliance of the uploaded/ offered product which shall be in line with their model having the claimed specifications in the catalogue or better.
2. Also, same model shall not be uploaded across catalogues with unreasonable/ contradictory offerings.
3. Sellers should ensure that offered product matches the CML specifications, including but not limited to LPH of water, if found to be contradictory suitable action as per IM policy will be initiated.
4. Sellers should note that while uploading the catalogue, all three images must be distinct.
  - **Image 1 - Should be Isometric View of the Complete Product**
  - **Image 2 - Front View of the Complete Product**
  - **Image 3 - LHS or RHS view of the Complete Product**
5. In case any discrepancy is observed in the offered/ uploaded products, OEM dashboard of the respective Brand may be removed, and account shall be suspended as per IM policy.

### 4. Note to Buyer:

1. For Procurement through BID/RA: - Buyers are advised to create bid with a specific value of Golden Parameter such as Mounting Type, Filtration capacity (In LPH), Maximum Feed Water TDS (ppm) at which the machine LPH and Guaranteed output water quality is ensured, Storage Tank Material, Storage Tank Capacity (In Liter), any bid created by the buyer without selecting specific LOV's or selecting Any Value in the above Golden Parameters will be treated as vague and is liable to be cancelled by competent authority at any point of time or if the above is resulting into limited competition or higher cost to the ex-chequer, the buyer will be solely responsible.
2. Buyers should also refer to GTC Clause 4. xiii.(w). The ATC / additional specification if any added by the buyer shall not be contradictory to the GeM category specifications / technical parameters (TP). Bids with contradictory specifications and technical parameters will be treated as vague and is liable to be cancelled by competent authority at any point of time or if the above is resulting into limited competition or higher cost to the ex-chequer, the buyer will be solely responsible.
3. Buyer/ consignee shall verify all the technical parameters and specifications including Filtration capacity (In LPH), Type of Machine and other related parameters of the supplied and installed machine as per contract before issuing
4. In case the sellers offered with information against "Other Equivalent/Better Alternate Models Offered against offered (bid) models", the buyer must ensure that the alternate model meets or exceeds all the bid requirements before accepting This parameter is applicable only for procurement through bid only. Procurement through direct/L1 this parameter has no bearing on the contract as the direct purchase/L1 procurement happens on the stock available with seller.
5. Buyers may consider EPBG for duration higher than machine warranty, which may be enched for inadequate warranty support.

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## 2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

## 3. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

## 4. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Name of work: I-4169(H): “Supply & Installation of Water Filters for various Substations of SR-I” against Specification No: SR-I/C&M/WC-4169(H)/2026**

**Buyer uploaded Bid Specific Additional Terms and Conditions (ATC): consisting of following sections:**

<b>Sr.No.</b>	<b>Documents</b>
<b>1</b>	<b>Bid Specific Additional Terms and Conditions (With reference to GEM Conditions).</b>
<b>2</b>	<b>Detailed BOQ item description</b>
<b>3</b>	<b>Consignee List</b>
<b>4</b>	<b>Formats For</b> <b>a) Declaration of Ex-Employees of POWERGRID,</b> <b>b) MII Declaration</b> <b>c) Statement of Technical &amp; Commercial Deviations</b> <b>d) Performance Security Form</b>

Following document shall be submitted by the bidder alongwith the bid:

- 1. Specifications, make (as applicable) of Offered products.**
- 2. Acceptance of Bid Specific Additional Terms and Conditions (ATC)**
- 3. UDYAM Certificate (if applicable for MSEs)**

4. **Cancelled Cheque**
5. Form-1
6. Form-2
7. Form-3
8. Copy of PAN Card
9. Copy of Partnership Deed/ Affidavit for Proprietorship/ Company MoA & AoA or Certificate of Incorporation, as applicable.
10. GST registration
11. All other technical documents as per bid requirements
12. **Experience Documents as per Shortlisting Criteria**

**SHORTLISTING CRITERIA**

*The bidder must have successfully executed the Similar\* Work during last seven (7) years as on the date of Bid Submission (soft copy)*

*One single contract of value not less than Rs. 5.72 Lakhs (incl. GST)*

*or*

*Two contracts, each of value not less than Rs. 3.58 Lakhs (incl. GST)*

*or*

*Three contracts each of value not less than Rs. 2.86 Lakhs (incl. GST)*

***\*Similar Work shall mean "Supply or Supply & Installation of Water Purifiers/Filters"***

**BILL OF QUANTITIES**

**BOQ for: I-4169(H): "Supply & Installation of Water Filters for various Substations of SR-I" against Specification No: SR-I/C&M/WC-4169(H)/2026**

Sl.No	Description	Unit	Qty
1	Supply and installation of Water Filters as per technical specifications	No.s	30

**\*Rates to be Quoted in GeM Portal. Bidders shall not upload the price details in technical part otherwise, technical bid will be rejected.**

**\*Quoted Rates shall be inclusive of F&I and applicable GST.**

**CONSIGNEE LIST**

<b>S.No.</b>	<b>Substation</b>	<b>Consignee List</b>	<b>Qty</b>
1	Vijayawada SS	Power Grid Corporaton of India Limited, Nunna-Post, Nuzvid Road, Vijayawada, Andhra Pradesh- 521212	1
2	Nagarjunasagar S S	Power Grid Corporation of India Limited, Tallapalli village, Macherla Mandal, Guntur Dist, Andhra Pradesh- 522426	1
3	Kadapa	Power Grid Corporation of India Ltd., Chinnakampalli-vil.&post, CK Dinne mandal, Kadapa, Andhra Pradesh	4
4	Maheshwaram	Power Grid Corporation of India Ltd, Meerkhanpet village, Kandukur Mandal, R.R dist, TELANGANA	1
5	Munirabad	POWERGRID CORPORATION OF INDIA LIMITED, Guladahalli village,Via Ginigira, Koppal District.PIN-583228	2
6	N P Kunta	POWER GRID CORPORATION OF INDIA LIMITED, At 38km on SH34 Kadiri Rayachoti Road, N P Kunta Village & Mandal, Ananthpuram, Andhra Pradesh	2
7	Srikakulam	POWER GRID CORPORATION OF INDIA Ramakrishnapuram(V) Neelavathi (PO) Haripuram(Via), Srikakulam (Dist)-532243	2
8	Hyderabad	Power Grid Corporation of India Limited, Post Box No.2, Ghanapur Village, Ghakesar-Post, R.R District Hydraba-501301	1

9	Warangal	Power Grid Corporation of India Limited, Oglapur (Village), Damera (PO), Atmakur Mandal, Warangal Rural dist, Telangana-506006	2
10	Vemagiri	Power Grid Corporation of India Limited, Surampalem(Vill),Bikkavolu-Katrevulapalli Road, Ramesampeta Post, Gandepalli Mandal,East Godavai(Dist)-533 437,Andhra Pradesh	2
11	Nizamabad	Powergrid Corporation of India Limited, Mittapally(Village) Indalwai (Post), Dichpally(Mandal), Nizamabad(Dist.) -503164	1
12	Gooty	Power Grid Corporation of India Limited, Gooty-Kurnool Road, Village Vannedoddi, Anantapur District, Gooty, Andhra Pradesh - 515402	3
13	Nellore	Power Grid Corporation of India Limited, Jetlakonduru, Bandepalle-Post, Manubolu (Mandal), PO Pidur, Kagithalapur Road, Nellore, Andhra Pradesh-524405	1
14	Chilakaluripeta	Power Grid Corporation of India Limited, Annaram Village, Rompicherla Mandal, Guntur District, Andhra Pradesh- 522617	2
15	Visakhapatnam	Powergrid Corporation of India Limited, Sector-10 Ukkunagaram, Visakhapatnam	2
16	Khammam	Power Grid Corporation of India Limited, Budidampadu Village, Komminepalli-Post, Kammam-District, Telangana-507182	3
		<b>TOTAL</b>	<b>30</b>

## 5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into**

**force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**