

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|--|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 03-03-2026 19:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 03-03-2026 19:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Uttar Pradesh |
| विभाग का नाम/Department Name | Home Department Uttar Pradesh |
| संगठन का नाम/Organisation Name | Uttar Pradesh Police |
| कार्यालय का नाम/Office Name | Ats |
| कुल मात्रा/Total Quantity | 3000 |
| वस्तु श्रेणी /Item Category | 9 MM PISTOL |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS | 9 MM PISTOL |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | 9 - Fluorenylmethyl Chloroformate, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tactical Pistol Holster as per MHA QR (V2), Polyurethane Tube (V2), PISTOL GRIP PNEUMATIC DRILL GUNS, Hand held Nozzle Pistol Grip Type, Polystyrene Sheet (V2), 81 MM Mortar Simulator (MHA), Dry Erase Writing Boards (V3), Copper Tube 35 mm-OFB |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none">• Fire Arms Training Simulator(FATS)(06 lanes) (Delhi Police)• Laser Grips for Glock Pistols(MHA)• Tranquilizer Gun |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 270 Lakh (s) |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) | 270 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 3 Year (s) |

| बिड विवरण/Bid Details | |
|---|---|
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover | Yes Complete |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/ Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid? | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन / Past Performance | 10 % |
| बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule | H1-Highest Priced Bid Elimination |
| बिड का प्रकार/ Type of Bid | Two Packet Bid |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Payment Timelines | Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/ Evaluation Method | Total value wise evaluation |

बिड विवरण/Bid Details

| | |
|----------------------------------|----|
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount | 900000 |

ईपीबीजी विवरण /ePBG Detail

| | |
|---|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%) | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 26 |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

SSP STF
STF HQ, TC-33 V-2, VIBHUTI KHAND GOMTI NAGAR LUCKNOW -226010
(Ssp Stf)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|---|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|---|----|

एमआईआई के लिए आरक्षित / Reserved for Make In India products

| | |
|---|-----|
| एमआईआई के लिए आरक्षित / Reserved for Make In India products | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting

documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

9 MM PISTOL (3000 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|---|--------------------------|
| क्रेता विशिष्टि दस्तावेज़ /Buyer Specification Document | Download |
|---|--------------------------|

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|--|--|------------------|------------------------------|
| 1 | Lal Pratap Singh | 226010,STF HQ TC-33, V-2 VIBHUTIKHAND GOMTINAGAR LUCKNOW | 3000 | 120 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

SSP STF

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

SSP STF

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Technical Specifications

9 mm Pistol

-

| Sl. No. | Parameter | Specification | Trial Directives (TDs) |
|----------------|------------------|---|--|
| 1. | Caliber | 9 mm x 19 mm | OEM to provide self certificate. BOO to physically check the calibre with calibrated gauge provided by the OEM. Validity of calibration certificate of gauge to be checked by BOO. |
| 2. | Ammunition Type | 9 mm x 19 mm Parabellum (In service ammunition) | Weapon should be capable to flawlessly fire Munitions India Ltd. Cartridge: 9x19mm. |
| 3. | weight | The weight of the weapon with an empty magazine should not be more than 830 gm. | To be physically checked by the BOO. |
| 4. | Length | The overall length of the weapon should not be more than 190 mm. | To be physically checked by the BOO. |
| 5. | Trial Sample | Minimum two weapons with all accessories to be submitted by each firm. | One Weapon to be selected by BOO for all firing tests. |
| 6. | Firing Mode | Semi-Automatic | To be physically checked by the BOO by firing the weapon at the range. |

| | | | |
|----|-----------------|--|---|
| 7. | Effective Range | Not less than 25 meters | Five rounds will be fired from 25 meters manually and minimum four rounds should hit the Fig 11 target. To be physically checked by the BOO. |
| 8. | Accuracy | When fired six rounds at range of 9 mtr, five out of six shots should be within a rectangle 51mm horizontal x 76mm vertical. | <p>(i) After zeroing of weapon, six rounds will be fired from 9 mtr manually and minimum five rounds should hit within specified group size. To be physically checked by the BOO</p> <p>(ii) OEM to provide firer and target. In case OEM requests for a firer from user agency, it is to be provided only after obtaining NOC to the effect that "OEM will not question/claim the skill of the firer and the result of trial firing will be acceptable to him".</p> <p>(iii) Maximum 15 rounds will be provided for zeroing.</p> <p>(iv) Maximum three attempts will be provided for accuracy test</p> |

| | | | |
|----|-------------|--|---|
| 9. | Reliability | <p>In a firing cycle of 600 rounds, the pistol should not suffer more than two Class-I, and NO Class-II / Class-III stoppages which are classified as follows-</p> <p>(a) Class-I stoppage- Can be removed by the firer within 10 seconds without the use of any tools/equipment spares by using only immediate action drills.</p> <p>(b) Class-II stoppage- Can be removed by the firer in 10 seconds to 10 minutes using tools/equipment, spares issued with the weapon.</p> <p>(c) Class-III stoppage- Takes more than 10 minutes or special tools/equipment to rectify defects and resume firing.</p> | <p>be physically checked by the BOO.</p> <p>(i) Firing of 600 rounds will be done in six cycles of 100 rounds each.</p> <p>(ii) 100 rounds will be fired continuously within duration of 5 minutes.</p> <p>(iii) After firing 100 rounds, a gap of 5 minutes will be given for cooling of the weapon.</p> <p>(iv) No cleaning/maintenance are permitted during this test. This excludes actions done to remove stoppages.</p> <p>(v) Firer will be provided by the respective OEM. In case OEM requests for a firer from user agency, it is to be provided only after obtaining NOC to the effect that "OEM will not question/ claim the skill of the firer and the result of trial firing will be acceptable to him". Buyer/ tendering agency to provide in service ammunition on payment basis.</p> <p>(vi) Time will be recorded by the BOO using stop watch.</p> <p>(vii) Misfire will not be considered as stoppage.</p> |
|----|-------------|--|---|

| | | | |
|-----|--------------------------|--|---|
| 10. | Inter changeability Test | Interchangeability test is conducted to ascertain the modularity of critical components of the weapon by replacement of sub-assemblies. Pistol should be able to fire without any stoppages. | <p><u>Requirement of store</u></p> <p>Weapon : 02 complete weapon.</p> <p>Ammunition: 02 full magazines.</p> <p>Working table: 01 No. (Size: 6 m x 1.5 m approx.)</p> <p>Marker Pen: 01 permanent silver coloured marker for marking on weapon and components.</p> <p><u>Procedure</u></p> <p>(a) Mark the selected weapons along with sub - assemblies & components as Sl. No 1 and Sl. No 2.</p> <p>(b) Dismantle & re-assemble the interchangeable components/ sub-assemblies of the pistol.</p> <p>(c) Verify the serviceability of re-assembled weapons by applying gauges supplied by OEM and hand functioning (to check free movement moving parts & functionality of change lever at various designated mode).</p> <p>(d) Weapon will be undertaken for firing if above parameters conform.</p> <p>(e) Fire full magazine in single shot mode fire within 15 seconds.</p> <p><u>Observation</u></p> <p>(a) Interchanged weapons should pass the gauging parameters and hand functioning (</p> <p>b) The weapons should not suffer from any class-II or class-III stoppage .</p> <p>(c) Record all damages & stoppage , if any.</p> |
|-----|--------------------------|--|---|

| | | | |
|-----|---|--|---|
| 11. | Adverse Condition Test | <p>(a) Sand Test</p> <p>(b) Water Test</p> <p>(c) Drop Test</p> | <p>(i) JSG 0131:2021 procedure to be considered for these tests.</p> <p>(ii) OEM to provide certificate from any International/ NABL accredited lab/NFSU/ DRDO labs/DGQA/ Govt. lab. OEM to provide contact person details, phone number, address, e-mail address & website of the lab. Authenticity of certificate must be confirmed by the BOO.</p> <p>(iii) The certificate will remain valid for 05 years from the date of its issue. Letter for testing of weapon (national level) for issue of fresh certificate/ renewal after expiry of the validity period of certificate may be issued by the tendering agency on request of the firm, if required.</p> |
| 12. | <p>Environmental condition</p> <p>(a) Operating Temp.</p> <p>(b) Storage Temp.</p> <p>(c) Humidity Test</p> | <p>(a) -30° C to +50° C</p> <p>(b) -35° C to +50° C</p> <p>(c) 95% RH at temp +40°C.</p> | <p>(i) JSG 0131:2021 procedure to be considered for these tests.</p> <p>(ii) OEM to provide certificate from any NABL accredited lab/NFSU/ DRDO labs/DGQA/any Govt. lab/ International accredited lab. OEM to provide contact person details, phone number, address, e-mail address & website of the lab. Authenticity of certificate must be confirmed by the BOO.</p> <p>(iii) The certificate will remain valid for 05 years from the date of its issue. Letter for testing of weapon (national level) for issue of fresh certificate/ renewal after expiry of the validity period of certificate may be issued by the tendering agency on request of the firm, if required.</p> |
| 13. | Designed for Ambidextrous use | Should provide equal ease of uses for right and left-handed firers. | To be demonstrated by OEM and physically checked by the BOO. |

| | | | |
|-----|-------------------|--|--|
| 14. | Last Bullet Stop | The slide should lock in the open position after the last round is fired from the magazine. | To be physically checked by the BOO by loading the filled magazine and firing the weapon till magazine is empty. |
| 15. | Color | Black | To be demonstrated by OEM and physically checked by the BOO at the time of PDI. |
| 16. | Indicator | Pistol should have loaded chamber indicator. | To be physically checked by the BOO. |
| 17. | Magazine Capacity | It should have minimum 17 round magazines and its magazine should facilitate a visible round count. | To be physically checked by the BOO. |
| 18. | Picatinny Rail | Mil Standard 1913 Picatinny Rail integrated with the weapon on the lower side to provide interface for accessories like internationally available Tactical lights and LAD. | To be physically checked by the BOO. |
| 19. | Grip | Ergonomically designed for better grip and handling of weapon with both right and left hand. | To be physically checked by the BOO. |
| 20. | Furniture | Should be made up of high strength polymers/ composite/ reinforced scratch proof plastic of high strength enabling environmental stability. | To be physically checked by the BOO. |
| 21. | Safety | Pistol should have external applied safety and internal mechanical safety. | OEM to provide self-certificate. Safety parameter to be verified by BOO. |
| 22. | Field Stripping | Pistol should be easily stripped without any tool & all cleaning parts to be designed for field cleaning. | To be demonstrated by OEM and physically checked by the BOO. |

| | | | |
|-----|-------------|--|--|
| 23. | Life cycle | 15 years for weapon and barrel life minimum 20,000 Rounds. | <p>(i) OEM to provide certificate from any NABL/international/ DGQA/NFSU/ Govt lab.</p> <p>(ii) OEM to provide contact person details, phone No, address, e-mail address and web site of the lab.</p> <p>(iii) Authenticity of the certificate must be confirmed by the BOO.</p> |
| 24. | Warranty | Minimum 2 Years | OEM to provide warranty certificate |
| 25. | Mechanism | It should be striker-fired pistol. | To be physically checked by the BOO. |
| 26. | Trigger | Should have 2 stage pull | To be physically checked by the BOO. |
| 27. | Accessories | <p>With each Pistol</p> <ol style="list-style-type: none"> 1. Two Magazine. 2. Field cleaning kit. (One with each pistol) 3. One Speed Loader. 4. One Rigid water-resistant case for transit of weapon. | Individual Accessories to be demonstrated by OEM and physically checked by the BOO. |

| | | | |
|-----|-------------------|--|---|
| 28. | Other Accessories | <p>A. Standard/ Armorer weapon tool kit- 100 Nos</p> <p>B. Measurement gauge (go & No go)- 100 Nos</p> <p>C. Maintenance manual in English.- 100 Nos.</p> <p>D. Technical literature in English.- 100 Nos.</p> <p>E. Training manuals & user hand book.- 100 Nos.</p> <p>F. Manufacturer recommended List of Spares (MRLS) duly mentioning the prices.- 100 Nos.</p> <p>G. Training slides brochures video films- 100 Nos.</p> | Individual Accessories to be demonstrated by OEM and physically checked by the BOO. |
|-----|-------------------|--|---|

Note- At the time of the testing and trial process of the weapon, if the product fails in any parameter, the subsequent testing of the remaining parameters shall not be conducted.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake

compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---