

**बिड दस्तावेज़ / Bid Document**

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	03-03-2026 19:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	03-03-2026 19:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Uttar Pradesh
विभाग का नाम / Department Name	Home Department Uttar Pradesh
संगठन का नाम / Organisation Name	Uttar Pradesh Police
कार्यालय का नाम / Office Name	Ats
कुल मात्रा / Total Quantity	90
वस्तु श्रेणी / Item Category	7.62x39 mm Automatic Assault Rifle
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	7.62x39 mm Automatic Assault Rifle
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Ultrasonic Probe Sonicator, Dry Erase Writing Boards (V3), Theft Proof Rifle Racks, Pin Up Notice Board (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2), Light Weight Folding Rectangular Table
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Fire Arms Training Simulator(FATS)(06 lanes) (Delhi Police)</li> <li>• Night Sight of an Assault Rifle (MHA)</li> <li>• Tranquilizer Gun</li> </ul>
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	24 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	24 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete

<b>बिड विवरण/Bid Details</b>	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Payment Timelines</b>	Payments shall be made to the Seller within <b>45</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	78578

**ईपीबीजी विवरण /ePBG Detail**

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	26

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

SSP STF  
STF HQ, TC-33 V-2 VIBHUTI KHAND GOMTI NAGAR LUCKNOW  
(Ssp Stf)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

**एमआईआई के लिए आरक्षित / Reserved for Make In India products**

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of

"Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## **7.62x39 Mm Automatic Assault Rifle ( 90 pieces )**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ / Technical Specifications**

क्रेता विशिष्टि दस्तावेज़ /Buyer  
Specification Document

[Download](#)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Lal Pratap Singh	226010,STF HQ TC-33, V-2 VIBHUTIKHAND GOMTINAGAR LUCKNOW	90	120

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**3. Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

SSP STF

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

**4. Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

SSP STF

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped

along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Technical Specifications and Trial Directives**

**7.62x39 mm Automatic Assault Rifle**

<b>Sl. No.</b>	<b>Parameter</b>	<b>Technical Specification</b>	<b>Trial Directives</b>
1	Calibre	7.62mm	OEM to provide self-certificate. BOO to physically check the calibre with gauge provided by the OEM.
2	Ammunition	The Assault Rifle should be able to fire/operate with following types of 7.62 X 39mm Ammunition:  (a) Ball  (b) Tracer  (c) Blank	Compatible with 7.62mm x 39mm Indian In-service ammunition.
3	Type of Fire	Automatic/ Semi-automatic	To be physically checked by BOO

4	Cyclic rate of fire	600 Round/minute Minimum	<p>(i) As per Para 5.1.2.4 of JSG 0131: 2021.</p> <p>(ii) OEM to provide certificate from any International/ NABL accredited lab/NFSU/DRDO labs/DGQA/Govt. lab. OEM to provide contact person details, phone number, address, e-mail address &amp; website of the lab. Authenticity of certificate to be confirmed by the BOO.</p> <p>(iii) The certificate will remain valid for 05 years from the date of its issue.</p> <p style="text-align: center;">Or</p> <p>The OEM shall provide a self-certification for the same along with documentary proof of having applied for certification from the above-mentioned laboratories. In the event the firm is awarded the contract, the requisite certificate must be submitted before the final supply of the product.</p>
5	Overall Length-Butt retracted/Folded/ Fixed	<p>Folded/retracted- Not more than 750 mm</p> <p>Extended/Fixed- Not more than 950 mm (including muzzle attachment and excluding Bayonet)</p>	To be physically checked by BOO
6	Operation	Gas	To be physically checked by BOO
7	Locking	Rotating Bolt	To be physically checked by BOO
8	Weight of the Rifle with empty magazine (Including muzzle attachment and picatinny rail) Excluding Bayonet & Sight	The weight of weapon (including picatinny rails, Flash suppressor and excluding bayonet) with empty magazine should not exceed 4.0kg.	To be physically checked by BOO
9	Ejection Pattern	Front angular 15°to 75°	To be physically checked by BOO
10	Safety Selector Switch	Three Positions- Safe, Single & auto	To be physically checked by BOO

11	Safety	<p>(a) In-built safety to avoid accidental fire</p> <p>(b) The design of change lever should ensure that weapon fires in the desired mode only, when change lever is in its designated position.</p>	To be physically checked by BOO
12	Rifling	4 Grooves (Minimum)	To be physically checked by BOO
13	Life of Barrel	Assault Rifle should have a minimum barrel life of 15000 rounds.	<p>(i) OEM to provide certificate from any NABL/international/DGQA/ NFSU/ Govt lab. OEM to provide contact person details, phone number, address, e-mail address &amp; website of the lab.</p> <p>(ii) Authenticity of the certificate must be confirmed by the BOO.</p> <p style="text-align: center;">Or</p> <p>The OEM shall provide a self-certification for the same along with documentary proof of having applied for certification from the above-mentioned laboratories. In the event the firm is awarded the contract, the requisite certificate must be submitted before the final supply of the product.</p>

14	Environmental Conditions & Ruggedness Tests.	<p>Assault Rifle should be robust as per relevant portions of JSG0131-2021.</p> <p>(a) Water Immersion Test.</p> <p>(b) Mud Test.</p> <p>(c) Sand &amp; Dust Test</p> <p>(d) Rain Test.</p> <p>(e) Drop Test.</p> <p>(f) Low Temperature Test (Storage &amp; Operation).</p> <p>(g) High Temperature Test (Storage &amp; Operation).</p> <p>(h) Humidity Test.</p> <p>(j) Salt Water Test.</p>	<p>(i) OEM to provide certificate from any International/ NABL accredited lab/NFSU/DRDO labs/DGQA/Govt. lab.</p> <p>b. OEM to provide contact person details, phone number, address, e-mail address &amp; website of the lab. Authenticity of certificate to be confirmed by the BOO.</p> <p>(ii) The certificate will remain valid for 05 years from the date of its issue.</p> <p style="text-align: center;">Or</p> <p>The OEM shall provide a self-certification for the same along with documentary proof of having applied for certification from the above-mentioned laboratories. In the event the firm is awarded the contract, the requisite certificate must be submitted before the final supply of the product.</p>
15	Shine and colour of the furniture/ Metal Furniture	Black with matte finish without shine.	To be physically checked by BOO
16	Furniture	<p>(a) Butt stock Assembly</p> <p style="padding-left: 40px;">(i) Fixed- FRP/Metallic</p> <p style="padding-left: 40px;">(ii) Folded/retractable-FRP/ Metallic</p> <p>(b) Hand Guard- FRP/ Metallic</p> <p>(c) Pistol grip-FRP</p> <p>(d) Magazine-Metallic/ FRP</p>	<p>To be physically checked by BOO</p> <p>Visual inspection of the furniture with observation, if any to be recorded.</p>
17	Magazine	Rifle must be provided with robust magazine with a capacity of not less than 30 rounds. Magazine should have firing round indicator.	To be physically checked by BOO

18	Effective Range	300 meters or more	<p>To be physically checked by BOO</p> <p>(a) 3.5mm Mild Steel Plate 4' x 4' Target will be placed at 300m.</p> <p>(b) Three weapons in unfolded butt condition will be evaluated for the parameter.</p> <p>(c) Seven (07) out of ten (10) rounds should hit on 4' x4' target.</p> <p>(d) Rifles may be fired from a fixed mount after zeroing. Fixed mount will be made available by the bidder at the time of firing.</p> <p>(e) Additional rounds will be given in case of misfire.</p> <p>(f) Maximum of three attempts will be provided.</p> <p>(g) Temperature should be between minus 20°C and plus 45°C. Same will be recorded.</p> <p>(h) 3.5mm MSP of 4ft will be provided by Vendor on date of submission of EUT.</p>
19	Muzzle Velocity	Minimum 700 m/s.	OEM to provide a self-certificate.
20	Flash Suppressor	7.62 x 39mm Assault Rifle should have a flash suppressor	To be physically checked by BOO
21	Picatinny rail	The Assault Rifle should have minimum two picatinny rails (MIL-STD 1913) at the 12 O'clock & 6 O'clock position to accommodate sights & other accessories.	Physical verification by fitting the existing holographic sight & TI sight onto the weapon by BOO.
22	Provision for mounting UBGL 40mm	Weapon should be able to mount UBGL (Type of UBGL to be physically checked by BOO UBGL to be specified by the user)	To be physically checked by BOO

23	Accuracy & Hit Probability	<p>(i) Single Shot- Firing from a fixed mount at 100m range, nine hits out of ten shots fired should be in a group size of diameter of 12cm.</p> <p>(ii) Automatic Fire - Firing from a fixed mount at 100m Range, when one full magazine is fired in short bursts of two to three rounds, it should achieve minimum 60% hits within a circle of diameter 30cm.</p> <p>(iii) Fixed mount will be provided by the vendor.</p>	<p>(i) To be physically checked by BOO</p> <p>(ii) OEM to provide firer and target. Testing will be done at container tubular shooting range/ Open firing range. In case OEM requests for a firer from user agency, it is to be provided only after obtaining NOC to the effect that "OEM will not question/claim the skill of the firer and the result of trial firing will be acceptable to him".</p> <p>(iii) Trial team including firers will carry out familiarization with the weapon for one day prior to commencement of trials. During familiarization period, weapons will be fired by all firers during day and night.</p>
24	Robustness	The weapon will be put through normal obstacle course and once again subjected to accuracy test.	To be physically checked by BOO

25	Reliability	<p>(a) Should not have more than Three Class I/ Class II stoppages out of which not more than one should be Class II stoppage and No Class III stoppage in a firing cycle of 2400 rounds, conducted as per TOP 3-2-045.</p> <p>(b) Stoppages are classified as under:-</p> <p>(i) Class I Stoppage - Can be removed by the firer within 10 seconds without use of any tools equipment or spares by immediate action procedures.</p> <p>(ii) Class II Stoppage - Can be removed by firer in 10 seconds to 10 minutes with tools, equipment or spares issued with the weapon.</p> <p>(iii) Class III Stoppage - Takes more time than 10 minutes or special tools/spares to rectify defects and to resume firing by the firer.</p>	<p>(i) 2400 rounds will be fired.</p> <p>(ii) Procedure as per TOP 3-2-045.</p> <p>(iii) All the stoppages will be noted as per their classification.</p> <p>(iv) One weapon will be evaluated in unfolded butt condition.</p> <p>-</p> <p><b><u>Procedure</u></b></p> <p>Disassemble, clean, inspect, lubricate and reassemble weapon.</p> <p><b><u>Firing Cycle</u></b></p> <p>Each cycle will comprise firing of 120 rounds. 60 rounds in single shot mode @ 60 rounds per minute and 60 rounds in short burst mode of 2-3 rounds @ 85 rounds per minute will be fired. Each cycle to be followed by minimum 10 minutes of cooling.</p> <p>After every 240 rounds (2 cycles), allow complete cooling of weapon to the point that barrel can be held in a bare hand indefinitely. After every 1200 rounds (10 cycles) disassemble, clean, lubricate and inspect weapon.</p> <p>Continue above process till 2400 rounds. Temperature should be between minus 20°C and plus 45°C. Same will be recorded.</p>
----	-------------	---	--

26	Operating/Storage Temperature	<p>(a) Operating Temperature : -20° C to +50°C</p> <p>(b) Storage Temperature : -20°C to +50°C</p> <p>(c) Humidity: 95% at temp +40°C</p>	<p>(i) OEM to provide certificate from any International/ NABL accredited lab/NFSU/DRDO labs/DGQA/Govt. la b. OEM to provide contact person details, phone number, address, e-mail address &amp; website of the lab. Authenticity of certificate to be confirmed by the BOO.</p> <p>(ii) The certificate will remain valid for 05 years from the date of its issue.</p> <p style="text-align: center;">Or</p> <p>The OEM shall provide a self-certification for the same along with documentary proof of having applied for certification from the above-mentioned laboratories. In the event the firm is awarded the contract, the requisite certificate must be submitted before the final supply of the product.</p>
27	Zeroing	All weapons will be zeroed from 100m prior to commencement of trials. Difficulties if any, in the method and accuracy of zeroing would be recorded.	To be physically checked by BOO
28	Night Firing.	Handling and firing of weapons will be carried out during the night.	To be physically checked by BOO
29	Service Life of Weapon	Assault rifle should have minimum service life of 15 years/ 15000 rounds whichever is earlier.	OEM to provide self-certificate.
30	Vertical Forehand Grip.	A removable vertical forehand grip should be provided with the Assault Rifle. The vertical forehand grip should be attachable to the 6 O'clock rail and should be positively secured without the use of tools.	<p>(i) To be physically checked by BOO.</p> <p>(ii) Three (03) weapons will be made to fire in unfolded butt condition in two positions i.e. single and Auto with a full magazine in each mode.</p> <p>(iii) The forehand grip should be removable and attachable. Vertical forehand grip of all three weapons should remain positively secured after firing.</p>

31	Accessories	<ul style="list-style-type: none"> <li>(i) Shoulder strap/ Sling- One per weapon.</li> <li>(ii) Magazine Three per weapon (one with rifle plus Two)</li> <li>(iii) Portable case / Belt attachment pouches-which accommodates 3 pcs of magazines of 30 rounds.</li> <li>(iv) Cleaning kit (One set per weapon)</li> <li>(v) Three-point sling</li> <li>(vi) Tools for zeroing, (Optional), maintenance &amp; repairs in field conditions - User to specify.</li> </ul>	To be physically checked by BOO
32	Engineering Support Package	<p>The manufacturer should provide engineering support package including:-</p> <ul style="list-style-type: none"> <li>(a) Technical literature</li> <li>(b) Training manuals, Repair Manuals, User hand books and Preservation instructions to be provided in Hindi and English.</li> <li>(c) Illustrated spare parts list</li> </ul>	To be physically checked by BOO
33	Warranty	Minimum 02 Years	OEM to provide self-certificate.

**Note- At the time of the testing and trial process of the weapon, if the product fails in any parameter, the subsequent testing of the remaining parameters shall not be conducted.**

#### 6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

#### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of

bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate**

**action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**