

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-03-2026 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-03-2026 20:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	184
वस्तु श्रेणी /Item Category	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Towel Ring (Q3) , Towel Rail (Q3) , Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781 (Q3) , Bathroom Water Shower (V2) (Q3) , Stainless Steel Shelf Rack (Q3) , Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774 (Q3) , Bathroom or Toilet Mirror (V3) (Q4) , Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	3 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	305457
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (16 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Forged brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Forged brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	16	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Brass rods
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	24

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	12	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	10	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (9 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Warranty	Warranty (in months)	24

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	9	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	One hole pillar mounted combination tap assembly
	Dimension	As per table 7 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Knob and knob components	Forged brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 1 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	7	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Type 2 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Brass sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Die cast brass
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	1	15

Towel Ring (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Ring Shape	Circular

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	Ring Material	Stainless Steel (SS 202)
	Mounting Bracket Material	Stainless Steel (SS 202)
	Inner Diameter of Ring (in mm) (Tolerance : ± 10 mm)	140 mm
	Ring Rod Thickness (in mm) (Tolerance : ± 10 mm)	8 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	50 mm
	Mounting Plate Size (in mm)	40 mm
Design & Configuration	Ring Movement Type	Fixed Ring
Load & Performance	Recommended Load Capacity (in kg)	2-5 kg
Fixing & Accessories	Fixing Hardware Included	Yes
	Fasteners Material	Stainless Steel

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Towel Rail (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	Rail Material	Brass
	Mounting Bracket Material	Brass
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	19 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	Towel Rail Type	Single Bar
	Bar Shape of Rail	Flat
Load & Performance	Recommended Load Capacity (in kg)	3-6 kg
Fixing & Accessories	Fixing Hardware Included	Yes
	Fasteners Material	Stainless Steel

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	3	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Stop valve with internal thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	Material of body, body components, nozzle , bonnet and back nuts	Die cast brass
	Material of inlet tubes	Brass tubes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of flanges	Forged brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Forged brass
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	4	15

**Cast Copper Alloy Screw Down Bib Taps And Stop Valves For Water Services
Conforming To IS 781 (1 pieces)**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conforming to IS 781	Yes
	Product Type	Internally Threaded Female Stop Valve (Screw-Down)
	Nominal Size (in mm)	15 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material Requirements	Body & Bonnet Material	Cast Brass (Conforming to IS 292, Grade 3, IS 1264, Grade DCB 2)
Dimensions & Construction	Overall Length of Stop Valves (in mm) (Tolerance : ± 3 mm)	60 mm
	Minimum Finished Mass of Bib Taps and Stop Valves (in kg)	0.330 kg

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	1	15

Bathroom Water Shower (V2) (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Overhead shower (Wall mount with shower arm)
	Material of body/face plate	ABS
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	120 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	300
Warranty	Warranty (in Years)	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	6	15

Stainless Steel Shelf Rack (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration	With 4-Shelf (including top shelf)
	Shape of support structure	Angle post
	Ground clearance (mm)	25 mm
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL & MATERIAL THICKNESS	Shelf material	Stainless Steel Grade 202 galvanized
	Shelf material thickness	0.6 mm
	Support structure material	Stainless Steel Grade 202 galvanized
	Support structure material thickness	0.6 mm
DIMENSION	Width of shelf rack \pm 10 mm	915 mm
	Depth of shelf rack \pm 10 mm	405 mm
	Height of shelf rack \pm 10 mm	1220 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of support structure ± 10 mm	1245 mm
	Size of support structure	30 mm x 30 mm
WARRANTY	Warranty period	2 - Year
CERTIFICATION	Test report to be furnished to buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	1	15

Bathroom Water Shower (V2) (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Hand Shower
	Material of body/face plate	Brass
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	200
	Length of Hand Shower Tube (in mt)	1
	Diameter of Hand Shower Tube (in mm)	12

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Hand Shower Tube	Stainless Steel
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	2

Additional Specification Parameters - Bathroom Water Shower (V2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Health Faucet with tube	CP Health Faucet with tube

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	3	15

Bathroom Water Shower (V2) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Shower Panel
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Square
Dimensions	Size of Shower	80 mm
	Overall length of Hand Shower (in mm)	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	2

Additional Specification Parameters - Bathroom Water Shower (V2) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Jet Spray (Butter Fly)	CP Jet Spray (Butter Fly)

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Towel Ring (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Ring Shape	D-Shape
Material & Dimensions	Ring Material	Stainless Steel (SS 202)
	Mounting Bracket Material	Stainless Steel (SS 202)
	Inner Diameter of Ring (in mm) (Tolerance : ± 10 mm)	140 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Ring Rod Thickness (in mm) (Tolerance : ± 10 mm)	8 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	50 mm
	Mounting Plate Size (in mm)	40 mm
Design & Configuration	Ring Movement Type	Fixed Ring
Load & Performance	Recommended Load Capacity (in kg)	Up to 2 kg
Fixing & Accessories	Fixing Hardware Included	Yes
	Fasteners Material	Stainless Steel

Additional Specification Parameters - Towel Ring (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CP Brass Toilet paper Holder	CP Brass Toilet paper Holder

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	1	15

Ceramic (Vitreous China) Flushing Cisterns For Water Closets And Urinals Conforming To IS 774 (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 774	Yes
	Flushing Device	Dual - Fresh Cistern

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction & Material	Material for Flush Pipe	Polypropylene Pipe
	Material for Overflow Pipe	Polyethylene Pipe (Conformity to Is 4984)
	Cistern Discharge Capacity	Full Flush (4.8 ± 0.5 liters) Reduced Flush (2.8 ± 0.5 liters)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	6	15

Bathroom Or Toilet Mirror (V3) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Plastic
	Frame Color	White
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>15 to ?20
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>5 to ?7.5

Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC Bathroom Cabinet Mirror 18"	PVC Bathroom Cabinet Mirror 18"

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Bathroom Or Toilet Mirror (V3) (23 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	With
	Frame Material	Stainless Steel
	Frame Color	Silver
	Mirror Mounting / Fixing System	Clamp Support
Dimensions	Width/Diameter of Mirror (inch)	>15 to ?20
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>4 to ?4.5

Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) (23 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Looking Mirror with PVC Frame	Looking Mirror with PVC Frame

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	23	15

Bathroom Or Toilet Mirror (V3) (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Stainless Steel
	Frame Color	Silver
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
Dimensions	Width/Diameter of Mirror (inch)	>15 to ?20
	Height/Diameter of Mirror (inch)	>40 to ?45
	Thickness of Mirror (mm)	>3.5 to ?4

Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) (7 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Corner Glass Shelf 300 mm	Corner Glass Shelf 300 mm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	7	15

Bathroom Or Toilet Mirror (V3) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With
	Frame Material	Aluminium
	Frame Color	Silver
	Mirror Mounting / Fixing System	Holes with Screws
Dimensions	Width/Diameter of Mirror (inch)	>12.5 to ?15
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>4 to ?4.5

Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Glass Shelf 500x125 mm	Glass Shelf 500x125 mm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Bathroom Or Toilet Mirror (V3) (27 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Mirror	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Holes with Screws
Dimensions	Width/Diameter of Mirror (inch)	>40 to ?45
	Height/Diameter of Mirror (inch)	>35 to ?40
	Thickness of Mirror (mm)	>3.5 to ?4

Additional Specification Parameters - Bathroom Or Toilet Mirror (V3) (27 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Plain glass 4'x3' 3mm Thick	Plain glass 4'x3' 3mm Thick

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	27	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	15 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - on bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	9.5 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	3.7 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	11.5 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	8 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	26 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	10	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	20 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Bonnet/Cover Material	Brass (conforming to DCB 2 of IS 1264)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)	Brass (conforming to DCB 2 of IS 1264)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Asbestos (conforming to 4687)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	10.5 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	4.1 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	13.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	9 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	32 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	4	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	25 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet renewable seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Leaded Tin Bronze (conforming to LTB 2 of IS 318)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	12.0 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	4.6 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	13.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	10 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	39 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N O.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Cast Copper Alloy Screw Down Bib Taps And Stop Valves For Water Services Conforming To IS 781 (11 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conforming to IS 781	Yes
	Product Type	Bib Tap (Screw-Down)
	Nominal Size (in mm)	15 mm
Material Requirements	Body & Bonnet Material	Cast Brass (Conforming to IS 292, Grade 3, IS 1264, Grade DCB 2)
Dimensions & Construction	Overall Length of Stop Valves (in mm) (Tolerance : ± 3 mm)	NA
	Minimum Finished Mass of Bib Taps and Stop Valves (in kg)	0.400 kg

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	11	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	40 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Brass (conforming to DCB 2 of IS 1264)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	13.5 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	5.0 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	15.0 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	12 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	55 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	2	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	80 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Bonnet/Cover Material	Brass (conforming to DCB 2 of IS 1264)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)	Brass (conforming to DCB 2 of IS 1264)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	21.5 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	7.5 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	23.5 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	16 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	98 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	1	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	50 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - in bonnet renewable seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
Dimensions	Minimum Length of Threaded Portion at the end (in mm)	17.0 mm
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	6.0 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	20.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	12 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	68 mm
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	1	15

Ceramic (Vitreous China) Flushing Cisterns For Water Closets And Urinals Conforming To IS 774 (6 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 774	Yes
	Flushing Device	Cistern
Construction & Material	Material for Flush Pipe	Polyethylene Pipe (Conformity to Is 4984)
	Material for Overflow Pipe	Unplasticized Polyvinyl Chloride (PVC) Pipe (Conformity to Is 4985)
	Cistern Discharge Capacity	Full Flush (6 ± 0.5 liters) Reduced Flush (3 ± 0.5 liters)

Additional Specification Parameters - Ceramic (Vitreous China) Flushing Cisterns For Water Closets And Urinals Conforming To IS 774 (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Kit for Flushing Cisten	Kit for Flushing Cisten

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Udhampur	6	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

GE ARMY DHAR ROAD
NEAR MES COLONY
JAGANOO MORH
UDHAMPUR
J&K PIN-181224

3. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Inspection**

SLBR52

6. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

9. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

UPLOAD DECLARATION/ CERTIFICATES/ UNDERTAKINGS ON IP ADDRESS, CARTEL BIDDING, SISTER CONCERN FIRMS, M.I.I. UNDERTAKING, BIDDER FINANCIAL STANDING etc:-

(1) We accept all the terms & conditions of the bid.

(2) We declare that we have utilized our own resources of electronic media for the bid process. We have not utilized outside sources of friends / relatives / cyber café when our resources failed/ malfunctioned. As such, we are not involved in any cartel bidding with other bidders if any participated.

(3) We confirm that any of our sister concern firms have not participated in the bid (i.e. Same business partner shall not be repeated in more than one firm.)

(4) We confirm that our firm will supply only the products having local content adhering to existing M.I.I. policies of Govt of India

(5) We are not under liquidation, court receivership or similar proceedings and not bankrupt.

BIDDER SHALL UPLOAD THE FOLLOWING DOCUMENTS ALONG WITH THEIR BID FOR VENDOR CODE CREATION WHICH OTHERWISE RESULT DELAYS IN PAYMENTS:-

A). Copy of PAN Card.

B). Copy of GSTIN.

C). Copy of Cancelled Cheque.

D). Copy of EFT Mandate Duly Certified By Bank.

UPLOAD M.I.I. CERTIFICATE FROM OEMs OF MAKES QUOTED OUT OF THE MAKES MENTIONED, DULY SHOWED OF CLASS & PERCENTAGE OF LOCAL CONTENT IN THE LIGHT OF GOVERNMENT PUBLIC PROCUREMENT (PREFERENCE TO MAKE IN INDIA), ORDER DATED 2017, CONSEQUENT ORDER NO. P-45021/2/2017-PP (BE-II) DATED 04.06.2020 & 16.09.2020 AND SUBSEQUENT CLARIFICATION NO P-45021/102/2019-BE-II-PART (1) (E-50310) DATED 04.03.2021 INCLUDING OM NO. F.1/4/2021- PPD DATED 18 MAY 2023.

THE MATERIALS SUPPLIED SHALL BE INSPECTED BY A BOARD OF OFFICERS BY THE DEPARTMENT AT CONSIGNMENT WITH RESPECT TO THE SPECIFICATIONS AND IS CODES. WHEREVER MENTIONED AS "ISI MARKED", THE STORES SHALL BE SUPPLIED ACCORDINGLY. THE GENERAL ENGINEERING PRACTICE SHALL BE APPLIED FOR ITEMS HAVING SHORT FALL OF SPECIFICATIONS. THE MATERIAL WILL BE REJECTED IN FULL IF SPECIFICATIONS ARE NOT CONFORMING OR NOT AS PER IS CODES OR BID SPECIFICATION.

WARRANTY CERTIFICATES FOR SPECIFIED PERIODS AS PER THE BID ITEMS ON BIDDER LETTER HEAD, VALID TEST CERTIFICATES FROM GOVT LABS OR ANY GOVT ACCREDITED LABS AT THE DISCRETION OF OEM OR IN-HOUSE LABS ETC AS PER GeM NORMS, BIS LICENCE FOR THE QUOTED ITEMS, OUT OF MAKES MENTIONED IN ATC, TO BE SUBMITTED TO THE CONSIGNEE ON DEMAND ALONG WITH THE MATERIALS AS APPLICABLE WHEREVER "ISI MARKED" IS SPECIFIED SO AS TO REVERT TO OEM IN CASE OF NON-COMPLIANCE BY BIDDER OR OTHERWISE WITH ANY DISCREPANCY ON GeM PORTAL OR CLAIM BY ANY OTHER BIDDER BEFORE/ AFTER SUPPLY BY REFERRING CASE TO OEM BASED ON BID AUTHORISATION ISSUED BY OEM. THE MINOR ERRORS, IF ANY PUBLISHED IN THE CATALOGUES ON GeM PORTAL FOR NON-SELECTABLE PARAMETERS/ SPECIFICATIONS, IF FOUND AT PAR COMMONLY WITH ALL BIDDER PARTICIPANTS, WILL BE IGNORED WHILE ASCERTAINING FOR QUALIFICATION CRITERION. IN SUCH CASES, IF ANY BIDDER CLAIMS/ REPRESENT

S, OEMs OF QUOTED PRODUCTS WILL BE APPROACHED FOR CLARIFICATION & ASSUANCE OF SUPPLY FROM OEMs FOR ENSURING PROPER PRODUCTS AS PER GOLDEN & GREY SPECIFICATIONS/ PARAMETER.

UPLOAD PAST PERFORMANCE/ EXPERIENCE DOCUMENTS IN THE FORM OF ANY GOVT PURCHASE ORDERS OR RESPECTIVE GeM CRACs OR GOVT COMPLETION REPORTS OR GOVT WORK COMPLETION CERTIFICATES ALONG WITH THE WORK ORDERS FOR THE PRIMARY CATEGORY GOODS AS MENTIONED IN THE BID AND ALSO IN THE SIMILAR MATERIAL CUM TECHNICAL FUNCTIONAL GOODS OF REPETITIVE CATEGORY NATURE UNDER VARIOUS QUADRANTS ON GeM PORTAL AS SELECTED IN THE BID.

UPLOAD C.A. AUDITED ANNUAL TURNOVER OF OEM(s) & ALSO OF BIDDER FOR 03 LATEST CONSECUTIVE FINANCIAL YEARS AS SOUGHT.

WHEREVER MAKES NOT SPECIFIED, BIDDER MUST QUOTE FOR ITEMS CONFORMING TO THE SPECIFICATIONS/ ISI NORMS ETC. AS MENTIONED IN THE BID. WHILE QUOTING THE PRODUCTS, BIDDER SHALL MENTION SINGLE MAKE & MODEL IN THE GIVEN FIELDS AVAILABLE IN THE BOQ. QUOTING ABOVE MULTIPLE MAKES OR MENTIONING WORDS LIKE "EQUIVALENT OR SIMILAR" WILL FORM BASIS DISQUALIFICATION OF THE BIDDER.

EMD MUST REACH THIS OFFICE BEFORE THE BID OPENING DATE & TIME IN TOKEN OF UPLOADED EMD EXTRACT, FAILING WHICH BIDDER WILL BE DISQUALIFIED. THE EMD WILL BE RETURNED AS PER GTC STIPULATIONS. SUBMISSION OF ePBG AFTER THE DATE OF EXECUTION OF ORDER WILL BE TREATED AS DELAY IN EXECUTION OF ORDER AND SUITABLE LIQUIDATED DAMAGE, AS MENTIONED IN GTC, SHALL BE APPLIED.

IN CASE DIFFERENT GOLDEN TECHNICAL PARAMETERS ARE ERRONEOUSLY PUBLISHED AGAINST SAME SPECIFICATION IN THE BID IN THE SAME CATALOGUE DUE TO ANY TECHNICAL REASONS/ ERRORS ON WEB PORTAL, THE HIGHER PARAMETER SHALL BE CONSIDERED FOR QUOTING.

NO PART PAYMENTS ARE ENTERTAINED EVEN FOR THE CASES WARRANTING SUPPLY OF SAMPLE.

IN CASE ABOVE SIMILAR PROVISION MENTIONED AT ANY LOCATION OF THE BID, ABOVE PROVISIONS WILL SUPERSEDE EXCLUDING CERTAIN GTC CONDITIONS.

THE FOLLOWING BRANDS ARE TO BE CONSIDERED IN TECH EVALUATION OF BID

PRAYAG, PRIMA, CERA, SHAKTI, HINDWARE, JAINKO

IF FIRM IS NOT SUPPLIED PRODUCT AS PER GEM ORDER/SPECIF, THE SAME MAY BE REJECTED OR REPLACED AT THE TIME OF DELIVERY BY CONSIGNEE WITH APPROVAL OF BUYER.

NOTE:- 1. **CWE UDH MAR 2026** SHOULD BE EMBOSSED ON EACH ITEM BEFORE DELIVERING AT CONSIGNEE LOCATION. THE ITEMS WHICH DO NOT HAVE THE SAME EMBOSSING WILL BE REJECTED BY THE BOB

2. BIDDER SHOULD BE SUBMITTING CERTIFICATE THAT CWE UDH MAR 2026 IS EMBOSSED ON EACH ITEM, IF CERT IS NOT SUBMITTED BY BIDDER BEFORE OPENING OF BID THEN BUYER DISQUALIFIED THE BIDDER IN TECHNICAL EVALUATION.

11. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

12. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of

CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

13. **Warranty**

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---