

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	23-03-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	23-03-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	5141

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 (Q2) ,
 Stainless Steel Butt Hinges as per IS 12817 (Q3) ,
 Aluminium butt hinges specs as per PDF document ,
 Aluminium handle 150 mm specs as per PDF document ,
 Aluminium sliding door specs as per PDF document , Door
 Stopper aluminium specs as per PDF document , GI Elbow
 15mm bore ISI Marked , GI Elbow reducer specs as per PDF
 document , GI Nipple 15mm x 100mm specs as per PDF
 document , GI Nipple 15mm x 50mm ISI Marked , GI Nipple
 20mm x 100mm Make ISI Marked , GI Nipple 20mm x 50mm
 dia ISI marked , GI Nipple 20mm x 80mm dia ISI marked , GI
 pipe 15mm dia Medium Grade ISI marked , GI pipe 20mm
 dia Medium Grade ISI marked , GI Plug 20mm Dead Plug or
 End Cap Make R Brand , GI Plug 15mm dia ISI marked , GI
 socket 15mm ISI Marked , GI socket 20mm dia ISI marked ,
 GI Tank Nipple with checknut 15mm ISI marked , GI Tee
 15mm ISI Marked , GI Tee 20mm ISI Marked , GI Union
 15mm dia ISI Marked , GI Union 20mm Make ISI Marked ,
 Piano type hinges 30 mm wide flap , Aluminium beading
 specs as per PDF document , Aluminium Door Hasp Staple
 100mm Make Crown , Aluminium door stopper specs as per
 PDF document , Aluminium handle 150mm specs as per PDF
 document , Aluminium tower bolt specs as per PDF
 document , GI Elbow 20mm ISI Marked , GI Elbow 25mm ISI
 Marked , GI Nipple 15mm x 100mm Make ISI Marked , GI
 nipple 15mm x 300mm as per sample , GI nipple 15 x
 150mm as per sample , GI nipple 20mm x 300mm as per
 sample , GI Nipple 25mm x 150mm , GI nipple 25mm x
 300mm as per sample , GI Nipple 40mm x 150mm , GI pipe
 25mm dia specs as per PDF document , GI Pipe 50mm dia ,
 GI Pipe 80mm dia , GI R Tee 15 x 20 x 20mm Make ISI
 Marked , GI Socket 25mm , GI Socket 40 mm Make R Brand
 , GI Socket 50mm , GI Socket reducer 20 x 15mm ISI
 marked. , GI Socket reducer 25 x 15mm , GI Socket reducer
 40 x 15mm , GI Socket reducer 40 x 25mm , GI Union 25
 mm Make ISI Marked , GI Union 40mm Make ISI Marked ,
 Auto hinges set of 2 as per sample , EWC seat cover hinges
 , Hydraulic door closer specs as per PDF document , Ms cold
 rolled Butt specs as per PDF document , MS continuous
 Piano hinges with width of flap 30 mm , MS powder coated
 helical door spring 150 mm size , Tank nipple 25mm dia ,
 Aluminium Door Handle 120mm , Aluminium Door Hasp
 Staple 125mm Make Crown , Aluminium Door Hasp Staple
 150mm Make Crown , Aluminium handle specs as per PDF
 document , Aluminium Sheet 01 mm Thick 3 feet x 6 feet ,
 Aluminium sliding door bolt specs as per PDF document , GI
 Elbow 40 mm Make R Brand , GI Nipple 20mm x 150 mm ,
 GI Nipple 25 x 50 mm , GI Nipple 15mm x 75mm , GI pipe
 15mm dia specs as per PDF document , GI Plug 20mm,
 Dead specs as per PDF document , GI Socket 50 mm , GI
 Socket reducer specs as per PDF document , GI Tee
 Reducer 15 x 20mm , GI Union Socket 15mm Make R Brand
 , GI Union Socket 20 mm Make R Brand , GI Union Socket 25
 mm Make R Brand , Alu Floor Door Stoper Single Type ,
 Helical Door Spring 150mm Make Crown , Hydraulic door
 specs as per PDF document , Tank Nipple With specs as per
 PDF document , Tank Nipple specs as per PDF document

Aluminium butt hinges specs as per PDF document,
 Aluminium handle 150 mm specs as per PDF document,
 Aluminium sliding door specs as per PDF document,
 Aluminium sliding door specs as per PDF document, Door

बिड विवरण / Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Stopper aluminium specs as per PDF document, GI Elbow 15mm bore ISI Marked, GI Elbow reducer specs as per PDF document, GI Nipple 15mm x 100mm specs as per PDF document, GI Nipple 15mm x 50mm ISI Marked, GI Nipple 20mm x 100mm Make ISI Marked, GI Nipple 20mm x 50mm dia ISI marked, GI Nipple 20mm x 80mm dia ISI marked, GI pipe 15mm dia Medium Grade ISI marked, GI pipe 20mm dia Medium Grade ISI marked, GI Plug 20mm Dead Plug or End Cap Make R Brand, GI Plug 15mm dia ISI marked, GI socket 15mm ISI Marked, GI socket 20mm dia ISI marked, GI Tank Nipple with checknut 15mm ISI marked, GI Tee 15mm ISI Marked, GI Tee 20mm ISI Marked, GI Union 15mm dia ISI Marked, GI Union 20mm Make ISI Marked, Piano type hinges 30 mm wide flap, Aluminium beading specs as per PDF document, Aluminium butt hinges specs as per PDF document, Aluminium Door Hasp Staple 100mm Make Crown, Aluminium door stopper specs as per PDF document, Aluminium handle 150mm specs as per PDF document, Aluminium sliding door specs as per PDF document, Aluminium sliding door specs as per PDF document, Aluminium tower bolt specs as per PDF document, GI Elbow 15mm bore ISI Marked, GI Elbow 20mm ISI Marked, GI Elbow 25mm ISI Marked, GI Elbow reducer specs as per PDF document, GI Nipple 15mm x 100mm Make ISI Marked, GI nipple 15mm x 300mm as per sample, GI Nipple 15mm x 50mm ISI Marked, GI nipple 15 x 150mm as per sample, GI Nipple 20mm x 100mm Make ISI Marked, GI nipple 20mm x 300mm as per sample, GI Nipple 25mm x 150mm, GI nipple 25mm x 300mm as per sample, GI Nipple 40mm x 150mm, GI pipe 15mm dia Medium Grade ISI marked, GI pipe 20mm dia Medium Grade ISI marked, GI pipe 25mm dia specs as per PDF document, GI Pipe 50mm dia , GI Pipe 80mm dia , GI R Tee 15 x 20 x 20mm Make ISI Marked, GI socket 15mm ISI Marked, GI socket 20mm dia ISI marked, GI Socket 25mm, GI Socket 40 mm Make R Brand, GI Socket 50mm, GI Socket reducer 20 x 15mm ISI marked., GI Socket reducer 25 x 15mm, GI Socket reducer 40 x 15mm, GI Socket reducer 40 x 25mm, GI Tee 15mm ISI Marked, GI Tee 20mm ISI Marked, GI Union 15mm dia ISI Marked, GI Union 20mm Make ISI Marked, GI Union 25 mm Make ISI Marked, GI Union 40mm Make ISI Marked, Auto hinges set of 2 as per sample, EWC seat cover hinges, Hydraulic door closer specs as per PDF document, Ms cold rolled Butt specs as per PDF document, MS continuous Piano hinges with width of flap 30 mm, MS powder coated helical door spring 150 mm size, Tank nipple 25mm dia, Aluminium Door Handle 120mm, Aluminium Door Hasp Staple 100mm Make Crown, Aluminium Door Hasp Staple 125mm Make Crown, Aluminium Door Hasp Staple 150mm Make Crown, Aluminium handle specs as per PDF document, Aluminium Sheet 01 mm Thick 3 feet x 6 feet, Aluminium sliding door bolt specs as per PDF document, Aluminium sliding door bolt specs as per PDF document, Door Stopper aluminium specs as per PDF document, GI Elbow 15mm bore ISI Marked, GI Elbow 20mm ISI Marked, GI Elbow 25mm ISI Marked, GI Elbow 40 mm Make R Brand , GI Elbow reducer specs as per PDF document, GI Nipple 15mm x 100mm Make ISI Marked, GI Nipple 15mm x 50mm ISI Marked, GI Nipple 20mm x 150 mm, GI Nipple 20mm x 50mm dia ISI marked, GI Nipple 25 x 50 mm, GI Nipple 15mm x 75mm, GI pipe 15mm dia specs as per PDF document, GI pipe 20mm dia Medium Grade ISI marked, GI Plug 20mm, Dead specs as per PDF document, GI Plug 15mm dia ISI marked, GI socket 15mm ISI Marked, GI socket 20mm dia ISI marked, GI

विड विवरण/Bid Details	Socket 40 mm, Make R Brand, GI Socket 50 mm, GI Socket Reducer specs as per PDF document, GI Tee 20mm ISI
	Marked, GI Tee/Reducer 15 x 20mm, GI Union Socket 15mm Make R Brand, GI Union Socket 20 mm Make R Brand, GI Union Socket 25 mm Make R Brand, Alu Floor Door Stoper Single Type , Helical Door Spring 150mm Make Crown, Hydraulic door specs as per PDF document, Tank Nipple With specs as per PDF document, Tank Nipple specs as per PDF document
	<p>PDF document</p> <p>Searched String: Aluminium butt hinges specs as per PDF document</p> <p>Non - Ferrous Metal Butt Hinges as per IS 205, Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817</p> <p>Searched String: Aluminium handle 150 mm specs as per PDF document</p> <p>Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Wax Candle as per IS 11359, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Measuring (Travelling) Microscope as per IS 4329</p> <p>Searched String: Aluminium sliding door specs as per PDF document</p> <p>Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)</p> <p>Searched String: Aluminium sliding door specs as per PDF document</p> <p>Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)</p> <p>Searched String: Door Stopper aluminium specs as per PDF document</p> <p>Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence)), Lock Stoppers as per IS 1223, Bronze Rods(OFB-DEFENCE), Aluminum Lid - BHEL, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence)</p> <p>Searched String: GI Elbow 15mm bore ISI Marked</p> <p>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated</p>

बिड विवरण / Bid Details

Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Safes (V3) ISI Marked to IS 550, Drinking Water

Coolers (V4) ISI Marked To IS 1475

Searched String: GI Elbow reducer specs as per PDF document

Commercial PPR Pipes Fittings as per IS 15801, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence))

Searched String: GI Nipple 15mm x 100mm specs as per PDF document

Bunk Beds as per IS 17636, GI Grating (in MT), Copper Tube 35 mm-OFB, Steel Rod 30.1mm Diameter (OFB (Defence)), The Indian National Flag as per IS 1, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Ammeter - Analog (Panel Meter) as per IS 1248, Dunnage Pallets Made from Recycled Plastic Wastes for Warehousing Applications as per IS 16058, Multipurpose or General Test Tubes (V2) as per IS 2618, Granite Surface Plate as per IS 7327

Searched String: GI Nipple 15mm x 50mm ISI Marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2)

Searched String: GI Nipple 20mm x 100mm Make ISI Marked

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Dry Erase Writing Boards (V3)

Searched String: GI Nipple 20mm x 50mm dia ISI marked

Parallel Bar - Outdoor Gym Equipment, Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS

विड विवरण/Bid Details 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Nipple 20mm x 80mm dia ISI marked
Parallel Bar - Outdoor Gym Equipment, Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI pipe 15mm dia Medium Grade ISI marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2

Searched String: GI pipe 20mm dia Medium Grade ISI marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Welder Gloves or Gauntlets as per IS 2573

Searched String: GI Plug 20mm Dead Plug or End Cap Make R Brand

Category not available on GeM for the text string uploaded by the buyer

Searched String: GI Plug 15mm dia ISI marked

Electrical Plugs (V2) ISI Marked to IS 1293, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Disposable Baby Diaper ISI Marked to IS 17509, Tower Bolts (Ferrous Metals) as per IS 204, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925

Searched String: GI socket 15mm ISI Marked

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Wheeled Fire Extinguishers (V3) ISI Marked to IS 16018, Parallel Bar - Outdoor Gym Equipment, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

बिड विवरण/Bid Details **Searched String:** GI socket 20mm dia ISI marked

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Tower Bolts (Ferrous Metals) as per IS 204, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Disposable Baby Diaper ISI Marked to IS 17509, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welder Gloves or Gauntlets as per IS 2573

Searched String: GI Tank Nipple with checknut 15mm ISI marked

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Tee 15mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Parallel Bar - Outdoor Gym Equipment, Safes (V3) ISI Marked to IS 550, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Tee 20mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Welder Gloves or Gauntlets as per IS 2573, Safes (V3) ISI Marked to IS 550, Parallel Bar - Outdoor Gym Equipment

Searched String: GI Union 15mm dia ISI Marked

Disposable Baby Diaper ISI Marked to IS 17509, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Tower Bolts (Ferrous Metals) as per IS 204, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and

विड विवरण / Bid Details

Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Union 20mm Make ISI Marked

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Welder Gloves or Gauntlets as per IS 2573, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Hydrants (Landing Valve) as per IS 5290, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: Piano type hinges 30 mm wide flap

Memory Card Reader (V2), Binder Clips (V3) Conforming to IS 8231, Continuous (Piano) Hinges as per IS 3818, file storage boxes or organizers, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Parliament Hinges-IS:362, High Pressure Fire Fighting Hose - IS 14933

Searched String: Aluminium beading specs as per PDF document

Aluminium Hydroxide as per IS:10896, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aluminium Container as per IS 9445, Aluminium Composite Panel (V2) as per IS 17682, Aluminium Sulphate, Non - Ferric as per IS 260, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Neela Jhabba (UP), Aerial Bunched Cables as per IS 14255, Corrugated Aluminium Sheet as per IS 1254, Aluminium Phosphide Formulation as per IS 6438

Searched String: Aluminium butt hinges specs as per PDF document

Non - Ferrous Metal Butt Hinges as per IS 205, Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817

Searched String: Aluminium Door Hasp Staple 100mm Make Crown

Sliding Doors (V2), Hydraulically Regulated Door Closers conforming to IS 3564, Hasps and Staples as per IS 363, Door Handles (V2) ISI marked to IS 208

Searched String: Aluminium door stopper specs as per PDF document

Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence)), Lock Stoppers as per IS 1223, Bronze Rods(OFB-DEFENCE), Aluminum Lid - BHEL, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence)

बिड विवरण/Bid Details **Searched String:** Aluminium handle 150mm specs as per PDF document

Wrought Aluminium Utensils (V2) as per IS 1660, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Copper Tube 35 mm-OFB, Steel Rod 30.1mm Diameter (OFB (Defence)), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, couplings-fire hose as per IS 903

Searched String: Aluminium sliding door specs as per PDF document

Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

Searched String: Aluminium sliding door specs as per PDF document

Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

Searched String: Aluminium tower bolt specs as per PDF document

Tower Bolts (Ferrous Metals) as per IS 204, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Steel Rod 30.1mm Diameter (OFB (Defence)), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL

Searched String: GI Elbow 15mm bore ISI Marked

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Safes (V3) ISI Marked to IS 550, Drinking Water Coolers (V4) ISI Marked To IS 1475

Searched String: GI Elbow 20mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Welder Gloves or Gauntlets as per IS 2573, Safes (V3) ISI Marked to IS 550, Parallel Bar - Outdoor Gym Equipment

Searched String: GI Elbow 25mm ISI Marked

बिड विवरण / Bid Details

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683,

Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Parallel Bar - Outdoor Gym Equipment, Safes (V3) ISI Marked to IS 550, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Elbow reducer specs as per PDF document

Commercial PPR Pipes Fittings as per IS 15801, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence))

Searched String: GI Nipple 15mm x 100mm Make ISI Marked

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Dry Erase Writing Boards (V3)

Searched String: GI nipple 15mm x 300mm as per sample

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in MT), GI Grating (in Number), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Pipe Clamps (V2)

Searched String: GI Nipple 15mm x 50mm ISI Marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2)

Searched String: GI nipple 15 x 150mm as per sample

GI Grating (in MT), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, GI Grating (in Number), Bunk Beds as per IS 17636, Sheeting, Tickings

बिड विवरण / Bid Details

and Bedsheets (V2) as per IS 175, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1),

The Indian National Flag as per IS 1, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: GI Nipple 20mm x 100mm Make ISI Marked

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Dry Erase Writing Boards (V3)

Searched String: GI nipple 20mm x 300mm as per sample

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in MT), GI Grating (in Number), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Pipe Clamps (V2)

Searched String: GI Nipple 25mm x 150mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pipe Clamps (V2)

Searched String: GI nipple 25mm x 300mm as per sample

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Bus Bar (Bhel)-IS:1897, IS:8130, GI Grating (in MT), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, GI Grating (in Number), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)

बिड विवरण/Bid Details **Searched String:** GI Nipple 40mm x 150mm

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Work Benches, Bone Marrow Biopsy Needle (V2), Dry Erase Writing Boards (V3), Parallel Bar - Outdoor Gym Equipment, Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors

Searched String: GI pipe 15mm dia Medium Grade ISI marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2

Searched String: GI pipe 20mm dia Medium Grade ISI marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Welder Gloves or Gauntlets as per IS 2573

Searched String: GI pipe 25mm dia specs as per PDF document

Pipe Clamps (V2), Bronze Rods(OFB-DEFENCE), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589

Searched String: GI Pipe 50mm dia

Rigid GI Pipe (BHEL), Pipe Clamps (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), Polyethylene Pipes for Water Supply, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984, Insect Killer, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801

Searched String: GI Pipe 80mm dia

Rigid GI Pipe (BHEL), Pipe Clamps (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), Polyethylene Pipes for Water Supply, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe Fittings, Schedule 80, Polyethylene Pipes for Water Supply conforming to IS 4984, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801

Searched String: GI R Tee 15 x 20 x 20mm Make ISI Marked

Minifuge, Multipurpose or General Test Tubes (V2) as per IS 2618, Non Adherent Dressings (V2), Bio - Medical Waste Collection Bags (Biohazard Bags), PCR Mini Cooler, Welding Electrode - Covered Arc Welding Electrode - Rutile Type

(BEML), Foam Dressing
बिड विवरण / Bid Details

Searched String: GI socket 15mm ISI Marked

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Wheeled Fire Extinguishers (V3) ISI Marked to IS 16018, Parallel Bar - Outdoor Gym Equipment, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI socket 20mm dia ISI marked

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Tower Bolts (Ferrous Metals) as per IS 204, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Disposable Baby Diaper ISI Marked to IS 17509, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welder Gloves or Gauntlets as per IS 2573

Searched String: GI Socket 25mm

GI Grating (in Number), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in MT), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Rigid GI Pipe (BHEL), Impact socket, Socket Unions confirming to IS 1239 (Part 2), Deep Socket, Dry Erase Writing Boards (V3), Insulated socket

Searched String: GI Socket 40 mm Make R Brand

GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Socket Unions confirming to IS 1239 (Part 2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Laboratory Glass Adapters, Commercial PPR Pipes Fittings as per IS 15801, Grinding Media Balls as per IS 6079, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Socket Reducing confirming to IS 1239 (Part 2)

Searched String: GI Socket 50mm

GI Grating (in Number), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating (in MT), Rigid GI Pipe (BHEL), Nitrile Coated/Nitrile Hand Gloves (V2), Impact socket, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings),

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Deep Socket, Insulated socket, Labels Stickers (V3)
बिड विवरण/Bid Details

Searched String: GI Socket reducer 20 x 15mm ISI marked.

High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801

Searched String: GI Socket reducer 25 x 15mm

Parallel Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Cast Iron Bench, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Sterile Hypodermic Needles for Single use (V2), Floor Drain Traps (V2), Compostable Carry Bags, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Note Sheet Pad (Azure Laid) (V3)

Searched String: GI Socket reducer 40 x 15mm

Parallel Bar - Outdoor Gym Equipment, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Kidney Trays Conforming to IS 3992, Theft Proof Rifle Racks, Equipment Camouflage Nets (Jute) as per Defence Specification, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest)

Searched String: GI Socket reducer 40 x 25mm

Parallel Bar - Outdoor Gym Equipment, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Plain Gauze Swab, Kidney Trays Conforming to IS 3992, Theft Proof Rifle Racks, Equipment Camouflage Nets (Jute) as per Defence Specification, GI Grating (in Number), GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest)

Searched String: GI Tee 15mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Parallel Bar - Outdoor Gym Equipment, Safes (V3) ISI Marked to IS 550, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Tee 20mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-

बिड विवरण/Bid Details

1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Welder Gloves or Gauntlets as per IS 2573, Safes (V3) ISI Marked to IS 550, Parallel Bar - Outdoor Gym Equipment

Searched String: GI Union 15mm dia ISI Marked

Disposable Baby Diaper ISI Marked to IS 17509, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Tower Bolts (Ferrous Metals) as per IS 204, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Union 20mm Make ISI Marked

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Welder Gloves or Gauntlets as per IS 2573, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Hydrants (Landing Valve) as per IS 5290, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Union 25 mm Make ISI Marked

Caustic Soda (V2) ISI Marked to IS 252, Parallel Bar - Outdoor Gym Equipment, Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, HDPE/PP Woven Sacks for packing of 25 kg Polymer Materials (V4) ISI marked to IS 16703, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, HDPE/PP Woven Sacks for packaging 50kg/25kg Sugar (V3) ISI marked to IS 14968, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

Searched String: GI Union 40mm Make ISI Marked

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength

विड विवरण / Bid Details

Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI

marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Drinking Water Coolers (V4) ISI Marked To IS 1475, Welding Cable ISI Marked To IS 9857 (V2), Door Handles (V2) ISI marked to IS 208

Searched String: Auto hinges set of 2 as per sample

Digital VHF Repeater Set as per MHA QR, Thermal Gloves as per Defence specification, Hawkers of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Digital UHF Base / Mobile Radio Sets as per MHA QR (V2), Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627, Passive Night Vision Binocular as per MHA QR (V2), Electric Kettles and Jugs for Household and Similar Use as per IS 367 (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

Searched String: EWC seat cover hinges

Disposable Toilet Seat Cover, Toilet Seat Covers (V2), Auditorium Chair (V2), Disposable Sheet Cover for Car Seat, Plastic Seats and Covers for Water - Closets as per IS 2548, Disposable Vehicle Seat Covers, Car Accessories

Searched String: Hydraulic door closer specs as per PDF document

Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence)), Pan Concrete Mixer as per IS 12119, Bronze Rods(OFB-DEFENCE)

Searched String: Ms cold rolled Butt specs as per PDF document

MS Sheet as per IS 1079, Cold Galvanized Zinc Spray (BHEL), Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence))

Searched String: MS continuous Piano hinges with width of flap 30 mm

Thermal Paper (V2) Conforming to IS 17568, Continuous (Piano) Hinges as per IS 3818

Searched String: MS powder coated helical door spring 150 mm size

Tubular Furnace, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)

Searched String: Tank nipple 25mm dia

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Portable Toilet, Commercial PPR Pipes Fittings as per IS 15801, Modular Toilet, Swing (Preschool Kit), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Potable Water Purification System DE - Ionization Based, Running Nipples, Close Taper Nipples and

बिड विवरण/Bid Details Barrel Nipples conforming to IS 1239 (Part 2)

Searched String: Aluminium Door Handle 120mm

Access Controlled Handle Door Lock, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Door Handles & Knobs (Bamboo), Door Handles (V2) ISI marked to IS 208, Door Handles & Knobs-handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Door Handles as per IS 208, Wrought Aluminium Utensils (V2) as per IS 1660, Chapati/Dosa Griddle (Tawa), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

Searched String: Aluminium Door Hasp Staple 100mm Make Crown

Sliding Doors (V2), Hydraulically Regulated Door Closers conforming to IS 3564, Hasps and Staples as per IS 363, Door Handles (V2) ISI marked to IS 208

Searched String: Aluminium Door Hasp Staple 125mm Make Crown

Sliding Doors (V2), Hydraulically Regulated Door Closers conforming to IS 3564, Hasps and Staples as per IS 363, Door Handles (V2) ISI marked to IS 208

Searched String: Aluminium Door Hasp Staple 150mm Make Crown

Sliding Doors (V2), Hydraulically Regulated Door Closers conforming to IS 3564, Hasps and Staples as per IS 363, Door Handles (V2) ISI marked to IS 208

Searched String: Aluminium handle specs as per PDF document

Wrought Aluminium Utensils (V2) as per IS 1660, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Ratchet Handle as per IS 7975, Aluminium Hydroxide as per IS:10896, Aluminium Container as per IS 9445, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Non Sparking Spades as per IS 4595, Aluminium Composite Panel (V2) as per IS 17682, Door Handles as per IS 208, Aluminium Sulphate, Non - Ferric as per IS 260

Searched String: Aluminium Sheet 01 mm Thick 3 feet x 6 feet

External branding signage boards, Rubberised Fabrics and Ground Sheet - JSS Standard - MK XII, Lapi Patra (Putty Applicator), Aluminium Composite Panel (V2) as per IS 17682

Searched String: Aluminium sliding door bolt specs as per PDF document

Steel Rod 30.1mm Diameter (OFB (Defence)), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Bronze Rods(OFB-DEFENCE)

Searched String: Aluminium sliding door bolt specs as per PDF document

बिड विवरण / Bid Details

Steel Rod 30.1mm Diameter (OFB (Defence)), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Bronze Rods(OFB-DEFENCE)

Searched String: Door Stopper aluminium specs as per PDF document

Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence)), Lock Stoppers as per IS 1223, Bronze Rods(OFB-DEFENCE), Aluminum Lid - BHEL, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence)

Searched String: GI Elbow 15mm bore ISI Marked

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Safes (V3) ISI Marked to IS 550, Drinking Water Coolers (V4) ISI Marked To IS 1475

Searched String: GI Elbow 20mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Welder Gloves or Gauntlets as per IS 2573, Safes (V3) ISI Marked to IS 550, Parallel Bar - Outdoor Gym Equipment

Searched String: GI Elbow 25mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Transparent Float Glass ISI Marked to 14900, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Parallel Bar - Outdoor Gym Equipment, Safes (V3) ISI Marked to IS 550, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Elbow 40 mm Make R Brand

GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Commercial PPR Pipes Fittings as per IS 15801, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

Searched String: GI Elbow reducer specs as per PDF document

Commercial PPR Pipes Fittings as per IS 15801, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 -

विड विवरण/Bid Details
Steel Pipe Fittings), Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence))

Searched String: GI Nipple 15mm x 100mm Make ISI Marked

Parallel Bar - Outdoor Gym Equipment, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Dry Erase Writing Boards (V3)

Searched String: GI Nipple 15mm x 50mm ISI Marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bunk Beds as per IS 17636, rubber bands, Sterile Hypodermic Needles for Single use (V2)

Searched String: GI Nipple 20mm x 150 mm

Dry Erase Writing Boards (V3), Work Benches, Pin Up Notice Board (V2), Floor Drain Traps (V2), Dak Pad (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), rubber bands

Searched String: GI Nipple 20mm x 50mm dia ISI marked

Parallel Bar - Outdoor Gym Equipment, Tower Bolts (Ferrous Metals) as per IS 204, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Pin Up Notice Board (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Industrial Safety Helmet (V3) ISI marked to IS 2925, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI Nipple 25 x 50 mm

Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, Sterile Hypodermic Needles for Single use (V2), Compostable Nursery Bags, Work Benches, Wooden Lab Stools, Floor Drain Traps (V2), Staplers (V2)

Searched String: GI Nipple 15mm x 75mm

बिड विवरण

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Portable Toilet, Dry Erase Writing

Boards (V3), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pipe Clamps (V2)

Searched String: GI pipe 15mm dia specs as per PDF document

Pipe Clamps (V2), Bronze Rods(OFB-DEFENCE), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589

Searched String: GI pipe 20mm dia Medium Grade ISI marked

Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Welder Gloves or Gauntlets as per IS 2573

Searched String: GI Plug 20mm, Dead specs as per PDF document

Plug Cock for Water Supply Purpose as per IS 3004, Copper Tube 35 mm-OFB, GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Steel Rod 30.1mm Diameter (OFB (Defence)), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Khaki Uniform Cloth (CRPF)

Searched String: GI Plug 15mm dia ISI marked

Electrical Plugs (V2) ISI Marked to IS 1293, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Disposable Baby Diaper ISI Marked to IS 17509, Tower Bolts (Ferrous Metals) as per IS 204, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Safety Helmet (V3) ISI marked to IS 2925

Searched String: GI socket 15mm ISI Marked

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Wheeled Fire Extinguishers (V3) ISI Marked to Is

बिड विवरण / Bid Details

16018, Parallel Bar - Outdoor Gym Equipment, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: GI socket 20mm dia ISI marked

Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Tower Bolts (Ferrous Metals) as per IS 204, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Disposable Baby Diaper ISI Marked to IS 17509, Steel Tubes, Tubulars ISI Marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Welder Gloves or Gauntlets as per IS 2573

Searched String: GI Socket 40 mm Make R Brand

GI Hollow Section for Bus Body Building Parts as per IS 4923:1997 (Latest), Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Socket Unions conforming to IS 1239 (Part 2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Laboratory Glass Adapters, Commercial PPR Pipes Fittings as per IS 15801, Grinding Media Balls as per IS 6079, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Socket Reducing conforming to IS 1239 (Part 2)

Searched String: GI Socket 50 mm

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Parallel Bar - Outdoor Gym Equipment, Socket Unions conforming to IS 1239 (Part 2), modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Commercial PPR Pipes Fittings as per IS 15801

Searched String: GI Socket reducer specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Khaki Uniform Cloth (CRPF)

Searched String: GI Tee 20mm ISI Marked

Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Methylene Chloride (Dichloromethane) ISI Marked to IS 4566 (In Liter), Steel Tubes, Tubulars ISI marked to IS 1239 (part-

विड विवरण/Bid Details

1)V2, Transparent Float Glass ISI Marked to 14900, Modular Plano Type Domestic Electrical Switches ISI Marked To IS 3854, Morpholine (V4) ISI Marked to IS 12084, Welder Gloves or Gauntlets as per IS 2573, Safes (V3) ISI Marked to IS 550, Parallel Bar - Outdoor Gym Equipment

Searched String: GI Tee/Reducer 15 x 20mm

Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, rubber bands, Minifuge, CPVC Industrial Pipe Fittings, Schedule 80, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Non Adherent Dressings (V2), Signal/ Triad Cable, Self Adhesive Flags (V3), Multipurpose or General Test Tubes (V2) as per IS 2618

Searched String: GI Union Socket 15mm Make R Brand

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cutting Tools, Socket Unions confirming to IS 1239 (Part 2)

Searched String: GI Union Socket 20 mm Make R Brand

Socket Unions confirming to IS 1239 (Part 2)

Searched String: GI Union Socket 25 mm Make R Brand

Socket Unions confirming to IS 1239 (Part 2)

Searched String: Alu Floor Door Stoper Single Type

Heated Display Case - Hot Case (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312

Searched String: Helical Door Spring 150mm Make Crown

Hydraulically Regulated Door Closers conforming to IS 3564, Door Handles (V2) ISI marked to IS 208

Searched String: Hydraulic door specs as per PDF document

Vault (Strong Room) Door as per IS 11188, Door Handles as per IS 208, Hydraulic Fluid as per Military Standard, shoes school pvc boys girls, Antiwear Hydraulic Oil (V3) as per IS 11656, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Neela Jhabba (UP), Automotive Hydraulic Brake Fluid as per IS 8654, Fire - Resistant Hydraulic Fluids, (Part 2) as per IS 10532

Searched String: Tank Nipple With specs as per PDF document

Khaki Uniform Cloth (CRPF), Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

Searched String: Tank Nipple specs as per PDF document

Neela Jhabba (UP), Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, Precast Concrete Septic Tanks as per IS 9872, Steel Tubes, Tubulars and Other Steel Fittings

बिड विवरण / Bid Details	as per IS 1239 (Part 2 - Steel Pipe Fittings), Tractor Trailer Mounted Suction Machine as per IS 13496, Commercial PPR Pipes Fittings as per IS 15801, shoes school pvc boys girls, Liquefied Petroleum Gas (LPG) as per IS 4576 for Bulk Supply, Crop Protection Equipment - Hand Operated Knapsack Sprayer, Piston Type for Agriculture as per IS 3906, Under Ground / Above Ground Horizontal Cylindrical Steel Storage Tanks for Petroleum Products as per IS 1087:1992 (Latest)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Running Nipples, Close Taper Nipples and Barrel Nipples conforming to IS 1239 (Part 2) • Magnet Door Catcher • Stainless Steel Butt Hinges as per IS 12817
बीओक्यू शीर्षक /BOQ Title	BR ITEMS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	6 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	40 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	30 %

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Aluminium sliding door specs as per PDF document
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	50000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CWE

HQ CWE Mamun, Department of Military Affairs, Indian Army, Ministry of Defence, Pathankot
(Hq Cwe Mamun)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant /

Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (83 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts
	Sub-type of tower bolts as per CI 3.1 of IS 204	Brass Barrel Tower Bolts (Type - 2A)
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Screwed

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	Yes
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	Yes
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	150
	Diameter of Barrel and Skeleton Tower bolts (mm)	12.0
	Width of Barrel Tower bolts (mm)	38
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6
	Length of socket as per Table 1 of IS 204 (Part 2)	25
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.5
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	2.4
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA	

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	NA
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	NA
TEST REPORT	Availability of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	No
	Test reports to be furnished to buyer on demand	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	30	15
2	*****	*****Gurdaspur	53	15

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (92 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts
	Sub-type of tower bolts as per CI 3.1 of IS 204	Aluminium Alloy Barrel Tower Bolts (Type - 4A)
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Riveted
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	NA
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	Yes
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	200
	Diameter of Barrel and Skeleton Tower bolts (mm)	12.0
	Width of Barrel Tower bolts (mm)	38
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6
	Length of socket as per Table 1 of IS 204 (Part 2)	25

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.5
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	2.4
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
	Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	NA
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	NA
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	No
	Test reports to be furnished to buyer on demand	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	18	15
2	*****	*****Gurdaspur	8	15
3	*****	*****PATHANKOT	66	15

Stainless Steel Butt Hinges As Per IS 12817 (81 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Types	Medium weight(Narrow)
Materials	Material of Flap	Stainless Steel Grades X15Cr16Ni2 of IS 6911
	Material of Pin	Stainless Steel Grades X04Cr18Ni10 of IS 6528
DIMENSION	Equal Size of Hinge(in mm)	75
	Unequal Size of Hinge(in mm)	50 x 12 x 19

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15
2	*****	*****Gurdaspur	71	15

Stainless Steel Butt Hinges As Per IS 12817 (16 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	Types	Heavy weight unequal flap hinges
Materials	Material of Flap	Stainless Steel Grades X07Cr18Ni9 of IS 6911
	Material of Pin	Stainless Steel Grades X07Cr18Ni9 of IS 6528
DIMENSION	Equal Size of Hinge(in mm)	100
	Unequal Size of Hinge(in mm)	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	16	15

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (110 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts
	Sub-type of tower bolts as per CI 3.1 of IS 204	Brass Barrel Tower Bolts (Type - 2A)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Screwed
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	Yes
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	NA
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	100
	Diameter of Barrel and Skeleton Tower bolts (mm)	12.0
	Width of Barrel Tower bolts (mm)	38
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6
	Length of socket as per Table 1 of IS 204 (Part 2)	25
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	1.5
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	2.4

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
	Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	NA
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	Yes
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	No
	Test reports to be furnished to buyer on demand	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	110	15

Aluminium Butt Hinges Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	62	15

Aluminium Handle 150 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	31	15

Aluminium Sliding Door Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	56	15

Aluminium Sliding Door Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	15	15

Door Stopper Aluminium Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	18	15

GI Elbow 15mm Bore ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	29	15

GI Elbow Reducer Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	31	15

GI Nipple 15mm X 100mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	66	15

GI Nipple 15mm X 50mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	45	15

GI Nipple 20mm X 100mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	117	15

GI Nipple 20mm X 50mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	47	15

GI Nipple 20mm X 80mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	29	15

GI Pipe 15mm Dia Medium Grade ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	30	15

GI Pipe 20mm Dia Medium Grade ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	65	15

GI Plug 20mm Dead Plug Or End Cap Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	14	15

GI Plug 15mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	8	15

GI Socket 15mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	50	15

GI Socket 20mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	25	15

GI Tank Nipple With Checknut 15mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	5	15

GI Tee 15mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	10	15

GI Tee 20mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	29	15

GI Union 15mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	52	15

GI Union 20mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	96	15

Piano Type Hinges 30 Mm Wide Flap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	29	15

Aluminium Beading Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	16	15

Aluminium Butt Hinges Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	30	15

Aluminium Door Hasp Staple 100mm Make Crown

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	188	15

Aluminium Door Stopper Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	138	15

Aluminium Handle 150mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	113	15

Aluminium Sliding Door Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	63	15

Aluminium Sliding Door Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	63	15

Aluminium Tower Bolt Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	110	15

GI Elbow 15mm Bore ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	319	15

GI Elbow 20mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	27	15

GI Elbow 25mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	5	15

GI Elbow Reducer Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	59	15

GI Nipple 15mm X 100mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	65	15

GI Nipple 15mm X 300mm As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	71	15

GI Nipple 15mm X 50mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	117	15

GI Nipple 15 X 150mm As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	40	15

GI Nipple 20mm X 100mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	53	15

GI Nipple 20mm X 300mm As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	9	15

GI Nipple 25mm X 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	3	15

GI Nipple 25mm X 300mm As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	5	15

GI Nipple 40mm X 150mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	11	15

GI Pipe 15mm Dia Medium Grade ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	30	15

GI Pipe 20mm Dia Medium Grade ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	57	15

GI Pipe 25mm Dia Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	20	15

GI Pipe 50mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	5	15

GI Pipe 80mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	1	15

GI R Tee 15 X 20 X 20mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	7	15

GI Socket 15mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	428	15

GI Socket 20mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	138	15

GI Socket 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	81	15

GI Socket 40 Mm Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	4	15

GI Socket 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	1	15

GI Socket Reducer 20 X 15mm ISI Marked.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	85	15

GI Socket Reducer 25 X 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	35	15

GI Socket Reducer 40 X 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	1	15

GI Socket Reducer 40 X 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	1	15

GI Tee 15mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	122	15

GI Tee 20mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	62	15

GI Union 15mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	132	15

GI Union 20mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	100	15

GI Union 25 Mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	49	15

GI Union 40mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	3	15

Auto Hinges Set Of 2 As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	79	15

EWC Seat Cover Hinges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	30	15

Hydraulic Door Closer Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	13	15

Ms Cold Rolled Butt Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	63	15

MS Continuous Piano Hinges With Width Of Flap 30 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	43	15

MS Powder Coated Helical Door Spring 150 Mm Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	54	15

Tank Nipple 25mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	17	15

Aluminium Door Handle 120mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	13	15

Aluminium Door Hasp Staple 100mm Make Crown

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	6	15

Aluminium Door Hasp Staple 125mm Make Crown

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	4	15

Aluminium Door Hasp Staple 150mm Make Crown

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15

Aluminium Handle Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	20	15

Aluminium Sheet 01 Mm Thick 3 Feet X 6 Feet

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	5	15

Aluminium Sliding Door Bolt Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	8	15

Aluminium Sliding Door Bolt Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	2	15

Door Stopper Aluminium Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	19	15

GI Elbow 15mm Bore ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	50	15

GI Elbow 20mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	20	15

GI Elbow 25mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	17	15

GI Elbow 40 Mm Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	4	15

GI Elbow Reducer Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15

GI Nipple 15mm X 100mm Make ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	30	15

GI Nipple 15mm X 50mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	40	15

GI Nipple 20mm X 150 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	20	15

GI Nipple 20mm X 50mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	30	15

GI Nipple 25 X 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15

GI Nipple15mm X 75mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	25	15

GI Pipe 15mm Dia Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15

GI Pipe 20mm Dia Medium Grade ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	6	15

GI Plug 20mm, Dead Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	4	15

GI Plug 15mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15

GI Socket 15mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	40	15

GI Socket 20mm Dia ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	16	15

GI Socket 40 Mm Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	7	15

GI Socket 50 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	6	15

GI Socket Reducer Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	20	15

GI Tee 20mm ISI Marked

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15

GI Tee Reducer 15 X 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15

GI Union Socket 15mm Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	25	15

GI Union Socket 20 Mm Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	20	15

GI Union Socket 25 Mm Make R Brand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	4	15

Alu Floor Door Stoper Single Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15

Helical Door Spring 150mm Make Crown

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	8	15

Hydraulic Door Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	5	15

Tank Nipple With Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	35	15

Tank Nipple Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	30	15

Special terms and conditions-Version:1 effective from 25-09-2024 for category Stainless Steel Butt Hinges as per IS 12817

1. Note to Buyers:

The Central Ministries/ Departments and other government buyers, as applicable, shall note that this category is covered under Scheme - I (ISI Mark Scheme) of BIS (Bureau of Indian Standards).

Compulsory use of Standard Mark - Goods or articles shall conform to the corresponding Indian Standard and shall bear the Standard Mark under a license from the Bureau as per Scheme-1 of Schedule-II of the Bureau of Indian Standards (Conformity Assessment) Regulations, 2018:

Buyer shall verify and confirm compliance with the applicable BIS order during the procurement and fulfillment process.

Note to Sellers:

Sellers shall offer and supply products conforming to the corresponding Indian Standard and bear the Standard Mark under a license from the Bureau as per Scheme-1.

Non-compliance shall result in action as per GeM IM policy.

Buyers and sellers may refer to the relevant S.O at <https://www.bis.gov.in/product-certification/products-under-compulsory-certification/scheme-i-mark-scheme/>

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---