

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	23-03-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	23-03-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2590

**बिड विवरण/Bid Details****वस्तु श्रेणी /Item Category**

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 (Q3) , Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774 (Q3) , Plastic Seats and Covers for Water - Closets as per IS 2548 (Q3) , Brass Jumper valve specs as per PDF document , Kit for PVC cistern specs as per PDF document , Kit for PVC low level cistern specs as per PDF document , PVC Bathroom specs as per PDF document , PVC Bend 110mm specs as per PDF document , PVC Bend 75 mm specs as per PDF document , PVC connection 15 x 450 mm specs as per PDF document , PVC float valve 20 mm specs as per PDF document , PVC pipe 110 mm dia 6 m long , PVC pipes 15 mm dia 3m long , PVC washer for bib specs as per PDF document , PVC water storage specs as per PDF document , Lid for water tank specs as per PDF document , PVC flexible waste specs as per PDF document , Kit for PVC low level specs as per PDF document , MS Clamp with 50 x 5 mm specs as per PDF document , PVC Bend 110 mm specs as per PDF document , PVC connection specs as per PDF document , PVC connection 15 mm x 600 mm , PVC Connection specs as per PDF document , PVC flush pipe 32 mm dia as per sample , PVC Jet spray with specs as per PDF document , PVC Lid for sintex water specs as per PDF document , PVC Long Band 32 mm bore for WC , PVC rain water pipe 110 specs as per PDF document , PVC shelf 450 mm as per sample , PVC short bend 32mm , PVC Socket for 110 mm bore pipe , PVC Socket for 75 mm bore pipe , PVC syphon washer for cistern , PVC Tee 75 mm bore as per sample , PVC washer for bib tap specs as per PDF document , PVC water storage tank specs as per PDF document , PVC water Tank Lid specs as per PDF document , PVC Ball Cock 15 mm specs as per PDF document , PVC Ball Cock specs as per PDF document , PVC Float Valve specs as per PDF document , PVC Jet spray specs as per PDF document , PVC Kit for Low Level specs as per PDF document , PVC Lid For Water specs as per PDF document , PVC Waste Pipe specs as per PDF document , Shakti Cylindrical Vertical specs as per PDF document

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

Brass Jumper valve specs as per PDF document, Kit for PVC cistern specs as per PDF document, Kit for PVC low level cistern specs as per PDF document, PVC Bathroom specs as per PDF document, PVC Bend 110mm specs as per PDF document, PVC Bend 75 mm specs as per PDF document, PVC connection 15 x 450 mm specs as per PDF document, PVC float valve 20 mm specs as per PDF document, PVC pipe 110 mm dia 6 m long, PVC pipes 15 mm dia 3m long, PVC washer for bib specs as per PDF document, PVC water storage specs as per PDF document, PVC water storage specs as per PDF document, Lid for water tank specs as per PDF document, PVC flexible waste specs as per PDF document, Lid for water tank specs as per PDF document, Brass Jumper valve specs as per PDF document, Brass Jumper valve specs as per PDF document, Kit for PVC low level specs as per PDF document, MS Clamp with 50 x 5 mm specs as per PDF document, PVC Bend 110 mm specs as per PDF document, PVC Bend 75 mm specs as per PDF document, PVC connection specs as per PDF document, PVC connection 15 mm x 600 mm , PVC Connection specs as per PDF document, PVC Connection specs as per PDF document, PVC flexible waste specs as per PDF document, PVC flush pipe 32 mm dia as per sample, PVC Jet spray with specs as per PDF document, PVC Lid for sintex water specs as per PDF document, PVC Long Band 32 mm bore for WC, PVC rain water pipe 110 specs as per PDF document, PVC shelf 450 mm as per sample, PVC short bend 32mm, PVC Socket for 110 mm bore pipe, PVC Socket for 75 mm bore pipe, PVC syphon washer for cistern, PVC Tee 75 mm bore as per sample, PVC washer for bib tap specs as per PDF document, PVC water storage tank specs as per PDF document, PVC water storage tank specs as per PDF document, PVC water Tank Lid specs as per PDF document, PVC Ball Cock 15 mm specs as per PDF document, PVC Ball Cock specs as per PDF document, PVC Connection specs as per PDF document, PVC Connection specs as per PDF document, PVC Connection specs as per PDF document, PVC Float Valve specs as per PDF document, PVC Float Valve specs as per PDF document, PVC Jet spray specs as per PDF document, PVC Kit for Low Level specs as per PDF document, PVC Lid For Water specs as per PDF document, PVC Waste Pipe specs as per PDF document, Shakti Cylindrical Vertical specs as per PDF document

**Searched String:** Brass Jumper valve specs as per PDF document

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Brass seamless Tube 19B-OFB, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Brass Tube 18A-OFB, Globe Valve as per IS 778, Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

**Searched String:** Kit for PVC cistern specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pre - School Education (PSE) Kit for The State of Bihar, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC

बिड विवरण / Bid Details

Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, Andhra Pradesh Pre - School Education Kit (Anganwadi Centres), Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, shoes school pvc boys girls, Sexual Assault Evidence Collection Kit (SAECK) for Investigation Officer as Per BPR&D Specification, Tool Kit for Vastra Utpad (Clothe Product) (V2) from Etawah (UP)

**Searched String:** Kit for PVC low level cistern specs as per PDF document

Pre - School Education (PSE) Kit for The State of Bihar

**Searched String:** PVC Bathroom specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC Bend 110mm specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Copper Tube 35 mm-OFB, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Rod 30.1mm Diameter (OFB (Defence)), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, shoes school pvc boys girls, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC Bend 75 mm specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Copper Tube 35 mm-OFB, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pad Lock Various (As Per Defence Specification), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, shoes school pvc boys girls, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

बिड विवरण / Bid Details **Searched String:** PVC connection 15 x 450 mm specs as per PDF document

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Multipurpose or General Test Tubes (V2) as per IS 2618

**Searched String:** PVC float valve 20 mm specs as per PDF document

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Check Valve (V2) as per IS 778, Globe Valve as per IS 778

**Searched String:** PVC pipe 110 mm dia 6 m long

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

**Searched String:** PVC pipes 15 mm dia 3m long

Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Self Watering Tree guard, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458

**Searched String:** PVC washer for bib specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Plain Washer as per IS 2016, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, shoes school pvc boys girls, PVC Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste

विड विवरण/Bid Details Discharge System as per IS 13592

**Searched String:** PVC water storage specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Steel Rod 30.1mm Diameter (OFB (Defence)), Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resin (GRP) Sectional Water Storage Tanks as per IS 14399, Bronze Rods(OFB-DEFENCE), shoes school pvc boys girls

**Searched String:** PVC water storage specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Steel Rod 30.1mm Diameter (OFB (Defence)), Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resin (GRP) Sectional Water Storage Tanks as per IS 14399, Bronze Rods(OFB-DEFENCE), shoes school pvc boys girls

**Searched String:** Lid for water tank specs as per PDF document

Wrought Aluminium Utensils (V2) as per IS 1660, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Pre - School Education (PSE) Kit for The State of Bihar, Water tender Type B or Fire or Rescue trucks as per IS 950, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Steel Tubes used for Water Wells (V2) as per IS 4270

**Searched String:** PVC flexible waste specs as per PDF document

Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694

**Searched String:** Lid for water tank specs as per PDF document

Wrought Aluminium Utensils (V2) as per IS 1660, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self - Contained Drinking Water Coolers (V3) as per IS

विड विवरण/Bid Details 1475. Pre - School Education (PSE) Kit for The State of Bihar, Water tender Type B or Fire or Rescue trucks as per IS 950,

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Steel Tubes used for Water Wells (V2) as per IS 4270

**Searched String:** Brass Jumper valve specs as per PDF document

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Brass seamless Tube 19B-OFB, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Brass Tube 18A-OFB, Globe Valve as per IS 778, Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

**Searched String:** Brass Jumper valve specs as per PDF document

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Brass seamless Tube 19B-OFB, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Brass Tube 18A-OFB, Globe Valve as per IS 778, Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

**Searched String:** Kit for PVC low level specs as per PDF document

Pre - School Education (PSE) Kit for The State of Bihar

**Searched String:** MS Clamp with 50 x 5 mm specs as per PDF document

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

**Searched String:** PVC Bend 110 mm specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Copper Tube 35 mm-OFB, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bronze Rods(OFB-DEFENCE), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Carbon Tape 19 MM(OFB-DEFENCE), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Bend 75 mm specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Copper Tube 35 mm-OFB, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pad Lock Various (As Per Defence Specification), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Single Core and Multi Core Circular Sheathed

बिड विवरण / Bid Details

Aluminium Cable with Rigid Conductor (V2) as per IS 694, shoes school pvc boys girls, PVC Insulated Unsheathed

Cable with Rigid Conductor (V2) ISI Marked To IS 694

**Searched String:** PVC connection specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC connection 15 mm x 600 mm

Mild Steel Sheet, Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Wall Mounting Cabinet, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories

**Searched String:** PVC Connection specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Connection specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC

GeMARPTS में खोजा गया परिणाम / Searched	बिड विवरण / Bid Details
<p><b>Result generated in GeMARPTS</b></p>	<p>Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String:</b> PVC flexible waste specs as per PDF document</p> <p>Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694</p> <p><b>Searched String:</b> PVC flush pipe 32 mm dia as per sample</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Pipe Clamps (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> PVC Jet spray with specs as per PDF document</p> <p>Foam making Branch- FB 10X (Jet &amp; Spray) with inline inductor as per IS 2097-2012 (PNG), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, High Pressure Fire Fighting Hose with Delivery Couplings as per IS 14933, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> PVC Lid for sintex water specs as per PDF document</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p>

बिड विवरण/Bid Details	Searched String: PVC Long Band 32 mm bore for WC
	<p>Flexible Drain Hoses for Wash Basins/ Sinks, Pipes for Gardening Purposes (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String:</b> PVC rain water pipe 110 specs as per PDF document</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124</p> <p><b>Searched String:</b> PVC shelf 450 mm as per sample</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, Machine Vice as per IS 4502, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Connector Pipes for Washbasins/ Sinks/ Geysers, Ring Slugging Wrenches (Spanners) - as per IS 4509, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Bearing (BHEL), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> PVC short bend 32mm</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Vertical Blinds (V2), Cricket Bat (V2) Conforming to IS 828</p> <p><b>Searched String:</b> PVC Socket for 110 mm bore pipe</p> <p>Pipe for Gardening Purpose, Polyethylene Pipes for Water Supply, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Polyethylene Pipes for Water Supply conforming to IS 4984, Cast Iron / Ductile Iron Drainage Pipe Fittings for Over Ground Non - Pressure Pipeline Socket and Spigot Series as per IS 1729, Modular Toilet, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124</p> <p><b>Searched String:</b> PVC Socket for 75 mm bore pipe</p> <p>Pipe for Gardening Purpose, Polyethylene Pipes for Water Supply, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, modular electrical enclosure switch board boxes for</p>

बिड विवरण / Bid Details

modular type accessories, Cast Iron / Ductile Iron Drainage Pipe Fittings for Over Ground Non - Pressure Pipeline Socket and Spigot Series as per IS 1729, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592

**Searched String:** PVC syphon washer for cistern

PVC Fills for Colling Tower, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Consumables for PVC Card Printer, Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Pipe for Gardening Purpose, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Suit - for Personal Protective Gears NDRF, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Plain Washer as per IS 2016, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

**Searched String:** PVC Tee 75 mm bore as per sample

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Air Hoses as per IS 446:1987, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pad Lock Various (As Per Defence Specification), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

**Searched String:** PVC washer for bib tap specs as per PDF document

Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763

**Searched String:** PVC water storage tank specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resing (GRP) Sectional Water Storage Tanks as per IS 14399, MSRL Acid Storage Tank (NTPC), Under Ground / Above Ground Horizontal Cylindrical Steel Storage Tanks for Petroleum Products as per IS 10987:1992 (Latest), shoes school pvc boys girls

**Searched String:** PVC water storage tank specs as per PDF document

बिड विवरण / Bid Details

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyster Resing (GRP) Sectional Water Storage Tanks as per IS 14399, MSRL Acid Storage Tank (NTPC), Under Ground / Above Ground Horizontal Cylindrical Steel Storage Tanks for Petroleum Products as per IS 10987:1992 (Latest), shoes school pvc boys girls

**Searched String:** PVC water Tank Lid specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Rod 30.1mm Diameter (OFB (Defence)), Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyster Resing (GRP) Sectional Water Storage Tanks as per IS 14399, Bronze Rods(OFB-DEFENCE), shoes school pvc boys girls

**Searched String:** PVC Ball Cock 15 mm specs as per PDF document

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Bronze Rods(OFB-DEFENCE), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)

**Searched String:** PVC Ball Cock specs as per PDF document

shoes school pvc boys girls, Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE)

**Searched String:** PVC Connection specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Connection specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated

बिड विवरण / Bid Details

Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Connection specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Neela Jhabba (UP), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fingerprint Scanner (Slap Scanner) as per UIDAI Specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

**Searched String:** PVC Float Valve specs as per PDF document

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Steel Rod 30.1mm Diameter (OFB (Defence)), shoes school pvc boys girls, Bronze Rods(OFB-DEFENCE), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification

**Searched String:** PVC Float Valve specs as per PDF document

Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Steel Rod 30.1mm Diameter (OFB (Defence)), shoes school pvc boys girls, Bronze Rods(OFB-DEFENCE), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification

**Searched String:** PVC Jet spray specs as per PDF document

Foam making Branch- FB 10X (Jet & Spray) with inline inductor as per IS 2097-2012 (PNG), shoes school pvc boys girls, Cold Galvanized Zinc Spray (BHEL)

**Searched String:** PVC Kit for Low Level specs as per PDF document

Pre - School Education (PSE) Kit for The State of Bihar

**Searched String:** PVC Lid For Water specs as per PDF document

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pre - School Education (PSE) Kit for The State of Bihar, Wrought Aluminium Utensils (V2) as per IS 1660, Centrifugal Pump

	<b>बिड विवरण / Bid Details</b> For Fecal Water Handling as per IOCL Specifications, Pipe for Gardening Purpose, Self - Contained Drinking Water Coolers (V3) as per IS 1475, Water tender Type B or Fire or Rescue trucks as per IS 950, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240  <b>Searched String:</b> PVC Waste Pipe specs as per PDF document  Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe for Gardening Purpose, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, shoes school pvc boys girls, Steel Rod 30.1mm Diameter (OFB (Defence)), Bronze Rods(OFB-DEFENCE), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124  <b>Searched String:</b> Shakti Cylindrical Vertical specs as per PDF document  Stud Assembly (OFB), Portable Pulling & Lifting Machine (BHEL), Steel Rod 30.1mm Diameter (OFB (Defence))
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Steel Pipes for Water and Sewage as per IS 3589</li> <li>• Copper Jumper</li> <li>• Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774</li> </ul>
<b>बीओक्यू शीर्षक /BOQ Title</b>	PVC Items
<b>बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)</b>	3 Lakh (s)
<b>मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)</b>	25 Lakh (s)
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	30 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	35000

#### ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and

Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

CWE

HQ CWE Mamun, Department of Military Affairs, Indian Army, Ministry of Defence Pathankot  
(Hq Cwe Mamun Cantt)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for

compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

### **PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 185 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

<b>विवरण/Specification</b>	<b>विशिष्टि का नाम /Specification Name</b>	<b>बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)</b>
Generic	<b>Conformity to IS 9763</b>	Yes
	<b>Product Type</b>	Plastic Bib Tap
	<b>Nominal Size (in mm)</b>	15 mm (1/2")
	<b>Hot/Cold Identification of Control Devices</b>	Blue Color or Letter C for Cold Water
Materials	<b>Material of Body of Tap/ Valve</b>	PVC (conforming to 9766)
	<b>Material of Bonnet of Tap/ Valve</b>	ABS
	<b>Material of Spindle of Tap/ Valve</b>	ABS
	<b>Material of Handle of Tap/ Valve</b>	ABS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Material of Seal of Tap/ Valve</b>	Rubber
Dimensions & Construction	<b>Dimensions (in mm)</b>	Bib Taps (As per Table 3 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	10	15
2	*****	*****Gurdaspur	53	15
3	*****	*****PATHANKOT	122	15

**Ceramic ( Vitreous China ) Flushing Cisterns For Water Closets And Urinals Conforming To IS 774 ( 7 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 774</b>	Yes
	<b>Flushing Device</b>	Dual - Fresh Cistern
Construction & Material	<b>Material for Flush Pipe</b>	Polypropylene Pipe
	<b>Material for Overflow Pipe</b>	Polyethylene Pipe (Conformity to Is 4984)
	<b>Cistern Discharge Capacity</b>	Full Flush (4.8 ± 0.5 liters) Reduced Flush (2.8 ± 0.5 liters)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	7	15

### Ceramic ( Vitreous China ) Flushing Cisterns For Water Closets And Urinals Conforming To IS 774 ( 36 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 774</b>	Yes
	<b>Flushing Device</b>	Cistern
Construction & Material	<b>Material for Flush Pipe</b>	Unplasticized Polyvinyl Chloride (PVC) Pipe (Conformity to Is 4985)
	<b>Material for Overflow Pipe</b>	Unplasticized Polyvinyl Chloride (PVC) Pipe (Conformity to Is 4985)
	<b>Cistern Discharge Capacity</b>	Full Flush (4 ± 0.5 liters) Reduced Flush (2 ± 0.5 liters)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	3	15
2	*****	*****Gurdaspur	12	15
3	*****	*****PATHANKOT	21	15

### Plastic Seats And Covers For Water - Closets As Per IS 2548 ( 42 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	<b>Materials of Seat and Covers</b>	Polypropylene
	<b>Materials of Hinging Device</b>	Mild Steel with Nickle Chromium Plating
RIGIDITY	<b>Seat</b>	Grade 1
	<b>Cover</b>	Grade 2

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	5	15
2	*****	*****Gurdaspur	19	15
3	*****	*****PATHANKOT	18	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 60 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 9763</b>	Yes
	<b>Product Type</b>	Stop Valve
	<b>Nominal Size (in mm)</b>	15 mm (1/2")
	<b>Hot/Cold Identification of Control Devices</b>	Red Color or Letter H for Hot Water
Materials	<b>Material of Body of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Bonnet of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Spindle of Tap/ Valve</b>	PBT (conforming to IS 13193)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Material of Handle of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Seal of Tap/ Valve</b>	Thermoplastic Polyester based Elastomaster
Dimensions & Construction	<b>Dimensions (in mm)</b>	Stop Valves (As per Table 5 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15
2	*****	*****Gurdaspur	45	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 21 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 9763</b>	Yes
	<b>Product Type</b>	Stop Valve
	<b>Nominal Size (in mm)</b>	20 mm (3/4")
	<b>Hot/Cold Identification of Control Devices</b>	Blue Color or Letter C for Cold Water
Materials	<b>Material of Body of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Bonnet of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Spindle of Tap/ Valve</b>	PBT (conforming to IS 13193)
	<b>Material of Handle of Tap/ Valve</b>	PBT (conforming to IS 13193)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Seal of Tap/ Valve	Thermoplastic Polyester based Elastomaster
Dimensions & Construction	Dimensions (in mm)	Stop Valves (As per Table 5 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	12	15
2	*****	*****PATHANKOT	9	15

**Brass Jumper Valve Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	37	15

**Kit For PVC Cistern Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	20	15

**Kit For PVC Low Level Cistern Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	27	15

**PVC Bathroom Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	3	15

**PVC Bend 110mm Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	12	15

**PVC Bend 75 Mm Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

### PVC Connection 15 X 450 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	69	15

### PVC Float Valve 20 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	42	15

**PVC Pipe 110 Mm Dia 6 M Long**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	9	15

**PVC Pipes 15 Mm Dia 3m Long**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	11	15

**PVC Washer For Bib Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	153	15

**PVC Water Storage Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	2	15

**PVC Water Storage Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	1	15

**Lid For Water Tank Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिष्ठी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिष्ठी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	23	15

**PVC Flexible Waste Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिष्ठी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिष्ठी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	109	15

**Lid For Water Tank Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Gurdaspur	32	15

**Brass Jumper Valve Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	15	15

**Brass Jumper Valve Specs As Per PDF Document**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	11	15

### Kit For PVC Low Level Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	39	15

### MS Clamp With 50 X 5 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	55	15

### PVC Bend 110 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	103	15

### PVC Bend 75 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	2	15

### PVC Connection Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	225	15

### PVC Connection 15 Mm X 600 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	198	15

### PVC Connection Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	96	15

### PVC Connection Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	204	15

### PVC Flexible Waste Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	61	15

### PVC Flush Pipe 32 Mm Dia As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	40	15

### PVC Jet Spray With Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	34	15

### PVC Lid For Sintex Water Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	23	15

### PVC Long Band 32 Mm Bore For WC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	92	15

### PVC Rain Water Pipe 110 Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	15	15

### PVC Shelf 450 Mm As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	7	15

### PVC Short Bend 32mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	36	15

### PVC Socket For 110 Mm Bore Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	19	15

### PVC Socket For 75 Mm Bore Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	11	15

### PVC Syphon Washer For Cistern

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	119	15

### PVC Tee 75 Mm Bore As Per Sample

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	7	15

### PVC Washer For Bib Tap Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	25	15

### PVC Water Storage Tank Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	6	15

### PVC Water Storage Tank Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	5	15

### PVC Water Tank Lid Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****PATHANKOT	60	15

### PVC Ball Cock 15 Mm Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	6	15

### PVC Ball Cock Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	5	15

### PVC Connection Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	32	15

### PVC Connection Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	18	15

### PVC Connection Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15

### PVC Float Valve Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	20	15

### PVC Float Valve Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	40	15

### PVC Jet Spray Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	5	15

### PVC Kit For Low Level Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	7	15

### PVC Lid For Water Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15

### PVC Waste Pipe Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	15	15

### Shakti Cylindrical Vertical Specs As Per PDF Document

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jammu	1	15

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.

8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---