

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	04-03-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-03-2026 18:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Home Affairs
विभाग का नाम/Department Name	Central Armed Police Forces
संगठन का नाम/Organisation Name	Indo Tibetan Border Police (itbp)
कार्यालय का नाम/Office Name	Shq Bglr
कुल मात्रा/Total Quantity	354
	09119M10042 BOLT , 09280M28008 O RING , 17670M83F00 THERMOSTATE VALVE , 0928350002 OIL SEAL , 12739M8L00 SEAL OIL CRANK SHAFT FRONT , 1134M75M00 SEAL CRANK SHAFT REAR , 09400M36311CLAMP , 09305M13002 BUSH SPRING SHACKLE , 09381 19001 CIRCLIP , 09482M005514 SPARK PLUG , 11115M60311GUIDE VALVE , 11117 73G00 BOLT CYLINDER HEAD , 11162 71C10 O RING CASE , 11179M71C11 GASKIT SPARK PLUG , 11189M71C20 GASKIT CYLINDER HEAD COVER 4 VALVE , 11341M72F10 HOUSING OIL SEAL , 11349M60A20 GASKIT OIL SEAL HS , 111710M80020 MOUNTING ENGINE REAR , 1211M63E60 PISTON STD 04 VALVE MPFI , PISTON RING MPFI , 12181M82030 025 BEARING SET CON ROD , 12340M82000 025 BEARING SET CRANK SHAFT OS , 12351M82020012 BEARING CRANK THRUST FIRST OS , 12623M60A00 BEARING INPUT SHAFT , CYLINDER LINER STD , 12761M70C20 BELT TIMING MPFI , 12810M71C22 TENSIONER ASSY TIMING BELT , 12911M71C20 INTAKE VALVE MPFI , 12915M71C90 VALVE EXHAUST MPFI , 12934M68K00 SEAL VALVE STEM , 13421M83B10 GASKIT THROTTLE BODY , 13780 83000 ELEMENT AIR CLEANER , 13401M830A1 ASSY THROTTLE BODY , 14140M52G00 GASKIT COMP EXHAUST MANIFOLD , 15410M830A1 FILTER ASSY FUEL , 15710M83F00 INJECTOR ASSY FUEL , 16100M72A02 OIL PUMP ASSY M GYPSY , 16119M82030 GASKIT OIL PUMP , 16510M73070 FILTER ASSY OIL , 16520M83003 STAINER COMP OIL FILTER , 17431M60820 GASKIT WATER PUMP , 17521M86540 BELT WATER PUMP , 22100M83060 COVER CLUTCH GYPSY , 22400M83060 DISC CLUTCH GYPSY , 23265 70C00 BEARING CLUTCH RELEASE , 41331M62020 BUSH SPRING , 41781M52030 RUBBER BUSH LOWER , 53200M83050 BRAKE SHOE REAR , 55810M70A00 BRAKE DISC PAD ,

विड विवरण / Bid Details	17120 81A00 CLUTCH ASSY FAN , WATER PUMP MARUTI GYPSY , VALVE SEAT INT EXH MARUTI GYPSY , EXPENSION
वस्तु श्रेणी /Item Category	PLUG CAM SHAFT , CAM OIL SEAL MARUTI GYPSY , GASKIT SET ENGINE OVERHOULING MARUTI GYPSY , 253403990235 SET BARE PISTON GIL 4SP 497 BS III , 253403990211 SET OF PISTON RINGS STD 4SP 497 BS III , CYLINDER LINNER STD4SP 497 BS III , MAIN BEARINGG OS 010 , BIG END BEARING 010 OS TATA 407 BS III , THRUST WASHER FIRST OS TATA 407 BS III , CONNECTING ROD BUSH TATA 407 BS III , 253405129020 VALVE INLET BS III EVL , 253405129020 VALVE EXHAUST BS III EVL , 253405153415 VALVE GUIDE INLET EXHAUST STD , VALVE OIL SEAL INLET EXHAUST , CAM BUSH TATA 407 BS III , CRANK OIL SEAL TATA 407 BS III , 25203107802 SEALING RING HALF , 253401990228 GASKET KIT ENG OH 4SP TCIC BS III , 253318100102 OIL PUMP , OIL PRESSURE SWITCH TATA 407 , 253418130174 ASSY OIL FILTER SPACIO BSIII , 253420120143 ASSY THERMOSTATE 83 DEG , 264125200134 ASSY 280 DIA CLUTCH DISC REINFORCED , 264125400105 ASSY 280 DIA PRESSURE PLATE REINFORCED , 264042120105 ASSY WHEEL CYLINDER 22 22 DIA REAR , 265154208270 SPEED SENSOR 12 24V 8 PULSE , 503054209912 WATER IN FUEL INDICATOR , ASSY FLYWHEEL RING GEAR , F002A50025 ASSY FEED PUMP MECHANICAL , 252509120239 FUEL WATER SEPERATOR SPIN ON , 253420100130 ASSY WATER PUMP , 252320140104 ASSY FAN PLASTIC MOULDED , 253450105822 RUBBER HOSE RAD TO WP , 581225601602 ASSY CLUTCH RELEASE BEARING , 269930100138 ASSY ACCELERATOR PEDAL COMP , 264154209962 WATER TEMP SENSOR , 281002214 ENGINE SPEED SENSOR , 281002514 BOOST PRESSURE TEMP SENSOR , 252520156305 CAUGED V BELT LONG1280 , RUBBER HOSE BELOW 253450205801 , AIR FILTER PRIMARY SECONDARY , AIR COMPRESSURE CONN ROD BRG , AIR COMPRESSURE PISTON RING , VALVE SEAT INLET EXHAUST , AIR COMPRESSURE SLEEV E STD 252313103710 , CLUTCH SLEEVE CYLINDER 263129010012 , CLUTCH MASTER CYLINDER , PISTON PIN AC PISTON AND LOCK , SOLENOID SWITCH 25313146701 , BUSH SET SELF TATA 407 BS III , ENGINE MOUNTING FRONT , ENGINE MOUNDING REAR , CAP RADIATOR , ENGINE OVERHAUL GASKET KIT UPPER , ENGINE OVERHAUL GASKET KIT LOWER , SLEEVE SALVAGE TATA 1613 , MAIN BEARING SET TATA 1613 , CONNECTING BEARING SET TATA 1613 , CR BUSH TATA 1613 , PISTON SET STD EURO III , PISTON RING SET STD , OIL PUMP TATA 1613 , THERMOSTATE VALVE , FLY WHHEL RING , INTAKE VALVE TATA 1613 , EXHAUST VALVE TATA 1613 , VALVE GUIDE STEM INLET , VALVE GUIDE STEM EXHAUST , THRUST WASHER , WATER PUMP ASSY , TEMP TRANSDUCER , BELT TENSIONER , BELT V TATA 1613 , LUBRICATION FILTER , FUEL FILTER , WATER SEPRATOR , DRAIN VALVE WATER SEPRATOR , CAM BUSH TATA 1613 , PUSH ROD GASKIT COVER , HOSE PLAIN , HOSE CLAMP , SLEEVE CYLINDER CLUTCH , ENGINE MOUNTING , U J ASSY STEERING , PRESSURE CAP OIL , WIPER BLADE , ANABOND , CLUTCH PLATE 330 DIA , CTUTCH COVER ASSY , CLUTCH RELEASE BRG , COTTON WASTE , NYLON ELECTRIC TAG TIA , EMERY PAPER ROUF , EMERY PAPER FINE , OLD DHOTI , AC PISTON SLEEVE STD , AC PISTON STD WITH PIN AND LOCK , AC PISTON RING STD , AC PISTON CON ROD BRG SET , LOW OIL PRESSURE SWITCH , PILOT BEARING TATA 1613 , FLY WHEEL RING TATA 1613 , ELEMENT AIR FILTER PRE , ELEMENT AIR FILTER SEC , ANABOND SEAL MAKER , AIRLADITE TUBE , TAPE INSULATER , BATTERY 12 VOLT 150 AH , BATTERY 12 VOLT 100AH , BATTERY 12 VOLT 65 AH ,

विड विवरण / Bid Details

BATTERY 12 VOLT 07 AH , TARPOULION HOOD TATA 1613
 5XTON , TARPOULION HOOD TATA 709 , TYRE SIZE 235 65
 09119M80025 BOLT, 09280M28008 O RING, 17670M83F00
 THERMOSTATE VALVE, 0928350002 OIL SEAL, 12739M8L00
 SEAL OIL CRANK SHAFT FRONT , 1134M75M00 SEAL CRANK
 SHAFT REAR, 09400M36311CLAMP, 09305M13002 BUSH
 SPRING SHACKLE, 09381 19001 CIRCLIP, 09482M005514
 SPARK PLUG, 11115M60311GUIDE VALVE, 11117 73G00
 BOLT CYLINDER HEAD, 11162 71C10 O RING CASE,
 11179M71C11 GASKIT SPARK PLUG, 11189M71C20 GASKIT
 CYLINDER HEAD COVER 4 VALVE, 11341M72F10 HOUSING
 OIL SEAL, 11349M60A20 GASKIT OIL SEAL HS,
 111710M80020 MOUNTING ENGINE REAR, 1211M63E60
 PISTON STD 04 VALVE MPFI, PISTON RING MPFI,
 12181M82030 025 BEARING SET CON ROD, 12340M82000
 025 BEARING SET CRANK SHAFT OS, 12351M82020012
 BEARING CRANK THRUST FIRST OS, 12623M60A00 BEARING
 INPUT SHAFT, CYLINDER LINER STD, 12761M70C20 BELT
 TIMING MPFI, 12810M71C22 TENSIONER ASSY TIMING BELT,
 12911M71C20 INTAKE VALVE MPFI , 12915M71C90 VALVE
 EXHAUST MPFI, 12934M68K00 SEAL VALVE STEM,
 13421M83B10 GASKIT THROTTLE BODY , 13780-83000
 ELEMENT AIR CLEANER, 13401M830A1 ASSY THROTTLE
 BODY, 14140M52G00 GASKIT COMP EXHAUST MANIFOLD,
 15410M830A1 FILTER ASSY FUEL, 15710M83F00 INJECTOR
 ASSY FUEL, 16100M72A02 OIL PUMP ASSY M GYPSY,
 16119M82030 GASKIT OIL PUMP, 16510M73070 FILTER
 ASSY OIL, 16520M83003 STAINER COMP OIL FILTER,
 17431M60820 GASKIT WATER PUMP, 17521M86540 BELT
 WATER PUMP, 22100M83060 COVER CLUTCH GYPSY,
 22400M83060 DISC CLUTCH GYPSY, 23265 70C00 BEARING
 CLUTCH RELEASE, 41331M62020 BUSH SPRING,
 41781M52030 RUBBER BUSH LOWER, 53200M83050 BRAKE
 SHOE REAR, 55810M70A00 BRAKE DISC PAD, 17120 81A00
 CLUTCH ASSY FAN, WATER PUMP MARUTI GYPSY, VALVE
 SEAT INT EXH MARUTI GYPSY, EXPENSION PLUG CAM
 SHAFT, CAM OIL SEAL MARUTI GYPSY, GASKIT SET ENGINE
 OVERHOULING MARUTI GYPSY, 253403990235 SET BARE
 PISTON GIL 4SP 497 BS III, 253403990211 SET OF PISTON
 RINGS STD 4SP 497 BS III, CYLINDER LINER STD4SP 497
 BS III, MAIN BEARING010 OS TATA 407 BS III, BIG END
 BEARING 010 OS TATA 407 BS III, THRUST WASHER FIRST
 OS TATA 407 BS III, CONNECTING ROD BUSH TATA 407 BS
 III, 253405129020 VALVE INLET BS III EVL, 253405129020
 VALVE EXHAUST BS III EVL , 253405153415 VALVE GUIDE
 INLET EXHAUST STD, VALVE OIL SEAL INLET EXHAUST, CAM
 BUSH TATA 407 BS III, CRANK OIL SEAL TATA 407 BS III,
 25203107802 SEALING RING HALF, 253401990228 GASKET
 KIT ENG OVERHOUL 4SP TCIC BS III, 253318100102 ASSY
 OIL PUMP, OIL PRESSURE SWITCH TATA 407 BS III,
 253418130174 ASSY OIL FILTER SPACIO BSIII,
 253420120143 ASSY THERMOSTATE 83 DEG,
 264125200134 ASSY 280 DIA CLUTCH DISC REINFORCED,
 264125400105 ASSY 280 DIA PRESSURE PLATE
 REINFORCED, 264042120105 ASSY WHEEL CYLINDER 22 22
 DIA REAR, 265154208270 SPEED SENSOR 12 24V 8 PULSE,
 503054209912 WATER IN FUEL INDICATOR, ASSY
 FLYWHEEL RING GEAR, F002A50025 ASSY FEED PUMP
 MECHANICAL, 252509120239 FUEL WATER SEPERATOR SPIN
 ON, 253420100130 ASSY WATER PUMP, 252320140104
 ASSY FAN PLASTIC MOULDED, 253450105822 RUBBER
 HOSE RAD TO WP, 581225601602 ASSY CLUTCH RELEASE
 BEARING, 269930100138 ASSY ACCELERATOR PEDAL
 COMP, 264154209962 WATER TEMP SENSOR, 281002214

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched
 Strings used in GeMARPTS

विड विवरण / Bid Details	ENGINE SPEED SENSOR, 281002514 BOOST PRESSURE TEMP SENSOR, 252520156305 CAUGED V BELT LONG1280,
	<p>RUBBER HOSE BELOW 253450205801, AIR FILTER PRIMARY SECONDARY , AIR COMPRESSURE CONN ROD BRG, AIR COMPRESSURE PISTON RING , VALVE SEAT INLET EXHAUST, AIR COMPRESSURE SLEEVE STD 252313103710, CLUTCH SLEEVE CYLINDER 263129010012, CLUTCH MASTER CYLINDER , PISTON PIN AC PISTON AND LOCK , SOLENOID SWITCH 25313146701, BUSH SET SELF TATA 407 BS III, ENGINE MOUNTING FRONT , ENGINE MOUNDING REAR, CAP RADIATOR , ENGINE OVERHAUL GASKET KIT UPPER, ENGINE OVERHAUL GASKET KIT LOWER, SLEEVE SALVAGE, MAIN BEARING SET, CONNECTING BEARING SET, CR BUSH, PISTON SET STD EURO III, PISTON RING SET STD, OIL PUMP, THERMOSTATE VALVE, FLY WHHEL RING, INTAKE VALVE, EXHAUST VALVE, VALVE GUIDE STEM INLET, VALVE GUIDE STEM EXHAUST, VALVE OIL SEAL INLET EXHAUST, VALVE SEAT INLET EXHAUST, THRUST WASHER, WATER PUMP ASSY, TEMP TRANUDCER, BELT TENSIONER, BELT V, LUBRICATION FILTER, FUEL FILTER , WATER SEPRATOR, DRAIN VALVE WATER SEPRATOR, CAM BUSH , PUSH ROD GASKIT COVER, HOSE PLAIN, HOSE CLAMP, SLEEVE CYLINDER CLUTCH , CLUTCH MASTER CYLINDER, ENGINE MOUNTING, U J ASSY STEERING, PRESSURE CAP OIL, WIPER BLADE, ANABOND, CLUTCH PLATE 330 DIA, CTUTCH COVER ASSY, CLUTCH RELEASE BRG, COTTON WASTE, NYLON ELECTRIC TAG TIA, EMERY PAPER ROUF, EMERY PAPER FINE, OLD DHOTI, AC PISTON SLEEVE STD , AC PISTON STD WITH PIN AND LOCK , AC PISTON RING STD , AC PISTON CON ROD BRG SET, VALVE SEAT INLET EXHAUST, LOW OIL PRESSURE SWITCH , PILOT BEARING , FLY WHEEL RING , ELEMENT AIR FILTER PRE, ELEMENT AIR FILTER SEC, ANABOND SEAL MAKER , AIRLADITE TUBE , TAPE INSULATER, BATTERY 12 VOLT 150 AH , BATTERY 12 VOLT 100AH, BATTERY 12 VOLT 65 AH, BATTERY 12 VOLT 07 AH, TARPOULION HOOD TATA 1613 5XTON, TARPOULION HOOD TATA 709, TYRE SIZE 235 65 R 17 TUBELESS</p>
	<p>Searched String: 09119M10042 BOLT</p> <p>Allen Bolt, U Bolt, Hexagonal Black Bolt as per BS : 916, Bolt / Bullet Seal, Ultra low temperature laboratory deep freezer, Coach Bolt, Nut and Washer (BHEL), Plain Washer as per IS 2016, Bolt Cutters as per IS 5200, water baths, STEEL BOLT(OFB-DEFENCE)</p> <p>Searched String: 09280M28008 O RING</p> <p>O-Ring Kit, Nitrile Coated/Nitrile Hand Gloves (V2), O-Ring Extraction tool, Fluid Power Systems O-Rings Conforming to IS 17891, Disposable Surgical Rubber Gloves (V2), NBR O - Ring for Self Closing Valves of LPG Cylinders, Nasogastric Tube (V2), Ped-O-Cycle, Nasal Cannula, Auramine O For Microscopy</p> <p>Searched String: 17670M83F00 THERMOSTATE VALVE</p> <p>Thermostate(BHEL), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Needle Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Sequence valve, General Purpose Ball Valves (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Angle Seat Valve, Cartridge Check Valve, Ultra low temperature laboratory deep freezer</p> <p>Searched String: 0928350002 OIL SEAL</p>

विड विवरण

Bid Details
Puf Seal, 15w - 40 Diesel Engine Oil, Bolt / Bullet Seal, Plastic Grip Seal, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, D Seal (Rubber), Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal), Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Hydraulic Cylinder Seal Kit, LCR Meter

Searched String: 12739M8L00 SEAL OIL CRANK SHAFT FRONT

LCR Meter

Searched String: 1134M75M00 SEAL CRANK SHAFT REAR

M - Seal as per IS 9197, Pectoral Fly / Rear Deltoid (Version 2), Metal Rolling Shutters as per IS 6248, LCR Meter

Searched String: 09400M36311CLAMP

true rms clamp meter, Surgical Clamps, Ultra low temperature laboratory deep freezer, water baths, Biosafety Cabinet, Laboratory Incubators, Parallel Bar - Outdoor Gym Equipment, Vacuum Oven, Deep freezer, Screw Drivers as per IS 844

Searched String: 09305M13002 BUSH SPRING SHACKLE

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Studs-IS:1862, LCR Meter, Circulating/Shaking Water Baths (FSSAI)

Searched String: 09381 19001 CIRCLIP

Circlips - IS 3075

Searched String: 09482M005514 SPARK PLUG

Spark plugs, Spark Arrestor, Plug Gauge, Ultra low temperature laboratory deep freezer, Rubber Plug, Laboratory Vials (V2), Electrical Plugs (V2) ISI Marked to IS 1293, water baths, Plain Plug Gauges as per IS 6137, Rubber Plug (V2)

Searched String: 11115M60311GUIDE VALVE

Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Angle Seat Valve, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cartridge Check Valve, Control Valve Pneumatic, Ultra low temperature laboratory deep freezer

Searched String: 11117 73G00 BOLT CYLIDER HEAD

Square Head Bolts, Coach Bolt, Nut and Washer (BHEL), Bolt / Bullet Seal, 3155 Series - Hexagonal Head Bolt (HAL), Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Hexagonal Head Bolts ISI marked to IS 1364 (Part 1)

Searched String: 11162 71C10 O RING CASE

O-Ring Kit, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, O-Ring Extraction tool, Nasogastric Tube (V2), Fluid Power Systems O-Rings Conforming to IS 17891, Gear Lubricants For Enclosed Industrial Gear Drives conforming

विड विवरण / Bid Details

to IS 8406, NBR O - Ring for Self Closing Valves of LPG Cylinders, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Intraocular Lenses (IOL), Online UPS (V2)

Searched String: 11179M71C11 GASKIT SPARK PLUG

Spark plugs, Spark Arrestor, Laboratory Vials (V2), Non Sparking Double Ended Ring Spanner as per IS 4595, Non Sparking Double Open Ended Spanner (V2)

Searched String: 11189M71C20 GASKIT CYLINDER HEAD COVER 4 VALVE

Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Gasket Cylinder Head, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Two Wheeler - Motorcycle, Scooter and Moped (V2), Handloom Cotton Pillow Covers (V3), modular electrical enclosure switch board boxes for modular type accessories, Answer Book/Booklets For Examinations (V3)

Searched String: 11341M72F10 HOUSING OIL SEAL

LCR Meter, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, M - Seal as per IS 9197, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Modular Table / Meeting Table / Centre Table (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Transmission oils, Revolving Chair (V5), Photoelectric Sensor

Searched String: 11349M60A20 GASKIT OIL SEAL HS

Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, LCR Meter, M - Seal as per IS 9197, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Transmission oils, Microscope immersion oil, Heavy duty diesel ultra oil, Washable Distemper-IS:428, Cutting Oil (V2)

Searched String: 111710M80020 MOUNTING ENGINE REAR

Evaporative Air Coolers (Desert Coolers) Conforming To IS 3315, Rotary Switch, Screw Drivers as per IS 844, Wheel Chairs (V2), Modular Table / Meeting Table / Centre Table (V2), Platform Trolley (V2), Truck Mounted Boom Lift Platform, Truck Mounted Suction Cum Jetting Machine, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, Pick and Carry Hydraulic Mobile Crane as per IS 4573 (Old Generation Hydra Crane with Rear Mounted Cabin)

Searched String: 1211M63E60 PISTON STD 04 VALVE MPFI

Category not available on GeM for the text string uploaded by the buyer

Searched String: PISTON RING MPFI

Piston Ring Compressor, Towel Rail / Ring for Bathroom, Piston Ring Expander, Piston Ring Set-IS:6621, IS:8422,

बिड विवरण / Bid Details

Piston Ring Compressor (V2), File/Folder (V3), Networking Trainer Educational Kit, Piston Pin, Axial Piston Pumps, Spiral Wound Metallic Gasket

Searched String: 12181M82030 025 BEARING SET CON ROD

Category not available on GeM for the text string uploaded by the buyer

Searched String: 12340M82000 025 BEARING SET CRANK SHAFT OS

Category not available on GeM for the text string uploaded by the buyer

Searched String: 12351M82020012 BEARING CRANK THRUST FIRST OS

Category not available on GeM for the text string uploaded by the buyer

Searched String: 12623M60A00 BEARING INPUT SHAFT

Tapered Bearings as per IS 12102, Mounted Bearings

Searched String: CYLINDER LINER STD

Cylinder Liner, Laboratory Graduated Cylinders as per IS 878, MIL-STD Digital Grounding System, Fire Breathing Apparatus (SCBA - EN 137), Polythene liner, Domestic Mugs - Bathroom, Polythene Liner (V2), Corrugated Boxes, Cylinder Stand, Non Sparking Cylinder Key-IS:4595

Searched String: 12761M70C20 BELT TIMING MPFI

Timing Belt, Online UPS (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Belt Waist Synthetic (ICK) (IAF), Flat Belt Conveyor (V2) as per IS 8597, Signal Analyzer

Searched String: 12810M71C22 TENSIONER ASSY TIMING BELT

Timing Belt, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Belt Waist Synthetic (ICK) (IAF), Conveyor and Elevator Textile Belting (General Purpose Belting) as per IS 1891, Synthetic Web Equipment Improved Version (MHA)

Searched String: 12911M71C20 INTAKE VALVE MPFI

Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Resilient Seated Cart Iron Air Relief Valves for Water Works Purposes as per IS:14845 (Latest), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Check Valve (V2) as per IS 778, Knife Edge Gate Valve, Globe Valve as per IS 778

Searched String: 12915M71C90 VALVE EXHAUST MPFI

Solenoid Valve with Spring Return In/Exhaust, Knife Edge Gate Valve, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, Sluice Valve For Water Works

विड विवरण / Bid Details	Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Resilient Seated Cart Iron Air Relief Valves for Water Works
	<p>Purposes as per IS:14845 (Latest), Cartridge Check Valve, Modular Toilet, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p> <p>Searched String: 12934M68K00 SEAL VALVE STEM</p> <p>Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643, M - Seal as per IS 9197, Coat Stand</p> <p>Searched String: 13421M83B10 GASKIT THROTTLE BODY</p> <p>Hopper Tipper Dumper for Garbage, Body Protector, Full Body Protector for Male (MHA), Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Medical Training kit with Human mannequins for medical education or training, Steel Trunk confirming to IS 7257 (V3), Rubberized Weight Plates, Foreign body (metal) detector for veterinary use, Heavy Body Impression Material, Mortuary Cabinet (V2)</p> <p>Searched String: 13780-83000 ELEMENT AIR CLEANER</p> <p>Element Filter Compressor, LCR Meter</p> <p>Searched String: 13401M830A1 ASSY THROTTLE BODY</p> <p>Mortuary Cabinet (V2), Hopper Tipper Dumper for Garbage, Hopper Tipper Dumper (Version 2), Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Steel Trunk confirming to IS 7257 (V3), Heavy Body Impression Material, Body Protector, Whole Body Vibration Unit (Machine), Body Composition Analyzer, Post Mortem Kit</p> <p>Searched String: 14140M52G00 GASKIT COMP EXHAUST MANIFOLD</p> <p>Kerosene oil fired bukhari complete with exhaust pipes (MHA), Lyophilizer, LCR Meter</p> <p>Searched String: 15410M830A1 FILTER ASSY FUEL</p> <p>Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499, Syringe Filter, Battery Operated Industrial Sweeper, ELEMENT SPIN ON OIL, Fuel Water Separator, Oil filter assembly for wheel loader</p> <p>Searched String: 15710M83F00 INJECTOR ASSY FUEL</p> <p>Injector Diagnosis and Cleaning System Kit For Educational Purpose, Marine fuels (Class F) conforming to IS 16731, Boot High Ankle PU Rubber Sole (Defence), M S Casing For Pulverised Fuel Mill (BHEL), Parallel Bar - Outdoor Gym Equipment</p> <p>Searched String: 16100M72A02 OIL PUMP ASSY M GYPSY</p> <p>Syringe Infusion Pump, LCR Meter, Submersible Pumps for Slurry Application, Sleeves for DVT Pump</p> <p>Searched String: 16119M82030 GASKIT OIL PUMP</p> <p>Transformer Oil Pump, Syringe Infusion Pump, Vacuum Pump Oil, Foot Valve (V2), Vacuum pump oils, Submersible Pumps for Slurry Application, Centrifugal Pump For Liquid</p>

विड विवरण/Bid Details Petroleum Oil Service as per IOCL Specifications,
Dewatering Pumps as per IS 10001, Sleeves for DVT Pump

Searched String: 16510M73070 FILTER ASSY OIL

Oil Filter Cartridges, Oil filter assembly for wheel loader, Oil Filtration Machine (NTPC), ELEMENT SPIN ON OIL, Industrial Kitchen Chimney

Searched String: 16520M83003 STAINER COMP OIL FILTER

Oil Filter Cartridges, Oil filter assembly for wheel loader, Oil Filtration Machine (NTPC), Element Filter Compressor, Industrial Kitchen Chimney, ELEMENT SPIN ON OIL, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Compressor oils Rail Road Service, Compressor oils, EFF Strip

Searched String: 17431M60820 GASKIT WATER PUMP

Water Pump Seals, water baths, Belt Drive Water Pump, Insulated water pump plier, Environmental Chamber, Centrifugal Cooling Water Pump (IOCL), Foot Valve (V2), Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, High Pressure Washer, Centrifugal Pump for Water Service (IOCL)

Searched String: 17521M86540 BELT WATER PUMP

Belt Drive Water Pump, water baths, Water Pump Seals, Insulated water pump plier, Environmental Chamber, Centrifugal Cooling Water Pump (IOCL), High Pressure Washer, Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, Bi Double Distillation Water Unit (V2), Centrifugal Pump for Water Service (IOCL)

Searched String: 22100M83060 COVER CLUTCH GYPSY

modular electrical enclosure switch board boxes for modular type accessories, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Auditorium Chair (V2), LCR Meter

Searched String: 22400M83060 DISC CLUTCH GYPSY

LCR Meter, Padlocks (नाले) conforming To Is 15275, Paper Cup (Dona) cum Paper Disc Machine Kit (Gujarat Govt), Paper Cup (Dona) cum Paper Disc Machine Kit (GRIMCO Gujarat Govt)

Searched String: 23265 70C00 BEARING CLUTCH RELEASE

LCR Meter, Tapered Bearings as per IS 12102

Searched String: 41331M62020 BUSH SPRING

Carbon Bush, Bush Bearing, Spring post, Spring Balance, LCR Meter, Spring Rider, Ultra low temperature laboratory deep freezer, Bush Set for lever & Armature for DCEM Brakes (SAIL), Rubber Diaphragms, Spiral Spring (SAIL)

Searched String: 41781M52030 RUBBER BUSH LOWER

Tracksuit, HT Tape, Boot High Ankle PU Rubber Sole (Defence), Self-amalgamating tape, Self Fusing Silicon Rubber Tape, Wheelbarrows (Two Wheels Type) as per IS 4184

बिड विवरण/Bid Details **Searched String:** 53200M83050 BRAKE SHOE REAR

Brake Liners, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Stainless Steel Shoe Rack, Platform Trolley (V2)

Searched String: 55810M70A00 BRAKE DISC PAD

Padlocks (ताले) conforming To Is 15275, Note Sheet Pad (Azure Laid) (V3), Writing Pad Chair, Self Propelled Combine Harvester Wheel Type, Chair for General Purpose, Self Adhesive Flags (V3), Glass Ionomer Cement for Dentistry, Body Protector, Sanitary Napkins, Disposable Sanitary Napkin/Panty Liner/Maternity Pad/Period Panty (V2) ISI Marked to IS 5405

Searched String: 17120 81A00 CLUTCH ASSY FAN

Category not available on GeM for the text string uploaded by the buyer

Searched String: WATER PUMP MARUTI GYPSY

Water Pump Seals, High Pressure Washer, Belt Drive Water Pump, Insulated water pump plier, Solar Photovoltaic Water Pumping Systems (V2) as per MNRE Specification, Centrifugal Cooling Water Pump (IOCL), Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, Centrifugal Pump for Water Service (IOCL), Submersible Sewerage Pump, Centrifugal Pump With Diesel Engine For Fire Water Service as per IOCL Specifications

Searched String: VALVE SEAT INT EXH MARUTI GYPSY

Category not available on GeM for the text string uploaded by the buyer

Searched String: EXPENSION PLUG CAM SHAFT

Category not available on GeM for the text string uploaded by the buyer

Searched String: CAM OIL SEAL MARUTI GYPSY

Category not available on GeM for the text string uploaded by the buyer

Searched String: GASKIT SET ENGINE OVERHOULING MARUTI GYPSY

Category not available on GeM for the text string uploaded by the buyer

Searched String: 253403990235 SET BARE PISTON GIL 4SP 497 BS III

Category not available on GeM for the text string uploaded by the buyer

Searched String: 253403990211 SET OF PISTON RINGS STD 4SP 497 BS III

Category not available on GeM for the text string uploaded by the buyer

Searched String: CYLINDER LINNER STD4SP 497 BS III

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	Searched String: MAIN BEARING010 OS TATA 407 BS III
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: BIG END BEARING 010 OS TATA 407 BS III</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: THRUST WASHER FIRST OS TATA 407 BS III</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CONNECTING ROD BUSH TATA 407 BS III</p> <p>Built up Trucks (V2)</p> <p>Searched String: 253405129020 VALVE INLET BS III EVL</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: 253405129020 VALVE EXHAUST BS III EVL</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: 253405153415 VALVE GUIDE INLET EXHAUST STD</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VALVE OIL SEAL INLET EXHAUST</p> <p>Solenoid Valve with Spring Return In/Exhaust, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Control valve Hydraulic Oils, Pressure Relief Device/Valve (PRV/PRD) For Oil Filled Transformer (BHEL), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643</p> <p>Searched String: CAM BUSH TATA 407 BS III</p> <p>Built up Trucks (V2)</p> <p>Searched String: CRANK OIL SEAL TATA 407 BS III</p> <p>Built up Trucks (V2), LCR Meter</p> <p>Searched String: 25203107802 SEALING RING HALF</p> <p>U-Sealing Rings (Nimonic) (BHEL), Spiral Wound Metallic Gasket, Asbestos Cement Pressure Pipe and Joints as per IS 1592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592</p> <p>Searched String: 253401990228 GASKET KIT ENG OVERHOUL 4SP TCIC BS III</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: 253318100102 ASSY OIL PUMP</p>

बिड विवरण / Bid Details

Transformer Oil Pump, Foot Valve (V2), Vacuum Pump Oil, Vacuum pump oils, Centrifugal Pump For Liquid Petroleum Oil Service as per IOCL Specifications, Dewatering Pumps as per IS 10001

Searched String: OIL PRESSURE SWITCH TATA 407 BS III

Built up Trucks (V2)

Searched String: 253418130174 ASSY OIL FILTER SPACIO BSIII

Category not available on GeM for the text string uploaded by the buyer

Searched String: 253420120143 ASSY THERMOSTATE 83 DEG

Category not available on GeM for the text string uploaded by the buyer

Searched String: 264125200134 ASSY 280 DIA CLUTCH DISC REINFORCED

Category not available on GeM for the text string uploaded by the buyer

Searched String: 264125400105 ASSY 280 DIA PRESSURE PLATE REINFORCED

Pressure Plate

Searched String: 264042120105 ASSY WHEEL CYLINDER 22 22 DIA REAR

Category not available on GeM for the text string uploaded by the buyer

Searched String: 265154208270 SPEED SENSOR 12 24V 8 PULSE

Switch Mode Power Supply (SMPS) as per IS 14886:, IV Cannula Fixator Dressing, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063

Searched String: 503054209912 WATER IN FUEL INDICATOR

Fuel Water Separator, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Level Indicator (Hydrological), Phase Indicator, Environmental Chamber, Phenolphthalein indicator, Universal Indicator, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Jumbo Process Indicator, Hamam Water Heating Device (Defense)

Searched String: ASSY FLYWHEEL RING GEAR

Category not available on GeM for the text string uploaded by the buyer

Searched String: F002A50025 ASSY FEED PUMP MECHANICAL

Feeding Pump, Submersible Sewerage Pump, Shredding Machine/Paper Shredder, Mobile Storage Compactors, Peristaltic Pump, Solar Photovoltaic Water Pumping Systems (V2) as per MNRE Specification

विड विवरण / Bid Details **Searched String:** 252509120239 FUEL WATER SEPERATOR SPIN ON

Category not available on GeM for the text string uploaded by the buyer

Searched String: 253420100130 ASSY WATER PUMP

Water Pump Seals, High Pressure Washer, Belt Drive Water Pump, Insulated water pump plier, Solar Photovoltaic Water Pumping Systems (V2) as per MNRE Specification, Centrifugal Cooling Water Pump (IOCL), Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, Submersible Sewerage Pump, Centrifugal Pump for Water Service (IOCL), Centrifugal Pump With Diesel Engine For Fire Water Service as per IOCL Specifications

Searched String: 252320140104 ASSY FAN PLASTIC MOULDED

Plastic Moulded Watch Box, Plastic Moulded Table - Preschool Kit, Keyboard Trays (V2), Plastic and Plastic Moulded Products from Bhiwani, Haryana - ODOP, Plastic and Plastic Moulded Products from Sonipat, Haryana - ODOP, Plastic Moulded Polymer Trunk Case as per IS 1146, Auditorium Chair (V2), Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Poly-pallets for bag storage godowns (V2) Conforming to IS 13664, Plastic Ice Box (V2)

Searched String: 253450105822 RUBBER HOSE RAD TO WP

Rubber Hoses and Hose Assemblies for Water Suction and Discharge Conforming to IS 3549, Rubber Steam Hose (V2) as per IS 10655, Rubber Steam Hose as per IS 10655

Searched String: 581225601602 ASSY CLUTCH RELEASE BEARING

LCR Meter

Searched String: 269930100138 ASSY ACCELERATOR PEDAL COMP

Category not available on GeM for the text string uploaded by the buyer

Searched String: 264154209962 WATER TEMP SENSOR

Temperature sensor, Temperature & Humidity Sensor, Electrostatic Liquid Cleaner, PHPA for Water Shut off (Low Temperature) (ONGC), Water - Drinking and Sanitation (V2), Hydrolyzed Polyacrylamide (PHPA) for Water Shut off (High Temperature) (ONGC)

Searched String: 281002214 ENGINE SPEED SENSOR

Wind Speed & Direction Sensor, Ribbon Blender Mixer, Triaxial Test Apparatus (Single Speed), Agriculture rotavator

Searched String: 281002514 BOOST PRESSURE TEMP SENSOR

Pressure Sensor, Digital Pressure Transmitter, Temperature sensor, Dial type indicating Pressure Gauges, Temperature & Humidity Sensor, High-Pressure High-Temperature Reactor, High Temperature High Pressure Table Top Sample

बिड विवरण / Bid Details	Dyeing Machine
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: 252520156305 CAUGED V BELT LONG1280</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Spin Bike, Exercise Bike, Shaping Machine</p> <p>Searched String: RUBBER HOSE BELOW 253450205801</p> <p>Rubber Steam Hose (V2) as per IS 10655, Hydraulic Hose, Cotton braided pneumatic rubber hose, Black Flexible Rubber Hose Pipe, Rubber Chemical Hose-IS 7654, Rubber Hoses and Hose Assemblies for Water Suction and Discharge Conforming to IS 3549, Rubber Steam Hose as per IS 10655, Rubber Welding Hoses as per IS 447, Air Hoses as per IS 446:1987</p> <p>Searched String: AIR FILTER PRIMARY SECONDARY</p> <p>Air Pre Filter, Vehicle Mounted Air Filter, Element Filter Compressor, Air Sampler, Primary and Secondary Injection Test Kit for CT_VT and Relay Tester, Respiratory Filter - Full Face Masks, Filter cum Pressure Regulator, Flange type industrial air filters</p> <p>Searched String: AIR COMPRESSURE CONN ROD BRG</p> <p>Connecting Rod Assembly, Mining Drill Rod, artificial airway cpap catheter mounts or catheter mount with connector, WELDING ELECTRODE - Air arc gouging electrode (BEML) - as per C4117 BEML Welding Electrode</p> <p>Searched String: AIR COMPRESSURE PISTON RING</p> <p>Piston Ring Compressor, Piston Ring Set-IS:6621, IS:8422, Piston Ring Expander, Piston Ring Compressor (V2), Hand Rower (V2)</p> <p>Searched String: VALVE SEAT INLET EXHAUST</p> <p>Angle Seat Valve, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Solenoid Valve with Spring Return In/Exhaust, Body Seat Ring For Non Return Valve-IS:5312, Resilient Seated Cast Iron Air Relief Valves for Water Works Purposes as per IS:14845 (Latest), RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES</p> <p>Searched String: AIR COMPRESSURE SLEEV E STD 252313103710</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CLUTCH SLEEVE CYLINDER 263129010012</p> <p>LCR Meter</p> <p>Searched String: CLUTCH MASTER CYLINDER</p> <p>Shrub Master, Laboratory Graduated Cylinders as per IS 878, PCR Master Mix, Dentine Bonding Master, Domestic Mugs - Bathroom, Cylinder Stand, LCR Meter, Cylinder heads, Cylinder Liner, Laboratory Vials (V2)</p>

बिड विवरण/Bid Details **Searched String:** PISTON PIN AC PISTON AND LOCK

Category not available on GeM for the text string uploaded by the buyer

Searched String: SOLENOID SWITCH 25313146701

Solenoid Valve (V2), Layer 2 Access Switch (V2), Solenoid Valve (V3), Electric Solenoid Operated Actuators-IS:8935, Isolator switch, Modular Piano Type Domestic Electrical Switches as per IS 3854, Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch, Switch Fuse Unit

Searched String: BUSH SET SELF TATA 407 BS III

Built up Trucks (V2)

Searched String: ENGINE MOUNTING FRONT

Mounting plate, Modular Table / Meeting Table / Centre Table (V2), Cardigan (Open Front) (MHA), Rotary Switch, Television Mounting stand, Pin Up Notice Board (V2), Wall Mounting Cabinet, General Operating Table, Marine Engine Oil, Wooden Shoe Rack

Searched String: ENGINE MOUNDING REAR

Pectoral Fly / Rear Deltoid (Version 2), Modular Table / Meeting Table / Centre Table (V2), Marine Engine Oil, Wheel Chairs (V2), 15w - 40 Diesel Engine Oil, Revolving Chair (V5), Diesel Engine as per IS 10001, Platform Trolley (V2), Automotive Chassis Fitted with Engine (V2), trolleys or accessories

Searched String: CAP RADIATOR

Radiator as per Drawing (BHEL), Medical Caps Conforming to IS 17629, Radiator Hose as per IS 2765, Cap Comforter, Cap Glacier, peak cap, Centrifuge Tubes (V2), Welding Cap, Box Strapping Machine, Blanking cap

Searched String: ENGINE OVERHAUL GASKET KIT UPPER

Cold Start Pilot Kit, Medical Training kit with Human mannequins for medical education or training, TERA Package 1 - Robotics and Automation High end Engineering (ASoSE), TERA Package 2 - Robotics and Automation High end Engineering (ASoSE)

Searched String: ENGINE OVERHAUL GASKET KIT LOWER

Cold Start Pilot Kit, TERA Package 1 - Robotics and Automation High end Engineering (ASoSE), TERA Package 2 - Robotics and Automation High end Engineering (ASoSE), Spiral Wound Metallic Gasket, PTFE Non Metallic Gasket, Grooved gasket

Searched String: SLEEVE SALVAGE

Protective Sleeve, Drill Sleeve, PT Uniform (T - Shirt Half Sleeve) (Defence), Speedi sleeve, Shirts Plain Weave Polyester and Cotton Full Sleeve, Sleeve Tubes (BHEL), T - Shirt (Indian Coast Guards), Leather Hand Sleeve - BHEL, Adaptor sleeve along with locknut and washer, Electrical Sleeves as per IS 11654, IS 5831

Searched String: MAIN BEARING SET

बिड विवरण / Bid Details

Cylindrical Roller bearing set, Sofa (V3), BEARING ISOLATOR, Bearing (BHEL), Power Generator - DG Set (up to 900 KVA), Fan Bearing, Bush Bearing, Bearing Induction Heater, Super Bearing Grease, Desk and Bench Set for Classroom/Training Area

Searched String: CONNECTING BEARING SET

Cylindrical Roller bearing set, Sofa (V3), Connecting Rod Assembly, Sterile Connecting Device, Power Generator - DG Set (up to 900 KVA), BEARING ISOLATOR, Bearing (BHEL), Fan Bearing, Bush Bearing, Desk and Bench Set for Classroom/Training Area

Searched String: CR BUSH

Carbon Bush, Bush Bearing, Weld Mesh Febric as per IS 4948, CR Type Surge Suppressor Upto 33 kV (BHEL), Impact socket, Bush Set for lever & Armature for DCEM Brakes (SAIL), Insect Killer, COMPUTED RADIOGRAPHY SYSTEM, tray mess compartmented ss army pattern, Potassium Dichromate (V2)

Searched String: PISTON SET STD EURO III

Piston Ring Set-IS:6621, IS:8422

Searched String: PISTON RING SET STD

Piston Ring Compressor, Piston Ring Set-IS:6621, IS:8422, Piston Ring Expander, Retort Ring with Boss Head, Piston Ring Compressor (V2)

Searched String: OIL PUMP

Transformer Oil Pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Vacuum Pump Oil, Foot Valve (V2), Vacuum pump oils, Submersible Pump Set (Three Phase) (V2) as per IS 8034:2018, Centrifugal Pump For Liquid Petroleum Oil Service as per IOCL Specifications, Dewatering Pumps as per IS 10001, Descaling Pump, Self Priming Centrifugal Pump as per IS 5120

Searched String: THERMOSTATE VALVE

Thermostate(BHEL), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Needle Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Sequence valve, General Purpose Ball Valves (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Cartridge Check Valve

Searched String: FLY WHHEL RING

Shouldary Double Fly Tent, Flying Insect Control Traps - Fly Catcher, Pectoral Fly / Rear Deltoid (Version 2), Backing Ring, Towel Rail / Ring for Bathroom, Wiro Ring, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), Tennikoit Ring, File/Folder (V3), Basketball Ring

Searched String: INTAKE VALVE

Needle Valve, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Sequence valve, Sluice Valve

विड विवरण / Bid Details For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Angle Seat

Valve, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cartridge Check Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic

Searched String: EXHAUST VALVE

Solenoid Valve with Spring Return In/Exhaust, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Diesel Exhaust Fluid, Kerosene oil fired bukhari complete with exhaust pipes (MHA), PULLEY FOR EXHAUST FAN, Kitchen Chimney, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Propeller Type AC Ventilating Fans (Exhaust Fan) (V3) Conforming To IS 2312, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Needle Valve

Searched String: VALVE GUIDE STEM INLET

Category not available on GeM for the text string uploaded by the buyer

Searched String: VALVE GUIDE STEM EXHAUST

Solenoid Valve with Spring Return In/Exhaust

Searched String: VALVE OIL SEAL INLET EXHAUST

Solenoid Valve with Spring Return In/Exhaust, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Control valve Hydraulic Oils, Pressure Relief Device/Valve (PRV/PRD) For Oil Filled Transformer (BHEL), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643

Searched String: VALVE SEAT INLET EXHAUST

Angle Seat Valve, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Solenoid Valve with Spring Return In/Exhaust, Body Seat Ring For Non Return Valve-IS:5312, Resilient Seated Cart Iron Air Relief Valves for Water Works Purposes as per IS:14845 (Latest), RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES

Searched String: THRUST WASHER

Thrust Bearing (BHEL), Lock Washer, Nylon washer, High Pressure Washer, Square Washer(BHEL), ELISA Plate Washer (V2), Plain Washer as per IS 2016, ELISA reader and washer, Adaptor sleeve along with locknut and washer, Tab Washer-IS:8068

Searched String: WATER PUMP ASSY

Water Pump Seals, water baths, Belt Drive Water Pump, Insulated water pump plier, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Environmental Chamber, Centrifugal Cooling Water Pump (IOCL), Centrifugal Pump For Fecal Water Handling as per IOCL Specifications, Styling Chair / Salon Chair / Swiveling Barber Chair

Searched String: TEMP TRANSDUCER

Thermowells, Multiparameter pH or mV or ISE or Temp

बिड विवरण / Bid Details

Meter, Malt Based Foods with Cocoa (TEMP) (Defence), Retro - Fit Emission Control Equipment for Diesel

Generators, Dial type indicating Pressure Gauges, Dial Type Bimetallic Temperature Gauge / Thermometer as per EN 13190, Collagen Membrane Barrier for Orthopedic & Dental Surgeries, Dial Type Liquid Expansion Temperature Gauge / Thermometer, Dial Type Gas Expansion Temperature Gauge / Thermometer, Charge Fire Ext Mech Foam 9 L for High Altitude and Sub Zero Temp Conditions (Defence)

Searched String: BELT TENSIONER

Belt Trainer, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Timing Belt, Belt Oil skimmer, Weigh Belt Feeder, Industrial Safety Belts and Harnesses as per IS 3521, Leather belt (MHA), Waist / Lumbar Traction Belt (V2), V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Belt Clasp (Brass) for Gram Prahari (UP)

Searched String: BELT V

V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Insulation Tester, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, PENICILLIN V, Small Angle Grinders, Belt Trainer, Timing Belt, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Belt Oil skimmer, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369

Searched String: LUBRICATION FILTER

Control Lubrication Systems, Laboratory Filter Papers, Single Point Lubrication System, Bag filter, Syringe Filter, Filter Cartridge, Filter Sand, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Pollen filter, Bacterial / Viral Filters (V2)

Searched String: FUEL FILTER

Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499, Laboratory Filter Papers, Bag filter, Filter Cartridge, Syringe Filter, Filter Sand, Pollen filter, Bacterial / Viral Filters (V2), Breath Analyser, Fuel Water Separator

Searched String: WATER SEPRATOR

Water Aerator/Water Automiser, water baths, Water Boiler, Water - Drinking and Sanitation (V2), Mineral Water, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Aerated Water, Environmental Chamber, Water Jugs, Water Tech

Searched String: DRAIN VALVE WATER SEPRATOR

Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Electronic Auto drain valve, Foot Operated Water Valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Fittings and Accessories for Power Transformer, Drain Valve and Flanges as per IS:3639, Under Water Sealed Chest Drainage System (Bag), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Under Water Sealed Chest Drainage System

(Container), Electrostatic Liquid Cleaner

बिड विवरण / Bid Details

Searched String: CAM BUSH

Carbon Bush, Commercial CPVC Pipe Fittings, Bush Bearing, Bush Set for lever & Armature for DCEM Brakes (SAIL), CPVC Industrial Pipe Fittings, Schedule 80, Visual Presenters (V2), Body Worn Camera (V2), Manually Operated Knapsack Sprayer, Retinal Camera or Fundus Camera for Eye Neonatal Screening - RBSK, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

Searched String: PUSH ROD GASKIT COVER

Covered Electrode for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel (V2) ISI marked to IS 814, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Auditorium Chair (V2)

Searched String: HOSE PLAIN

Hose assembly, Hose connector, Black Flexible Rubber Hose Pipe, Coolant Hose, EPDM hose, Hydraulic Hose, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Teflon hose, Sutures (V3), Rubber Steam Hose (V2) as per IS 10655

Searched String: HOSE CLAMP

Hose Clamp as per IS 4762, true rms clamp meter, Burette Clamp, SCAFFOLDING CLAMP, Pipe Clamps (V2), Surgical Clamps, Hose assembly, Substation Clamps / Connectors, Hose connector, Fire Hose Cabinet

Searched String: SLEEVE CYLINDER CLUTCH

Protective Sleeve, Laboratory Graduated Cylinders as per IS 878, Drill Sleeve, Speedi sleeve, Cylinder Stand, LCR Meter, Cylinder heads, Domestic Mugs - Bathroom, Cylinder Liner, Sleeve Tubes (BHEL)

Searched String: CLUTCH MASTER CYLINDER

Shrub Master, Laboratory Graduated Cylinders as per IS 878, PCR Master Mix, Dentine Bonding Master, Domestic Mugs - Bathroom, Cylinder Stand, LCR Meter, Cylinder heads, Cylinder Liner, Laboratory Vials (V2)

Searched String: ENGINE MOUNTING

Mounting plate, Modular Table / Meeting Table / Centre Table (V2), Television Mounting stand, Rotary Switch, Wall Mounting Cabinet, General Operating Table, Marine Engine Oil, Projector Mounting Stand (V2), Metal Storage Cabinet, Anti vibration mounting pad

Searched String: U J ASSY STEERING

Cat 6 Patch Panel (V2), Cat 6 Patch cord, Tapered Bearings as per IS 12102

Searched String: PRESSURE CAP OIL

Extreme Pressure Gear Oil as per IS 1118, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Cap Comforter, Cap Glacier, blood pressure recording units, peak cap, Gear

विड विवरण / Bid Details

Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3)
Conforming to IS 1118, Welding Cap, Autoclave (Horizontal),

Blanking cap

Searched String: WIPER BLADE

Domestic Wiper/Wiper Mopper (V3), Wiper Ceiling Bungl,
Vehicle Wiper Motor, JigSaw Blade, knife blades, Band saw
blade, Hand Held Brush Cutter (V2), SHEARING MACHINE
BLADE, Carbide Chain Saw, Blade Server (V2)

Searched String: ANABOND

Silicone sealant, Thread Locking Adhesive, Silicon Sealent,
Cyanoacrylate Adhesive

Searched String: CLUTCH PLATE 330 DIA

Pressure Plate, LCR Meter

Searched String: CTUTCH COVER ASSY

RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME
ASSY (203BS43) (BHEL), Vehicle Cover, quilt cover, Cover
Slip, Battery Cover, Pin Up Notice Board (V2), Bulk Packing
of TSM Assy (BSF), LCR Meter, Automotive wheel cover,
Steering Wheel Cover

Searched String: CLUTCH RELEASE BRG

Release Base Paper, Rust Release penetrate spray,
Hydrostatic Release Unit (HRU), Interferon - Gamma Release
Assay (IGRA), LCR Meter, Pressure Plate, Release Base
Paper (V2) Conforming to IS 14619, Fire Hoses with Delivery
Coupling, Fire Hose (Type - 2) with Instantaneous Male /
Female Coupling (PNG)

Searched String: COTTON WASTE

Cotton Yarn Waste (V2) as per IS 5485, Cleaning Duster
(V3), Waste Container (V3), Medical Waste Incinerator, Bio -
Medical Waste Collection Bags (Biohazard Bags), Cotton
Saree, Shorts Cotton, Foot Operated Pedal Bin or Bucket for
Bio - Medical Waste Collection, Cotton Stockinette, Markin
Cloth (V2)

Searched String: NYLON ELECTRIC TAG TIA

Sanitizing Machine (V2), Hand Held Brush Cutter (V2)

Searched String: EMERY PAPER ROUF

Emery Cloth, Emery Cloth Plain Weave Roll, Emery Powder
Grit # 120-IS 3178, pH Paper, Blotting paper, Disposable
Paper Cup, Paper Pouches, Paper weights, Graph paper,
Plotter Paper Roll (V2)

Searched String: EMERY PAPER FINE

Emery Cloth, Calcium carbonate (Fine), Emery Cloth Plain
Weave Roll, Writing and Printing Papers Conforming to IS
1848 (Part 1), ALUMINIUM METAL FINE POWDER, Disposable
Paper Cup, Emery Powder Grit # 120-IS 3178, Fine
Aggregate (V2) Conforming to IS 383, Plotter Paper Roll
(V2), pH Paper

Searched String: OLD DHOTI

बिड विवरण / Bid Details

Cotton Dhoti for Gram Prahari (UP), Pick and Carry Hydraulic Mobile Crane as per IS 4573 (Old Generation Hydra Crane

with Rear Mounted Cabin), Bleached White Dhoti as per Jharkhand Government, Second Hand Empty Gunny Bags(V2), Peddapuram Silk Dhoties, Uppers and Shirtings from Kakinada - ODOP

Searched String: AC PISTON SLEEVE STD

Category not available on GeM for the text string uploaded by the buyer

Searched String: AC PISTON STD WITH PIN AND LOCK

Category not available on GeM for the text string uploaded by the buyer

Searched String: AC PISTON RING STD

Piston Ring Compressor, Piston Ring Set-IS:6621, IS:8422, Piston Ring Expander, Piston Ring Compressor (V2)

Searched String: AC PISTON CON ROD BRG SET

Category not available on GeM for the text string uploaded by the buyer

Searched String: VALVE SEAT INLET EXHAUST

Angle Seat Valve, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Solenoid Valve with Spring Return In/Exhaust, Body Seat Ring For Non Return Valve-IS:5312, Resilient Seated Cart Iron Air Relief Valves for Water Works Purposes as per IS:14845 (Latest), RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES

Searched String: LOW OIL PRESSURE SWITCH

Digital Pressure Switch, Portable Fire Extinguishers (V2) ISI Marked to IS 15683, Differential Pressure Switch (BHEL), Low Temperature Gloves- (Oil PSU), Extreme Pressure Gear Oil as per IS 1118, Low Pressure Steam Condensate Pump (IOCL), Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2)

Searched String: PILOT BEARING

Cold Start Pilot Kit, BEARING ISOLATOR, Bearing (BHEL), Fan Bearing, Bush Bearing, Cloth Dryer Stand, Bearing Induction Heater, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Super Bearing Grease, Roller Bearing (BHEL)

Searched String: FLY WHEEL RING

Shouldary Double Fly Tent, Revolving Chair (V5), Wheel Loaders, Household Sewing Machine Head, Buffing Wheel, Platform Trolley (V2), Unitized Wheel, Wheel Chairs (V2), Wheel Worm, Flying Insect Control Traps - Fly Catcher

Searched String: ELEMENT AIR FILTER PRE

Element Filter Compressor, Air Pre Filter, Vehicle Mounted

बिड विवरण / Bid Details

Air Filter, Air Sampler, Respiratory Filter - Full Face Masks, ELEMENT SPIN ON OIL, Filter cum Pressure Regulator, Filter Pressure Value Test Equipment, Precision Air Conditioner, Pre-Connected/Customized Heart Lung Tubing Pack

Searched String: ELEMENT AIR FILTER SEC

Element Filter Compressor, Air Pre Filter, Vehicle Mounted Air Filter, Air Sampler, ELEMENT SPIN ON OIL, Respiratory Filter - Full Face Masks, Flange type industrial air filters, Full Body Scanner as per MHA QRs

Searched String: ANABOND SEAL MAKER

Puf Seal, POLYELECTROLYTE FOR WATER MAKER - ONGC, Gasket sealing Compound, Athanu Maker Kit (Gujarat Govt), Bolt / Bullet Seal, Spiral Wound Metallic Gasket, Plastic Grip Seal, D Seal (Rubber), Roti Maker Industrial Bread Making Machine, Polytetrafluoroethylene (PTFE) Thread Sealing Tape

Searched String: AIRLADITE TUBE

Polyurethane Tube, Blood Collection Tube, Fusion Tube, Copper Tube 104.9mm-OFB, Fitness Tube, Endotracheal Tube - Sterile (Single Use), Resistance Tube, Brass Tube 18A-OFB, Nasogastric Tube (V2), Endotracheal Tubes (V2)

Searched String: TAPE INSULATER

Tape Cartridge / Tape Media, Elastic Surgical Adhesive Tapes (V2), Measuring Tape, Caution / Crime Scene Tape (V2), Aluminum Tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Empire Tape, HT Tape, Foam Tape, Nylon Tape

Searched String: BATTERY 12 VOLT 150 AH

Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Wall Clocks (Battery Operated) (V2) Conforming to IS 12510, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, Voltmeter - Analog (Panel Meter) as per IS 1248, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651

Searched String: BATTERY 12 VOLT 100AH

Wall Clocks (Battery Operated) (V2) Conforming to IS 12510, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Voltmeter - Analog (Panel Meter) as per IS 1248, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, Online UPS (V2), Stationary Lead Acid Batteries (with Tubular Positive Plates)

बिड विवरण / Bid Details	in Monobloc Containers as per IS 13369, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651
	<p>Searched String: BATTERY 12 VOLT 65 AH</p> <p>Wall Clocks (Battery Operated) (V2) Conforming to IS 12510, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Voltmeter - Analog (Panel Meter) as per IS 1248, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, Battery Secondary Lead Acid MT Type (Defence), Lithium - Ion Cells and Batteries for Portable Application (Rechargeable Batteries) as per IS 16047 / IEC 61960</p> <p>Searched String: BATTERY 12 VOLT 07 AH</p> <p>Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Wall Clocks (Battery Operated) (V2) Conforming to IS 12510, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Voltmeter - Analog (Panel Meter) as per IS 1248, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, Battery Secondary Lead Acid MT Type (Defence)</p> <p>Searched String: TARPOULION HOOD TATA 1613 5XTON</p> <p>Power Generator - DG Set (up to 900 KVA), Fire Proximity Suit Accessories - Fireman Anti Flash Hood, Great Coat Short with Hood</p> <p>Searched String: TARPOULION HOOD TATA 709</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: TYRE SIZE 235 65 R 17 TUBELESS</p> <p>Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply Marked to IS 15633, Automotive Vehicles - Pneumatic Tyres for Passenger Car Vehicles - Diagonal and Radial Ply as per IS 15633, Solid Cushion Tyres (V2), Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, Pneumatic Tyres for Commercial Vehicles - Diagonal and</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Radial Ply Marked to IS 15636 • Utility Vehicle
बीओक्यू शीर्षक /BOQ Title	VEHICLE SPARE PARTS AND FITMENT ITEMS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	3 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	09119M10042 BOLT
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	500000
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation

बिड विवरण/Bid Details

मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15

<p>सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference</p>	25
--	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in

this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

09119M10042 BOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

09280M28008 O RING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

17670M83F00 THERMOSTATE VALVE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

0928350002 OIL SEAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

12739M8L00 SEAL OIL CRANK SHAFT FRONT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

1134M75M00 SEAL CRANK SHAFT REAR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

09400M36311CLAMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	10	15

09305M13002 BUSH SPRING SHACKLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	10	15

09381 19001 CIRCLIP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	8	15

09482M005514 SPARK PLUG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	15

11115M60311GUIDE VALVE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	16	15

11117 73G00 BOLT CYLINDER HEAD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	6	15

11162 71C10 O RING CASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

11179M71C11 GASKIT SPARK PLUG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	15

11189M71C20 GASKIT CYLINDER HEAD COVER 4 VALVE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

11341M72F10 HOUSING OIL SEAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

11349M60A20 GASKIT OIL SEAL HS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

111710M80020 MOUNTING ENGINE REAR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

1211M63E60 PISTON STD 04 VALVE MPFI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	15

PISTON RING MPFI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	15

12181M82030 025 BEARING SET CON ROD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

12340M82000 025 BEARING SET CRANK SHAFT OS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

12351M82020012 BEARING CRANK THRUST FIRST OS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

12623M60A00 BEARING INPUT SHAFT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CYLINDER LINER STD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

12761M70C20 BELT TIMING MPFI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

12810M71C22 TENSIONER ASSY TIMING BELT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

12911M71C20 INTAKE VALVE MPFI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	8	15

12915M71C90 VALVE EXHAUST MPFI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	8	15

12934M68K00 SEAL VALVE STEM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	16	15

13421M83B10 GASKIT THROTL E BODY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

13780 83000 ELEMENT AIR CLEANER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

13401M830A1 ASSY THROTTLE BODY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

14140M52G00 GASKIT COMP EXHAUST MANIFOLD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

15410M830A1 FILTER ASSY FUEL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

15710M83F00 INJECTOR ASSY FUEL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	4	15

16100M72A02 OIL PUMP ASSY M GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

16119M82030 GASKIT OIL PUMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

16510M73070 FILTER ASSY OIL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

16520M83003 STAINER COMP OIL FILTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

17431M60820 GASKIT WATER PUMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

17521M86540 BELT WATER PUMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

22100M83060 COVER CLUTCH GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

22400M83060 DISC CLUTCH GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

23265 70C00 BEARING CLUTCH RELEASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

41331M62020 BUSH SPRING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	10	15

41781M52030 RUBBER BUSH LOWER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	10	15

53200M83050 BRAKE SHOE REAR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

55810M70A00 BRAKE DISC PAD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

17120 81A00 CLUTCH ASSY FAN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

WATER PUMP MARUTI GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

VALVE SEAT INT EXH MARUTI GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

EXPENSION PLUG CAM SHAFT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CAM OIL SEAL MARUTI GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

GASKIT SET ENGINE OVERHOULING MARUTI GYPSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

253403990235 SET BARE PISTON GIL 4SP 497 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

253403990211 SET OF PISTON RINGS STD 4SP 497 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CYLINDER LINER STD4SP 497 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

MAIN BEARINGG OS 010

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

BIG END BEARING 010 OS TATA 407 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

THRUST WASHER FIRST OS TATA 407 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CONNECTING ROD BUSH TATA 407 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

253405129020 VALVE INLET BS III EVL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

253405129020 VALVE EXHAUST BS III EVL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

253405153415 VALVE GUIDE INLET EXHAUST STD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

VALVE OIL SEAL INLET EXHAUST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CAM BUSH TATA 407 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CRANK OIL SEAL TATA 407 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

25203107802 SEALING RING HALF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

253401990228 GASKET KIT ENG OH 4SP TCIC BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

253318100102 OIL PUMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

OIL PRESSURE SWITCH TATA 407

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

253418130174 ASSY OIL FILTER SPACIO BSIII

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

253420120143 ASSY THERMOSTATE 83 DEG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

264125200134 ASSY 280 DIA CLUTCH DISC REINFORCED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

264125400105 ASSY 280 DIA PRESSURE PLATE REINFORCED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

264042120105 ASSY WHEEL CYLINDER 22 22 DIA REAR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	4	15

265154208270 SPEED SENSOR 12 24V 8 PULSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

503054209912 WATER IN FUEL INDICATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

ASSY FLYWHEEL RING GEAR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

F002A50025 ASSY FEED PUMP MECHANICAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

252509120239 FUEL WATER SEPERATOR SPIN ON

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

253420100130 ASSY WATER PUMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

252320140104 ASSY FAN PLASTIC MOULDED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

253450105822 RUBBER HOSE RAD TO WP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

581225601602 ASSY CLUTCH RELEASE BEARING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

269930100138 ASSY ACCELERATOR PEDAL COMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

264154209962 WATER TEMP SENSOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

281002214 ENGINE SPEED SENSOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

281002514 BOOST PRESSURE TEMP SENSOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

252520156305 CAUGED V BELT LONG1280

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

RUBBER HOSE BELOW 253450205801

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

AIR FILTER PRIMARY SECONDARY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

AIR COMPRESSURE CONN ROD BRG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

AIR COMPRESSURE PISTON RING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

VALVE SEAT INLET EXHAUST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

AIR COMPRESSURE SLEEVE STD 252313103710

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CLUTCH SLEEVE CYLINDER 263129010012

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CLUTCH MASTER CYLINDER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

PISTON PIN AC PISTON AND LOCK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

SOLENOID SWITCH 25313146701

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

BUSH SET SELF TATA 407 BS III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

ENGINE MOUNTING FRONT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

ENGINE MOUNDING REAR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

CAP RADIATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

ENGINE OVERHAUL GASKET KIT UPPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

ENGINE OVERHAUL GASKET KIT LOWER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

SLEEVE SALVAGE TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	6	15

MAIN BEARING SET TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CONNECTING BEARING SET TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CR BUSH TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

PISTON SET STD EURO III

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

PISTON RING SET STD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

OIL PUMP TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

THERMOSTATE VALVE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

FLY WHHEL RING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

INTAKE VALVE TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

EXHAUST VALVE TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

VALVE GUIDE STEM INLET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

VALVE GUIDE STEM EXHAUST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

VALVE OIL SEAL INLET EXHAUST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

VALVE SEAT INLET EXHAUST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

THRUST WASHER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

WATER PUMP ASSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

TEMP TRANSDUCER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

BELT TENSIONER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

BELT V TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

LUBRICATION FILTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

FUEL FILTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

WATER SEPRATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

DRAIN VALVE WATER SEPRATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CAM BUSH TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

PUSH ROD GASKIT COVER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

HOSE PLAIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

HOSE CLAMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	4	15

SLEEVE CYLINDER CLUTCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

CLUTCH MASTER CYLINDER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

ENGINE MOUNTING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

U J ASSY STEERING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

PRESSURE CAP OIL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

WIPER BLADE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

ANABOND

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

CLUTCH PLATE 330 DIA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CTUTCH COVER ASSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

CLUTCH RELEASE BRG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

COTTON WASTE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	5	15

NYLON ELECTRIC TAG TIA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	10	15

EMERY PAPER ROUF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	10	15

EMERY PAPER FINE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	10	15

OLD DHOTI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	5	15

AC PISTON SLEEVE STD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

AC PISTON STD WITH PIN AND LOCK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

AC PISTON RING STD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

AC PISTON CON ROD BRG SET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

VALVE SEAT INLET EXHAUST

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

LOW OIL PRESSURE SWITCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

PILOT BEARING TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

FLY WHEEL RING TATA 1613

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

ELEMENT AIR FILTER PRE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

ELEMENT AIR FILTER SEC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

ANABOND SEAL MAKER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	2	15

AIRLADITE TUBE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

TAPE INSULATER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	2	15

BATTERY 12 VOLT 150 AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	3	15

BATTERY 12 VOLT 100AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

BATTERY 12 VOLT 65 AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

BATTERY 12 VOLT 07 AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	1	15

TARPOULION HOOD TATA 1613 5XTON

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

TARPOULION HOOD TATA 709

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHAL LI TALUK(562135)	1	15

TYRE SIZE 235 65 R 17 TUBELESS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ / Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kapoor	562135,OFFICE OF THE DEPUTY INSPECTOR GENERAL OF POLICE, I.T.B.P, OLD GOVERNMENT HOSPITAL BUILDING,BESIDE NEW BUS STAND,VIJAYAPURA,DEVANHALI TALUK(562135)	10	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---