

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 04-03-2026 19:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 04-03-2026 19:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 120 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Bihar |
| विभाग का नाम/Department Name | Urban Development & Housing Department Bihar |
| संगठन का नाम/Organisation Name | Urban Development And Housing Department |
| कार्यालय का नाम/Office Name | Baisi Nagar Panchayat |
| कुल मात्रा/Total Quantity | 120 |
| वस्तु श्रेणी /Item Category | Twister - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Multi Adjustable Bench (V2) (Q3) , Functional Trainer (Q4) |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 50 Lakh (s) |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) | 100 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 1 Year (s) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |

| बिड विवरण/Bid Details | |
|---|---|
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन /Past Performance | 10 % |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule | 50% Lowest Priced Technically Qualified Bidders |
| लागू आरसीएम/RCM Applicable | Yes |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Twister - Outdoor Gym Equipment |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 3 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Payment Timelines | Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount | 260000 |

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

EXECUTIVE OFFICER

BAISI NAGAR PANCHAYAT, Urban Development & Housing Department Bihar, Urban Development and Housing Department,

(Executive Officer , Nagar Panchayat Baisi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$ | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the

date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

जीएसटी की धारा 9(3)|/Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

7. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

जीएसटी की धारा 9(3) / Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

Twister - Outdoor Gym Equipment (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| TYPE | Type | Double Twister (Both Standing), Double Twister (Both Sitting), Double Twister (One standing and one sitting), Triple Twister (Three standing), Triple Twister (Three Sitting), Tripple Twister (Two standing, one sitting), Tripple Twister (one standing, two sitting), Single Twister Standing, Single Twister Sitting |
| CAPACITY | Maximum User Weight (Kg) | 100, 110, 120 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Central Pipe | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | Grade Material as per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Standing/ Sitting Twister Frame Pipe | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe, 50 mm Nominal Bore G.I. Pipe |
| | Standing/ Sitting Twister Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, Not Applicable |
| | Grade Material as per table 2 IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Rotating Disk Support Pipe at Bottom Pipe | 80 mm Nominal Bore G.I. Pipe, 100 mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150 mm Nominal Bore G.I. Pipe |
| | Rotating Disk Support Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10mm Thickness, Not Applicable |
| | Grade Material (as per table 2 of IS 1161) | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Handle Frame Pipe | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, Not Applicable |
| | Grade Material per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | Grade Material (as per table 2 of IS 1161) | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | M S Foundation Plate Thickness | 10, 12 (millimeter) |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|--|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Chest Press - Outdoor Gym Equipments (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| TYPE | Type | Chest Press Single, Chest Press Double |
| CAPACITY | Maximum User Weight (Kg) | 100, 110, 120 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Central Pipe | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Handle Frame | 32mm Nominal bore G.I. pipe, 40mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Seat Frame | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Seat Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Connecting Links | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 10mm thick MS plates, 12mm thick MS plates |
| | Connecting Links Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | Foot Rest Pipe | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | MS Foundation Plate Thickness | 10, 12 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Seat and Back Rest | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges, 3mm thick, HDPE with uniform bending radius to avoid sharp edges, 6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges, 2.5mm thick, M.S. Perforated with uniform bending radius to avoid sharp edges, 3mm thick, LLDPE with uniform bending radius to avoid sharp edges |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| | | | | | | |
|--|---|------------------------------|---|---|-----------------------|--------------------------------------|
| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicabl e | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|--|--|
| TYPE | Type | Two Wheel, Three Wheel |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Central Pipe construction | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Ring (Wheel) | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe |
| | Ring (Wheel) Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Pipe of Spokes of Wheel | 15mm Nominal bore G.I. pipe, 20mm Nominal bore G.I. pipe |
| | Pipe of Spoke of Wheel , Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| Connector Pipe (between Main Central Pipe and Wheel) | 32 mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe, 50 mm Nominal bore G.I. pipe | |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Connector Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | MS Foundation Plate Thickness | 10, 12 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|--|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Parallel Bar - Outdoor Gym Equipment (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--|--|---|
| Material | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Vertical / Standing Pipes | 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe, 50 mm Nominal Bore G.I. Pipe, 80 mm Nominal Bore G.I. Pipe, 100 mm Nominal Bore G.I. Pipe, 25mm Nominal Bore G.I. Pipe |
| | Vertical/ Standing Pipes, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, Not applicable |
| | Horizontal Pipe | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe, 50 mm Nominal Bore G.I. Pipe |
| | Horizontal Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, Not applicable |
| | Grade Material as per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 3 mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 3 mm |
| | Nominal Bore of Foundation Pipe | 32 mm, 40 mm, 50 mm, 80 mm, 100 mm, 38 mm |
| Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 | |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, Not Applicable |
| | M S Foundation Plate Thickness | 10, 12 (millimeter) |
| | Bearings | Ball Bearing, Tapered Roller Bearing, N.A. |
| | Foot Rest | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| Other Requirements | Installation | Included, Not Included |
| Certification | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| Warranty | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|---|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Air Walker / Stroller - Outdoor Gym Equipment (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| TYPE | Type | Single, Double |
| CAPACITY | Maximum User Weight (Kg) | 100, 110, 120 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Frame | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | leg movement frame | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 50mm Nominal Bore G.I. Pipe |
| | Leg Movement Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Handle Frame | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| | MS Foundation Plate Thickness | 10, 12 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|---|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Leg Press - Outdoor Gym Equipments (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| TYPE | Type | Leg Press Single, Leg Press Double |
| CAPACITY | Maximum User Weight (Kg) | 100, 110, 120 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Central Pipe | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Moving Frame Pipe | 32mm Nominal bore G.I. pipe, 40mm Nominal bore G.I. pipe |
| | Moving Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Foot Rest Frame/ Foot Rest Hinging Pipe | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for M.S. Plates |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Connecting Links | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 10mm thick MS plates, 12mm thick MS plates |
| | Connecting Links Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | MS Foundation Plate Thickness | 10, 12 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| | Seat and Back Rest | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges, 3mm thick, HDPE with uniform bending radius to avoid sharp edges, 6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges, 2.5mm thick, M.S. Perforated with uniform bending radius to avoid sharp edges, 3mm thick, LLDPE with uniform bending radius to avoid sharp edges |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicabl e | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|------------------------------|---|---|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Surf Board - Outdoor Gym Equipment (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| TYPE | Type | Single, Double |
| CAPACITY | Maximum User Weight (Kg) | 100, 110, 120 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Central Pipe | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | Grade Material as per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Movement (Paddle) Frame | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 50mm Nominal Bore G.I. Pipe |
| | Movement (Paddle) Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, Not Applicable |
| | Grade Material as per table 2 IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Connecting Links | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe, 10 mm thick MS plates, 12 mm thick MS plates |
| | Connecting Links Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, Not Applicable |
| | Grade Material (as per table 2 of IS 1161) | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Handle Frame | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, Not Applicable |
| | Grade Material per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | Grade Material (as per table 2 of IS 1161) | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | M S Foundation Plate Thickness | 10, 12 (millimeter) |
| | Bearings | Ball Bearing, Tapered Roller Bearing |
| | Foot Rest | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicabl e | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|------------------------------|---|---|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Sit Up Board - Outdoor Gym Equipment (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| TYPE | Type | Single Station, Double Station |
| MATERIAL | Type of Back Rest | Perforated Sheet, Set of Rectangular Flat Pipes, Plain Sheet |
| | Material of Back Rest | Fibre Reinforced Plastic, Mild Steel Plate, LDPE, HDPE, Galvanized Iron(GI) |
| | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest, BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes, No |
| | Main Frame/Central Pipe | 50mm Nominal Bore G.I. Pipe, 80mm Nominal Bore G.I. Pipe, 100 mm Nominal Bore G.I. Pipe, 125mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | Main Frame/Central Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, 50 mm NB with 2.9mm Thickness, 50 mm NB with 3.6mm Thickness, 50 mm NB with 4.5 mm Thickness, Not Applicable |
| | Grade of Material as per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|--|
| | Foot Rest Pipe | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 50mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe , Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, Not Applicable |
| | Grade of Material as per table 2 IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Back Rest Frame Pipe and Connecting Links | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe |
| | Back Rest Frame Pipe and Connecting Links, Class as per IS 1239 | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, Not Applicable |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Leg Support Pipe | 32mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe, 50mm Nominal bore G.I. pipe |
| | Leg Support Pipe , Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6mm Thickness, 50 mm NB with 4.5mm Thickness, Not Applicable |
| | Grade of Material per table 2 of IS 1161 | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm, 125mm, 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy, Not applicable for pipe as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|--|
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | M S Foundation Plate Thickness | 10, 12 (millimeter) |
| OTHER REQUIREMENTS | Installation | Included, Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2, 3, 4, 5 (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|--|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Multi Adjustable Bench (V2) (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| Frame Description | Material of Frame | Colled Rolled Mild Steel |
| | Thickness | 14 gauge, 15 gauge, 16 gauge |
| Warranty | Warranty on Frame (in years) | 1, 2, 3, 4, 5 Or higher (year) |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकार 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|---|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

Functional Trainer (12 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------------|---|---|
| Generic | Material | MS, SS, Iron |
| | Surface Finish | Powder Coated, Polished, Colour Coated, electrostatically applied, heat-cured powder coat |
| Warranty/Service | Warranty | 6, 12, 18, 24 Or higher (month) |
| Certifications and Standards | ISO 9001 Certification of Manufacturer | Yes, No Or higher |
| | Certification of product | Quality Test, Durability Test |

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

| जीएसटी पर इनपुट कर क्रेडिट /ITC on GST | जीएसटी उपकर कर क्रेडिट /ITC on GST Cess | लागू आरसीएम/R CM Applicable | रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM | रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM | GST Cess 2 as per RCM | वैकल्पिक रिवर्स प्रभार /Optional RCM |
|--|---|-----------------------------|---|--|-----------------------|--------------------------------------|
| NA | NA | Yes | 18% | NA | 1 (INR) - Per Unit | No |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|--|------------------|------------------------------|
| 1 | Krish Raj | 854315,OFFICE OF THE EXECUTIVE OFFICER NAGAR PANCHYAT BAISI PURNIA | 12 | 120 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

All participants are requested to follow the ATC document along with this for quoting and supply of the mentioned items and its technical specification

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---