

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-03-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-03-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	197
वस्तु श्रेणी /Item Category	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 (Q3) , Bathroom Water Shower (V2) (Q3) , Health Faucet (Q3) , Prelaminated particle OR MDF board one side teak wood 8FEETx4FEETFEETx18mm , Towel Rail CP 600mm , PVC connection 15 mm dia 450 mm long , Seat Cover plastic for EWC Black colour , Shower rose PVC 15 mm , GI Pipe 15mm dia , Flushing Cistern PVC low level 10 Ltr Capacity Complete , Seat Cover plastic for EWC White Colour , Waste pipe 32 mm PVC dia for WHB Flexible and stretchable , Looking Mirror Rectangular fibre frame 600 x 450 x 5mm , Waste pipe PVC 40mm 750 mm long Flexible and stretchable , Hydraulic Door closer , PBS Roll , Connection pipe for Geyser 1.5 Ft length , Grating CP 125mm , MS sliding door bolt 300mm length , Butt hinges MS 100mm , GI Nipple 15mm 50mm long , Alluminium sliding door bolt 300mm , GI Tee equal 15 mm , Grating CP 100 mm round doom , GI elbow 15 mm , GI Socket 15 mm , PVC Washer for CP Bib Cock PVC Conntection , PVC Rawl Plug 3 inch , PVC Rawl Plug 2 inch , PVC Rawl Plug 1.5 inch , PVC Rawl Plug 1 inch

**बिड विवरण/Bid Details**

**GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS**

Prelaminated particle/MDF board one side teak wood 8'x4"x18mm, Towel Rail CP 600mm, PVC connection 15 mm dia 450 mm long, Seat Cover plastic for EWC Black colour, Shower rose PVC 15 mm , GI Pipe 15mm dia , Flushing Cistern PVC low level 10 Ltr Capacity Complete, Seat Cover plastic for EWC White Colour, Waste pipe 32 mm PVC dia for WHB (Flexible & stretchable), Looking Mirror Rectangular fibre frame 600 x 450 x 5mm, Waste pipe PVC 40mm 750 mm long (Flexible & stretchable), Hydraulic Door closer, PBS Roll, Connection pipe for Geyser 1.5 Ft length, Grating CP 125mm, MS sliding door bolt 300mm length, Butt hinges MS 100mm, GI Nipple 15mm 50mm long, Aluminium sliding door bolt 300mm, GI Tee equal 15 mm, Grating CP 100 mm round doom , GI elbow 15 mm, GI Socket 15 mm, PVC Washer for CP Bib Cock PVC Connection, PVC Rawl Plug 3", PVC Rawl Plug 2", PVC Rawl Plug 1 1/2", PVC Rawl Plug 1"

**Searched String:** Prelaminated particle/MDF board one side teak wood 8'x4"x18mm

Modular Extendable Conference Table (V2), Prelaminated MDF Board, Foot Rest

**Searched String:** Towel Rail CP 600mm

Towel Rail, Towel Rail / Ring for Bathroom, Towel Rail / Ring / Rack / Hooks for Bathroom, Pencil / Die Grinder (V2), Towel Ring

**Searched String:** PVC connection 15 mm dia 450 mm long

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Grain Storage Bin (V2)

**Searched String:** Seat Cover plastic for EWC Black colour

Disposable Sheet Cover for Car Seat, Toilet Seat Covers (V2), Cover for Diaries (V2), Auditorium Chair (V2), Plastic Seats and Covers for Water - Closets as per IS 2548, Tableware Made of Melamine Plastics as per IS 9220, Consumables for PVC Card Printer, Light Weight Tactical Boot for COBRA Police

**Searched String:** Shower rose PVC 15 mm

(Vitreous China) - Shower Rose-IS:2556, PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Bathroom Water Shower (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS

विड विवरण/Bid Details 4985, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

**Searched String:** GI Pipe 15mm dia

Rigid GI Pipe (BHEL), Pipe Clamps (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), Polyethylene Pipes for Water Supply, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Polyethylene Pipes for Water Supply conforming to IS 4984, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Commercial PPR Pipes Fittings as per IS 15801

**Searched String:** Flushing Cistern PVC low level 10 Ltr Capacity Complete

Flushing Cistern, Ceramic ( Vitreous China ) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

**Searched String:** Seat Cover plastic for EWC White Colour

Disposable Sheet Cover for Car Seat, Toilet Seat Covers (V2), Cover for Diaries (V2), Auditorium Chair (V2), Plastic Seats and Covers for Water - Closets as per IS 2548, T - Shirt White Half Sleeves Round / Full Neck for Ministerial Staff of CAPFS (MHA) QRs, Cover Paper (V2) Conforming to IS 6956, RP - 54 Acknowledgement Due Card

**Searched String:** Waste pipe 32 mm PVC dia for WHB (Flexible & stretchable)

Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Flexible Drain Hoses for Wash Basins/ Sinks

**Searched String:** Looking Mirror Rectangular fibre frame 600 x 450 x 5mm

Light Weight Folding Rectangular Table, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Rabbit/Guinea Pigs Caging System

**Searched String:** Waste pipe PVC 40mm 750 mm long (Flexible & stretchable)

PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Black Flexible Rubber Hose Pipe, Flexible Drain Hoses for Wash Basins/ Sinks, Unplasticized PVC Pipes for Water Supply conforming to IS 4985

**Searched String:** Hydraulic Door closer

HYDRAULICALLY REGULATED DOOR CLOSERS, Metal Storage Cabinet, Hydraulically Regulated Door Closers conforming to IS 3564, Bag Closer Machine (Bag sealing tools or equipment), Curtains (V2), door mats, Sliding door, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Vault (Strong Room) Door as per IS 11188, Styling Chair / Salon Chair / Swiveling Barber Chair

**Searched String:** PBS Roll

बिड विवरण / Bid Details	Strapping Roll, Edge Roll, Bitumen Felts for Water Proofing and Damp Proofing as per IS 1322, Phosphate Buffered Saline, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Electrostatic Roll Separator, ALO Cloth Roll, Tapered Bearings as per IS 12102, Thermal Paper (V3) Conforming to IS 17568, Plotter Paper Roll (V2)
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> Connection pipe for Geyser 1.5 Ft length</p>
	<p>Pigtails for Fiber Cable Connection, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service</p>
	<p><b>Searched String:</b> Grating CP 125mm</p>
	<p>Fibre Reinforced Plastic Grating(FRP Grating), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), GI Grating ( in Number), GI Grating (in MT), Lea Grating Paddles for Vision Testing, Dry Erase Writing Boards (V3), HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Ankle CPM (V2), Club Foot CPM (V2), Pin Up Notice Board (V2)</p>
	<p><b>Searched String:</b> MS sliding door bolt 300mm lentgh</p>
	<p>Sliding Doors (V2), Cast Iron Bench, Tower Bolts (Ferrous Metals) as per IS 204</p>
	<p><b>Searched String:</b> Butt hinges MS 100mm</p>
	<p>Non - Ferrous Metal Butt Hinges as per IS 205, Parallel Bar - Outdoor Gym Equipment, Steel Butt Hinges as per IS 1341, Stainless Steel Butt Hinges as per IS 12817, Cast Iron Bench, Theft Proof Rifle Racks, Grain Storage Bin (V2), M.S Stopper for Traffic Control (Portable Barrier), Auditorium Chair (V2), Desktop Calculator - Electronics</p>
	<p><b>Searched String:</b> GI Nipple 15mm 50mm long</p>
	<p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Dry Erase Writing Boards (V3), Pin Up Notice Board (V2), Roti Making Machine, Dak Pad (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, scissors, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Pipe Clamps (V2)</p>
<p><b>Searched String:</b> Alluminium sliding door bolt 300mm</p>	
<p>Sliding door, Curtains (V2), Sliding Doors (V2), Heated Display Case - Hot Case (V2), Microscopes Slide Coverslips as per IS 3099, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Laboratory Refrigerator, Bolt Cutters as per IS 5200, U Bolt</p>	
<p><b>Searched String:</b> GI Tee equal 15 mm</p>	
<p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Parallel</p>	

विड विवरण / Bid Details

Bar - Outdoor Gym Equipment, Commercial PPR Pipes Fittings as per IS 15801, Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Twin Elbows and Sweep Tees, Male, Equal conforming to IS 1239 (Part 2), Y - Pieces and Angle Tees, Male, Equal conforming to IS 1239 (Part 2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

**Searched String:** Grating CP 100 mm round doom

Bathroom Water Shower (V2)

**Searched String:** GI elbow 15 mm

Commercial PPR Pipes Fittings as per IS 15801, Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778

**Searched String:** GI Socket 15 mm

Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Mild Steel Sheet, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Parallel Bar - Outdoor Gym Equipment, Socket Unions conforming to IS 1239 (Part 2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plug Cocks for Water Supply Purposes conforming to IS 3004, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721

**Searched String:** PVC Washer for CP Bib Cock PVC Connection

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** PVC Rawl Plug 3"

Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Skipping Rope (V2), Unplasticized PVC Pipes for Potable Water Supplies as

विड विवरण / Bid Details	per IS 4985
	<p><b>Searched String:</b> PVC Rawl Plug 2"</p> <p>Plug confirming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Plug and Socket Distribution Board, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694</p> <p><b>Searched String:</b> PVC Rawl Plug 1 1/2"</p> <p>BCAA 2:1:1 Powder, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Test Sieves as per IS 460 (Part 1 and Part 2), LT Spacer, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Plug and Socket Distribution Board, Isoprothiolane, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p> <p><b>Searched String:</b> PVC Rawl Plug 1"</p> <p>Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Plug and Socket Distribution Board, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), Keyboard for Personal Computers (V2) as per IS 14441, PVC Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Plane Mirror Strip Holder</li> </ul>
बीओक्यू शीर्षक /BOQ Title	BR MAINT STORE FOR GE DINJAN NO 2 FOR QE DEC 2025
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes   Complete

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / <b>Startup Relaxation for Years Of Experience and Turnover</b>	Yes   Complete
विक्रेता से मांगे गए दस्तावेज़/ <b>Document required from seller</b>	Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ <b>Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	3
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	No
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
अनुमानित बिड मूल्य / <b>Estimated Bid Value</b>	29358.1
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

## ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

## एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

## एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall

upload the supporting documents to prove his eligibility for Relaxation.

5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## **Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 3 pieces )**

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

### **तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

<b>विवरण/Specification</b>	<b>विशिष्टि का नाम /Specification Name</b>	<b>बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)</b>
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 1 Bib tap
	<b>Dimension</b>	As per table 4 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	3	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 6 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 9763</b>	Yes
	<b>Product Type</b>	Plastic Bib Tap
	<b>Nominal Size (in mm)</b>	15 mm (1/2")
	<b>Hot/Cold Identification of Control Devices</b>	Blue Color or Letter C for Cold Water
Materials	<b>Material of Body of Tap/ Valve</b>	PVC (conforming to 9766)
	<b>Material of Bonnet of Tap/ Valve</b>	ABS
	<b>Material of Spindle of Tap/ Valve</b>	ABS
	<b>Material of Handle of Tap/ Valve</b>	ABS
	<b>Material of Seal of Tap/ Valve</b>	Rubber
Dimensions & Construction	<b>Dimensions (in mm)</b>	Bib Taps (As per Table 3 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	6	15

**Bathroom Water Shower (V2) ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	<b>Type of shower</b>	Overhead shower (Wall mount with shower arm)
	<b>Material of body/face plate</b>	Brass
	<b>Finish of face plate</b>	Chrome plated

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Water Flow	Only Rainfall
	Type of Multiple flow	NA
	Shape of Shower	Round
Dimensions	Size of Shower	75 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	200
Warranty	Warranty (in Years)	2

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	15

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	Conforming to IS 8931
Type	Item	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material	Material of body, body components, nozzle , bonnet and back nuts	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Stainless steel sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	Yes
	Flow straightening device fitted with tap	Yes
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	15

**Health Faucet ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Pressure rating (Bar)	1.5
	Flow Rate , Minimum (lpm)	10, 11 Or higher
Material & Construction	Material of construction	Stainless Steel
	Hose Material	Stainless Steel
	Hose length ( in meters)	1.5
	Handle Type	Lever
	Anti bacterial coating	Yes

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Stop Valve
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	PVC (conforming to 9766)
	Material of Bonnet of Tap/ Valve	ABS
	Material of Spindle of Tap/ Valve	ABS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Handle of Tap/ Valve	ABS
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Stop Valves (As per Table 5 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	5	15

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with external thread
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Stainless steel sheet
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Extruded brass rods

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Zinc base alloys
Generic	Aerating device fitted with tap	No
	Flow straightening device fitted with tap	No
Warranty	Warranty (in months)	12

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 5 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Plastic Bib Tap
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	ABS
	Material of Bonnet of Tap/ Valve	ABS

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Spindle of Tap/ Valve	ABS
	Material of Handle of Tap/ Valve	ABS
	Material of Seal of Tap/ Valve	Nitrile PVC
Dimensions & Construction	Dimensions (in mm)	Bib Taps (As per Table 3 of IS 9763)

**Additional Specification Parameters - PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
PVC BIB TAP 15MM LONG BODY	PVC BIB TAP 15MM LONG BODY

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	5	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 1 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Pillar Tap
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Materials	Material of Body of Tap/ Valve	PVC (conforming to 9766)
	Material of Bonnet of Tap/ Valve	ABS
	Material of Spindle of Tap/ Valve	ABS
	Material of Handle of Tap/ Valve	ABS
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	Dimensions (in mm)	Pillar Taps (As per Table 4 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	15

**PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 9763	Yes
	Product Type	Stop Valve
	Nominal Size (in mm)	20 mm (3/4")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
Materials	Material of Body of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Bonnet of Tap/ Valve	PBT (conforming to IS 13193)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Spindle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Handle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Seal of Tap/ Valve	Thermoplastic Polyester based Elastomaster
Dimensions & Construction	Dimensions (in mm)	Stop Valves (As per Table 5 of IS 9763)

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	15

**Prelaminated Particle OR MDF Board One Side Teak Wood 8FEETx4FEETFEETx18mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	28	20

**Towel Rail CP 600mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	20

**PVC Connection 15 Mm Dia 450 Mm Long**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	11	20

**Seat Cover Plastic For EWC Black Colour**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	20

**Shower Rose PVC 15 Mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	4	20

**GI Pipe 15mm Dia**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	8	20

**Flushing Cistern PVC Low Level 10 Ltr Capacity Complete**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	20

**Seat Cover Plastic For EWC White Colour**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

**Waste Pipe 32 Mm PVC Dia For WHB Flexible And Stretchable**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	19	20

**Looking Mirror Rectangular Fibre Frame 600 X 450 X 5mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
-------------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

### **Waste Pipe PVC 40mm 750 Mm Long Flexible And Stretchable**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	20	20

### **Hydraulic Door Closer**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	20

**PBS Roll**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	5	20

**Connection Pipe For Geyser 1.5 Ft Length**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

**Grating CP 125mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	3	20

**MS Sliding Door Bolt 300mm Length**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

**Butt Hinges MS 100mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	3	20

**GI Nipple 15mm 50mm Long**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	18	20

**Alluminium Sliding Door Bolt 300mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	20

**GI Tee Equal 15 Mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	6	20

**Grating CP 100 Mm Round Doom**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	6	20

**GI Elbow 15 Mm**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	11	20

### GI Socket 15 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	5	20

### PVC Washer For CP Bib Cock PVC Conntection

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	1	20

### PVC Rawl Plug 3 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

### PVC Rawl Plug 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

### PVC Rawl Plug 1.5 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

### PVC Rawl Plug 1 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Tinsukia	2	20

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Bidder must upload OEM price List (of concerned item, clearly readable, legible copy with date of issue of price List with bidder sign & bidder firm seal on it).

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---