

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-03-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-03-2026 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
कुल मात्रा/Total Quantity	2666
	Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 26WC4PA JSS 50860 As per Drg , Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 26WE8SN JSS 50860 As per Drg , Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 26WB98SN JSS 50860 As per Drg , Aluminium Alloy connector straight receptacle olive drab chromate over cadmium plate with protective cap D38999 24WB98SN JSS 50860 As per Drg , Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 26WB35SN JSS 50860 As per Drg , Back shell for connector L Angle for HS boot 13 38999 3 comma 4 R 440HJ030NF1305 63 , Connector cable 17 38999 440HJ030NF1705 , Back shell for connector L Angle for HS boot 11 38999 3 comma 4 R 440HJ030NF 1105 063 , Back shell for connector straight for HS boot 11 38999 3 comma 4 1 440HS027NF 1104 2 063 , Back shell for connector L Angle for HS boot 11 38999 3 comma 4 RA S4173FM6506R 34 , Back shell for connector L Angle for HS boot 13 38999 3 comma 4 R 440HJ030NF1104 63 , Band clamp Band IT ID 0 point 88 inches Width 0 point 120 inches for back shell 600 057 , Band clamp Band IT ID 1 point 80 inches Width 0 point 240 inches for back shell 600 052 , Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K132 25 0 , Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K121 25 0 , Boot heat shrinkable strain relief with meltable inner wall for adhesive 222K132 25 , Adhesive epoxy polyamid kit S1125 KIT 8 , Gromet sealing plug No 20 MS27488 20 2 , Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 342A124 25 0 , Boot heat shrinkable strain relief with meltable inner wall for

बिड विवरण / Bid Details	
<p>वस्तु श्रेणी /Item Category</p>	<p>adhesive for 30 degree transition 362A014 25 , Boot heat shrinkable strain relief with meltable inner wall for adhesive for T transition 301A034 25 , HS Sleeve black 19 6 mm TFD 3 4 , Copper tin coated shielded round braid 0 point 375 inchs ID A A 59569R36T0375 , Copper tin coated shielded round braid 0 point 203 inchs ID A A 59569R36T0203 , HS Sleeve black 0 point 375 inchs 0 point 187 inchs 9 point 5 4 point 7 mm M23053 16 002 0 , HS Sleeve black 0 point 750 inchs 0 point 375 inchs 19 9 point 5 mm M23053 16 104 0 , HS Sleeve black 0 point 250 inchs 0 point 125 inchs 6 point 4 3 point 2 mm M23053 16 001 0 , Marking sleeve white Printable tubing 3 4 inchs dia x 2 inchs long TMS SCE 3 4 2 point 0 9 , HS Sleeve clear 0 point 750 inchs 0 point 375 inchs 19 9 point 5 mm RT 375 3 4 , Marking sleeve white Printable tubing 3 8 inchs dia x 2 inchs long TMS SCE 3 8 2 point 0 9 , HS Sleeve clear 0 point 375 inchs 0 point 187 inchs 9 point 5 4 point 7 mm M23053 18 207 C , Plug gromet sealing No 22 MS27488 22 01 , Copper wire tin coated solid 26 AWG QQ W 343S26S1T , Tape electrical teflon 12 point 7 mm width 60 O 5IN WIDTH , Electrical cable copper multi conductor tin coated 20 AWG irradiation cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight yellow colour M81044 12 20 4 , Electrical cable copper multi conductor tin coated 16 AWG irradiation cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight black colour M81044 12 16 1 , Electrical cable 2 core Copper multi conductor tin coated black and white colour comma 12 AWG comma radiation cross linked modified ETFE insulated shielded with tin coated copper braid , Electrical cable 2 core Copper multi conductor tin coated black and white colour comma 16 AWG comma radiation cross linked extruded polyalkene and polyvinylidene flouride insulated , Electrical cable copper multi conductor tin coated 22 AWG irradiation cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight grey colour , HS Sleeve black 0 point 240 inchs 0 point 080 inchs 6 2 mm ATUM6 2 0 STK , HS Sleeve black 0 point 120 inchs 0 point 040 inchs 3 1 mm M23053 4 301 0 , ATC Binding wire 0 point 3 mm dia , Insulation tape PVC black 18 mm width , Kapton tape , Masking tape , Solder soft 16 SWG , Solder flux , ISO Prophyl Alcohol IPA , Plastic cover 80 microns 18 inchs x24 inchs , Permanent marker pen black</p>
	<p>Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WC4PA :JSS : 50860 As per Drg, Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WE8SN JSS : 50860 As per Drg, Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WB98SN JSS : 50860 As per Drg, Aluminium Alloy connector straight receptacle olive drab chromate over cadmium plate with protective cap D38999/24WB98SN JSS : 50860 As per Drg, Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WB35SN JSS : 50860 As per Drg, Back shell for connector L Angle for HS boot #13 38999-3,4 R 440HJ030NF1305-63, Connector cable #17 38999 440HJ030NF1705, Back shell for connector L Angle for HS boot #11 38999-3,4 R 440HJ030NF 1105-063, Back shell for connector straight for HS boot #11 38999-3,4 1 440HS027NF 1104-2-063, Back shell for connector L Angle for HS boot #11 38999-3,4 RA S4173FM6506R-34, Back shell for connector L Angle for HS boot #13 38999-3,4 R 440HJ030NF1104-63, Band clamp (Band-IT) ID 0.88" Width 0.120" for back shell 600-057,</p>

बिड विवरण / Bid Details	
<p>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</p>	<p>Band clamp (Band-IT) ID 1.80" Width 0.240" for back shell 600-052, Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K132-25-0, Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K121-25-0, Boot heat shrinkable strain relief with meltable inner wall for adhesive 222K132-25, Adhesive epoxy polyamid kit S1125 KIT-8, Gromet sealing plug No 20 MS27488-20-2, Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 342A124-25-0, Boot heat shrinkable strain relief with meltable inner wall for adhesive for 30 degree transition 362A014-25, Boot heat shrinkable strain relief with meltable inner wall for adhesive for T transition 301A034-25, HS Sleeve black 19/6 mm TFD 3/4, Copper tin coated shielded round braid 0.375" ID A-A-59569R36T0375, Copper tin coated shielded round braid 0.203" ID A-A-59569R36T0203, HS Sleeve black 0.375"/0.187" (9.5/4.7 mm) M23053/16-002-0, HS Sleeve black 0.750"/0.375" (19/9.5 mm) M23053/16-104-0, HS Sleeve black 0.250"/0.125" (6.4/3.2 mm) M23053/16-001-0, Marking sleeve white (Printable tubing) 3/4" dia x 2" long TMS-SCE-3/4-2.0-9, HS Sleeve clear 0.750"/0.375" (19/9.5 mm) RT-375-3/4, Marking sleeve white (Printable tubing) 3/8" dia x 2" long TMS-SCE-3/8-2.0-9, HS Sleeve clear 0.375"/0.187" (9.5/4.7 mm) M23053/18-207-C, Plug gromet sealing No 22 MS27488-22-01, Copper wire tin coated solid 26 AWG QQ-W-343S26S1T, Tape electrical teflon 12.7 mm width 60-O-5IN WIDTH, Electrical cable copper multi conductor tin coated 20 AWG irradiation - cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight yellow colour M81044/12-20-4, Electrical cable copper multi conductor tin coated 16 AWG irradiation - cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight black colour M81044/12-16-1, Electrical cable 2 core Copper multi conductor tin coated black and white colour, 12 AWG ,radiation - cross linked modified ETFE insulated shielded with tin coated copper braid and white jacketed (600V) 55A1121-12-0/9-9, Electrical tin cable 2 core Copper multi conductor tin coated black and white colour, 16 AWG ,radiation - cross linked extruded polyalkene and polyvinylidene flouride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1121-16-9/0-9, Electrical cable copper multi conductor tin coated 22 AWG irradiation - cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight grey colour M81044/12-22-8, HS Sleeve black 0.240"/0.080" (6/2 mm) ATUM6/2-0-STK, HS Sleeve black 0.120"/0.040" (3/1 mm) M23053/4-301-0, ATC Binding wire 0.3 mm dia, Insulation tape PVC black 18 mm width, Kapton tape, Masking Tape, Solder soft 16 SWG, Solder flux, ISO Prophyl Alcohol IPA, Plastic cover 80 microns 18"x24", Permanent marker pen black</p>
	<p>Searched String: Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WC4PA :JSS : 50860 As per Drg</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WE8SN JSS : 50860 As per Drg</p> <p>Category not available on GeM for the text string uploaded</p>

बिड विवरण/Bid Details

by the buyer

Searched String: Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WB98SN JSS : 50860 As per Drg

Category not available on GeM for the text string uploaded by the buyer

Searched String: Aluminium Alloy connector straight receptacle olive drab chromate over cadmium plate with protective cap D38999/24WB98SN JSS : 50860 As per Drg

Category not available on GeM for the text string uploaded by the buyer

Searched String: Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999/26WB35SN JSS : 50860 As per Drg

Category not available on GeM for the text string uploaded by the buyer

Searched String: Back shell for connector L Angle for HS boot #13 38999-3,4 R 440HJ030NF1305-63

Category not available on GeM for the text string uploaded by the buyer

Searched String: Connector cable #17 38999 440HJ030NF1705

Freight Containers - High Security Cable Seal as per IS 17381:2021, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293

Searched String: Back shell for connector L Angle for HS boot #11 38999-3,4 R 440HJ030NF 1105-063

Category not available on GeM for the text string uploaded by the buyer

Searched String: Back shell for connector straight for HS boot #11 38999-3,4 1 440HS027NF 1104-2-063

Category not available on GeM for the text string uploaded by the buyer

Searched String: Back shell for connector L Angle for HS boot #11 38999-3,4 RA S4173FM6506R-34

Category not available on GeM for the text string uploaded by the buyer

Searched String: Back shell for connector L Angle for HS boot #13 38999-3,4 R 440HJ030NF1104-63

Category not available on GeM for the text string uploaded by the buyer

Searched String: Band clamp (Band-IT) ID 0.88" Width 0.120" for back shell 600-057

Category not available on GeM for the text string uploaded by the buyer

Searched String: Band clamp (Band-IT) ID 1.80" Width 0.240" for back shell 600-052

बिड विवरण / Bid Details

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K132-25-0

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K121-25-0

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive 222K132-25

Category not available on GeM for the text string uploaded by the buyer

Searched String: Adhesive epoxy polyamid kit S1125 KIT-8

personal safety kit reflective luminous garments, Tool Kit for Mechanical Product - ODOP UP Gov. (Ghaziabad), Hemodialysis Catheter Kit, H2S Vial Bacteriological Field Test kit, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others

Searched String: Gromet sealing plug No 20 MS27488-20-2

Potassium Thiocyanate, Cloth All Worsted, Sleeping Bag MK 4 (JSS), Dough Kneader (V1), Bag Calico- OFB, Swing (Preschool Kit), thermal gloves, Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Oxytetracycline Hydrochloride, Petti Coat, White - Military Hospital Clothing

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive for 45 degree transition 342A124-25-0

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive for 30 degree transition 362A014-25

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive for T transition 301A034-25

Category not available on GeM for the text string uploaded by the buyer

Searched String: HS Sleeve black 19/6 mm TFD 3/4

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Spiral Binding / Wiro Binding (V2), traffic signs - bilinker light, Rubber Grommet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Locking Compression Plates (V2), Non Sparking Ring Slugging

विड विवरण / Bid Details
Spanners (V2), Steel Pipes for Water and Sewage (V2)
Conforming to IS 3589, Polyurethane Tube (V2)

Searched String: Copper tin coated shielded round braid
0.375" ID A-A-59569R36T0375

Classroom Stools

Searched String: Copper tin coated shielded round braid
0.203" ID A-A-59569R36T0203

Classroom Stools

Searched String: HS Sleeve black 0.375"/0.187" (9.5/4.7
mm) M23053/16-002-0

Galvanized Steel Chain Link Fence Fabric (V2) conforming to
IS 2721, PVC Insulated Copper Cable Single Core and Multi
Core Circular Sheathed with Rigid Conductor (V2) ISI Marked
To IS 694, Sterile Hypodermic Needles for Single use (V2),
Writing Pens, Markers and Highlighters, Scalp Vein (Winged
Needle) Infusion Set Conforming to IS 16097, Muffle/Box
Furnace (V2), PVC Single Core and Multi Core Circular
Sheathed Aluminium Cable with Rigid Conductor (V2) as per
IS 694, PP Plastic Woven Non - Laminated Bags (for Seed
Packaging) (V2), Vertical Blinds (V2)

Searched String: HS Sleeve black 0.750"/0.375" (19/9.5
mm) M23053/16-104-0

Galvanized Steel Chain Link Fence Fabric (V2) conforming to
IS 2721, Scalp Vein (Winged Needle) Infusion Set
Conforming to IS 16097, Sterile Hypodermic Needles for
Single use (V2), Muffle/Box Furnace (V2), PP Plastic Woven
Non - Laminated Bags (for Seed Packaging) (V2), Vertical
Blinds (V2), Writing Pens, Markers and Highlighters,
Mechanically Woven, Double - Twisted, Hexagonal Wire
Mesh Gabions, Revet Mattresses and Rock Fall Netting as
per IS 16014, PVC Insulated Copper Cable Single Core and
Multi Core Circular Sheathed with Rigid Conductor (V2) ISI
Marked To IS 694

Searched String: HS Sleeve black 0.250"/0.125" (6.4/3.2
mm) M23053/16-001-0

Galvanized Steel Chain Link Fence Fabric (V2) conforming to
IS 2721

Searched String: Marking sleeve white (Printable tubing)
3/4" dia x 2" long TMS-SCE-3/4-2.0-9

Category not available on GeM for the text string uploaded
by the buyer

Searched String: HS Sleeve clear 0.750"/0.375" (19/9.5
mm) RT-375-3/4

Galvanized Steel Chain Link Fence Fabric (V2) conforming to
IS 2721, Bone Nibbler (V2), PP Plastic Woven Non -
Laminated Bags (for Seed Packaging) (V2), Speedi sleeve,
Locking Compression Plates (V2), Covered Electrodes for
Manual Metal Arc Welding of Stainless Steel and Other
Similar High Alloy Steel (V2) conforming to IS 5206,
Equipment Camouflage Nets (Jute), PVC Insulated Copper
Cord Single Core and Multi Core Circular Sheathed with
Flexible Conductor (V2) ISI Marked To IS 694

GeMARPTS में खोजा गया परिणाम / Searched
Result generated in GeMARPTS

बिड विवरण/Bid Details
Searched String: Marking sleeve white (Printable tubing) 3/8" dia x 2" long TMS-SCE-3/8-2.0-9

Category not available on GeM for the text string uploaded by the buyer

Searched String: HS Sleeve clear 0.375"/0.187" (9.5/4.7 mm) M23053/18-207-C

Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Shirt Polyester and Cotton Half Sleeve for IAF Personnel, Muffle/Box Furnace (V2), Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Locking Compression Plates (V2), Equipment Camouflage Nets (Jute)

Searched String: Plug gromet sealing No 22 MS27488-22-01

Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Bridge Plug Socket Head Screw-IS:2269, Anklet Web as per IAF specification

Searched String: Copper wire tin coated solid 26 AWG QQ-W-343S26S1T

Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode

Searched String: Tape electrical teflon 12.7 mm width 60-O-5IN WIDTH

Tape Dispensers (V2), Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Double sided tape

Searched String: Electrical cable copper multi conductor tin coated 20 AWG irradiation - cross linked extruded polyalkene and polyvinylidene fluoride insulated 600V light weight yellow colour M81044/12-20-4

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical cable copper multi conductor tin coated 16 AWG irradiation - cross linked extruded polyalkene and polyvinylidene fluoride insulated 600V light weight black colour M81044/12-16-1

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical cable 2 core Copper multi conductor tin coated black and white colour, 12 AWG ,radiation - cross linked modified ETFE insulated shielded with tin coated copper braid and white jacketed (600V) 55A1121-12-0/9-9

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical cable 2 core Copper multi conductor tin coated black and white colour, 16 AWG ,radiation - cross linked extruded polyalkene and

बिड विवरण / Bid Details

polyvinylidene flouride insulated , twisted core shielded with tin coated copper braid and white jacketed (600V) 44A1121-16-9/0-9

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical cable copper multi conductor tin coated 22 AWG irradiation - cross linked extruded polyalkene and polyvinylidene flouride insulated 600V light weight grey colour M81044/12-22-8

Category not available on GeM for the text string uploaded by the buyer

Searched String: HS Sleeve black 0.240"/0.080" (6/2 mm) ATUM6/2-0-STK

Line Interactive UPS with AVR (V2), Muffle/Box Furnace (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electronic Weighing Scales, Multimedia Projector (MMP), PCR Tubes, Syringe Filter, Reciprocating Air Compressors - Electric Motor Driven, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Minifuge

Searched String: HS Sleeve black 0.120"/0.040" (3/1 mm) M23053/4-301-0

Calcined Magnesia Carbon Grog - SAIL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Writing Pens, Muffle/Box Furnace (V2), Markers and Highlighters, Micro/Semi-Micro/Analytical weighing balance, Electronic Weighing Scales

Searched String: ATC Binding wire 0.3 mm dia

High Pressure Fire Fighting Hose - IS 14933, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Spiral Binding / Wiro Binding (V2), Thermal Binding Machines , Wire rope slings and sling legs (V3) conforming to IS 2762, Mild Steel Wire for General Engineering Purpose as per IS 280

Searched String: Insulation tape PVC black 18 mm width

PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Tape Dispensers (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Double sided tape, Vertical Blinds (V2), HT Tape, Tapes Cotton as per IS 6117

Searched String: Kapton tape

Polymide Tapes, Elastic Surgical Adhesive Tapes (V2), Tape Cartridge / Tape Media, Aluminum Tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948,

बिड विवरण / Bid Details	Empire Tape, HT Tape, Foam Tape, Nylon Tape, Punched Tape
	<p>Searched String: Masking Tape</p> <p>Paper Masking Tape, BiPAP Full Face Mask (V2), HEAT RESISTANT PAPER MASKING TAPE, Tape Cartridge / Tape Media, Aluminum Tape, Reusable / Washable Cloth Face Mask, Empire Tape, HT Tape, Elastic Surgical Adhesive Tapes (V2), Foam Tape</p> <p>Searched String: Solder soft 16 SWG</p> <p>Soft Solder - IS 193, Soft Solder for Electronic applications, KITCHEN STORAGE RACKS (various type)</p> <p>Searched String: Solder flux</p> <p>Flux Cored Solder Wire as per IS 1921, Soldering and Desoldering Station with digital display, Solder Bar, Brazing flux, Temperature controlled soldering station, WELDING FLUX, Solder Bar (in Kg), Soft Solder - IS 193, Rover Mask, Soft Solder for Electronic applications</p> <p>Searched String: ISO Prophyl Alcohol IPA</p> <p>Isopropyl Alcohol (IPA) (ONGC), Iso Propyl Alcohol (V2) Conforming To Is 2631</p> <p>Searched String: Plastic cover 80 microns 18"x24"</p> <p>Bottle Water Plastic with Cover (DEFENCE), Cover for Diaries (V2), Plastic Seats and Covers for Water - Closets as per IS 2548, Pin Up Notice Board (V2), Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings conforming to IS 18837, File/Folder (V3), Handloom Cotton Pillow Covers (V3), Compostable Nursery Bags, Pillow Covers Khadi, Plastic Crates for Fruits and Vegetable (V2) conforming to IS 15532</p> <p>Searched String: Permanent marker pen black</p> <p>Permanent Paint Marker (V3), Surgical Skin Marker Pen (V2), Marker Ink (for Permanent and Whiteboard Markers), Markers and Highlighters, Black Lead Pencils (V3) Conforming to IS 1375, Writing Pens, Weightlifting Discs</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
बीओक्यू शीर्षक /BOQ Title	W2 CABLE POWERS QTY 04 NoS
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience	Yes Complete
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Years Of Experience	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	<p>Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

बिड विवरण/Bid Details

क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Aluminium Alloy connector straight plug olive drab chromate over cadmium plate with protective cap D38999 26WC4PA JSS 50860 As per Drg
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	29522

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

PCDA BENGALURU
PCDA BENGALURU Ministry of Defence
(Pcda Bengaluru)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products

Yes

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10

Crone, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 26WC4PA JSS 50860 As Per Drg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 26WE8SN JSS 50860 As Per Drg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 26WB98SN JSS 50860 As Per Drg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	12	60

Aluminium Alloy Connector Straight Receptacle Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 24WB98SN JSS 50860 As Per Drg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Aluminium Alloy Connector Straight Plug Olive Drab Chromate Over Cadmium Plate With Protective Cap D38999 26WB35SN JSS 50860 As Per Drg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	8	60

**Back Shell For Connector L Angle For HS Boot 13 38999 3 Comma 4 R
440HJ030NF1305 63**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Connector Cable 17 38999 440HJ030NF1705

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

**Back Shell For Connector L Angle For HS Boot 11 38999 3 Comma 4 R 440HJ030NF
1105 063**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

**Back Shell For Connector Straight For HS Boot 11 38999 3 Comma 4 1 440HS027NF
1104 2 063**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

**Back Shell For Connector L Angle For HS Boot 11 38999 3 Comma 4 RA
S4173FM6506R 34**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	8	60

**Back Shell For Connector L Angle For HS Boot 13 38999 3 Comma 4 R
440HJ030NF1104 63**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	8	60

Band Clamp Band IT ID 0 Point 88 Inchs Width 0 Point 120 Inchs For Back Shell 600 057

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	8	60

Band Clamp Band IT ID 1 Point 80 Inchs Width 0 Point 240 Inchs For Back Shell 600 052

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	24	60

**Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive 202K132 25
0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	20	60

**Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive 202K121 25
0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	8	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive 222K132 25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Adhesive Epoxy Polyamid Kit S1125 KIT 8

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	2	60

Gromet Sealing Plug No 20 MS27488 20 2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	16	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive For 45 Degree Transition 342A124 25 0

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive For 30 Degree Transition 362A014 25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	20	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive For T Transition 301A034 25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

HS Sleeve Black 19 6 Mm TFD 3 4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

Copper Tin Coated Shilded Round Braid 0 Point 375 Inchs ID A A 59569R36T0375

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	21	60

Copper Tin Coated Shilded Round Braid 0 Point 203 Inchs ID A A 59569R36T0203

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	65	60

**HS Sleeve Black 0 Point 375 Inchs 0 Point 187 Inchs 9 Point 5 4 Point 7 Mm M23053
16 002 0**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	7	60

HS Sleeve Black 0 Point 750 Inchs 0 Point 375 Inchs 19 9 Point 5 Mm M23053 16 104 0

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	19	60

HS Sleeve Black 0 Point 250 Inchs 0 Point 125 Inchs 6 Point 4 3 Point 2 Mm M23053 16 001 0

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	11	60

Marking Sleeve White Printable Tubing 3 4 Inchs Dia X 2 Inchs Long TMS SCE 3 4 2 Point 0 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	28	60

HS Sleeve Clear 0 Point 750 Inchs 0 Point 375 Inchs 19 9 Point 5 Mm RT 375 3 4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	150	60

Marking Sleeve White Printable Tubing 3 8 Inchs Dia X 2 Inchs Long TMS SCE 3 8 2 Point 0 9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	8	60

HS Sleeve Clear 0 Point 375 Inchs 0 Point 187 Inchs 9 Point 5 4 Point 7 Mm M23053 18 207 C

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

Plug Gromet Sealing No 22 MS27488 22 01

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	56	60

Copper Wire Tin Coated Solid 26 AWG QQ W 343S26S1T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	650	60

Tape Electrical Teflon 12 Point 7 Mm Width 60 O 5IN WIDTH

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	315	60

Electrical Cable Copper Multi Conductor Tin Coated 20 AWG Irradiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated 600V Light Weight Yellow Colour M81044 12 20 4

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Electrical Cable Copper Multi Conductor Tin Coated 16 AWG Irradiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated 600V Light Weight Black Colour M81044 12 16 1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	3	60

Electrical Cable 2 Core Copper Multi Conductor Tin Coated Black And White Colour Comma 12 AWG Comma Radiation Cross Linked Modified ETFE Insulated Shielded With Tin Coated Copper Braid

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	45	60

Electrical Cable 2 Core Copper Multi Conductor Tin Coated Black And White Colour Comma 16 AWG Comma Radiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	20	60

Electrical Cable Copper Multi Conductor Tin Coated 22 AWG Irradiation Cross Linked Extruded Polyalkene And Polyvinylidene Flouride Insulated 600V Light Weight Grey Colour

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	3	60

HS Sleeve Black 0 Point 240 Inchs 0 Point 080 Inchs 6 2 Mm ATUM6 2 0 STK

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	10	60

HS Sleeve Black 0 Point 120 Inchs 0 Point 040 Inchs 3 1 Mm M23053 4 301 0

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	10	60

ATC Binding Wire 0 Point 3 Mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	40	60

Insulation Tape PVC Black 18 Mm Width

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	40	60

Kapton Tape

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	40	60

Masking Tape

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	40	60

Solder Soft 16 SWG

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	500	60

Solder Flux

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	100	60

ISO Prophyl Alcohol IPA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	300	60

Plastic Cover 80 Microns 18 Inchs X24 Inchs

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	4	60

Permanent Marker Pen Black

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****BANGALORE	1	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

515
ARMY
BASE
WORKSHOP
HALASURU BENGALURU 560008
.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

5. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

6. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

7. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---