

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-03-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-03-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Karnataka
विभाग का नाम/Department Name	Health And Family Welfare Department Karnataka
संगठन का नाम/Organisation Name	Directorate Of Health And Family Welfare Services
कार्यालय का नाम/Office Name	District Hospital Dharwad
कुल मात्रा/Total Quantity	29006
वस्तु श्रेणी /Item Category	HAV IGM DIAPRO ITALY 96 WELLS , HEV IGM DIAPRO ITALY 96 WELLS , SCRUB TYPUS IGM ELISA 96 WELLS , PETRI DISH NON VENTED,STERILE , GLASS PETRIPLATES , STAINING DROPPING BOTTLES , STAINING DROPPING BOTTLES BROWN GLAS , GLASS TEST TUBE , TUBES ,TEST,WITH RIM 5ML , STERILE PLASTIC TEST TUBE , VIAL WITH SCREW CAP CRYOVIAL , GLASS SLIDES,WHITE COLOR FROSTED , THUMB PREE DISPENSING DROPPE , MICROSCOPE SLIDE TRAY 20 PLACES STEEL , MICROSCOPE SLIDE FILE 20 PLACES , TEASING NEEDLES , S.S.SPIRIT LAMP LA275-1No , BLOTTING PAPER , THERMAL PAPERS 110MM , KETONE URINE BODIES STRIPS , SULPHOSALICYLIC ACID , BARIUM CHLORIDE , FOUCHET , SULPHUR POWDER , PARAFFIN LIQUID FOR MICROSCOPY , R.A.KIT 1x25ml , VDRL KIT 1x30 , WEIL FELIX OX2 1x5 ml , WEIL FELIX OXK 1x5 ml , WEIL FELIX OX19 1x5 ml , ASO KIT 1x25 ml , BLUE MICRO PIPETTE TIPS , MICRO PIPETTE VARIABLE , MICRO PIPETTE VARIABLE 50-1000 UL , MICRO PIPETTE 500 UL FIXED , DROPPERS DUSPOSABLE , MICRO PIPETTE STAND , BLOOD GROUPING ABD KIT , HCL , TISSUE PAPER ROLLS , WHATMAN FILTER , LEISHMAN BUFFER , RAPID PAP STAIN , RETICULOCYTE STAIN , H E STAIN , ETHANOL FIXATIVE , MGG STAIN 3SET , COUPLING JAR , XYLENE REAGENT , TOURNIQUET BELT , DIAMOND PENCIL MARKER , GRAM STAIN KIT , MGG STAIN KIT , PERL STAIN KIT , PAS STAIN KIT , QC CHECK , MICRO PIPETTE TIPS BLANK , MULTI CALIBRATOR 5X3ML , QC NORM , ALKALINE WASHING SOLUTION , BULLET TUBES , DISPOSABLE DROPPER 3ML , PREVENTIVE MAINTENACE KIT , HAEMOGLOBINO METER , HAEMOGLOBINO STRIPS , SAMPLE MIXING MACHINE

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

HAV IGM (CAPTURE ELISA) DIAPRO ITALY 96 WELLS, HEV IGM (SANDWHICH ELISA)DIAPRO ITALY 96 WELLS, SCRUB TYPUS IGM ELISA 96 WELLS, PETRI DISH NON VENTED,STERILE PS 90X14MM TARSON 460030/460040, GLASS PETRIPLATES (100 MM SIZE)(BOROSILICATE), STAINING DROPPING BOTTLES WHITE PLASTIC, STAINING DROPPING BOTTLES BROWN GLASS, GLASS TEST TUBE (5ML CAPACITY), TUBES ,TEST,WITH RIM 5ML BOROSILICATE, STERILE PLASTIC TEST TUBE (5ML CAPACITY), VIAL WITH SCREW CAP CRYOVIAL 3ML, GLASS SLIDES,WHITE COLOR FROSTED, THUMB PREE DISPENSING DROPPER/PASTEUR PIPETTES PLASTIC, MICROSCOPE SLIDE TRAY 20 PLACES STEEL, MICROSCOPE SLIDE FILE 20 PLACES TARSON 481060, TEASING NEEDLES, S.S.SPIRIT LAMP LA275-1No, BLOTTING PAPER (48X56), THERMAL PAPERS 110MM, KETONE URINE BODIES STRIPS 1x100, 20% SULPHOSALICYLIC ACID 1x500ML, 10% BARIUM CHLORIDE 1x500ML, FOUCHET'S REAGENT 1x25ml, SULPHUR POWDER 1x500g, PARAFFIN LIQUID FOR MICROSCOPY 1x200ml, R.A.KIT 1x25ml, VDRL KIT 1x30, WEIL FELIX OX2 1x5 ml, WEIL FELIX OXK 1x5 ml, WEIL FELIX OX19 1x5 ml, ASO KIT 1x25 ml, BLUE MICRO PIPETTE TIPS(1000UL) 1x500, MICRO PIPETTE VARIABLE 0-50 UL, MICRO PIPETTE VARIABLE 50-1000 UL, MICRO PIPETTE 500 UL FIXED, DROPPERS (3ML)DUSPOSABLE 1x100, MICRO PIPETTE STAND, BLOOD GROUPING ABD KIT 3x10ml, N/10 HCL 1X500ML, TISSUE PAPER ROLLS, WHATMAN'S FILTER PAPER 1X100 PCS, LEISHMAN BUFFER 1X500ML, RAPID PAP STAIN, RETICULOCYTE STAIN 1X25ML, H&E STAIN SET, ETHANOL FIXATIVE 1X500ML, MGG STAIN 3SET, COUPLING JAR, XYLENE REAGENT 1x500ml, TOURNIQUET BELT 1x12, DIAMOND PENCIL MARKER, GRAM STAIN KIT, MGG STAIN KIT, PERL'S STAIN KIT, PAS STAIN KIT, QC CHECK (H/N/L), AMC ANNUAL MANTANES KIT, MICRO PIPETTE VARIABLE 500-1000ML MICROLITER, MICRO PIPETTE TIPS BLANK(1000 MICRO LITER) 1X500 PCS, MULTI CALIBRATOR 5X3ML, QUALICHECK NORM&PATH 2X5ML, ALKALINE WASHING SOLUTION (CCX) 1X1000ML, BULLET TUBES (1.5ML) 1X1000, DISPOSABLE DROPPER 3ML 1X500, PREVENTIVE MAINTENACE KIT, MICRO CUVETTES, HAEMOGLOBINO METER, HAEMOGLOBINO STRIPS, SAMPLE MIXING MACHINE/SAMPLE SHAKER

Searched String: HAV IGM (CAPTURE ELISA) DIAPRO ITALY 96 WELLS

Category not available on GeM for the text string uploaded by the buyer

Searched String: HEV IGM (SANDWHICH ELISA)DIAPRO ITALY 96 WELLS

Anti-HEV ELISA Test Kits (V2)

Searched String: SCRUB TYPUS IGM ELISA 96 WELLS

ELISA Test Kits (V2)

Searched String: PETRI DISH NON VENTED,STERILE PS 90X14MM TARSON 460030/460040

Non Woven Bandage Roll Conforming to IS 16660, Plain Gauze Swab

बिड विवरण / Bid Details
Searched String: GLASS PETRIPLATES (100 MM SIZE)
(BOROSILICATE)

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Endotracheal Tube - Sterile (Single Use), Bathroom Water Shower (V2), Electronic Baby Weighing Scale - RBSK, Cast Iron Bench, Volumetric Pipettes as per IS 1117, Laboratory Glass Adapters, Wooden Lab Stools, Serological Pipettes and Graduated Pipettes as per IS 4364

Searched String: STAINING DROPPING BOTTLES WHITE PLASTIC

Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), Flower Pots or Planters (V2), Plastics feeding bottles ISI marked to IS 14625, Plastic and Plastic Moulded Products from Bhiwani, Haryana - ODOP, Plastic Wash Bottle, Plastic and Plastic Moulded Products from Sonipat, Haryana - ODOP, Isopropyl Alcohol (2 - Propanol), Plastic Bottles/Containers for Packaging of Natural Mineral Water and Packaged Drinking Water Conforming to IS 15410, Spray Bottles, solar lantern systems white light emitting diode

Searched String: STAINING DROPPING BOTTLES BROWN GLASS

Glass Weighing Bottles as per IS 1574, Isopropyl Alcohol (2 - Propanol), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), GLACIAL ACETIC ACID, Ethyl Acetate, Dropping Bottle with Tip Cap, Diethyl ether, Karl Fischer Reagent

Searched String: GLASS TEST TUBE (5ML CAPACITY)

FIBRE GLASS TUBE, Blood Collection Tube, Test Tube Rack, Laboratory Vials (V2), Rotospin Test tube rotator, Shaker Incubator, Tubes, Glass for Pathological Work as per IS 3740, Widal Test Kit - Agglutination Method for Human Samples, Endotracheal Tube - Sterile (Single Use), Multipurpose or General Test Tubes (V2) as per IS 2618

Searched String: TUBES ,TEST,WITH RIM 5ML BOROSILICATE

Multipurpose or General Test Tubes (V2) as per IS 2618, High End Desktop Computer, Entry and Mid Level Desktop Computer, Blood Collection Tube, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cloth Dryer Stand, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Stainless Steel Shelf Rack

Searched String: STERILE PLASTIC TEST TUBE (5ML CAPACITY)

Endotracheal Tube - Sterile (Single Use), Sample Cup, Urine Collection Bag - Sterile (Single Use), Blood Collection Tube, Touchless Sanitizer Dispenser, Test Tube Rack, Minifuge, Liquid Soap Dispenser (V2), FRANCIS TURBINE TEST RIG,

बिड विवरण/Bid Details Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA)

Searched String: VIAL WITH SCREW CAP CRYOVIAL 3ML

Screw Cap Vial, Culture Tube With Screw Cap, Laboratory Vials (V2), Culture Tube With Screw Cap (V2), Screw Compressor, Laboratory Vials (V3), Rotary Switch, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Locking Compression Plates (V2), Integrated pest management (IPM) Kit

Searched String: GLASS SLIDES,WHITE COLOR FROSTED

Flower Pots or Planters (V2), Metal Beds (V3), Desk Pads - Writing (V2), solar lantern systems white light emitting diode

Searched String: THUMB PREE DISPENSING DROPPER/PASTEUR PIPETTES PLASTIC

Category not available on GeM for the text string uploaded by the buyer

Searched String: MICROSCOPE SLIDE TRAY 20 PLACES STEEL

Oil tray, Drying Racks for Microscopic Slides

Searched String: MICROSCOPE SLIDE FILE 20 PLACES TARSON 481060

Microscopes Slide Coverslips as per IS 3099

Searched String: TEASING NEEDLES

Blood Collection Needles (V2), Fistula Needles Sets (V2), Sterile Hypodermic Needles for Single use (V2), Hair Comb (V2), Blood Lancets, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Spinal Needle (V2), Surgical Needle Holders, Needle Valve, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097

Searched String: S.S.SPIRIT LAMP LA275-1No

Solar Lamp (Solar Study Lamp), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Spirit Burner- IS:323, Hand Lamp, Slit Lamp (V2), Black Pottery - ODOP, Lamp Shades-Handicraft, Hand Held Slit Lamp, Ultra Violet (UV) Cabinet for Sterilization, Infrared Lamp For Panchakarma

Searched String: BLOTTING PAPER (48X56)

Blotting paper, Cleaning Duster (V3), Paper Carry Bag and Paper Pouches, Caution / Crime Scene Tape (V2), pH Paper (V2), Paper Moisture Meter, Paper Masking Tape, Sand Paper (Defense), Dry Erase Writing Boards (V3), Paper Box (V2)

Searched String: THERMAL PAPERS 110MM

Carbon Papers (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Facial Tissue Papers(V3), Thermal Paper (V3) Conforming to IS 17568, Laboratory Filter Papers (V2), thermal imager, Thermal Ribbon, Dry Erase Writing Boards (V3), Thermal Silicon Adhesive, Thermal Binding Machines

बिड विवरण/Bid Details	Searched String: KETONE URINE BODIES STRIPS 1x100
	<p>Tapered Bearings as per IS 12102, Mortuary Cabinet (V2), Urine Collection Bag - Sterile (Single Use), Built up Trucks (V3), Urine Test Strip (V2), Rolled Copper and Copper Alloy Sheet, Strip and Foil, Hopper Tipper Dumper for Garbage, PCR Tubes, Steel Trunk conforming to IS 7257 (V3), Heavy Body Impression Material</p> <p>Searched String: 20% SULPHOSALICYLIC ACID 1x500ML</p> <p>Methyl acetate, Cleaning Duster (V3), Chlorpyrifos Emulsifiable Concentrates (V3) Conforming to IS 8944, Dough Kneader (V1), Theft Proof Rifle Racks, Minifuge, Non Adherent Dressings (V2), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Fishing Nets</p> <p>Searched String: 10% BARIUM CHLORIDE 1x500ML</p> <p>Barium Chloride liquid</p> <p>Searched String: FOUCHET'S REAGENT 1x25ml</p> <p>Fouchet reagent</p> <p>Searched String: SULPHUR POWDER 1x500g</p> <p>Sulphur 52% Flowable</p> <p>Searched String: PARAFFIN LIQUID FOR MICROSCOPY 1x200ml</p> <p>Liquid Paraffin for Cosmetic Industry (V2) Conforming to IS 7299, File/Folder (V3), Methyl Blue for Microscopy, Auramine O For Microscopy, Methyl Blue For Microscopy (V2), Leishman's Eosine Methylene Blue for Microscopy, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Halothane Liquid for Inhalation, Bacterial and Somatic Cell Analyser, Isoflurane Liquid for Inhalation</p> <p>Searched String: R.A.KIT 1x25ml</p> <p>Biochemistry Reagent Kit for Human Samples, Cleaning Duster (V3), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Laboratory Glassware - Burettes (V2) as per IS 1997, Nucleic Acid Extraction Kit (For Research Use Only), Nitrile Coated/Nitrile Hand Gloves (V2), Halwai Tool Kit (YSSY UP Govt.), Plasmid Kits, Nucleic Acid Extraction Kit (Diagnostic Purpose), Rapid Pregnancy Test Kit</p> <p>Searched String: VDRL KIT 1x30</p> <p>Resuscitation Kit, Cleaning Duster (V3), Gardening Kit, Laboratory Vials (V2), Facial Kit, Nitrile Coated/Nitrile Hand Gloves (V2), Waxing Kit, Ration Kit, Sewing Kit, Hemodialysis Catheter Kit</p> <p>Searched String: WEIL FELIX OX2 1x5 ml</p> <p>Alcohol Based Hand Sanitizer, Shaker Incubator, Antimicrobial Hand Wash (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Blood Collection Tube, Liquid Consortia (V2), Bunk Beds as per IS 17636, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI</p>

बिड विवरण / Bid Details

Marked To IS 694, Medical Centrifuge, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: WEIL FELIX OXK 1x5 ml

Shaker Incubator, Alcohol Based Hand Sanitizer, Medical Centrifuge, Antimicrobial Hand Wash (V2), Household Insecticides (V2), Liquid Consortia (V2), Blood Collection Tube, Urine Collection Bag - Sterile (Single Use), Minifuge, Tissue Homogenizer

Searched String: WEIL FELIX OX19 1x5 ml

Shaker Incubator, Alcohol Based Hand Sanitizer, Medical Centrifuge, Antimicrobial Hand Wash (V2), Household Insecticides (V2), Liquid Consortia (V2), Blood Collection Tube, Urine Collection Bag - Sterile (Single Use), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Minifuge

Searched String: ASO KIT 1x25 ml

ASO (Anti Streptolysin-O) Test Kits (V2), Shaker Incubator, TERA Package 1 - Robotics and Electro - Mechanical Components (ASoSE), TERA Package 1 - Robotics and Automation High end Engineering (ASoSE), Digital Trainer Kit, TERA Package 2 - Robotics and Automation High end Engineering (ASoSE), TERA Package 1 - 3D Printed Biped with Bluetooth Control (ASoSE), Medical Centrifuge, TERA Package 2 - Bionic Inspired Flower (ASoSE), Household Insecticides (V2)

Searched String: BLUE MICRO PIPETTE TIPS(1000UL) 1x500

Universal Pipette Tips (V2), Dental Applicator tips for bonding agent, Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Methyl Blue For Microscopy (V2), Methyl Blue for Microscopy, Shaker Incubator, Leishman's Eosine Methylene Blue for Microscopy, TERA Package 1 - 3D Printed Biped with Bluetooth Control (ASoSE), Computer Paper (V3) Conforming to IS 12766 (In Packet), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1)

Searched String: MICRO PIPETTE VARIABLE 0-50 UL

Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Micro/Semi-Micro/Analytical weighing balance, Universal Pipette Tips (V2), Fenoxaprop p ethyl 5% + Chlorimuron ethyl 0.6% + Pretilachlor 50% ME (Microemulsion)

Searched String: MICRO PIPETTE VARIABLE 50-1000 UL

Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Universal Pipette Tips (V2), Fenoxaprop p ethyl 5% + Chlorimuron ethyl 0.6% + Pretilachlor 50% ME (Microemulsion)

Searched String: MICRO PIPETTE 500 UL FIXED

Universal Pipette Tips (V2), Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Advance Fire Monitor (V2), Oscillating Water Driven Monitor (V2), Online Ups Modular Type, Micro/Semi-Micro/Analytical weighing

GeMARPTS में खोजा गया परिणाम / Searched	बिड विवरण / Bid Details
<p>Result generated in GeMARPTS</p>	<p>balance, Nutrient Broth, Micro - Nutrient Mixture For Agricultural Use (V2)</p> <p>Searched String: DROPPERS (3ML)DUSPOSABLE 1x100</p> <p>Cleaning Duster (V3), Nitrile Coated/Nitrile Hand Gloves (V2), Hair Oil (V3) Conforming to IS 7123, High End Desktop Computer, Entry and Mid Level Desktop Computer, Measured Volume Set (V2), Sofa (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Multipara Monitor - Low End, Interactive Panels with CPU</p> <p>Searched String: MICRO PIPETTE STAND</p> <p>Universal Pipette Tips (V2), Metal Storage Cabinet, Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Motorized Pipette Controller, Cloth Dryer Stand, Volumetric Pipettes as per IS 1117, Micro/Semi-Micro/Analytical weighing balance, Erythrocyte Sedimentation Rate (ESR) Pipette, funnel stand, Test Tube Rack</p> <p>Searched String: BLOOD GROUPING ABD KIT 3x10ml</p> <p>Blood Grouping Pads (V2), Blood Collection Tube, Anti - AB Blood Grouping Reagent (V2), Anti - D Blood Grouping Reagent, Desk and Bench Set for Classroom/Training Area, Anti - A Blood Grouping Reagent, Anti-B Blood Grouping Reagent (V2), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), DNA Blood Mini Kit, Abdominal Drainage Kit (V2)</p> <p>Searched String: N/10 HCL 1X500ML</p> <p>Grinding Media Rods (HCL), Cleaning Duster (V3), N Heptane, N-Hexane, Nitrile Coated/Nitrile Hand Gloves (V2), N - Hexadecane, N,N Dimethyl P Phenylenediamine Dihydrochloride, Irinotecan HCl trihydrate Solution for Injection, N-acetylcysteine Injection, Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder)</p> <p>Searched String: TISSUE PAPER ROLLS</p> <p>Facial Tissue Papers(V3), Hand Roll Towel (HRT) Paper Rolls, Toilet Paper (V3) Conforming to IS 14661, Teleprinter Paper Page Rolls (V3) Conforming to IS 9031, Tissue box, Tissue Homogenizer, ATM Receipt Rolls, Tissue Embedding Ring, Tissue Embedding Cassette, Tissue embedding station</p> <p>Searched String: WHATMAN'S FILTER PAPER 1X100 PCS</p> <p>Cellulose Nitrate Filter Paper (V2), Laboratory Filter Papers (V2), Air Sampler, Computer Paper (V3) Conforming to IS 12766 (In Packet), ELEMENT SPIN ON OIL, Computer Paper (V3) Conforming to IS 12766, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Writing and Printing Papers Conforming to IS 1848 (Part 1), Note Sheet Pad (Azure Laid) (V3), Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658</p> <p>Searched String: LEISHMAN BUFFER 1X500ML</p> <p>Buffer Capsules, Cleaning Duster (V3), Buffer Tablets, Buffer Solutions (V2) Conforming to IS 15557, Nitrile Coated/Nitrile Hand Gloves (V2), Dilution Buffer for Diagnostic Analyzers, Oil Mineral Hydraulic Buffer (OMHB) -Defence (V2),</p>

विड विवरण / Bid Details
Leishman's Eosine Methylene Blue for Microscopy,
Leishman's Stain, Multipara Monitor - Low End

Searched String: RAPID PAP STAIN

Papanicolaou (PAP) Stain Kit (V2), Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Giemsa Stain, Leishman's Stain, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), New Methylene Blue Stain (Reticulocyte Stain), Positive Air Pressurized (PAP) Suit, Stain Removing Agent, Auramine Rhodamine Stain, Calcofluor white stain

Searched String: RETICULOCYTE STAIN 1X25ML

New Methylene Blue Stain (Reticulocyte Stain), Cleaning Duster (V3), Giemsa Stain, Leishman's Stain, Nitrile Coated/Nitrile Hand Gloves (V2), Stain Removing Agent, Auramine Rhodamine Stain, Calcofluor white stain, Multipara Monitor - Low End, Albert's Stain A

Searched String: H&E STAIN SET

Giemsa Stain, Sofa (V3), Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), Power Generator - DG Set (up to 900 KVA), Stain Removing Agent, Auramine Rhodamine Stain, Desk and Bench Set for Classroom/Training Area, Calcofluor white stain, Albert's Stain A

Searched String: ETHANOL FIXATIVE 1X500ML

Methyl Di-Ethanol Amine - ONGC, Cleaning Duster (V3), Methyl Di Ethanol Amine (MDEA) in tanker, Methyl Di Ethanol Amine (MDEA) (In Kg), Nitrile Coated/Nitrile Hand Gloves (V2), Denture Adhesive, Fuel Dispensing Units, Multipara Monitor - Low End, Dry Erase Writing Boards (V3), File/Folder (V3)

Searched String: MGG STAIN 3SET

Giemsa Stain, Sofa (V3), Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), High End Desktop Computer, Stain Removing Agent, Auramine Rhodamine Stain, Entry and Mid Level Desktop Computer, Calcofluor white stain, Albert's Stain A

Searched String: COUPLING JAR

JAR TEST APPARATUS, Anaerobic Jar- IS:8501, Grid coupling, Water Jugs, Flexible Jaw Coupling, Coupling-I (BHEL), High Pressure Fire Fighting Hose with Delivery Couplings as per IS 14933, Saddle Coupling (BHEL), Gear couplings, Self Priming Centrifugal Pump as per IS 5120

Searched String: XYLENE REAGENT 1x500ml

Industrial Xylene (Xylo) (ONGC), Cleaning Duster (V3), TRIzol Reagent, Barfoed's Reagent, Nitrile Coated/Nitrile Hand Gloves (V2), Biuret Reagent, Molisch's Reagent, Tollen's Reagent, Fouchet reagent, Multipara Monitor - Low End

Searched String: TOURNIQUET BELT 1x12

Buckle Tourniquet, Cleaning Duster (V3), Rubber Tourniquet, Tourniquet Machine (V2), Nitrile Coated/Nitrile

विड विवरण/Bid Details
Hand Gloves (V2), Belt Trainer, Timing Belt, Weigh Belt Feeder, Multipara Monitor - Low End, Leather belt (MHA)

Searched String: DIAMOND PENCIL MARKER

DNA marker, Diamond Anvil, Protein ladder marker, Surgical Skin Marker Pen (V2), Permanent Paint Marker (V3), Rigid / Flexible Median Marker, Black Lead Pencils (V3) Conforming to IS 1375, Colour Pencil (V2), Mechanical Pencil (V3), Pencil Box(V2)

Searched String: GRAM STAIN KIT

Gram Stain Kit (V2), Gram's Iodine, Giemsa Stain, Papanicolaou (PAP) Stain Kit (V2), personal safety kit reflective luminous garments, Whole Gram, Biochemistry Reagent Kit for Human Samples, Networking Trainer Educational Kit, Leishman's Stain, Digital Trainer Kit

Searched String: MGG STAIN KIT

Gram Stain Kit (V2), personal safety kit reflective luminous garments, Papanicolaou (PAP) Stain Kit (V2), Giemsa Stain, Biochemistry Reagent Kit for Human Samples, Leishman's Stain, Networking Trainer Educational Kit, New Methylene Blue Stain (Reticulocyte Stain), Digital Trainer Kit, Stain Removing Agent

Searched String: PERL'S STAIN KIT

Gram Stain Kit (V2), personal safety kit reflective luminous garments, Papanicolaou (PAP) Stain Kit (V2), Giemsa Stain, Biochemistry Reagent Kit for Human Samples, Leishman's Stain, Networking Trainer Educational Kit, New Methylene Blue Stain (Reticulocyte Stain), Digital Trainer Kit, Stain Removing Agent

Searched String: PAS STAIN KIT

Gram Stain Kit (V2), personal safety kit reflective luminous garments, Papanicolaou (PAP) Stain Kit (V2), Giemsa Stain, Biochemistry Reagent Kit for Human Samples, Leishman's Stain, Networking Trainer Educational Kit, New Methylene Blue Stain (Reticulocyte Stain), Digital Trainer Kit, Stain Removing Agent

Searched String: QC CHECK (H/N/L)

N Heptane, Ultra low temperature laboratory deep freezer, N-Hexane, N - Hexadecane, N,N Dimethyl P Phenylendiamine Dihydrochloride, Muffle/Box Furnace (V2), ROSELLE (MESTA) Seeds, N-acetylcysteine Injection, Revolving Chair (V5), L-Asparaginase Injection

Searched String: AMC ANNUAL MANTANES KIT

Category not available on GeM for the text string uploaded by the buyer

Searched String: MICRO PIPETTE VARIABLE 500-1000ML MICROLITER

Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Universal Pipette Tips (V2), Gas Chromatography Syringe

Searched String: MICRO PIPETTE TIPS BLANK(1000 MICRO LITER) 1X500 PCS

विड विवरण / Bid Details
Universal Pipette Tips (V2), Granite Surface Plate as per IS 7327, Rubber Hot Water Bittel as per IS 1867

Searched String: MULTI CALIBRATOR 5X3ML

Multi function Calibrators, Cleaning Duster (V3), Temperature calibrator, OTI / WTI Calibrator, Process Calibrator, High End Desktop Computer, Pressure Calibrator, Hand Held Calibrator, Entry and Mid Level Desktop Computer, Slip Gauge Calibrator

Searched String: QUALICHECK NORM&PATH 2X5ML

Medical Oxygen Gas Cylinders - Steel (Normalized) (V2), Cleaning Duster (V3), Normal Saline (Sodium Chloride) Nasal Drops, Human Normal Immunoglobulin Injection, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Litchi Products from Pathankot - ODOP, Tubes, Glass for Pathological Work as per IS 3740, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, UV - Visible Spectrophotometer (FSSAI), Normal Butyl Alcohol (V2) conforming to IS 361

Searched String: ALKALINE WASHING SOLUTION (CCX) 1X1000ML

Rust Remover Solution, Plastic Wash Bottle, Modular Table / Meeting Table / Centre Table (V2), Executive Table (V4), Computer Table (V3), Metal Storage Cabinet, Antimicrobial Hand Wash (V2), Counter Seat (Chair or Stool) (V2), Steel Almirah / Cabinets (V4), Mobile Storage Compactors

Searched String: BULLET TUBES (1.5ML) 1X1000

Nitrile Coated/Nitrile Hand Gloves (V2), Minifuge, Multipara Monitor - Low End, File/Folder (V3), High End Desktop Computer, Mobile Storage Compactors, Muffle Furnace, Entry and Mid Level Desktop Computer, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422

Searched String: DISPOSABLE DROPPER 3ML 1X500

Shaker Incubator, Disposable Food Packaging Container, Medical Centrifuge, Household Insecticides (V2), Aerial Bunched Cables as per IS 14255, Line Interactive UPS with AVR (V2), Disposable Single Use Towels, Gamjee Rolls / Pads (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), rubber bands

Searched String: PREVENTIVE MAINTENACE KIT

Resuscitation Kit, personal safety kit reflective luminous garments, Gardening Kit, Facial Kit, Biochemistry Reagent Kit for Human Samples, Waxing Kit, Networking Trainer Educational Kit, Ration Kit, Digital Trainer Kit, Sewing Kit

Searched String: MICRO CUVETTES

Cuvettes, Micro/Semi-Micro/Analytical weighing balance, Refrigerated Micro - Centrifuge, Automated Real Time Micro PCR Machine, MCR Footwear, Micro Spatula-IS:3888, Micro Fibre Glass Thimble, Laboratory Incubators, Digital Micro - Ohmmeter as per IS 13875, Electron Probe Micro Analyzer (EPMA)

बिड विवरण/Bid Details	<p>Searched String: HAEMOGLOBINO METER</p> <p>Frequency meter - Analog (Panel Meter), Irradiance meter, Turbidity meter, Thermal Ribbon, Static meter, LCR Meter, true rms clamp meter, Meter Bridge, Density meter, Gold Purity Testing Meter/ Karat Meter (V2)</p> <p>Searched String: HAEMOGLOBINO STRIPS</p> <p>Glucometer Strips, Hemoglobin Test Strips, ALUMINIUM LUMPS, Plane Mirror Strips, Tapered Bearings as per IS 12102, Hot Rolled Strips Flats, Lead Sheets And Strips For Other Than Chemical Purposes-IS:405 (Part 2), PCR Tubes, Terminal Strip Connectors, scouring pads</p> <p>Searched String: SAMPLE MIXING MACHINE/SAMPLE SHAKER</p> <p>Sample Warping Machine, Tissue Homogenizer, Sample Weaving Machine, Papad Making Kit (Gujarat Govt), Sample Cup, Lab Multi Sample Mixer, High Performance Liquid Chromatography (HPLC) System, Cocktail Shaker, High Temperature High Pressure Table Top Sample Dyeing Machine, Lab Multi Sample Thermal Mixer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Shaker Incubator
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ OEM Average Turnover (Last 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	2 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Additional Doc 1 (Requested in ATC)</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details

बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	TUBES ,TEST,WITH RIM 5ML
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

HAV IGM DIAPRO ITALY 96 WELLS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

HEV IGM DIAPRO ITALY 96 WELLS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

SCRUB TYPUS IGM ELISA 96 WELLS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

PETRI DISH NON VENTED,STERILE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1500	15

GLASS PETRIPLATES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	250	15

STAINING DROPPING BOTTLES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

STAINING DROPPING BOTTLES BROWN GLAS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

GLASS TEST TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2000	15

TUBES ,TEST,WITH RIM 5ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	500	15

STERILE PLASTIC TEST TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1000	15

VIAL WITH SCREW CAP CRYOVIAL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5000	15

GLASS SLIDES,WHITE COLOR FROSTED

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1500	15

THUMB PREE DISPENSING DROPPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	4	15

MICROSCOPE SLIDE TRAY 20 PLACES STEEL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	4	15

MICROSCOPE SLIDE FILE 20 PLACES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

TEASING NEEDLES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

S.S.SPIRIT LAMP LA275-1No

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

BLOTTING PAPER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

THERMAL PAPERS 110MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

KETONE URINE BODIES STRIPS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	20	15

SULPHOSALICYLIC ACID

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

BARIUM CHLORIDE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

FOUCHET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	12	15

SULPHUR POWDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

PARAFFIN LIQUID FOR MICROSCOPY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

R.A.KIT 1x25ml

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

VDRL KIT 1x30

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

WEIL FELIX OX2 1x5 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	10	15

WEIL FELIX OXK 1x5 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	12	15

WEIL FELIX OX19 1x5 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	20	15

ASO KIT 1x25 MI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

BLUE MICRO PIPETTE TIPS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

MICRO PIPETTE VARIABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

MICRO PIPETTE VARIABLE 50-1000 UL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

MICRO PIPETTE 500 UL FIXED

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	8000	15

DROPPERS DUSPOSABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

MICRO PIPETTE STAND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

BLOOD GROUPING ABD KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

HCL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	4000	15

TISSUE PAPER ROLLS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

WHATMAN FILTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	20	15

LEISHMAN BUFFER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

RAPID PAP STAIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	20	15

RETICULOCYTE STAIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

H E STAIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

ETHANOL FIXATIVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

MGG STAIN 3SET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

COUPLING JAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

XYLENE REAGENT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

TOURNIQUET BELT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	6	15

DIAMOND PENCIL MARKER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

GRAM STAIN KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

MGG STAIN KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

PERL STAIN KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

PAS STAIN KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

QC CHECK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

MICRO PIPETTE VARIABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

MICRO PIPETTE TIPS BLANK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	6	15

MULTI CALIBRATOR 5X3ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

QC NORM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

ALKALINE WASHING SOLUTION

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	1	15

BULLET TUBES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5	15

DISPOSABLE DROPPER 3ML

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

PREVENTIVE MAINTENACE KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	6	15

HAEMOGLOBINO METER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	2	15

HAEMOGLOBINO STRIPS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	5000	15

SAMPLE MIXING MACHINE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Shabbir Shirhatti	580001,DISTRICT HOSPITAL KILLA ROAD DHARWAD	3	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- 1 License: The bidder must upload a valid Drug License issued by the competent authority.
2. Registration in Karnataka: The bidder's company must be registered within the jurisdiction of Karnataka. Supporting documents must be uploaded in the bid; failure to do so will result in bid rejection.
3. Turnover Certificate: The bidder must submit a Turnover Certificate issued by a Chartered Accountant.
4. Income Tax Returns (ITR): Copies of Income Tax Returns for the last three financial years must be submitted.
5. The rate should be quoted for all the Items.
6. Catalogue Submission: The bidder must include a catalogue for the primary item as a part of the bid document. This is a bunch bid, and bidders must refer to the specifications and list of items to be procured.
7. Financial Documents: The bidder must upload financial documents with a detailed breakdown of rates.
8. Specification Compliance: The bidder must comply with the specifications and the Bill of Quantities (BOQ).
9. Satisfactory Performance Certificates: The bidder must provide satisfactory performance certificates from government, semi-government, or institutional clients.
10. GST Certification: A valid GST certification issued by the relevant authority must be submitted.
11. Compliance with BOQ and Specifications: The bidder must adhere to the BOQ and product specifications mentioned in the tender.

12. GST Returns: The bidder must upload GST (3B) returns for the last six months.
13. Tender Evaluation Authority Rights: The Tender Verification Team reserves the right to approve or reject any bid at its discretion.
14. Submission of Hard Copies: Bidders must submit hard copies of the bid documents, along with all supporting documents and samples, to the designated office before the due date. Late submissions will be summarily rejected.
15. Certificate regarding Not black listed by any government department.
16. Pan Card
17. If bidder is authorized dealer, authorization letter from Manufacturer Company is compulsory. Original Authority letter on company letterhead with seal and stamp must be submitted
18. ISO/WHO/FFS/CE/ISI/GMP/BIS whichever applicable should be attached
19. All samples of all the mentioned in bid (quoted product) should be submitted to District Surgeon Office, District Hospital Dharwad within the bid end date for evaluating the samples as it requires for patient care services. and Sample submitted to office copy should be uploaded. Failing to submit the copy, bid will be rejected.
20. Self Declaration regarding bidder or bidders relatives is not working in Health Department on Permanent or Contract basis

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---