

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण / Bid Details</b>	
<b>बिड बंद होने की तारीख/समय / Bid End Date/Time</b>	09-03-2026 15:00:00
<b>बिड खुलने की तारीख/समय / Bid Opening Date/Time</b>	09-03-2026 15:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)</b>	120 (Days)
<b>मंत्रालय/राज्य का नाम / Ministry/State Name</b>	Ministry Of Petroleum And Natural Gas
<b>विभाग का नाम / Department Name</b>	Indian Oil Corporation Limited
<b>संगठन का नाम / Organisation Name</b>	locI- Serpl
<b>कार्यालय का नाम / Office Name</b>	loc Serpl
<b>कुल मात्रा / Total Quantity</b>	23
<b>वस्तु श्रेणी / Item Category</b>	Keypad kit English for Sinamics GH180 , Input board SCB 15V HU for GH180 VFD , 120V AC IO breakout module for GH180 , Attenuator PH 66kV for GH180 system , Config wire 1520mm Dsub FM cable , DB37 cable 5ft MF for GH180 drive , Fiber optic assembly duplex 95m , Cooling fan 224in curved AC impeller , Cooling fan 198in curved AC impeller , G3 cell NBH 140A 630V module , Hall probe 500A for GH180 , Current transformer 200 to 5A LMS066D87 , Burden resistor 63.13 ohm for CT , Analog input module 2 ch 0 to 20mA , Supply module 8P 10A DC , Wago analog output 2ch , Wago digital input 120VAC 2ch , Relay 230VAC 2CO for GH180 , Wago module standard , Wago field bus coupler , NXG I II to NXGpro plus upgrade kit , Burden resistor 88.65 ohm Siemens , Current transformer 150 to 5A LMS066D87
<b>GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS</b>	Keypad kit English for Sinamics GH180, Input board SCB 15V HU for GH180 VFD, 120V AC IO breakout module for GH180, Attenuator PH 66kV for GH180 system, Config wire 1520mm Dsub FM cable, DB37 cable 5ft MF for GH180 drive, Fiber optic assembly duplex 95m, Cooling fan 224in curved AC impeller, Cooling fan 198in curved AC impeller, G3 cell NBH 140A 630V module, Hall probe 500A for GH180, Current transformer 2005A LMS066D87, Burden resistor 6313 ohm for CT, Analog input module 2ch 020mA, Supply module 8P 10A DC, Wago analog output 2ch, Wago digital input 120VAC 2ch, Relay 230VAC 2CO for GH180, Wago module standard, Wago field bus coupler, NXG I II to NXGpro plus upgrade kit, Burden resistor 8865 ohm Siemens, Current transformer 1505A LMS066D87
	<b>Searched String:</b> Keypad kit English for Sinamics GH180 Raindrops English Language Learning Kit (NCERT), Educational and Sports Kits for Children (DEBTC),

बिड विवरण / Bid Details

Immunoassay Analyzer Reagent Kit for Human Samples, Medical Training kit with Human mannequins for medical education or training

**Searched String:** Input board SCB 15V HU for GH180 VFD

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** 120V AC IO breakout module for GH180

LED Luminaire for High Bay Lighting, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)

**Searched String:** Attenuator PH 66kV for GH180 system

Add on Phones / Consols / Endpoint for PABX System, HydroCarbon gas detector, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), AFFF (3 % CONCENTRATION) FOR ONSHORE INSTALLATIONS, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Capacitor Banks For Use On 11 KV System (PSPCL)), Patient Transfer Mats or Sheets for Hospital / Ambulance, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731

**Searched String:** Config wire 1520mm Dsub FM cable

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

**Searched String:** DB37 cable 5ft MF for GH180 drive

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Twist Drill, Parallel Shank Stub Series for Right Hand Cutting - IS 5100, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Pigtails for Fiber Cable Connection, Signal/ Triad Cable

**Searched String:** Fiber optic assembly duplex 95m

Fiber Optic Patch Cord, Fiber optic tool kit, Fiber Optic Patch Panels, Rack Mountable, Flexible Fiber Optic Bronchoscope (V2), Fiber Media converter, Fiber Optic Patch Cord (V2), Pigtails for Fiber Cable Connection, Fiber Optics Trainer Kit For Educational Purpose, Splice Closure for Optical Fiber Cables, Splice Closure for Optical Fiber Cables (V2) (Suitable For Non-Ribbon Fibre Splicing) As Per TEC Specification

**Searched String:** Cooling fan 224in curved AC impeller

Category not available on GeM for the text string uploaded by the buyer

**Searched String:** Cooling fan 198in curved AC impeller

Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: G3 cell NBH 140A 630V module
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Online UPS (<math>\leq 10</math> KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (V2), Fistula Needles Sets (V2), Line Interactive UPS with AVR (V2), Flexible Tubing for Medical Purpose (V2), Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)</p> <p><b>Searched String:</b> Hall probe 500A for GH180</p> <p>Line Probe Assay Kit for First Line Drugs under NTEP, File/Folder (V3), Line Probe Assay Kit for Second Line Drugs under NTEP, Line Probe Assay DNA Extraction Kit under NTEP, Toilet Brush (V2), Line Probe Assay for Second Line Drugs (Drug resistance testing under NTEP), Line Probe Assay for First Line Drugs (Drug resistance testing under NTEP), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, foot step for hospitals</p> <p><b>Searched String:</b> Current transformer 2005A LMS066D87</p> <p>15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), File/Folder (V3), 66 kV Current Transformer for Sub-stations / Power Houses (PSPCL), Transformer Winding Resistance Meter, 11 or 33 kV Outdoor Live Tank Current Transformer (BHEL), Core Balance Current Transformers (CBCT) (BHEL), Industrial Safety Belts and Harnesses as per IS 3521, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Cables, Converters and Adapters, AC Current Transducer</p> <p><b>Searched String:</b> Burden resistor 6313 ohm for CT</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Analog input module 2ch 020mA</p> <p>Electrician tool kit, Analog Oscilloscope, Toxic Gas Detector, CADAVEROUS INJECTOR, KVM Switch</p> <p><b>Searched String:</b> Supply module 8P 10A DC</p> <p>DC Regulated Power Supply As Per MHA QRs, water baths, Toilet Brush (V2), File/Folder (V3), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Automatic Fire Ball for Fire - Extinguishing, Circuit Breakers for DC Operation, Answer Book/Booklets For Examinations (V3), Screw Compressor</p> <p><b>Searched String:</b> Wago analog output 2ch</p> <p>Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Signal Isolator, Analog Oscilloscope, Pressure Sensor, Toxic Gas Detector, Electrician tool kit, Soil Moisture Sensor, CADAVEROUS INJECTOR, KVM Switch</p> <p><b>Searched String:</b> Wago digital input 120VAC 2ch</p> <p>Digital pH Meter, Online UPS (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), MIL-STD Digital Grounding System, Reciprocating Air</p>

विड विवरण / Bid Details	Compressors - Electric Motor Driven, LCR Meter, Digital Light Meter, Online UPS ( $\leq 10$ KVA) With Battery Conforming To IS 16242 (Part 1), Digital Kiosk Machine, function generator
	<p><b>Searched String:</b> Relay 230VAC 2CO for GH180</p> <p>SOVP Device for Street light Pole Mounted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Primary and Secondary Injection Test Kit for CT_VT and Relay Tester, Time delay relay, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Desk and Bench Set for Classroom/Training Area, Bunk Beds as per IS 17636, Earth Fault Relay Educational Kit, resuscitation crash cart console for hospitals, Static Protective Relays</p> <p><b>Searched String:</b> Wago module standard</p> <p>Relay Module, Universal Pipette Tips (V2), Interface module, Calcium Standard, High Visibility Reflective Vest, Turbidity Standard, Iron Standard, Network Attached Storage (V2), Standard Ambulances, Ferrule - IS 10942</p> <p><b>Searched String:</b> Wago field bus coupler</p> <p>Field Mountable (FM45) Connector for Telecommunication</p> <p><b>Searched String:</b> NXG I II to NXGpro plus upgrade kit</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Burden resistor 8865 ohm Siemens Resistors (V2)</p> <p><b>Searched String:</b> Current transformer 1505A LMS066D87</p> <p>15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), File/Folder (V3), 66 kV Current Transformer for Sub-stations / Power Houses (PSPCL)), Transformer Winding Resistance Meter, 11 or 33 kV Outdoor Live Tank Current Transformer (BHEL), Core Balance Current Transformers (CBCT) (BHEL), Industrial Safety Belts and Harnesses as per IS 3521, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Cables, Converters and Adapters, AC Current Transducer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>• Electric Table Type Fan and Regulator (V2) Conforming To IS 555</li> <li>• Flameproof Extension Board</li> <li>• Variable Voltage Variable Frequency Drive</li> </ul>
बीओक्यू शीर्षक /BOQ Title	Supply of Spares for Variable Frequency Drives
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

<b>बिड विवरण/Bid Details</b>	
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	No
<b>बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension</b>	1
<b>दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended</b>	7
<b>ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count</b>	1
<b>बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled</b>	No
<b>बिड का प्रकार/Type of Bid</b>	Single Packet Bid
<b>प्राथमिक उत्पाद श्रेणी/Primary product category</b>	NXG I II to NXGpro plus upgrade kit
<b>तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation</b>	5 Days
<b>निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>मूल्यांकन पद्धति/Evaluation Method</b>	Total value wise evaluation
<b>मध्यस्थता खंड/Arbitration Clause</b>	No
<b>सुलह खंड/Mediation Clause</b>	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

--	--

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

#### एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	Mr. Aloka Sahoo
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	CGM(O)
सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	IOCL SERPL Bhubaneswar
सीए अनुमोदन संख्या/CA Approval Number	9320M26A10
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	26-02-2026
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	Approval accorded , will be reproduced whenever required.

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

#### Single Tender

Single Tender Applicable	Yes
Reason	It will not be in public interest to procure the goods through advertised tender enquiry. Sufficient reasons for the same have been recorded in writing by the competent authority.
List of Seller Organization for participation	INNOMOTICS INDIA PRIVATE LIMITED

1. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## Keypad Kit English For Sinamics GH180

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAAC11681G1Z1	1	240

## Input Board SCB 15V HU For GH180 VFD

### तकनीकी विशिष्टियाँ /Technical Specifications

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**120V AC IO Breakout Module For GH180**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Attenuator PH 66kV For GH180 System**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Config Wire 1520mm Dsub FM Cable**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**DB37 Cable 5ft MF For GH180 Drive**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Fiber Optic Assembly Duplex 95m**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Cooling Fan 224in Curved AC Impeller**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Cooling Fan 198in Curved AC Impeller**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**G3 Cell NBH 140A 630V Module**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Hall Probe 500A For GH180**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Current Transformer 200 To 5A LMS066D87**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Burden Resistor 63.13 Ohm For CT**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Analog Input Module 2 Ch 0 To 20mA**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Supply Module 8P 10A DC**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Wago Analog Output 2ch**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Wago Digital Input 120VAC 2ch**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Relay 230VAC 2CO For GH180**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Wago Module Standard**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Wago Field Bus Coupler**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**NXG I II To NXGpro Plus Upgrade Kit**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Burden Resistor 88.65 Ohm Siemens**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**Current Transformer 150 To 5A LMS066D87**

**तकनीकी विशिष्टियाँ /Technical Specifications**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prachee Chaudhari	768005,Indian Oil Corporation Limited ( pipeline division) Naxapali, PO-Dhanupali, Sambalpur Pin-768005, Odisha GSTIN no.- 21AAACI1681G1Z1	1	240

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

4. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

8. 1. All items listed in the item category should be interpreted in conjunction with the corresponding specification document.
9. 2. *Cooling fan 224in curved AC impeller* should be read as *Cooling fan 22.4" curved AC impeller*, with details as provided in the specification document.
10. 3. *Cooling fan 198in curved AC impeller* should be read as *Cooling fan 19.8" curved AC impeller*, with details as provided in the specification document.

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- All operative provisions of the erstwhile Labour Laws until their complete substitution.

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---