

**बिड दस्तावेज़ / Bid Document**

<b>बिड विवरण/Bid Details</b>	
<b>बिड बंद होने की तारीख/समय /Bid End Date/Time</b>	09-03-2026 17:00:00
<b>बिड खुलने की तारीख/समय /Bid Opening Date/Time</b>	09-03-2026 17:30:00
<b>बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)</b>	30 (Days)
<b>मंत्रालय/राज्य का नाम/Ministry/State Name</b>	Ministry Of Defence
<b>विभाग का नाम/Department Name</b>	Department Of Military Affairs
<b>संगठन का नाम/Organisation Name</b>	Indian Army
<b>कार्यालय का नाम/Office Name</b>	*****
<b>कुल मात्रा/Total Quantity</b>	234
<b>वस्तु श्रेणी /Item Category</b>	LED Batten (Q2) , Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 (Q3) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Bathroom Water Shower (V2) (Q3) , Stainless Steel Shelf Rack (Q3)
<b>उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service</b>	3 Year (s)
<b>एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover</b>	No
<b>स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover</b>	No
<b>विक्रेता से मांगे गए दस्तावेज़/Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?</b>	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

**बिड विवरण/Bid Details**

बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / <b>Minimum number of bids required to disable automatic bid extension</b>	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / <b>Number of days for which Bid would be auto-extended</b>	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / <b>Number of Auto Extension count</b>	1
विगत प्रदर्शन / <b>Past Performance</b>	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ <b>Bid to RA enabled</b>	Yes
रिवर्स नीलामी योग्यता नियम/ <b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ <b>Type of Bid</b>	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ <b>Primary product category</b>	LED Batten
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / <b>Time allowed for Technical Clarifications during technical evaluation</b>	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
मूल्यांकन पद्धति/ <b>Evaluation Method</b>	Total value wise evaluation
मध्यस्थता खंड/ <b>Arbitration Clause</b>	No
सुलह खंड/ <b>Mediation Clause</b>	No

**ईएमडी विवरण/EMD Detail**

आवश्यकता/Required	No
-------------------	----

**ईपीबीजी विवरण /ePBG Detail**

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

## LED Batten ( 12 pieces )

### तकनीकी विशेषताएँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	LED Batten Rating (in Watts)	5.0
	Length of LED Batten (Nominal) (in mm)	280.0
	Lamp Efficacy (Lumen / Watt), Minimum	100, 110 Or higher
	Warranty for free replacement (in Years)	1, 2, 3 Or higher
CONSTRUCTIONAL	Housing Material	Polycarbonate

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	12	30

**Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 8 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Conformity to IS 778	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	15 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	Bonnet Type/ Design	Screwed - on bonnet integral seats
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Forged brass (conforming to CuZn,2Pb2 of IS 3288)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)
Dimensions	<b>Minimum Length of Threaded Portion at the end (in mm)</b>	9.5 mm
	<b>Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)</b>	3.7 mm
	<b>Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)</b>	11.5 mm
	<b>Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)</b>	8 mm
	<b>Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)</b>	26 mm
	<b>End to End Dimensions of Screwed End Valves (in mm)</b>	As per Table 9 of IS 778
	<b>Face to Face Dimensions of Flanged Valves (in mm)</b>	NA for Screwed Valves

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	8	30

**Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 ( 3 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	<b>Conformity to IS 778</b>	Yes
	<b>End Connection</b>	Screwed Ends
	<b>Nominal Size of Valves (in mm)</b>	20 mm
	<b>Pressure Classification</b>	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	<b>Gate Valve Type</b>	Solid Wedge Type
Material & Manufacture	<b>Bonnet Type/ Design</b>	Screwed - in bonnet integral seats
	<b>Material of Body</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Bonnet/Cover Material</b>	Brass (conforming to DCB 2 of IS 1264)
	<b>Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable)</b>	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	<b>Material of Stem, hinge pin and plug</b>	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	<b>Material of Gland Packing</b>	Hemp and Jute (conforming to IS 5414)
Dimensions	<b>Minimum Length of Threaded Portion at the end (in mm)</b>	10.5 mm
	<b>Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)</b>	4.1 mm
	<b>Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)</b>	13.0 mm
	<b>Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)</b>	9 mm
	<b>Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)</b>	32 mm
	<b>End to End Dimensions of Screwed End Valves (in mm)</b>	As per Table 9 of IS 778
	<b>Face to Face Dimensions of Flanged Valves (in mm)</b>	As per Table 11 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	3	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 24 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Angle stop valve
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Brass rods
	<b>Material of inlet tubes</b>	Copper tubes
	<b>Material of flanges</b>	Forged brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Phosphor bronze wire
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Cast brass
Generic	<b>Aerating device fitted with tap</b>	No
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	24	30

**Bathroom Water Shower (V2) ( 21 pieces )**

तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	<b>Type of shower</b>	Overhead shower (Wall mount with shower arm)
	<b>Material of body/face plate</b>	Stainless Steel
	<b>Finish of face plate</b>	Chrome plated
	<b>Type of Water Flow</b>	Rainfall and Multiple flow
	<b>Type of Multiple flow</b>	Rainflow
	<b>Shape of Shower</b>	Square
Dimensions	<b>Size of Shower</b>	100 mm
	<b>Overall length of Hand Shower (in mm)</b>	NA
	<b>Length of Hand Shower Tube (in mt)</b>	NA
	<b>Diameter of Hand Shower Tube (in mm)</b>	NA
	<b>Material of Hand Shower Tube</b>	NA
	<b>Overall length of Shower Arm (in mm)</b>	150
Warranty	<b>Warranty (in Years)</b>	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	21	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 59 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with internal thread
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Forged brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Stainless steel
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Zinc base alloys
Generic	<b>Aerating device fitted with tap</b>	No
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	59	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 28 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 1 Bib tap
	<b>Dimension</b>	As per table 4 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Brass rods
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Cast brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Rolled brass rods
	<b>Material of circlip, wire locks</b>	Phosphor bronze wire
	<b>Material of 'O' ring , gasket, and seat washer</b>	Neoprene rubber
	<b>Material of Knob and knob components</b>	Cast brass
Generic	<b>Aerating device fitted with tap</b>	No
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	24

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	28	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 4 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with internal thread
	<b>Dimension</b>	As per table 5 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Copper tubes
	<b>Material of flanges</b>	Cast brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Extruded brass rods
	<b>Material of circlip, wire locks</b>	Phosphor bronze sheet
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Cast brass
Generic	<b>Aerating device fitted with tap</b>	No
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	4	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 16 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 3 Bib tap
	<b>Dimension</b>	As per table 4 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Brass rods
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Brass rods
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Extruded brass rods
	<b>Material of circlip, wire locks</b>	Phosphor bronze wire
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Zinc base alloys
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	16	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 7 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 1 Bib tap
	<b>Dimension</b>	As per table 4 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Brass rods
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Phosphor bronze sheet
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Die cast brass
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	Yes
Warranty	<b>Warranty (in months)</b>	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	7	30

### Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 9 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Type 1 Bib tap
	<b>Dimension</b>	As per table 4 of the governing specification
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Cast brass
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Cast brass
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Extruded brass rods
	<b>Material of circlip, wire locks</b>	Phosphor bronze sheet
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic butadiene rubber (SBR)
	<b>Material of Knob and knob components</b>	Cast brass
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	9	30

### Bathroom Water Shower (V2) ( 10 pieces )

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	Type of shower	Shower Panel
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Massage, Cascade, Mist, Whirl, Monorail, Rainflow, Rainstream
	Shape of Shower	Rectangular
Dimensions	Size of Shower	65x 95 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	NA
Warranty	Warranty (in Years)	1

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	10	30

### Stainless Steel Shelf Rack ( 2 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Configuration</b>	With 4-Shelf (including top shelf)
	<b>Shape of support structure</b>	Angle post
	<b>Ground clearance (mm)</b>	75 mm
	<b>Mode of supply</b>	Assembled Ready To Use
MATERIAL & MATERIAL THICKNESS	<b>Shelf material</b>	Stainless Steel Grade 316 galvanized
	<b>Shelf material thickness</b>	1.5 mm
	<b>Support structure material</b>	Stainless Steel Grade 202 galvanized
	<b>Support structure material thickness</b>	1.5 mm
DIMENSION	<b>Width of shelf rack ± 10 mm</b>	1065 mm
	<b>Depth of shelf rack ± 10 mm</b>	610 mm
	<b>Height of shelf rack ± 10 mm</b>	1525 mm
	<b>Height of support structure ± 10 mm</b>	1700 mm
	<b>Size of support structure</b>	30 mm x 40 mm
WARRANTY	<b>Warranty period</b>	1 - Year
CERTIFICATION	<b>Test report to be furnished to buyer on demand</b>	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	2	30

**Stainless Steel Shelf Rack ( 2 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Configuration</b>	With 4-Shelf (including top shelf)
	<b>Shape of support structure</b>	Angle post
	<b>Ground clearance (mm)</b>	25 mm
	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL & MATERIAL THICKNESS	<b>Shelf material</b>	Stainless Steel Grade 202 galvanized
	<b>Shelf material thickness</b>	0.6 mm
	<b>Support structure material</b>	Stainless Steel Grade 202 galvanized
	<b>Support structure material thickness</b>	0.6 mm
DIMENSION	<b>Width of shelf rack ± 10 mm</b>	915 mm
	<b>Depth of shelf rack ± 10 mm</b>	405 mm
	<b>Height of shelf rack ± 10 mm</b>	1220 mm
	<b>Height of support structure ± 10 mm</b>	1245 mm
	<b>Size of support structure</b>	30 mm x 30 mm
WARRANTY	<b>Warranty period</b>	2 - Year
CERTIFICATION	<b>Test report to be furnished to buyer on demand</b>	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	2	30

**Stainless Steel Shelf Rack ( 2 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	<b>Configuration</b>	With 4-Shelf (including top shelf)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Shape of support structure</b>	Angle post
	<b>Ground clearance (mm)</b>	25 mm
	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL & MATERIAL THICKNESS	<b>Shelf material</b>	Stainless Steel Grade 304 galvanized
	<b>Shelf material thickness</b>	0.6 mm
	<b>Support structure material</b>	Stainless Steel Grade 304 galvanized
	<b>Support structure material thickness</b>	0.6 mm
DIMENSION	<b>Width of shelf rack ± 10 mm</b>	915 mm
	<b>Depth of shelf rack ± 10 mm</b>	405 mm
	<b>Height of shelf rack ± 10 mm</b>	1220 mm
	<b>Height of support structure ± 10 mm</b>	1245 mm
	<b>Size of support structure</b>	30 mm x 30 mm
WARRANTY	<b>Warranty period</b>	1 - Year
CERTIFICATION	<b>Test report to be furnished to buyer on demand</b>	No

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	2	30

**Bathroom Water Shower (V2) ( 23 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	<b>Type of shower</b>	Hand Shower

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Material of body/face plate</b>	ABS
	<b>Finish of face plate</b>	Chrome plated
	<b>Type of Water Flow</b>	Rainfall and Multiple flow
	<b>Type of Multiple flow</b>	Massage, Cascade, Mist, Whirl, Monorail, Rainflow, Rainstream
	<b>Shape of Shower</b>	Round
Dimensions	<b>Size of Shower</b>	100 mm
	<b>Overall length of Hand Shower (in mm)</b>	200
	<b>Length of Hand Shower Tube (in mt)</b>	1.5
	<b>Diameter of Hand Shower Tube (in mm)</b>	12
	<b>Material of Hand Shower Tube</b>	Stainless Steel
	<b>Overall length of Shower Arm (in mm)</b>	NA
Warranty	<b>Warranty (in Years)</b>	1

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	23	30

**Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 ( 4 pieces )**

**तकनीकी विशिष्टियाँ /Technical Specifications**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	<b>Governing Specification</b>	Conforming to IS 8931
Type	<b>Item</b>	Stop valve with internal thread
	<b>Dimension</b>	As per table 5 of the governing specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Nominal Size of bore of pipe to which taps and valves are fitted(in mm)</b>	15
Material	<b>Material of body, body components, nozzle , bonnet and back nuts</b>	Brass rods
	<b>Material of inlet tubes</b>	Brass tubes
	<b>Material of flanges</b>	Brass sheet
	<b>Material of diverter and diverter components</b>	NA
	<b>Material of spindle, glands, washer plate, nuts, screw and pin</b>	Forged brass
	<b>Material of circlip, wire locks</b>	Phosphor bronze sheet
	<b>Material of 'O' ring , gasket, and seat washer</b>	Synthetic rubber
	<b>Material of Knob and knob components</b>	Cast brass
Generic	<b>Aerating device fitted with tap</b>	Yes
	<b>Flow straightening device fitted with tap</b>	No
Warranty	<b>Warranty (in months)</b>	6

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Bathinda	4	30

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original

delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

6. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

7. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Bidder must upload OEM authorization certificate with specific bid No, failing which bidder is disqualified from the bidding.
2. Bidder must offer their rates along with Make and Model/CAT No, failing which bid will be disqualified.
3. Bidder must upload current price list of each make against which they are offering the rates.
4. Bidder must quote their rates for the following makes: -

(a)	LED Batten	Crompton/Orient elect/Any make approved by E-in-C/HQ CE WC
(b)	Brass Pillar tap ,bib tap, Angle cock, CP shower and Stainless Steel galvanized Shelf Rack etc	Prayag/Shakti/Prima/Any make approved by E-in-C/HQ CE WC
(c)	Copper Alloy Gate Valve For Waterworks Purpose	Prima/Shakti/Any make approved by E-in-C/HQ CE WC

5. The bid will be rejected if any of the document / certificate as requested in GeM bid has not been uploaded by the bidder.

#### 9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**