

बिड दस्तावेज़ / Bid Document

| बिड विवरण / Bid Details | |
|--|--|
| बिड बंद होने की तारीख/समय / Bid End Date/Time | 09-03-2026 18:00:00 |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time | 09-03-2026 18:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date) | 30 (Days) |
| मंत्रालय/राज्य का नाम / Ministry/State Name | Bihar |
| विभाग का नाम / Department Name | Rural Development Department Bihar |
| संगठन का नाम / Organisation Name | Rural Development Department |
| कार्यालय का नाम / Office Name | Block Office Balia |
| कुल मात्रा / Total Quantity | 105 |
| वस्तु श्रेणी / Item Category | RO Water Plant for Hemodialysis (Q3) , Octagonal Pole (V2) (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Leg Press - Outdoor Gym Equipments (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Parallel Bar - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years) | 100 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service | 3 Year (s) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover | No |
| विक्रेता से मांगे गए दस्तावेज़ / Document required from seller | Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

| बिड विवरण/Bid Details | |
|--|--|
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन /Past Performance | 80 % |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | No |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | RO Water Plant for Hemodialysis |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Payment Timelines | Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/Evaluation Method | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount | 10000 |

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

BDO
BLOCK OFFICE BALIA, Rural Development Department Bihar, Rural Development Department,
(Bdo,block Office Baliya)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|---|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|---|----|

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

RO Water Plant For Hemodialysis (5 pieces)

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--------------------------------------|--|--|
| GENERAL FEATURES | Plant capacity (Ltrs/Hr) | 250 |
| | Plant type | Microprocessor/microcontroller controlled Single stage RO water system (Feed water TDS less than 500 PPM) |
| | System type | Offline |
| PRE-TREATMENT | Double raw water pump (one active and the other stand by) | No |
| | Raw water feed pump capacity (LPH) | 1500 |
| | Micron particle filter after activated Carbon filter for removing suspended particles more than micron size | 1 |
| RO UNIT FOR MAIN TREATMENT | Distribution of RO plant water sufficient for number of dialysis machines | 5-10 |
| POST TREATMENT | Material of Booster pump (offline) | Stainless Steel 316 |
| | Vertical storage water tank with automatic float control for filling and dry run protection for off-line system | Yes |
| | Provision of volume controlled heat disinfection of permeate loop complied with ISO 15883 | Yes |
| | The permeate should be supplied to distribution loop through 0 point 2 micron bacteria filter for offline system using pex piping and high grade SS316 push pull connectors | Yes |
| USER INTERFACE | Software update via SD Card or Ethernet | No |
| | Memory storage device | No |
| STANDARD CONSUMABLES AND ACCESSORIES | UPS of Suitable Capacity to be provided | No |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|------------------------|--|---|
| WARRANTY & MAINTENANCE | Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) | 5, 2, 3 Or higher |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Octagonal Pole (V2) (70 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------------|---|---|
| GENERIC | Height of Octagonal pole (in Meters) | 8 |
| | Type of bracket for suitable fitment of luminaire on the Octagonal pole | Single Arm |
| | Each bracket length (in mm) | 1500 |
| | On site warranty (in Months) | 12 |
| OCTAGONAL POLE CONSTRUCTION | Material of Octagonal pole | Grade ISH600LA as per IS:5986:2017 latest |
| | Octagonal pole sheet thickness (in mm) | 3 |
| BASE PLATE | Base plate material | Grade: E250, Quality:BR (as per IS:2062:2011 latest) |
| | Bolt size | M20x600 |
| ADD ON ITEMS | Galvanized lightning finial for each pole (in Nos) | Without Lightning Finial |
| | Aviation obstruction lights on top of each pole with vertical stand and with LED/GLS (in Nos) | Without Aviation Light |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Junction box on the Carriage Assembly as required, from which the interconnections for the designed number of the light fixtures on the carriages | No |
| | Material of Junction Box | Without Junction Box |
| | Cable (ISI Marked Cable) connections from the top junction box to the individual luminaries of each pole | 3 C x 2.5 Sq.mm, Copper cable, FR Category as per IS:694 |
| | Cable (ISI Marked Cable) connections from the Bottom of the pole i.e. from pole's door opening (Base compartment) to top junction box of each pole | 3 C x 6 Sq.mm, Copper cable, FR Category as per IS:694 |
| | Terminal Box with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each pole | MCB, 6A, 1P, 240V, AC |
| | No.of MCB per Junction Box (in Nos.) | 2 |
| | Suitable winch mechanism (raising and lowering mechanism) according to pole height and according to no.of LED luminaires with necessary interlocking , wires and ropes for maintenance | Without Winch Mechanism |
| CERTIFICATIONS | Availability of type test reports for the entire system including for Pole construction , wind load (velocity) tests, Winch Mechanism, from Central Govt., Lab/NABL. ILAC accredited lab to prove conformity of the specification | Yes |

Additional Specification Parameters - Octagonal Pole (V2) (70 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|--|----------------------------------|
| No of LED Luminaires can be fitted in the carriage of each octagonal pole (in Nos) | 4 No's of light per pole |
| LED Rating/System Wattage/Rated Power (in Watts) | 100 Watts |

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 70 | 15 |

Air Walker / Stroller - Outdoor Gym Equipment (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Frame | 125 mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | leg movement frame | 32mm Nominal Bore G.I. Pipe |
| | Leg Movement Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame | 25mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Tapered Roller Bearing |
| | Foot Rest | HDPE |
| | MS Foundation Plate Thickness | 12.0 (millimeter) |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| OTHER REQUIREMENTS | Installation | Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Air Walker / Stroller - Outdoor Gym Equipment (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | No |
| | Main Frame | 80mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium |
| | leg movement frame | 40mm Nominal Bore G.I. Pipe |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Leg Movement Frame Pipe, Class as per IS 1239 | Not applicable for pipe as per IS 1161 |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Not applicable for pipe as per IS 1161 |
| | Bearings | Tapered Roller Bearing |
| | Foot Rest | HDPE |
| | MS Foundation Plate Thickness | 12.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|----------------------------|------------------|---------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Leg Press - Outdoor Gym Equipments (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|---|
| TYPE | Type | Leg Press Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------------|--|---|
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Moving Frame Pipe | 32mm Nominal bore G.I. pipe |
| | Moving Frame Pipe, Class as per IS 1239 | Heavy |
| | Foot Rest Frame/ Foot Rest Hinging Pipe | 25mm Nominal Bore G.I. Pipe |
| | Foot Rest Frame Pipe, Class as per IS 1239 | Heavy |
| | Connecting Links | 25mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |
| Seat and Back Rest | 6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges | |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Sit Up Board - Outdoor Gym Equipment (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|--|---|---|
| TYPE | Type | Double Station |
| MATERIAL | Type of Back Rest | Plain Sheet |
| | Material of Back Rest | Galvanized Iron(GI) |
| | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | No |
| | Main Frame/Central Pipe | 80mm Nominal Bore G.I. Pipe |
| | Main Frame/Central Pipe, Class as per IS 1239 | Medium |
| | Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade of Material as per table 2 of IS 1161 | YSt 210 |
| | Foot Rest Pipe | 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe , Class as per IS 1239 | Medium |
| | Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade of Material as per table 2 IS 1161 | YSt 210 |
| | Back Rest Frame Pipe and Connecting Links | 25 mm Nominal Bore G.I. Pipe |
| | Back Rest Frame Pipe and Connecting Links, Class as per IS 1239 | Medium |
| Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 25 mm NB with 2.6 mm Thickness | |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Grade of Material (as per table 2 of IS 1161) | YSt 210 |
| | Leg Support Pipe | 32mm Nominal bore G.I. pipe |
| | Leg Support Pipe , Class as per IS 1239 | Medium |
| | Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade of Material per table 2 of IS 1161 | YSt 210 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 210 |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| OTHER REQUIREMENTS | Installation | Not Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N O. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|----------------|---|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Parallel Bar - Outdoor Gym Equipment (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| Material | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Vertical / Standing Pipes | 100 mm Nominal Bore G.I. Pipe |
| | Vertical/ Standing Pipes, Class as per IS 1239 | Not applicable for pipe as per IS 1161 |
| | Vertical / Standing Pipe (as per Clause 3 of IS 1161) , Nominal Bore & Wall Thickness | 100 mm NB with 5.4 mm Thickness |
| | Horizontal Pipe | 50 mm Nominal Bore G.I. Pipe |
| | Horizontal Pipe, Class as per IS 1239 | Heavy |
| | Horizontal Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 50 mm NB with 2.9 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 355 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 3 mm |
| | Nominal Bore of Foundation Pipe | 100 mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 50 mm NB with 2.9 mm Thickness |
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| | Bearings | Ball Bearing |
| Foot Rest | HDPE | |
| Other Requirements | Installation | Included |
| Certification | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| Warranty | Warranty (years) | 5.0 (year) |

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|--|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Surf Board - Outdoor Gym Equipment (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|---|---|
| TYPE | Type | Single |
| CAPACITY | Maximum User Weight (Kg) | 110.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | Not Applicable |
| | Movement (Paddle) Frame | 40mm Nominal Bore G.I. Pipe |
| | Movement (Paddle) Frame Pipe, Class as per IS 1239 | Medium |
| | Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 40 mm NB with 3.2 mm Thickness |
| | Grade Material as per table 2 IS 1161 | Not Applicable |
| | Connecting Links | 32 mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Medium |
| | Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness | Not Applicable |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--|---|
| | Grade Material (as per table 2 of IS 1161) | Not Applicable |
| | Handle Frame | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 3.2 mm Thickness |
| | Grade Material per table 2 of IS 1161 | Not Applicable |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | Not Applicable |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | LDPE |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | No |
| WARRANTY | Warranty (years) | 2.0 (year) |

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---|----------------------------|------------------|------------------------------|
| 1 | Birendra Kumar | 851211,BLOCK OFFICE BALIYA | 5 | 30 |

Special terms and conditions-Version:3 effective from 26-06-2024 for category RO Water Plant for Hemodialysis

1.
 1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self-declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
 6. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 7. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled.Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 8. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 9. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 10. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 11. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation &

commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.

12. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. **Software:** All software updates should be provided free of cost during warranty period.
14. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

3. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and

resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-

compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---